

# Proven Dependability

# Largo Pressure Cleaning Systems

## PRICE LIST



Prices Effective March 1, 2010

# Largo

## CLEANING SYSTEMS

40 Sevier Lane • Decaturville, TN 38329  
Phone (731) 852-2324 • Fax 800-626-7384  
www.gcalargo.com • sales@gcalargo.com

### Buddy Series ELECTRIC 12 Series

#### STANDARD FEATURES

- Triplex, Oil Bath, Ceramic Plunger Pump - Direct Drive
- Powder-Coated Industrial Grade Frame
- 10" Pneumatic Tubed Tires
- Low Pressure Detergent
- 35' GFCI Cord
- Painted Coil Wrapper
- Black Pipe Heating Coil
- 50' 3/8" Quick Coupled High Pressure Hose
- Industrial Strength TEFC 1725 rpm Electric Motor
- Quick Coupled Color Coded Spray Tips, 0 and 25 Degree
- Poly Fuel Tank with Fuel Gauge
- Trigger Gun Control with Dual Lance Wand
- Pressure Switch
- Hose Reel Arm Bracket
- Thermal Pump Protection
- In-Line Fuel Filter
- High Limit Over Temp Protection
- Insulated Handle Grips and Front Rubber Feet
- Side Mount Electrical Box

#### OPTIONS:

- 50' Hose Reel
- 100' Hose Reel
- 6' Connector Hose
- Hose Reel Mounting Arm
- Open Gun System (Below 2000 psi)
- Stainless Steel Coil Wrapper



*For outdoor use only.*

<u>MODEL</u>	<u>GPM</u>	<u>PSI</u>	<u>HP</u>	<u>VOLT/Ph</u>	<u>AMPS</u>	<u>SHIPPING WEIGHT</u>	<u>DIMENSIONS</u>	<u>LIST PRICE</u>
1210	2.2	1000	1.5	115/1	15	310	23W x 30L x 39H	\$3,583.00
1213	2.2	1400	2	115/1	20	315	23W x 30L x 39H	\$3,753.00

### Buddy Series ELECTRIC 13 Series

#### STANDARD FEATURES

- Triplex, Oil Bath, Ceramic Plunger Pump - Direct Drive
- Powder Coated Industrial Grade Frame
- 10" Pneumatic Tubed Tires
- Low Pressure Detergent
- 35' GFCI Cord on 115V Units Only
- Painted Coil Wrapper
- Black Pipe Heating Coil
- 50' 3/8" Quick Coupled High Pressure Hose
- Industrial Strength 1725 rpm Electric Motor
- Quick Coupled Color Coded Spray Tips 0 and 25 Degree
- Poly Fuel Tank with Fuel Gauge
- Trigger Gun Control with Dual Lance Wand
- Pressure Switch
- Hose Reel Arm Bracket
- Thermal Pump Protection
- In-Line Fuel Filter
- High Limit Over Temp Protection
- Side Mount Electrical Box
- Insulated Handle Grips and Front Rubber Feet

#### OPTIONS:

- 50' Hose Reel
- 100' Hose Reel
- 6' Connector Hose
- Hose Reel Mounting Arm
- Open Gun System (Below 2000 psi)
- Stainless Steel Coil Wrapper



*For outdoor use only.*

*\*10' power cord, no plug on 230v units.*

<u>MODEL</u>	<u>GPM</u>	<u>PSI</u>	<u>HP</u>	<u>VOLT/Ph</u>	<u>AMPS</u>	<u>SHIPPING WEIGHT</u>	<u>DIMENSIONS</u>	<u>LIST PRICE</u>
1310	3.0	800	2	115/1	20	375	23W x 30L x 39H	\$4,267.00
1315	3.0	1500	3	230/1	16	385	23W x 30L x 39H	\$4,427.00
1322	2.2	2000	3	230/1	16	385	23W x 30L x 39H	\$4,513.00
1330	3.0	3000	6	230/1	28	450	23W x 30L x 39H	\$5,295.00

**SEE OPTIONS ON PAGE 15**

## HOT WATER PORTABLE

### HEAVY DUTY, ELECTRIC 20 Series

#### STANDARD FEATURES

- Triplex, Oil Bath, Ceramic Plunger Pump - Direct Drive
- Black Powder Coated Industrial Grade Frame
- 10" Pneumatic Tubed Tires
- Painted Coil Wrapper
- Side Mount Electrical Box
- 35' GFCI on 115V units
- High Limit Over Temp Protection
- Black Pipe Heating Coil
- 50' 3/8" Quick Coupled Hose
- Industrial Strength 1725 rpm Electric Motor
- Quick Coupled Color Coded Spray Tip, 0 & 25 Degree
- Poly Fuel Tank with Fuel Gauge
- Gun Control
- Float Tank Units have VAC Switch

- Float Tank Units - High Pressure Detergent with 4' Lance
- Units without Float Tank have Low Pressure Detergent with Dual Lance Wand

#### OPTIONS:

- Open Gun (Below 2000 psi)
- 8" Draft Diverter
- Stainless Steel Coil Wrapper
- Hose Reel 50' or 100'
- Thermostat
- 40 amp GFCI - 230V 1Ph
- Water Separating Fuel Filter
- Stainless Steel Coil Wrapper



For outdoor use only.

\*10' power cord, no plug on 230v units.

MODEL	GPM	PSI	HP	VOLT/Ph	AMPS	FLOAT TANK	SHIPPING WEIGHT	DIMENSIONS	LIST PRICE
2100	2.2	1000	1.5	115/1	15	No	320	24W x 34L x 40H	\$3,636.00
2150	2.0	1250	2	115/1	20	No	325	24W x 34L x 40H	\$3,808.00
2200	2.0	2000	3	230/1	16	No	385	24W x 34L x 40H	\$4,566.00
21	2.2	1250	2	115/1	20	Yes	330	24W x 34L x 40H	\$3,697.00
22	2.0	2000	3	230/1	16	Yes	385	24W x 34L x 40H	\$4,619.00

### HEAVY DUTY, ELECTRIC 30 Series

#### STANDARD FEATURES

- Triplex, Oil Bath, Ceramic Plunger Pump
- Black Powder Coated Industrial Grade Frame
- 10" Pneumatic Tubed Tires
- Painted Coil Wrapper
- 35' GFCI on 115V Units
- High Limit Over Temp Protection
- Black Pipe Heating Coil
- 50' 3/8" Quick Coupled Hose
- Industrial Strength 1725rpm Electric Motor
- Quick Coupled Color Coded Spray Tips, 0 and 25 Degrees
- Poly Fuel Tank w/ Fuel Gauge
- Gun Control
- Float Tank Units have VAC Switch and High Pressure Detergent with 4' Lance

- Units without Float Tank have Low Pressure Detergent with Dual Lance Wand
- \*10' power cord, no plug on 230v units.

#### OPTIONS:

- Open Gun (Below 2000 psi)
- Time Delay Shutdown - Auto or Push Button Restart
- Steam Combo
- 8" Draft Diverter
- Hose Reel 50' or 100'
- Water Separating Fuel Filter
- Hour Meter
- Thermostat
- 40 amp GFCI - 230V 1Ph
- Stainless Steel Coil Wrapper



For outdoor use only.

MODEL	GPM	PSI	HP	VOLT/Ph	AMPS	FLOAT TANK	Drive	SHIPPING WEIGHT	DIMENSIONS	LIST PRICE
3130KC	2.2	1250	2	115/1	20	Yes	Direct	400	26W x 36L x 42H	\$3,909.00
3150	3.0	800	2	115/1	30	No	Direct	410	26W x 36L x 42H	\$4,480.00
3212	2.2	1250	2	115/1	20	Yes	Belt	425	26W x 36L x 42H	\$4,712.00
3220	2.2	2000	3	230/1	16	No	Direct	410	26W x 36L x 42H	\$4,831.00
3250	3.5	2400	6	230/1	28	No	Direct	475	26W x 36L x 42H	\$5,299.00
3310	3.0	1500	3	230/1	16	Yes	Belt	425	26W x 36L x 42H	\$5,265.00
3920	3.8	2000	5	230/1	26	Yes	Belt	465	26W x 36L x 42H	\$5,480.00
31	3.0	1000	3	230/1	16	Yes	Direct	415	26W x 36L x 42H	\$4,533.00
35	3.5	2400	6	230/1	28	Yes	Direct	415	26W x 36L x 42H	\$5,566.00

**3130KC Kitchen Cleaner** comes complete with adjustable thermostat, high pressure detergent, and R2 hose to a maximum temperature of 275 degrees.

SEE OPTIONS ON PAGE 15



## HOT WATER PORTABLE

### EXTRA HEAVY DUTY, ELECTRIC 40 Series

#### Standard Features

- Belt Driven General Pump
- Beckett Burner
- High Pressure Detergent
- 50' 3/8" Quick Coupled Hose
- Gun Control with 4' Lance
- Painted Coil Wrapper
- Stainless Steel Float Tank
- Poly Fuel Tank w/ Fuel Gauge
- Quick Coupled Color Coded Spray Tips, 0 and 25 Degrees
- High Limit Over Temp Protection
- Vac Switch
- HD Industrial Strength Powder Coated Frame
- 35' GFCI on 115V units
- 10" Pneumatic Tubed Tires
- Black Pipe Heating Coil
- Industrial Strength Electric Motor
- Hose Reel Mounting Bracket
- Water Separating Fuel Filter
- Model 43 Steam Cleaner is an open steam gun system with 50' of 1/2" Steam Hose & Nozzle with Direct Drive Pump

\*10' power cord, no plug on 230v units.

#### OPTIONS:

- Open Gun (Below 2000 psi)
- Time Delay Shutdown-Auto or Push Button Restart
- Steam Combo
- 8" Draft Diverter
- Hose Reel 50' or 100'
- Hour Meter
- Thermostat
- 40 amp GFCI - 230V 1Ph
- Electric Clutch
- Optional 230/460 Volt 3Ph w/o GFCI
- Stainless Steel Coil Wrapper
- 460 3-Phase



For outdoor use only.

MODEL	GPM	PSI	HP	VOLT/Ph	AMPS	DRIVE	SHIPPING WEIGHT	DIMENSIONS	LIST PRICE
2810	2.8	1000	2	115	20	Belt	485	28W x 39L x 47H	\$5,030.00
4020	4.0	2300	6	230	28	Belt	525	28W x 39L x 47H	\$6,116.00
4518	5.0	1800	6	230	28	Belt	525	28W x 39L x 47H	\$6,265.00
4030	4.0	3000	7.5	230	32	Belt	580	28W x 39L x 47H	\$6,532.00
43 SC	1.8	300	1.5	115	15	Direct	500	28W x 39L x 47H	\$4,683.00

### OIL FIRED - 4 WHEEL TOMCAT

#### STANDARD FEATURES

- Powder Coated Extra Heavy Duty Frame, Coil Wrapper, Belt Guard and Electric Box.
- Industrial Strength Electric Motor
- Belt Driven General Pump
- Spiral Wrapped Black Pipe Heating Coil
- Gun Control with 4' Insulated Lance
- Quick Coupled Color Coded Spray Tips
- High Pressure Detergent
- 50' High Pressure Quick Coupled Hose
- 7 gallon Poly Fuel Tank with Gauge
- 4 Wheel - 10" Pneumatic Tubed Tires
- Stainless Steel Float Tank w/Cover
- In-Line Fuel Filter
- High Limit Over Temp Protection
- Hose Reel Mounting Bracket
- Rotary Cam Switch
- Vac Switch
- Beckett Burner
- 115V Units Equipped with 20 amp GFCI
- 230/480V Units Have 10' Power Cord Without GFCI or Plug
- Spring Release Brake



For Outdoor Use Only

MODEL	GPM	PSI	HP	VOLT	PHASE	AMPS	LIST PRICE
<b>SINGLE PHASE UNITS</b>							
15-281	2.8	1000	2	115	1	20	\$5,125.00
15-423	4.0	2300	6	230	1	28	\$6,185.00
15-430	4.0	3000	7.5	230	1	36	\$6,601.00
15-518	5.0	1800	6	230	1	28	\$6,334.00
15-440	4.0	4000	10	230	1	42	\$7,448.00
15-520	5.0	2000	7.5	230	1	36	\$6,638.00
15-530	5.0	3000	10	230	1	42	\$7,602.00
<b>THREE PHASE UNITS</b>							
15-420-3	4.0	2000	5	230	3	16	\$6,053.00
15-430-3	4.0	3000	7.5	230	3	25	\$6,473.00
15-515-3	5.0	1500	5	230	3	16	\$6,201.00
15-520-3	5.0	2000	7.5	230	3	25	\$6,585.00
15-530-3	5.0	3000	10	230	3	34	\$7,354.00

#### OPTION

15-460-3 460 3-Phase Belt Drive \$954.00

#### OPTIONS

- Open Gun (Below 2000 psi)
- Hour Meter
- 8" Draft Diverter
- Semi Pneumatic Tires
- Detergent Solenoid
- Down Stream Detergent
- 40 amp GFCI
- Thermostat Control
- Steam Combo
- Auto OFF-Push Button Restart
- Auto OFF/ON
- Hose Reel - 50' or 100'
- Stainless Steel Coil Wrapper
- Water Separating Fuel Filter

SEE OPTIONS ON PAGE 15

### HOT WATER SYSTEM, PAINTED

#### Standard Features

- Belt Driven General Triplex Pump
- 50' 3/8" Quick Coupled Hose
- Industrial Strength Electric Motor
- Black Pipe Heating Coil
- High Pressure Detergent
- Black Powder Coated Industrial Grade Frame
- High Limit Over Temp Protection
- Gun Control with 4' Lance
- Painted Coil Wrapper
- NG or LP Fired - Electronic Ignition
- 24 Volt Controls
- Stainless Steel Float Tank & Control Panel
- Robert Shaw Gas Controls LP/NG
- Quick Coupled Color Coded Spray Tips
- Pressure Relief Valve
- Heavy Duty Unloader Valve
- Vac Switch
- 10' Power Cord, No Plug on 230v Units

#### OPTIONS:

- Open Gun (Below 2000 psi)
- Thermostat Control
- Steam Combo
- 10" Draft Diverter
- Oil Fired Burner
- Coil Mounted Left or Right Side
- 40 amp GFCI - 230V 1Ph Units
- Auto Off/On or Push Button Restart
- Remote Control Station
- Soap Solenoid
- Hose Reels 50', 100' or 200'
- Two Gun Operation
- Stainless Steel Coil Wrapper
- Electric Clutch
- Rupture Disc
- Additional Control Boxes



MODEL	GPM	PSI	HP	VOLT	PH	AMPS	SHIPPING WEIGHT	DIMENSIONS	LIST PRICE
64	4.0	2300	6	230	1	25	600	20W x 54L x 44H	\$6,851.00
64-3	4.0	2000	5	230/460	3	16/8	600	20W x 54L x 44H	\$6,718.00
643	4.0	3000	7.5	230	1	36	600	20W x 54L x 44H	\$7,295.00
643-3	4.0	3000	7.5	230/460	3	25/15	600	20W x 54L x 44H	\$7,162.00
65	5.0	1800	6	230	1	28	720	20W x 54L x 54H	\$7,116.00
65-3	5.0	1500	5	230/460	3	16/8	720	20W x 54L x 54H	\$6,983.00
66	5.0	2000	7.5	230	1	36	720	20W x 54L x 54H	\$7,832.00
66-3	5.0	2000	7.5	230/460	3	25/15	720	20W x 54L x 54H	\$7,700.00
67	5.0	3000	10	230	1	42	735	20W x 54L x 54H	\$9,404.00
67-3	5.0	3000	10	230/460	3	34/15	735	20W x 54L x 54H	\$9,272.00
68-3	8.0	3000	15	230/460	3	39/19	755	22W x 56L x 54H	\$11,389.00

### HOT WATER SYSTEM, STAINLESS

#### Standard Features

- All Stainless Steel Constructed Frame
- Belt Driven General Triplex Pump
- 24 Volt Control
- Time Delay Shutdown
  - Push Button Restart
- Robert Shaw Ignition Burner Controls
- Hour Meter
- Adjustable Thermostat
- Black Pipe Heating Coil
- High Pressure Detergent
- 50' 3/8" Quick Coupled Hose
- 10" Draft Diverter
- Trigger Gun with 4' Lance
- Quick Coupled Spray Tips
- NG or LP Fired
- Stainless Steel Float Tank
- Pressure Relief Valve

- Heavy Duty Unloader Valve
- Vac Switch
- \*10' power cord, no plug on 230v units.*

#### OPTIONS:

- Steam Combo
- Oil Fired Burner
- Coil Mounted Left or Right Side
- 40 amp GFCI - 230V 1Ph Units
- Remote Control Station
- Soap Solenoid
- Hose Reel, 50', 100', or 200'
- Two Gun Operation
- Auto OFF/ON
- Rupture Disc
- Electric Clutch
- Open Gun (Below 2000 psi)
- Additional Control Boxes



MODEL	GPM	PSI	HP	VOLT	PH	AMPS	SHIPPING WEIGHT	DIMENSIONS	LIST PRICE
6400	4.0	2300	6	230	1	28	620	20W x 54L x 44H	\$8,276.00
6400-3	4.0	2000	5	230/460	3	16/8	620	20W x 54L x 44H	\$8,141.00
6430	4.0	3000	7.5	230	1	36	620	20W x 54L x 44H	\$8,729.00
6430-3	4.0	3000	7.5	230/460	3	25/15	620	20W x 54L x 44H	\$8,594.00
6500	5.0	1800	6	230	1	28	760	20W x 54L x 54H	\$8,546.00
6500-3	5.0	1500	5	230/460	3	16/8	760	20W x 54L x 54H	\$8,411.00
6600	5.0	2000	7.5	230	1	36	760	20W x 54L x 54H	\$9,600.00
6600-3	5.0	2000	7.5	230/460	3	25/15	760	20W x 54L x 54H	\$9,465.00
6700	5.0	3000	10	230	1	42	775	20W x 54L x 54H	\$11,202.00
6700-3	5.0	3000	10	230/460	3	34/15	775	20W x 54L x 54H	\$11,067.00
6800-3	8.0	3000	15	230/460	3	39/19	795	22W x 56L x 54H	\$13,764.00

SEE OPTIONS ON PAGE 15

### HOT WATER SYSTEM, PAINTED FRAME MINI

#### STANDARD FEATURES

- Triplex, Oil Bath, Ceramic Plunger Pump
- 50' 3/8" Quick Coupled Hose
- Industrial Strength Electric Motor
- Black Pipe Heating Coil
- Low Pressure Detergent
- Flow Switch
- Black Powder Coated Industrial Grade Frame
- High Limit Over Temp Protection
- Trigger Gun Control with Dual Lance
- Painted Coil Wrapper
- NG or LP Fired - Electronic Ignition
- 24 Volt Controls
- Quick Coupled Color Coded Spray Tips
- Pressure Relief Valve
- Heavy Duty Unloader Valve
- 10' Power Cord, No Plug on 230V Units
- \* 35' GFCI on 115V Units

#### OPTIONS:

- Open Gun (Below 2000 psi)
- Thermostat Control
- Draft Diverter
- 40 amp GFCI - 230 1Ph Units
- Soap Solenoid
- Hose Reels 50', 100' or 200'
- Stainless Steel Coil Wrapper
- Rupture Disc
- Auto Off/On or Push Button Restart

*\*All units completely  
factory assembled  
in U.S.A.*

*Tested and  
ready for use.*



MODEL	GPM	PSI	HP	VOLT	PH	AMPS	LIST PRICE
6-2150	2.2	1250	2	115	1	20	\$4,232.00
6-3100	3.0	800	2	115	1	30	\$4,629.00
6-3150	3.0	1500	3	230	1	16	\$4,904.00
6-3250	3.5	2400	6	230	1	28	\$5,935.00
6-4230	4.0	2300	6	230	1	28	\$6,174.00
6-4300	4.0	3000	7.5	230	1	36	\$6,746.00

### Stationary Series COLD WATER ELECTRIC CABINET

#### STANDARD FEATURES

- HD Powder Coated Cabinet
- Belt Driven General Pump
- 24 Volt Controls
- Trigger Gun Control with 4' Lance
- 50' 3/8" Quick Coupled Hose
- Hour Meter
- Stainless Steel Float Tank w/Cover
- High Pressure Detergent
- Industrial Strength Electric Motor
- 35' GFCI on 115V Models Less Than 20 amps
- 12' Cord Without Plug on 230V/460V
- Time Delay Shutdown - Push Button Restart

#### OPTIONS:

- Stainless Steel Cabinet or Cover
- Wall Mount Platform
- 4 Wheel Cart Painted or Stainless Steel
- Soap Solenoid
- 40 amp GFCI 230V 1PH Units
- Hose Reel, 50' or 100'
- High Temp Kit for 180 degree Incoming Water - CAT Pump  
Option only. Call for pricing
- Electric Clutch
- Low Water Shut-Off
- Machine Stand
- Remote Station
- Additional Control Boxes



MODEL	GPM	PSI	HP	VOLT	Ph	AMPS	WEIGHT	DIMENSIONS	LIST PRICE
7210	2.8	1000	2	115	1	20	180	18Wx38Lx13H	\$3,599.00
7420	4.0	1900	6	230	1	25	220	18Wx38Lx13H	\$4,314.00
7420-3	4.0	1900	5	230/460	3	16/8	210	18Wx38Lx13H	\$4,182.00
7515	5.0	1500	6	230	1	25	220	18Wx38Lx13H	\$4,463.00
7515-3	5.0	1500	5	230/460	3	16/8	210	18Wx38Lx13H	\$4,330.00
7520	5.0	2000	7.5	230	1	30	230	21Wx40Lx13H	\$4,943.00
7520-3	5.0	2000	7.5	230/460	3	25/15	230	21Wx40Lx13H	\$4,810.00

SEE OPTIONS ON PAGE 15

### Stationary Series COLD WATER ELECTRIC STATIONARY

- Belt Driven General Pump
- EHD Powder Coated Frame
- 50' 3/8" Quick Coupled Hose
- Gun Control with 4' Lance
- Color Coded Spray Tips
- 24 Volt Control
- Hour Meter
- High Pressure Detergent
- Stainless Steel Float Tank & Control Panel
- Auto Shutdown - Push Button Restart
- 10' Power Cord Without Plug

**OPTIONS:**

- Stainless Steel Cabinet
- 40 amp GFCI - 230 1Ph Units
- Auto Off/On
- Soap Solenoid
- Hose Reel 50', 100' or 200'
- Two Gun Operation - Model 8583-3 Only
- Down Stream Detergent
- Electric Clutch
- Dual Lance Wand
- Remote Station
- Additional Remote Boxes



MODEL	GPM	PSI	HP	VOLT	Ph	AMPS	WEIGHT	DIMENSIONS	LIST PRICE
8423	4.0	2300	6	230	1	25	300	20Wx26Lx37H	\$4,731.00
8430	4	3000	7.5	230	1	30	340	20Wx26Lx37H	\$5,175.00
8430-3	4	3000	7.5	230/460	3	24/14	340	20Wx26Lx37H	\$5,042.00
8520	5.0	2000	7.5	230	1	30	340	20Wx26Lx37H	\$5,712.00
8520-3	5.0	2000	7.5	230/460	3	24/14	340	20Wx26Lx37H	\$5,580.00
8530-3	5.0	3000	10	230/460	3	27/14	360	20Wx26Lx37H	\$7,284.00
8523-3	6.0	3500	15	230/460	3	38/18	380	20Wx26Lx37H	\$8,527.00
8583-3	8.0	2750	15	230/460	3	38/18	380	20Wx26Lx37H	\$9,201.00

### Cold Water Skids GAS ENGINE ELECTRIC - BELT DRIVE

**STANDARD FEATURES**

- Powder Coated Industrial Grade Frame
- Triplex, Oil Bath, Ceramic Plunger Pump
- Inlet Water Filter
- Adjustable Unloader
- Low Oil Shutdown
- Dual Padded Shock Absorbing Feet
- Thermal By-Pass Engine Shutdown
- Commercial / Industrial Grade Engines
- Low Pressure Detergent with Quick Connects
- 50' 3/8" Quick Connect High Pressure Hose
- Trigger Gun Control with 4' Lance
- Color Coded Quick Coupled Spray Tips, 0, 15, 25, and 40 degrees
- Poly Battery Box - Battery Not Included



*\*All units completely factory assembled in U.S.A.*

*Tested and ready for use.*

**OPTIONS**

- Dual Lance Wand
- 100' 3/8" Quick Connect High Pressure Hose
- Rotating Nozzle
- Two Gun Operation Available on 8 GPM Units
- Soap Solenoid

MODEL	GPM	PSI	HP	ENGINE	LIST PRICE
CWS5435	4.0	3500	16	Vanguard	\$6,394.00
CWS5530	5.0	3000	16	Vanguard	\$6,512.00
CWS5440	4.0	4000	16	Vanguard	\$6,615.00
CWS5535	5.5	3500	18	Vanguard	\$7,349.00
CWS5535H	5.5	3500	20	Honda	\$8,083.00
CWS5830H	8.0	3000	24	Honda	\$9,100.00
CWS5830K	8.0	3000	25	Kohler	\$9,252.00
CWS5835K	8.0	3500	30	Kohler	\$9,535.00
CWS5535D	5.2	3500	18	Kubota	\$22,156.00

**SEE OPTIONS ON PAGE 15**



### HOT WATER SKIDS, VERTICAL SERIES, STANDARD & SUPER

#### STANDARD FEATURES

- Powder Coated EHD Frames
- Painted Coil Wrapper & Control Panel
- High Limit Over Temp Protection
- Stainless Steel Float Tank
- 50' R2 High Pressure Hose
- Sch. 80 Black Pipe Heating Coil
- Gun Control with 4' Lance
- Color Coded Spray Tips
- Poly Battery Box
- Belt Driven General Pump
- Hour Meter
- High Pressure Detergent
- 2500 Watt Generator - G Models
- 12V DC Burner - Requires Group 24 Deep Cycle Battery (Not Included)
- Thermal By-Pass Protection
- 10 Gal. Gasoline & Diesel Tank
- Plumbed for Remote Tank

- Electric Start
- Beckett Burner
- Pressure Relief Valve
- Heavy Duty Unloader Valve

**Wireless Remote Option**

#### OPTIONS:

- Rotating Nozzle
- Anti-Freeze System
- 2 Gun System on 8 GPM
- Rain Cap
- 4 Wheel Kit
- Stainless Steel Coil Wrapper
- Stainless Steel Control Panel
- Steam Combo
- Hose Reel 50', 100' or 200'
- Down Stream Detergent
- 4 Wheel Caster Kit w/Brakes
- Rupture Disc
- Thermostat Control
- Water Separating Fuel Filter
- Soap Solenoid



	MODEL	GPM	PSI	HP	ENGINE	BURNER	WEIGHT	DIMENSIONS	LIST PRICE
STANDARD MODELS	5435	4.0	3500	16	Vanguard	12VDC	700	35Wx42Lx46H	\$9,196.00
	5435G	4.0	3500	18	Vanguard	Generator	700	35Wx42Lx46H	\$10,044.00
	5440	4.0	4000	16	Vanguard	12VDC	700	35Wx42Lx46H	\$9,307.00
	5440G	4.0	4000	18	Vanguard	Generator	700	35Wx42Lx46H	\$10,155.00
	5530	5.0	3000	16	Vanguard	12VDC	720	35Wx42Lx46H	\$9,405.00
	5530G	5.0	3000	18	Vanguard	Generator	720	35Wx42Lx46H	\$10,253.00
	5535	5.2	3500	18	Vanguard	12VDC	730	35Wx42Lx46H	\$10,481.00
	5535H	5.5	3500	20	Honda	12VDC	730	35Wx42Lx46H	\$10,804.00
	5535G	5.2	3500	20	Honda	Generator	730	35Wx42Lx46H	\$11,652.00
	5535D	5.2	3500	15	Hatz	12VDC	860	35Wx42Lx46H	\$19,898.00
SUPER MODELS	5630	6.0	3000	24	Honda	12VDC	765	35Wx42Lx46H	\$11,656.00
	5630D	6.0	3000	18	Kubota	12VDC	1200	48Wx48Lx66H	\$21,650.00
	5835	8.0	3500	30	Kohler	12VDC	750	35Wx42Lx61H	\$13,066.00
	5830G	8.0	3000	30	Kohler	Generator	750	35Wx42Lx61H	\$14,337.00
	5835D	8.0	3500	22	Kubota	12VDC	1250	48Wx48Lx66H	\$26,055.00

### Hot Water Mini Skid VERTICAL COIL

#### STANDARD FEATURES

- Powder Coated EHD Frames
- Painted Coil Wrapper & Control Panel
- High Limit Over Temp Protection
- Stainless Steel Float Tank
- 50' R2 High Pressure Hose
- Sch. 80 Black Pipe Heating Coil
- Gun Control with Dual Lance Wand
- Color Coded Spray Tips
- Poly Battery Box
- Triplex, Oil Bath, Ceramic Plunger Pump
- Low Pressure Detergent
- 12VDC Burner - Requires Group 24 Deep Cycle Battery (Not Included)
- Thermal By-Pass Protection
- 7 Gal. Gasoline & Diesel Tank
- Electric Start
- Beckett Burner

- Pressure Relief Valve
- Heavy Duty Unloader Valve

#### OPTIONS:

- Hour Meter
- Rotating Nozzle
- Anti-Freeze System
- Rain Cap
- 4 Wheel Kit
- Stainless Steel Coil Wrapper
- Stainless Steel Control Panel
- Steam Combo
- Hose Reel 50', 100', or 200'
- 4 Wheel Caster Kit w/Brakes
- Rupture Disc
- Thermostat Control
- Water Separating Fuel Filter



MODEL	GPM	PSI	HP	ENGINE	BURNER	START	LIST PRICE
5-4350	4.0	3500	13	Honda	12VDC	Electric	\$8,345.00
5-4400	4.0	4000	14	Subaru	12VDC	Electric	\$8,457.00
5-4300D	4.0	3000	10	Lombardini	12VDC	Electric	\$16,268.00

SEE OPTIONS ON PAGE 15



### Hot Water Skids HORIZONTAL COIL SERIES, STANDARD & SUPER

#### STANDARD FEATURES

- Powder Coated EHD Frames
- Painted Coil Wrapper & Control Panel
- High Limit Over Temp Protection
- Stainless Steel Float Tank
- 50' R2 High Pressure Hose
- Sch. 80 Black Pipe Heating Coil
- Gun Control with 4' Lance
- Color Coded Spray Tips
- Poly Battery Box
- Belt Driven General Pump
- Hour Meter
- High Pressure Detergent
- 2500 Watt Generator - G Models
- 12V DC Burner - Requires Group 24 Deep Cycle Battery (Not Included)
- Thermal By-pass Protection
- 10 Gal. Gasoline & Diesel Tank
- Electric Start
- Beckett Burner
- Pressure Relief Valve
- Heavy Duty Unloader Valve

#### OPTIONS:

- Rotating Nozzle
- Anti-Freeze System
- 2 Gun System on 8 GPM
- 4 Wheel Kit
- Stainless Steel Coil Wrapper
- Stainless Steel Control Panel
- Steam Combo, Includes 50' Combo Hose
- Hose Reel 50', 100' or 200'
- Down Stream Detergent
- 4 Wheel Caster Kit w/Brakes
- Rupture Disc
- Thermostat Control
- Water Separating Fuel Filter
- Stack Exhaust Deflector
- Soap Solenoid

**Wireless Remote Option**

Also available with Electric Motor and Caster Kit



	MODEL	GPM	PSI	HP	ENGINE	BURNER	START	WEIGHT	DIMENSIONS	LIST PRICE
STANDARD MODELS	5435HZ	4.0	3500	18	Vanguard	12VDC	Electric	700	35w x 42L x 46H	\$8,675.00
	5440HZ	4.5	4000	20	Honda	12VDC	Electric	780	35w x 42L x 46H	\$10,392.00
	5535HZ	5.5	3500	20	Honda	12VDC	Electric	780	35w x 42L x 46H	\$11,016.00
	5535HZD	5.2	3500	15	Hatz	12VD	Electric	865	35w x 42L x 46H	\$18,950.00
	5535HZG	5.5	3000	20	Honda	Generator	Electric	780	35w x 42L x 46H	\$11,970.00
	5630HZ	6.0	3000	24	Honda	12VDC	Electric	795	35w x 42L x 46H	\$12,699.00
SUPER MODELS	5835HZ	8.0	3500	30	Kohler	12VDC	Electric	810	35w x 42L x 46H	\$13,331.00
	5835HZG	8.0	3000	30	Kohler	Generator	Electric	830	35w x 42L x 46H	\$14,601.00
	5835DHZ	8.0	3500	22	Kubota	12VDC	Electric	1200	48w x 48L x 66H	\$26,850.00

### 10 HP Lombardini



Model 5-4300D shown

### 30 HP Kohler Vertical Coil



Model 5835 shown

### Kubota Diesel Engine Skid



Model 5830D shown

### 30 HP Kohler



Model 5835HZG shown with optional End Mount Fuel Tank

SEE OPTIONS ON PAGE 15

## Configure your system as required

1. Decide on volume and pressure.
2. Determine the required temperature.
3. Determine the heat source - LP-NG or Oil Fired
4. Configure your system.

**Cold Water System from Page 7**



**Hot Box from Page 13**



## Trailer Series COMMERCIAL SUPREME

Trailer \$10,492.00



*Shown with optional Industrial Skid. Add the machine of your choice.*

### STANDARD FEATURES

- Tandem 3500 Lb. Axle
- Electric Brakes
- New 15" Chrome Wheels
- EHD Steel Tubing Frame
- Swing Up Jack with Heavy Duty Coupler
- DOT Approved Recessed LED Lights
- 300 Gal. Water Storage Tank
- 2 ea. 25 Gallon Detergent Tanks
- PVC 3-Way Ball Valve with Drain
- In-Line Water Filter
- Chemical Selector
- 100' R2 High Pressure Hose
- Aluminum Tool Box
- Pivoting Hose Reel
- Black Automotive Paint

### SPECS:

- Overall: 6'10" wide x 16' long
- Payload: 5,300 Lbs.

### OTHER OPTIONS:

- 100' Pivoting Hose Reels
- Inlet Water Hose Reel, 200'
- Hudson Float Valve
- Inlet 120' Water Hose
- Ladder Rack

### TRAILER OPTIONS

98-960	Custom Painting, Automotive Paint (Specify) .....	Call
98-962	Inlet Water Control Valve w/120' Hose and Hose Reel .....	\$504.00
98-968	Battery Installed .....	\$265.00
98-969	Electric Brake for 2nd Axle .....	\$662.50
98-970	Surge Brakes .....	\$662.50
98-972	Spare Tire and Mounting Assembly .....	\$556.50

See Hot Water Skid standard features for machine specifications and options.

**SEE OPTIONS ON PAGE 15**


### Portable GAS ENGINE, DIRECT DRIVE TOMCAT

#### STANDARD FEATURES

- 4 Wheel - 10" Pneumatic Tubed Tires
- Powder Coated EHD Frames
- Black Pipe Heating Coil
- Painted Coil Wrapper
- 50' 3/8" Quick Coupled Hose
- Gun Control with Dual Lance Wand
- Color Coded Spray Tips
- Direct Drive, Triplex, Ceramic Plunger Pump
- Low Pressure Detergent
- 12V DC Beckett Burner
- High Limit Over Temp Protection
- Thermal By-Pass Protection
- Poly Diesel Tank with Fuel Gauge
- Easy Start Unloader Valve
- Poly Battery Box - Requires Group 24 Battery (Not Included)

#### OPTIONS:

- Steam Combo Unit
- Hose Reel 50' or 100'
- Water Separating Fuel Filter
- Stainless Steel Coil Wrapper
- Semi Pneumatic Tires
- Roto Jet Nozzle
- 115VAC Burner with 35' Cord



For outdoor use only.

Not for use with Mobile Water Tank

MODEL	GPM	PSI	HP	ENGINE	BURNER	START	SHIPPING WEIGHT	DIMENSIONS	LIST PRICE
1520	2.5	2000	6	Subaru	12VDC	Recoil	525	29W x 51L x 44H	\$5,687.00
1530	3.0	3000	9	Subaru	12VDC	Recoil	525	29W x 51L x 44H	\$6,323.00
1535	3.5	3500	13	Honda	12VDC	Electric	545	29W x 51L x 44H	\$7,439.00
1540	4.0	4000	14	Subaru	12VDC	Electric	562	29WX51L x 44H	\$7,659.00

### Portable GAS ENGINE, BELT DRIVE TOMCAT

#### STANDARD FEATURES

- 4 Wheel - 10" Pneumatic Tubed Tires
- Powder Coated EHD Frames
- Sch. 80 Black Pipe Heating Coil
- Painted Coil Wrapper
- 50' 3/8" Quick Coupled Hose
- Gun Control with Dual Lance Wand
- Color Coded Spray Tips
- Belt Driven General Pump
- Low Pressure Detergent, Down Stream
- 12V DC Beckett Burner
- High Limit Over Temp Protection
- Thermal By-pass Shutdown
- Poly Diesel Tank with Fuel Gauge
- Electric Start Engine
- Front Bumper - Protects Engine and Fuel Tank
- Requires Group 24 Battery (Not Included)
- Powder Coated Gas Tank

May be used with mobile water tanks.  
Requires additional Plumbing and Inlet Filter Minimum 3/4"

#### OPTIONS:

- Easy Start Valve
- Steam Combo
- Hose Reel 50' or 100'
- Water Separating Fuel Filter
- Stainless Steel Coil Wrapper
- Anti Roll Brake
- Front Roll Cage
- High Pressure Chemical w/SS Float Tank
- Roto Jet Nozzle
- Soap Solenoid

Wireless Remote Option

Shown with Optional Front Roll Cage \$185



For Outdoor Use Only

MODEL	GPM	PSI	HP	ENGINE	BURNER	SHIPPING WEIGHT	DIMENSIONS	LIST PRICE
1535BH	4.0	3500	13	Honda	12VDC	525	29W x 51L x 44H	\$8,108.00
1535B	4.0	3500	16	Vanguard	12VDC	525	29W x 51 L x 44H	\$8,167.00
1540B	4.0	4000	16	Vanguard	12VDC	545	29W x 51L x 44H	\$8,633.00
1553B	5.0	3000	16	Vanguard	12VDC	585	29W x 51L x 44H	\$8,731.00
1555B	5.0	3500	18	Vanguard	12VDC	615	29W x 52L x 46H	\$9,091.00

SEE OPTIONS ON PAGE 15



## TWO STEP SERIES

### Two Step Series ELECTRIC COLD WATER

#### STANDARD FEATURES

- Belt Driven CAT Pump
- Precise Chemical Injection
- Industrial Strength Electric Motor
- Color Coded Chemical Pick Up Tubes
- Powder Coated HD Frame
- Hour Meter
- Indicator Lights on Control Panel
- Safe 24 Volt Controls
- Stainless Steel Float Tank w/Cover
- 7' Stainless Steel Wand

Clean trucks, buses and vans with cold water without brushing. Refer to our Two Step Truck Washing brochure for additional information.

#### OPTIONS:

- Stainless Cabinet
- Floor Stand
- Wall Platform
- 4 Wheel Cart
- Pulsation Dampener - CAT
- Low Water Shutoff
- Trigger Gun Control
- Cheater Box
- Remote Wall Mount Fixture
- 18-5 Cable for Remote
- 80', 100' or 120' Remote Hose
- 3' or 5' Stainless Wand
- Add a Two-Step Hot Box, pg. 13



Wireless Remote Option

MODEL	GPM	PSI	HP	VOLT	PH	AMPS	WEIGHT	DIMENSIONS	UNIT	W80'	W100'	W120'
310	3.0	1000	2	115	1	20	225	18Wx36Lx13H	\$5,033	\$5,881	\$6,036	\$6,161
417	4.0	2000	5	208/230	1	25/23	225	18Wx36Lx13H	\$5,607	\$6,446	\$6,602	\$6,728
417-3	4.0	2000	5	208/230/460	3	16/8	225	18Wx36Lx13H	\$5,475	\$6,313	\$6,469	\$6,595
515	5.0	1500	5	208/230	1	25/23	245	18Wx36Lx13H	\$5,607	\$6,446	\$6,602	\$6,728
515-3	5.0	1500	5	208/230/460	3	16/8	245	18Wx36Lx13H	\$5,475	\$6,313	\$6,469	\$6,595
520-3L	5.0	2000	7.5	230/460	3	25/15	275	21Wx40Lx13H	\$6,031	\$6,877	\$7,034	\$7,160

### Two Step Series GAS ENGINE COLD WATER



Wireless Remote Option

- Belt Driven CAT Pump
- Hour Meter
- Powder Coated HD Frame
- 7' Stainless Steel Wand
- Precise Chemical Injection
- Color Coded Chemical Pick Up Tubes
- Indicator Lights on Control Panel
- Stainless Steel Float Tank (Removable)

Clean trucks, buses and vans with cold water without brushing.

Refer to our Two Step Truck Washing Brochure for additional information.

#### OPTIONS:

- Pulsation Dampener - CAT
- Low Water Shutoff
- Cheater Box
- 80', 100', or 120' Remote Hose
- 3' or 5' Stainless Wand
- Add a Two-Step Hot Box, pg 13

MODEL	GPM	PSI	HP	DRIVE	ENGINE	WEIGHT	UNIT	W/100'	W/120'
420B	4.0	2000	13	Belt	Honda	300	\$6,966	\$7,813	\$7,939
420C	4.0	2000	13	Clutch	Honda	300	\$7,684	\$8,531	\$8,812
520C	5.0	2000	13	Clutch	Honda	300	\$9,238	\$10,242	\$10,367
530C	5.0	2000	18	Clutch	Vanguard	360	\$9,980	\$10,984	\$11,107
530CH	5.0	2000	20	Clutch	Honda	398	\$10,404	\$11,408	\$11,528

### Two Step Remote Hoses



PART#	DESCRIPTION	PRICE
3611080	80' Remote Hose 5W Electric	\$861.56
3611100	100' Remote Hose 5W Electric	\$1,023.44
3611120	120' Remote Hose 5W Electric	\$1,161.44
3612100	100' Remote Hose 5W Gas	\$1,038.33
3612120	120' Remote Hose 5W Gas	\$1,178.33
3611199	80' Remote Hose 6W Electric	\$949.67
3611200	100' Remote Hose 6W Electric	\$1,135.27
3611201	120' Remote Hose 6W Electric	\$1,297.33
3623125	100' Remote Hose CPC	\$1,128.56
3623128	120' Remote Hose CPC	\$1,268.56
3611011	Gun Casting Only	\$117.00
3611014	Electric Gun	\$201.25
3611020	Gas CPC Gun	\$256.14
3611016	Gas CP Gun	\$215.48
3660036	3' SS Wand	\$74.16
3660060	5' SS Wand	\$103.42
3660080	7' SS Wand	\$125.52
3625005	Cheater Box 5W Electric	\$109.20

### STATIONARY AND PORTABLE



Model 973LP Shown

#### 115V FEATURES

- 7 Gallon Poly Fuel Tank w/Fuel Gauge
- Flow Switch
- Adjustable Thermostat
- Sch 80 Black Pipe Heating Coil
- Black Powder Coated Industrial Grade Frame
- 15 amp 35' GFCI
- Pressure Relief Valve
- Painted Coil Wrapper

#### 12VDC FEATURES

- 7 Gallon Poly Fuel Tank w/Fuel Gauge
- Flow Switch
- Adjustable Thermostat
- Sch 80 Black Pipe Heating Coil
- Black Powder Coated Industrial Grade Frame
- Pressure Relief Valve
- Painted Coil Wrapper
- \*\*8 GPM 12V SDC Burners require 25 amp Charging System

#### LP/NG FEATURES

- RV Pilot Ignitor
- Adjustable Thermostat
- Flow Switch
- Sch 80 Black Pipe Heating Coil
- Black Powder Coated Industrial Grade Frame
- Painted Coil Wrapper



Model 94115 Shown

#### OIL FIRED

MODEL	GPM	VOLT	WEIGHT	DIMENSIONS	LIST PRICE
94115TS	4-6	115	330	20Wx32Lx42H	\$2,777.00
94012TS	4-6	12VDC	330	20Wx32Lx42H	\$3,106.00
96115	4-6	115	460	20Wx32Lx44H	\$3,485.00
96012	4-6	12VDC	460	20Wx32Lx44H	\$3,814.00
98115	6-8	115	485	20Wx32Lx54H	\$3,726.00
98012	6-8	12VDC	485	20Wx32Lx54H	\$4,055.00
99115	8-12	115	545	20Wx32Lx54H	\$4,675.00
99012HZ	8-12	12VDC	495	20Wx32Lx42H	\$5,062.00
99115HZ	8-12	115	495	20Wx32Lx42H	\$4,733.00

#### OPTIONS:

- 6' Jumper Hose
- 12' Jumper Hose
- Stainless Steel Coil Wrapper
- Battery Keeper w/Poly Box
- 8' Jumper Hose
- Ruptured Disc
- Available without Poly Fuel Tank
- Electronic Ignition on Conversions LP/NG

#### GAS FIRE

MODEL	GPM	VOLTS	WEIGHT	DIMENSIONS
972TSLP	3-5	24VAC	320	20Wx32Lx42H
972TNSG	3-5	24VAC	320	20Wx32Lx42H
973LP	3-5	750MV	330	20Wx32Lx44H
973NG	3-5	750MV	330	20Wx32Lx44H
976LP	6-8	750MV	460	20Wx32Lx54H
976NG	6-8	750MV	460	20Wx32Lx54H
978LP	8-10	750MV	580	20Wx32Lx54H
978NG	8-10	750MV	580	20Wx32Lx54H



Model 98012-P Shown



Model 98012 Shown

#### PORTABLE

MODEL	GPM	VOLT	WEIGHT	DIMENSIONS	LIST PRICE
98115-P	4	115	330	20Wx32Lx44H	\$2,995.00
98012-P	4	12VDC	330	20Wx32Lx44H	\$3,344.00

Model 99115HZ shown with 10 gal. Poly Fuel Tank

Available with Dual Diesel Tanks (20 gal usable fuel)



HZ=Horizontal Coil  
TS=Designed for Two-Step Units

SEE OPTIONS ON PAGE 15

## COLD WATER PORTABLE

### Cold Water


### GAS ENGINE - DIRECT DRIVE

#### STANDARD FEATURES

- Powder Coated Industrial Grade Frame
- 10" Pneumatic Tires
- Dual Padded Shock Absorbing Feet
- Thermal By-Pass Protection
- Low Pressure Detergent with Quick Connects
- 50' 3/8" Quick Coupled High Pressure Hose
- Trigger Gun Control
- 4' Lance with Quick Connect
- Color-Coded Quick Connect Tips, 0, 15, 25, 40 and Soap
- Low Oil Shutdown
- Commercial / Industrial Grade Engine
- Triplex, Oil Bath, Ceramic Plunger Pump

*\*All units completely factory assembled in U.S.A.*

*Tested and ready for use.*



MODEL	GPM	PSI	HP	ENGINE	START	LIST PRICE
CWG3150	3.0	1500	4.5	Subaru	Recoil	\$1,210.00
CWG3250	3.0	2500	6.5	Subaru	Recoil	\$1,385.00
CWG3250H	3.0	2500	6.5	Honda	Recoil	\$1,420.00
CWG3330	3.0	3000	9	Subaru	Recoil	\$2,085.00
CWG3330H	3.0	3000	9	Honda	Recoil	\$2,190.00
CWG4350	4.0	3500	13	Honda	Recoil	\$2,230.00
CWG4400	4.0	4000	14	Subaru	Recoil	\$3,258.00

#### OPTIONS

- Dual Lance Wand
- 100' High Pressure Hose
- Skid Mount
- Roto Jet Nozzle

### Cold Water

### GAS ENGINE - BELT DRIVE

#### STANDARD FEATURES

- Powder Coated HD Frame
- Triplex, Oil Bath, Ceramic Plunger Pump
- Inlet Water Filter
- Adjustable Unloader
- Low Oil Shutdown
- 10" Pneumatic Tires
- Thermal By-Pass Protection
- Commercial / Industrial Grade Engines
- Low Pressure Detergent with Quick Connects
- 50' 3/8" Quick-Connect High Pressure Hose
- Trigger Gun Control
- 4' Lance with Quick Connect Soap Tip
- Color-Coded Quick Connect Spray Tips 0, 15, 25, and 40 Degrees
- \* Poly Battery Box - Electric Start Units Only
- \* Electric Start Units Require Group 24 Battery (Not Included)

#### OPTIONS

- Dual Lance Wand
- 100' 3/8" Quick Connect High Pressure Hose
- Rotating Nozzle
- Skid Mount

*\*All units completely factory assembled in U.S.A.*

*Tested and ready for use.*



MODEL	GPM	PSI	HP	ENGINE	START	LIST PRICE
CWGB4035R	4.0	3500	13	Honda	Recoil	\$3,245.00
CWGB4035	4.0	3500	13	Honda	Electric	\$3,445.00
CWGB4040	4.0	4000	14	Subaru	Electric	\$3,345.00
CWGB5030	5.0	3000	16	Vanguard	Electric	\$4,505.00
CWGB5040	5.0	4000	18	Vanguard	Electric	\$4,716.00
CWGB5635	6.0	3500	20	Honda	Electric	\$5,168.00

### Cold Water

### ELECTRIC



*\* 35' GFCI on 115V Units*

*\* 10' power cord, no plug on 230V units.*



#### STANDARD FEATURES

- Powder Coated Industrial Grade Frame
- Inlet Filter
- 10" Pneumatic Tires
- Dual Padded Shock Absorbing Feet
- Thermal By-Pass Protection
- Low Pressure Detergent with Quick Connects
- 50' 3/8" Quick Coupled High Pressure Hose
- Trigger Gun Control
- 4' Lance with Quick Connect Soap Tip
- Color Coded Quick Connect Tips, 0, 15, 25, 40 and Soap
- Industrial Strength Electric Motor
- Triplex, Oil Bath, Ceramic Plunger Pump

MODEL	GPM	PSI	HP	VOLTS	AMPS	LIST PRICE
CWE2100	2.0	1000	1.5	115	15	\$1,399.00
CWE2150	2.2	1400	2	115	20	\$1,460.00
CWE3150	3.0	1500	3	230	16	\$1,699.00
CWE3250	3.5	2400	6	230	24	\$3,453.00
CWE3330	3.0	3000	6	230	26	\$3,497.00
CWE4250	4.0	2300	6	230	26	\$3,624.00
Base Plate Skid Option						\$75.00
Base Plate Hand Held Option						\$ 140.00
Base Plate Wall Mount Option						\$ 250.00

### Industrial Duty Power Units

*Let us quote you on custom packages for special applications!*

- Available in
- Electric
  - Gas Engine
  - Diesel



**E-mail or Fax your specifications.  
Please allow two working days for quotation.  
Delivery in 2-3 weeks.**



## EQUIPMENT OPTIONS

### HOT WATER SYSTEMS

98-010	Thermostat - In Line .....	\$116.60
98-011	Hour Meter .....	119.25
98-012	Water Separating Fuel Filter .....	90.10
98-014	0-5000 PSI Gauge .....	63.60
98-015	Soap Solenoid .....	100.00
98-016	Rupture Disc .....	93.30
98-017	Electric Clutch 24VAC .....	900.00
98-020	Time Delay Shutdown - PB Restart .....	344.50
98-022	Time Delay Shutdown - Auto Restart .....	355.10
98-024	Steam Combo Unit - Includes 50' Hose .....	477.00
98-025	Two-Gun System - Selected Units .....	795.00
98-026	40 amp GFCI 36" - 230V 1Ph Only .....	222.60
98-027	Open Gun Option (Below 2000 psi) .....	(Deduct) 156.88
98-028	Down Stream Soap Injection .....	92.75
98-029	Dual Lance - Variable Pressure Wand .....	103.90
98-030	8" Draft Diverter .....	307.40
98-031	R1 Hose Upgrade, 50' to 100' .....	97.50
98-032	R2 Hose Upgrade, 50' to 100' .....	116.60
98-040	Diagnostic Light Panel .....	160.00
98-060-3	460V 3Ph Oil Fired Upgrade .....	980.00

### STATIONARY HOT WATER

98-101	10" Draft Diverter .....	\$328.60
98-102	Soap Solenoid with Panel-Mount Switch .....	143.10
98-104	Time-Delay Shutdown with Adjustable Times .....	477.00
98-105	Remote Station Control - Start/Stop/Burner/Soap .....	740.00
98-106	Additional Remote Stations .....	525.00
98-108	Oil Fired Option .....	345.00
98-110	Left Side Coil .....	265.00
98-116	Flexible Gas Line, 3/4" ID x 36" .....	Call
98-118	Flexible Gas Line, 1" ID x 36" .....	Call
98-120	Gas Shut-Off Valve, 3/4" .....	Call
98-122	Gas Shut-Off Valve, 1" .....	Call
98-126	LP Gas Regulator - Specify Unit .....	Call
98-128	NG Gas Regulator - Specify Unit .....	Call
98-130	By-Pass Thermal Shutdown .....	75.00

### HOT BOXES

98-202	Poly Battery Box .....	\$32.00
98-203	6' Jumper Hose, 3/8" R2 .....	30.00
98-204	8' Jumper Hose, 3/8" R2 .....	34.00
98-206	12' Jumper Hose, 3/8" R2 .....	38.00
98-208	Electronic Ignition LP 12VDC .....	312.70
98-210	Electronic Ignition LP/NG 24 VAC .....	371.00

### SKIDS/GAS ENGINE

98-310	Caster Kit - 4", 2 Solid, 2 Swivel .....	\$600.00
98-312	Anti-Freeze Kit .....	329.00
98-316	Exhaust Deflector SS Horizontal Skid .....	167.50
98-320	Stainless Steel Control Panel .....	196.10
98-322	Heater Exhaust Cover, 8" Vertical Series Painted .....	85.00
98-323	Heater Exhaust Cover, 8" Vertical Series SS .....	325.00
98-324	Fuel Tank Option - End Mount .....	NC
98-326	Fuel Tank Option - Side Mount .....	NC
98-330	Muffler Exhaust Extensions .....	16.00
98-332	Flexible Muffler Exhaust .....	6.40 ft.
98-360	8" Rain Cap .....	78.00
98-361	8" Rain Cap w/ top screen .....	110.00

### TWO STEP ELECTRIC & COLD WATER 70 SERIES

98-400	Stainless Steel Cabinet .....	\$440.00
98-402	Stainless Steel Cover .....	345.00
98-406	Stainless Steel Floor Stand .....	424.00
98-408	Stainless Steel Wall Platform .....	647.00
98-410	Stainless Steel 4W Cart .....	737.00
98-420	Painted Floor Stand .....	265.00
98-422	Painted Wall Platform .....	503.50
98-424	Painted 4W Cart .....	594.00
98-430	Pulsation Dampener - CAT .....	291.50
98-432	Low Water Shutoff .....	95.50
98-435	Cheater Box - Electric 5 Wire .....	104.00
98-436	Remote Station for Two Step Hose - Complete .....	170.00
98-438	Remote Station - Wall Switching .....	127.50
98-440	Amphenol Plug - 5W- Soldered to 18/5 Cable .....	36.00

### ELECTRICAL CORD

98-510	18/5 Gray Cable .....	\$2.22 ft.
98-512	18/7 Gray Cable .....	2.62 ft.
98-516	12/4 SJO Cord .....	3.34 ft.
98-518	10/3 SJO Cord .....	3.60 ft.
98-520	10/4 SJO Cord .....	4.02 ft.

### STAINLESS STEEL COIL WRAPPER

98-610	Models 1210 & 1213 .....	\$154.00
98-615	Models 1520, 1530 & 1535 .....	159.00
98-615T	Models 5-4350, 5-4300D, Mini Stationary .....	204.00
98-616	All 4-Wheel Portable Electric, 1540, and Belt-Driven Tomcats .....	204.00
98-620	20 Series .....	157.00
98-630	30 Series .....	191.00
98-6147	40 Series, 64-6400, Std. Skids & Hot Boxes .....	223.00
98-6230	All Stationary & Hot Boxes over 8 GPM Oil Fired .....	307.00
98-655	SS Coil Cover Horizontal .....	318.00

### HOSE REELS

98-7050	50' Hose Reel .....	\$148.00
98-7100	100' Hose Reel .....	170.00
98-7150	150' Hose Reel .....	186.00
98-7BR	Hose Reel Bracket - GCA .....	72.00
98-8100P	100' Pivoting Hose Reel, Rapid Reel .....	390.00
98-8250P	250' Pivoting Hose Reel, Rapid Reel .....	440.00
98-8101	100' Rapid Reel Hose Reel .....	270.00
98-8201	200' Rapid Reel Hose Reel .....	313.00
98-8100C	100' Cox Hose Reel .....	403.00
98-8RRSA	Rapid Reel Support Arm .....	51.00
98-840	Garden Hose Reel .....	260.00

### WIRELESS REMOTES

99-350	Wireless Remote Complete 115VAC .....	2060.00
99-351	Wireless Remote Complete 220VAC .....	2060.00
99-352	Wireless Remote Complete 12VDC-Clutch .....	2025.00
99-353	Wireless Remote Complete 12VDC-Start/Stop .....	2025.00
99-355	Hand Held Transmitter - Replacement .....	736.00

### CLUTCHES

99-340	Electric Clutch 7" 20mm 12VDC .....	900.00
99-341	Electric Clutch 7" 24mm 12VDC .....	900.00
99-342	Electric Clutch 12.4" 24mm 12VDC .....	1050.00

## TERMS and CONDITIONS

**Only Qualified pressure washer dealers and distributors may purchase directly from Largo Industries.**

**PAYMENT TERMS:** Open accounts are based on the acceptance and approval of a Largo Industries Credit Application, Bank Authorization and Certificate of Resale. Prior to credit approval, orders will be accepted using one of the following: Credit Card - Visa, MasterCard, American Express and Discover. ALL credit card information must be provided at the time the order is placed. Credit Card payments will NOT be accepted as payment for a monthly statement. C.O.D. - Orders will be accepted on a COD basis with payment options of Business Checks, Money Orders or Certified Check, Bank Draft or Bank Transfer.

**APPROVED CREDIT TERMS:** Upon approval of Largo Credit Application the following terms apply. Net 30 days for all customers with credit approval. All orders are invoiced the day of shipment.

**PAST DUE INVOICES:** Invoices are considered past due 31 days after the invoice date. Accounts with invoices 60 days or older will be placed on Credit Hold and finance charges of 1.5% per month will be applied. No shipment will be made until payment of past due invoices has been received. Frequent incidence of account delinquency will result in suspension of open credit terms.

**CUSTOM BUILT EQUIPMENT:** Special Orders require a 50% deposit at the time of order.

**RETURNED CHECKS:** All returned checks will be charged a \$100.00 return check fee. Your account will be changed to cash, COD or credit card only.

**MINIMUM ORDERS:** There is no minimum order. All orders under \$25.00 may have a small handling charge of \$3.00 applied.

**MOTOR CARRIER FREIGHT POLICY:** All shipments are FOB our dock. GCA-Largo will ship the carrier of choice unless you specify a preference of carrier when an order is placed. All orders are shipped Freight Collect unless other terms are agreed upon. Any cost incurred by Largo for special packaging, residential delivery, lift gate service, appointments, re-directs and COD's will be charged to the dealer/distributor, including any truckline handling fees. These fees can be very expensive and should be avoided. **DAMAGED FREIGHT:** Largo properly packages its products to arrive at your location undamaged with normal handling by shipping agents. Motor Carriers receive our products in good condition and you expect to receive it in the same condition. Largo will not assume responsibility or liability for product damage by the motor carrier. Claims for damaged goods are the responsibility of the consignee, (dealers/distributors) and must be filed directly with the freight carrier.

**BACK ORDERS AND SPECIAL ORDERS:** Customers will be notified when a back order or special order product has been received, to give you an opportunity to add to the order and save freight. Freight will be charged on all back orders.

**RETURNED GOODS OR WARRANTY ITEMS:** Any product being returned must be accompanied by a RGA# (returned goods authorization number). This number can be obtained from our customer service department. Issuance of this number is at the sole discretion of the customer service representative in accordance with our return and warranty policies. Any returned item received without an appropriate RGA# will be refused and returned to sender at senders expense. Issuance of RGA# does not guarantee warranty items will be replaced or credit issued. All warranty items have to be approved after inspection and the customer will be notified of results. Refer to our Limited Warranty.



***Largo***

***CLEANING SYSTEMS***

40 Sevier Lane - Decaturville, TN 38329  
Phone 731-852-2324 - Fax 800-626-7384  
www.gcalargo.com - sales@gcalargo.com