2011

CLEANING CHEMICALS


PRESSURE WASHERS

HOOD CLEANERS

CUSTOM BUILDS

REPAIR PARTS

ACCESSORIES



Who is responsible?

It is the

CONSUMERS RESPONSIBILITY

to provide the

CUSTOMER SERVICE REP

with the

CORRECT PART NUMBER

Remember, if you don't know what you want, the best we can do is guess right along with you. We will do everything humanly possible to help you when you have a question - but you can not hold us responsible if you ask for our help and we make a mistake. With our intense and constant training programs we feel our Customer Service Reps know as much or more about our industry than do those of our competition. However, keep in mind that YOU are the PROFESSIONAL and you should know your equipment better than anyone. If you do need assistance and would like to talk directly to our Technical Service Advisor or the Manufacturer of a particular item before ordering, please ask your Customer Service Rep for their extension or phone number.

Did you know...
one female cat
and her offspring
can produce
370,000 CATS
in 7 years?
please
Spay/Neuter

SALES POLICIES

JALLS I OLIC

DISCLAIMER

WARRANTY

Some of the pictures within this catalog are for illustration purposes only. Be sure and ask your sales representative if the item in question is represented by the picture herein. **EnviroSpec reserves the right to limit quantities of any item in this catalog. Prices are subject to change without notice.** It is the purchasers responsibility to order by part number and to ask the sales representative to read back the order along with the current pricing and availability. This catalog is for the sole intent to sell to industry professionals only and possession of this catalog or any marketing material from EnviroSpec does not necessarily mean that we will be able to sell to you.

RESTOCKING CHARGE

Any item that is ordered incorrectly and is returned to EnviroSpec within 30 days of purchase and in a "not used" or "not installed" condition with it's box in the same condition and where the credit is to remain on the customers account for future purchases will be credited at full purchase price less shipping. If the item in question is to be credited back to the customers credit card it will be done so less 20%. If payment was made by check we will hold a credit in the customers account. Any credit held in a customers account must be used in it's entirety when the customer places his/her next order. Remember, items must be returned prepaid to EnviroSpec and must be in unused condition and showing no signs of mounting and/or installation and if the item has it's own resell container/box that also must not show any sings of being damaged or crushed.

RETURNS

Items ordered and not returned within **30 days** from the original order date or items ordered that are not in our catalog **ARE NOT** returnable. If you are ordering an item that is not in our catalog and would like to talk to the manufacturer first we will gladly give you their phone number. Just ask!

CHEMICALS, EQUIPMENT, VACU-BOOMS & ENGINES ARE NOT RETURNABLE

Shipping is never refundable.

All items sold in this catalog are **NEW** and not refurbished or used components. EnviroSpec does not warranty any item in this catalog except those that are manufactured by EnviroSpec. warranties are presented to the buyer by the original manufacturer and must be returned, prepaid, to EnviroSpec for evaluation and adjustments. All returned items must be accompanied by an "RGA" (Returned Goods Authorization) which EnviroSpec will provide to you. EnviroSpec WILL NOT send out replacement item(s) on a "no-charge" basis while EnviroSpec or the manufacturer is evaluating a returned item. If you need an immediate replacement you will have to purchase said replacement. However, you must understand that all items are covered by a "repair" or "replace" warranty and you could wind up with two of the same items. We like to call them "spares".

EQUIPMENT PURCHASES

If you purchase equipment from Envirospec you will do so under the same terms and conditions as a distributor of our products. Those terms and conditions are as follows: We **DO NOT** provide any labor warranty but only a warranty on parts and components that go into the make-up of the final product when they are returned to us pre-paid.

Also, you **MUST UNDERSTAND** that in shipping large equipment - nuts, bolts, components, etc. may work loose and adjustments may have to be made prior to selling or using the equipment.

If you do not feel that you have the ability to work on and/or repair the equipment you want to purchase we encourage you to purchase locally.

RECEIVING YOUR PACKAGES

DO NOT SIGN FOR ANYTHING that looks like it has been damaged! Refuse it so we can handle the UPS/Shipping Claim. IF YOU DO SIGN FOR IT and there is a problem WE CAN NOT HELP YOU. At that point you will have to contact the shipping company for adjustments. If UPS leaves a package without your signature and there are damages call your local UPS and have them pick up the package. Do not throw away any packaging on damaged goods. Save for UPS Inspection.

SEE THE INDUSTRY'S MOST POPULAR PUMPS ON PG. 77



CHARITIES

EnviroSpec donates 100% of the after tax profits from our Chemical Sales to the Shriners Hospital for Children in Tampa, FL. and to Suzies Friends No-Kill Animal Shelter/Sanctuary located in Homerville, GA.

In 2002 John & Shelley Allison, owners of EnviroSpec, traveled the highways and by-ways of their local communities and began picking up and helping abandoned, hungry and sick animals. That initial labor of love has grown to become a major commitment in their lives.

In the last two years alone they have trapped and spayed/neutered over 500 cats & dogs. On the weekends they take animals to PetsMart where they find homes for the ones who have been or can be socialized. Those who dont find homes are returned to their colonies and every morning at 6:15 and every afternoon at 4:45, 7-days a week, John & Shelley head out in their golf cart, better known as Suzies Friends Meals on Wheels, to feed and monitor the colonies.

Back at their No-Kill Shelter/Sanctuary in Homerville the employees of EnviroSpec start and end their day by providing the animals there with same attention and care as those in the colonies receive.

Please consider helping a Shelter or Rescue in your area. Its a great feeling knowing that you have helped an abandoned, helpless & hungry animal who would otherwise never have had a chance. And never forget the tireless work of helping children in communities throughout the Nation that is silently performed by Shriners everywhere.

And please Spay/Neuter your pets. Remember, an unborn animal will never die a lonely death in an animal shelter.





Minimum Orders and Free Freight Program

Our minimum order is \$50.00. However, if you are unable to meet the \$50.00 minimum order a \$5.00 handling fee will be included in the price.

Free Freight: Free Freight only applies to orders shipped to the lower 48 United States. At the bottom of each page you will see our freight policy for all the items found on that page. Web or FAX Orders of \$50.00 or more qualify for FREE FREIGHT as long as the items are identified in this catalog as free freight eligible. Call-in orders of \$200.00 or more qualify for FREE FREIGHT as long as the items are identified in this catalog as free freight eligible. There will be an extra charge for priority shipping or additional services not normally covered in standard shipping such as 'lift-gate' services. We reserve the right to ship 'cheapest way' if we are paying the freight.

How to Return an Item

Nobody wants to keep something that they don't want or need.

When this occurs - all you need to do is call 1-800-346-4876 and request a return goods authorization number (RGA). When you obtain this authorization number follow these instructions.

Ship your PRE-PAID box to:

EnviroSpec 751 MLK Hwy Homerville, GA 31634



- 1. Package the box well. Items inside the box should not move when shaken. Many of the items that you purchase are very heavy and become penetrating projectiles in an unsecured box. Quite often we receive a box with a hole in its side and nothing in the box.
- 2. Place the RGA number on the outside of the box as shown.
- 3. Address the box as shown
- 4. Insure the box and make sure you hang on to your tracking number.

Don't forget the RGA NUMBER

DO NOT FORGET TO INSURE YOUR PACKAGE!

Things get lost and/or damaged in shipping. If they try and deliver a package that shows evidence of being damaged we will refuse the package. At this point you will have to contact your shipper and handle a claim through them. If you did not insure the package chances are you will not have a satisfactory outcome.



TABLE OF CONTENTS

See Pages 83-94 for DETERGENTS & ACIDS

Suzie's Friends	95	Filters, Water 34
Ball Type Noz Holder	44	Fittings, Plumping 29
Ball Valves	30	Fittings, ShurFlo 32
Base Plate, PW	58	Float Valve/Tank 19
Batter Box	58	Flow Switch 51
Battery Terminals	58	Foamers 33
Beckett Burners	51	Frame, Dual Pumper 59
Belt Clip Noz Holder	44	Frames, PW 58
Blow-out Valve	54	Fuel Filter, Burner 52
Boot, Nozzle	44	Fuel Line 57
Brushes	40	Fuel Pump 52
Burner Diagnostic	53	Fuel Solenoid 52
Burner Insulation	54	Funnel for Drums 40
Burner Motor	52	Fuses & Lights 54
Burner Relay	53	Gas Cap, Honda 58
Burner Tester	54	Gate Valve 30
Burners & Supplies	51-54	Gauge Port 61
Bushings & Pulleys	60	Gauge, Burner 54
Car Wash Gun/Lance	19	Gauges, Pressure 62
CD, Pump Rebuilding, GP	81	Gear Box/Reducer 60
Check Valve	25	Generator 53
Chem Filters	25-26	Gutter Brush 40
Chem Line	25 & 31	Gutter Sweep 35
Chem Metering Valve	27	Hi-Limit Switch 51
Chemical Hose	39	Hose Barbs, Poly 31
Chemical Induction System	16	Hose Hold Down Clips 59
Chemical Injectors	25-26	Hose Reel Swivel 39
Chemical Pumps	32	Hose Reels 37
Chlorine Pumper	14	Hose Whips 19
Clamps, Hose	59	Hose, Fire 34
CLAWS Compliance	28	Hose, Hi-Pressure 38
Clips, Hose Hold Down	59	Hose, Jumper 38
Clothing	47-50	Hose, Sewer 39
Clutch, 12V Engine	60	Hour Meter 57
Coil Blow-out	54	Hudson Float Valve 19
Coils, Burner	54	Hydro-Broom 18
Concrete Cleaners	17-18	Ignitor, Burner 52
Connector, Garden Hose	34	Insulation, Burner 54
Cyclone	14	Jumper Hose 38
Diagnostic Center, Burner	53	Keeper Noz Holder 44
Diaphragm Pumps	63	Key Switch, Eng 58
Dip Sick, Pump	61	Key-way Stock 57
Dirt Killer Turbos	45	Kits, A-R 82
Drill Mixer	28	Kits, GP 62, 75, 76, 81
Drum Accessories	40	Kits, UDOR 64
Drum Funnel	40	Lafferty Foamers 33
Dual Lance	36	Lance Caddy 44
Easy Start Valve	27	Lance Grips 35
Educational	81	Lance, Aluminum 35
Engine Auto Shut-down	61	Lance, Dual 35
Engine Throttle Down	59	Lance, Flex 35
Engines	55-56	Lance, Pivot 35
Exhaust Hood Swivels	27	Lance, Plated 35
Extraction Tools, Packings	81	Lance, Spray-flex 35
Filter, Eng Fuel	57	Lance, Stainless 35
Filter, High Pressure	46	Lid-off 40
c., ringin i ressure		2.0 0.1

Filters, Engine

DEIFKE	<u>itn I</u>	S & ACIDS
Long Wands	36	Sewer Nozzle
Loom, Wire	59	Shield for Turbos
Mixer, Chemical	28	Shower Noz Holder
Motor, Burner	52	ShurFlo Pumps
Mounting Block, Fuel	54	Siphon Pump
MTM Turbos	46	Sirocco
Nozzle Clean-out Tool	43	Site Glass for Pumps
Nozzle Gauge, Burner	54	Sludge Sucker
Nozzle Holders	44	Soap Nozzles
Nozzle, Burner	51	Solenoid, Eng Starter
Nozzle, Cone, Lo-Press	31	Solenoid, Fuel
Nozzle, Hi-Lo	43	Soot Remover
Nozzle, Lo-Press	43	Spark Plugs
Nozzle, Push-Pull	43	Spary-flex Lance
Nozzle, Thruster	45	Stiletto Nozzle
Nozzle, Performance	36	Switch, Flow
Nozzles, Pressure	41-42	Switch, Hi-Limit
Oil Drain Plug	57	Switch, On/Off
,	61	Switch, Pressure
Oil, Pump		·
On/Off Switch	51	Switch, Vac
PA Turbo Nozzle	46	Swivel, Hose Reel
Packing Extractor Kit	81	Tachometer
Packing Insertion Kit	81	Tanks, Equipment Fuel
Pipe Sealant	61	Tanks, Fuel
Pistons, GP	62	Tape, Electrical
Pressure Gauge	62	Tape, Teflon
Pressure Gauge Port	61	Teflon Tape
Pressure Switch	51	Telescoping Wand
Pressure Test Equipment	62	Tester, Burner
Pressure Washers	1-13	Tester, Pump Head
Puller, Pulley	60	Testers, Pressure
Pulley Puller	60	Thermal Dump Valve
Pulleys & Bushings	60	Thermostats
Pump Dip Sticks	61	Thread Locker
Pump Head Tester	62	Throttle Cable
Pump Kits, GP 62, 75	5, 76, 81	Thruster Nozzle
Pump Kits, UDOR	64	Tires
Pump Oil	61	Transformer, Burner
Pump Saver	61	Trigger Guns 19-
Pump Site Glass	61	Trombone Noz Holder
Pump, Burner Fuel	52	Trigger Gun, Chem, Lo-Press
Pump Repair Video	81	Turbo Filter
Pumps, A-R	82	Turbo Nozzles
Pumps, GP Jetting	79-80	Turbo Shiels
	9-74, 77	Twist-Fast Noz Holder
Pumps, UDOR Diaphragm	64	Unloader By-pass Hose
Pumps, UDOR Pressure 6:		Unloader Hi-Spike Hose
Racor Filter	52	Unloader Mounting Block
Rain Gear	47-50	Unloader Valves 21-
Rebuilding Video	81	Vac Switch
Relay, Burner	53	Vacu-Boom
Roof & Ice Walkers	28	Valve, Sewer Jetting
Roof Cleaning Equip	28	Viper Turbo
RotoJet Nozzle	45	Waste Water Recovery
RotoMax Nozzle	45	Water Hose
Safety Relief Valve	27	Water Line
C 101 (F :		Wr. C.
Sand Blast Equip	28	Winco Generator

Prices Rolled-back

BEGINNING MARCH 1, 2011

YOU WILL NOTICE THAT PRICES ON CHEMICALS HAVE BEEN ROLLED BACK 20-30% WHILE ALL PARTS HAVE BEEN ROLLED BACK 10-15%.

2011 BONUS BUCKS

Contractors can receive up to...

10% CASH BACK

in the form of Bonus Bucks when they purchase from EnviroSpec. This money will accumulate and can be used to reduce the cost of items by 10% that are purchased in February & March 2012 at Mobile Wash season start-up.

This was a huge success during February 2011. Contractors made many purchases well below our actual cost. Many saved their bonus bucks for that new piece of equipment to start out the new season with while others purchased multiple pumps and/or several months supply of chemical.

You will accumulate Bonus Bucks when you purchase Chemical, Parts and Accessories found in this catalog between the months of April 2011 and January 31, 2012.

Purchases that do not qualify for Bonus Buck Accumulation are gas engines or any item powered by a gas engine or electric motor (except Shurflo Pumps), recovery systems, pressure washers, pumps, concrete cleaners & items <u>not in our catalog</u>. But remember - in February & March of 2012 you can pay for <u>ANYTHING</u> you purchase with accumulated bonus bucks.

In other words...

If you have \$350.00 in your bonus buck account and you want to purchase a machine that cost \$4500.00 you can use all of your bonus buck money to reduce the cost of the machine because 10% of \$4500.00 is \$450.00 dollars.

On the other hand - if you have \$350.00 in your account and your total invoice is only \$700.00 you can only use \$70.00 of your bonus bucks since that represents 10% of the total invoice. The remaining \$280.00 will stay in your bonus buck account to use at a later date.

(Taxes & freight can not be paid for with Bonus Buck money.)

Linhts & Fuses

LARGO PRESSURE WASHERS

STANDARD FEATURES

- · Triplex, Oil Bath, Ceramic Pump
- Black Powder Coated Frame
- 10" Pneumatic Tubed Tires
- Painted Coil Wrapper
- 35' GFCI on 115V Units
- · High Limit Over Temp Protection
- Black Pipe Heating Coil
- 50' 3/8" Quick Coupled Hose
- Industrial 1725rpm Electric Motor
- Quick Coupled Spray Tips
- · Poly Fuel Tank w/ Fuel Gauge
- Gun Control
- High Pressure Detergent
- Trigger Gun w/4' Lance
- •10' power cord, no plug on 230v

OPTIONS:

- Open Gun (Below 2000 psi)
- · Time Delay Shutdown -
- · Steam Combo
- 8" Draft Diverter
- Hose Reel 50' or 100'
- Water Separating Fuel Filter
- Hour Meter
- Thermostat
- 40 amp GFCI 230V 1Ph
- · 460 3-Phase
- · Stainless Steel Coil Wrapper
- Optional 230/460 Volt 3Ph w/o GFCI



There is 'red hot' and then there is a 'hotter hot...



UP TO 280° ON THE MD280E

Complete Trailer Rigs Available Call!



7				-						
	Model	GPM	PSI	HP	VOLT/Ph	AMPS	WEIGHT	DIMENSIONS	PRICE	
	MD280E	2.2	1250	2	115/1	20	400	26W x 36L x 42H	\$2203.35	
	21	2.2	1250	2	115/1	20	330	24W x 34L x 40H	\$2070.75	
	35	3.5	2400	5	230/1	28	415	26W x 36L x 42H	\$2687.45	
	42	4.0	2000	5	230/1	28	525	28W x 39L x 47H	\$2927.85	
	45	5.0	1500	5	230/1	28	525	28W x 39L x 47H	\$2927.85	
		The Control	C. BOUTEN							

These are the #1 Selling Specifications in the Industry!





OPTIONS:

- Steam Combo
- Hose Reel 50' or 100'
- Water Separating Fuel Filter
- Stainless Steel Coil Wrapper
- Anti Roll Brake
- Front Roll Cage
- High Pressure Chemical
- SS Float Tank
- · Soap Solenoid

Shown with optional roll cage.

BELT DRIVE TOMCAT

STANDARD FEATURES

- 4 Wheel 10" Pneumatic Tubed Tires
- Powder Coated EHD Frames
- Sch. 80 Black Pipe Heating Coil
- Painted Coil Wrapper
- 50' 3/8" Quick Coupled Hose
- · Gun Control with Dual Lance Wand
- Color Coded Spray Tips
- Belt Driven General Pump
- Low Pressure Detergent, Down Stream
- 12V DC Beckett Burner
- High Limit Over Temp Protection
- Thermal By-pass Shutdown
- Poly Diesel Tank with Fuel Gauge
- Electric Start Engine
- Front Bumper Protects Eng. & Fuel Tank
- Powder Coated Gas Tank

May be used with mobile water tanks. Requires additional Plumbing and Inlet Filter Minimum 3/4"

MODEL	GPM	PSI	HP	ENGINE	BURNER	WEIGHT	DIMENSIONS	PRICE
1535B	4.0	3500	13	Honda	12VDC	525	29W x 51L x 44H	\$3802.27
1540B	4.0	4000	18	Vanguard	12VDC	545	29W x 51L x 44H	\$3802.27
1553B	5.0	3000	18	Vanguard	12VDC	585	29W x 51L x 44H	\$3886.28
1555B	5.0	3500	20	Honda	12VDC	615	29W x 52L x 46H	\$4263.35



EXHAUST HOOD CLEANING SYSTEM

> There is 'red hot' and then there is a hotter hot...



U-Pay Freight this Page



Model: MD280G 3.0 **GPM** 3000 PSI 13 HONDA

12VDC Burner


525 LBS. Measurements: 29W x 51L x 44H

\$3280.64

HIGH VOLUME HEATERS DUAL-PASS COIL SYSTEM


PERFORMANCE beyond your wildest imagination!







There is 'red hot' and then there is a 'hotter hot...'



...Up to

880,000 BTU



There is 'red hot' and then there is a hotter hot...

UP TO 880,000 BTU OUTPUT

SUPER SKID

The most advanced coil design in the PRESSURE WASHER INDUSTRY

20" DUAL PASS COIL DESIGN




VERTICAL SYSTEM SHOWN

SPEC PRICE PART NUMBER ENGINE 18V-ADC-V5635 18 HP 5.6 GPM \$3990.00 **VANGUARD** VERTICAL COIL 3,500 PSI 18V-ADC-H5635 18 HP 5.6 GPM \$4375.00 **HORIZONTAL COIL VANGUARD** 3,500 PSI 30K-SDC-H8536 30 HP 8.5 GPM \$5985.00 **KOHLER** 3,600 PSI **HORIZONTAL COIL** 30K-SDC-H1030 30 HP 10.0 GPM **\$5985.00** HORIZONTAL COIL **KOHLER** 3.000 PSI

For Units with 115V Generators - Call!

System Features:

- Industrial Pumps with 5 year head warranty
- Kohler, Briggs & Honda Engines
- The largest recharging systems in the industry
- The industry's largest and most efficient heating system
- Our Special Spec Beckett 12 Volt Burners
- Allison Relays for trouble free 12 Volt Burner life
- High Volume Fuel Tanks for long, uninterrupted runs.
- Hour Meter
- Safety Pressure Relief Valve
- Hose, Gun, Lance & Nozzles included.



STAINLESS COIL COVER ON HORIZONTAL ADD \$150.00

You can look all you want but there is none better than an Iron Horse and we have hundreds of professionals who beat on them everyday that can prove it!



either

One Operator running 10.0 GPM @ 3,800 PSI

or

One Operator running 5.0 GPM @ 3,800 PSI

38


or

Two Operators running 5.0 GPM @ 3,800 PSI

Up to 24 GPM KOHLER

DUAL PUMPER

...Power in the Hands of a Few! DP1038CW - \$7495.00



Sealed Battery Compartment

Quick Change Lubrication System



Unloader Adjusting Wheel

Allison Engine Terminator



ALLISON SLIMLINE SPACE-SAVER SUPER SKID

Our #1 Selling Hot Water

SUPER SKID EVER!

Features:

18 & 30 HP KOHLER Engines,
Dual Battery Compartments,
Thermostat Controlled,
Dual-Pass Heating Coil,
Large Volume Water Filtration,
Allison Supper Suds Sucker Injector,
Burner Diagnostic System,
Beckett 12V SDC Burner,
Racor Fuel Filter/Water Separator,
Vibra-Loc Vibration Dampening System,

There is 'red hot' and then there is a 'hotter hot...'

WHITE HOT

No-one makes a better heating system! No-one makes a better delivery system!

No-one know more about what a contractor needs than an ex-contractor!

Model	Engine	PSI	GPM	List	Contractor
5535SL	Kohler 18	3500	5.5	\$10,995.00	\$5,490.00
8635SL	Kohler 30	3500	8.5	\$11,995.00	\$6,490.00
1030SL	Kohler 30	2900	10.0	\$11,995.00	\$6,490.00





CHEETAH

Most use a 19 lb. pump with aluminum connecting rods.

Ours is a 28 lb. pump with solid bronze connecting rods.

Expect ours to last 10 times longer

A TRUE A TRUE 3,850 PSI 3,000 PSI

or @

A TRUE A TRUE 4.2 GPM 5.0 GPM

CHEETAHS
Start Quicker, Run Quieter
& Last Longer

ELECTRIS START PURE JUSCLE



with 3-year warranty

UDOR PUMP

4.2 GPM @ 4000 PSI 5.0 GPM @ 3000 PSI

Industrial Hose Reel with Non-Marking Hose

The New Hyde 51" Pivoting Nozzles Lance

Vibration Isolators between engine and base plate

Premium 13" Wheels

Integrated Tool Tray and Nozzle Holders

Engine Shuts Down if Pump Overheats

Aren't you tired of being fooled?

IMPOSSIBLE!

\$1490.00

#14404 - 4.0 GPM #14305 - 5.0 GPM For years people have been buying what they thought was a 4 GPM @ 4000 PSI PRESSURE WASHER with a 13 HP Honda

First of all there is not enough power in a 13 HP engine to produce this amount of water at this psi.

The math is as follows: GPM x PSI divided by 1100 is what is required in the way of gas engine horsepower.



RELEASE THE TRIGGER and the engine

which gives you up to \$2500.00 p/y in fuel savings!



nature

With the Signature Series we didn't just want another version of 'the same'. We wanted everyone who first sees the Signature to immediately recognize a level of excellence that they have never seen before. When you buy a pressure washer you have bought just another pressure washer. When you buy an Allison Signature you will have bought performance & functionality and you will own a system that will still be running long after most of the 'typical' pressure washers have turned back into dust.

<u>MODEL</u>	PSI / GPM	ENGINE / AMP	PRICE
SIG5635GR	3500 - 5.6	18 KOHLER / 20*	\$2895.00
SIG8636GR	3600 - 8.6	30 KOHLER / 25*	\$3895.00
SIG1029GR	2900 - 10.0	30 KOHLER / 25*	\$3895.00

^{*} ELECTRONIC ENGINE IDLE DOWN WHEN SYSTEM IS IN BY-PASS

COMES WITH 9 GALLON FUEL TANK & BATTERY BOX

System Features:

- Triplex Pumps with bronze connecting rods, special roller bearings and hardened crankshaft.
- Allison Engine Terminator shuts down the engine should the pump overheat.
- Kohler Engine, Electric Start & Electronic Idle Down
- The largest recharging systems in the industry makes this system 'hot water ready'. Just hook it to a heater.
- Allison Soft Core, Unloading System with the lowest 'cycling threshold' in the industry.
- Quick Change Oil System on Pump, Gear & Engine
- Allison 'Super Suds Sucker' Chem Induction
- 9-Gallon Fuel Tanks for long, uninterrupted runs.
- Hour Meter & Tachometer
- 5000 PSI Safety Pressure Relief Valve
- Marine Battery Box
- Hose, Gun, Lance & Nozzles included.

TWO GUN

SMALL FOOTPRINT

TNT Spec TNT STATE STATE





DUAL BEARING TRANSMISSION DRIVE

JUST ADD WATER!

...that and a floor to bolt it down to is all you will need to be up and running with this compact beast!

This pressure washer is for contractors who need more volume, less pressure and quick production times.

HOT WATER READY!

JUST ADD A HEATER

SYSTEM SPECIFICATIONS						
P/N & PRICE	Engine	Using One Gun you can run from	Using Two Guns you can run			
TNT8636 \$3495.00	30 HP KOHLER	4.3 GPM @ 3600 PSI up to 8.6 GPM @ 3600 PSI	2 Guns each @ 4.3 GPM & 3600 PSI each			
TNT1029 \$3495.00	30 HP KOHLER	5.0 GPM @ 2900 PSI up to 10.0 GPM @ 2900 PSI	2 Guns each @ 5.0 GPM & 2900 PSI each			
More Configurations Available - Call						

ELECTRIC EXHAUST HOOD PRESSURE WASHER

USE THEIR HOT WATER!

2.0 GPM @ 1500 PSI

TRI-PLEX, CERAMIC PISTON PUMP 165° 'HOT WATER KIT' INSTALLED

2 HORSEPOWER ELECTRIC MOTOR
WITH GROUND FAULT

#9830 \$599.75

Hi-Temp Kit Installed



This unit comes standard with a plastic water inlet. A metal inlet is available by ordering #5890 for \$26.92.

GAS ENGINE EXHAUST HOOD & KITCHEN PRESSURE WASHER

The PRESSURE you need to clean THE TOUGHEST GREASE & GRIME and the VOLUME you need to make 'CLEAN-UP' QUICK AND EASY.

THE ADVANTAGES OF GAS OVER ELECTRIC ARE:

You can use it in other applications that require low volume and high pressure such as grease pits & traps, dumpster areas, factory & garage clean-downs plus with gas you'll get much higher pressures than electric.

Also - many restaurants do not have all their electrical outlets set up with 30 amp breakers which makes an electric system inoperable in many restaurant environments.

2.0 GPM @ 3200 PSI

TRI-PLEX, CERAMIC PISTON PUMP 165° 'HOT WATER KIT' INSTALLED

7 HP INDUSTRIAL KOHLER ENGINE WITH 3-YEAR WARRANTY

#9850 \$1273.00





PRESSURE WASHERS TRUCK MOUNT/BELT DRIVE



· 3000_{PSI}



DUAL PUMPER TRUCK MOUNT SKID

8.0 GPM @ 3000 PSI **GX690 HONDA**

#DP8030CW \$3199.00

ACCESSORIES, GAS TANK & BATTERY SOLD SEPERATELY



20 - 24 · 4000 - 5000 PSI

ROLL-CAGE SKID/CART 5.6 GPM @ 3500 PSI **20 HP GX630 HONDA**

#5635-20H-RC \$2899.00

ROLL-CAGE SKID/CART 5.0 GPM @ 5000 PSI **24 HP GX690 HONDA**

#505O-24H-RC \$3499.00





Includes:

Hondas New Generation GX630 (20) or GX690 (24) Electric Start/Oil Alert 50 Ft High Pressure Hose Spray Gun, Lance Chem Injector Steel Roll Cage Frame 13" Pneumatic Tires **Break Mechanism**

PREMIUM BELT DRIVES

· 4000 - 5000PS

24 · 3000_{PS}



PREMIUM BELT DRIVE CARTS

	Distinguishing Features	
1	Patented Cooling Technology	
2	Cool Air Ventilation Slots	
3	Perm-A-Line Belt Tension System	
4	Laser Aligned Pulley Fanning System	
5	Quick-Release Belt Guard Knobs	
6	Free Standing S.Steel Belt Guard	
7	Flat-Free Foam Filled Tires	
8	Industrial Aluminum Mags	
9	Block Mounted Unloader	

BLACK POWDER COAT

YOU DON'T HAVE TO BUY



Not your typical rubber stamped'

PRESSURE WASHER

WITH THE NEW GENERATION **HONDA 13 HP ENGINE** AND A DESIGN THAT WILL ADD YEARS OF TROUBLE FREE LIFE TO YOUR BUSINESS

Part Number	Description	Price
CD4035PC	Cool Drive, Powder Coated Frame, 4.0 @ 3500, New Generation Honda	\$1449.00
CD4035SS	Cool Drive, Stainless Steel Frame, 4.0 @ 3500, New Generation Honda	\$1619.00
CD5625PC	Cool Drive, Powder Coated Frame, 5.5 @ 2500, New Generation Honda	\$1549.00
CD5625SS	Cool Drive, Stainless Steel Frame, 5.5 @ 2500, New Generation Honda	\$1719.00

Pic	Feature	Pic	Feature	Pic	Feature
•	14,000 Cleaning Units	2	13" Foam Filled Tires	7	4 Quick-Connect Spray Tips
•	Honda 13 HP GX390 Gas Engine	3	Chemical Injector	•	Industrial Triplex Pump
1	'EZ Start' Adjustable Unloader	4	50' Steel Braided Non-Marking Hose	•	Stainless Steel Frame
	 Thermal Relief Valve (145°) 	5	5,000 PSI Spray Gun	•	Belt Drive
	Safety Relief Valve	6	36" Insulated Lance	•	Box Dimensions: H27", L33", W27"























Cheetah Systems

18 HP KOHLER

with 3-year warranty

ELECTRIS START PURE JUSCLE

TWO MODLES

#5635HRC

5.6 GPM 3500 PSI \$2457.60

#8025HRC

8.0 GPM 2500 PSI \$2757.60

Soft-Touch Unloader

Tachometer/Hour Meter

The New Hyde 51" Pivoting Nozzles Lance

Gun, Hose & Nozzles

3 Quick Drain Oil Plugs

Vibration Isolators between engine and base plate

Premium 13" Wheels

Integrated Tool Tray, Reel & Nozzle Holders


Engine Shuts Down if Pump Overheats





ALLISON ALLISON

Up to 10 GPM Up to 300 PSI



SORRY! NO TOYS ALLOUED.

...this area is for real CHLORINE PUMPERS!




WASTE WATER RECOVERY

HOW DOES VACU-BOOM WORK?

When the wet vac system is turned on, the Vacu-Boom tightly seals itself to the surface like a giant suction cup, to form an impervious liquid barrier. Simultaneously, the waste water or other liquid is extracted into the boom and travels with the airflow through the boom and vacuum hose into the sump of the vacuum unit. The vacuum unit is equipped with an automatic pump out system which discharges water through a discharge hose into a holding tank, filter unit or sanitary sewer.

WHERE CAN VACU-BOOM BE USED?

Outdoor vehicle or equipment washing In-plant equipment washing Emergency storm water containment Boats and ships - to prevent deck run-off Marinas - to prevent contamination from run-off Parking lot/sidewalk washing to capture dirty water run-off Emergency hazardous liquid spill containment Airports - to capture run-off from aircraft washing



AT LAST! A RECOVERY SYSTEM THAT REALLY WORKS



SGV416 \$5,995.00

\$1,895.00

SIROCCO

		Recovery
Part No.	Complete System	GPM
SGV313	With 14 Subaru	4 - 6
SGV316	With 16 Vanguard	6-12
SGV37	With 7 Subaru	4 - 6
SGV39	With 9 Subaru	4 - 8
SGV416	With 16 Vanguard	8 - 15
SGV423	With 23 Vanguard	10 - 25
SGV431	With 31 Vanguard	15 - 30
SGV435	With 35 Vanguard	To 35 GPM
SGV535	With 35 Vanguard	To 50 GPM

PART NUMBERS & PRICING

SGV423 \$6,995.00 SGV313 \$4,895.00 SGV431 \$7,395.00 SGV316 \$5.695.00 SGV435 \$7,795.00 SGV37 \$3,995.00 SGV535 \$7,995.00 SGV39 \$4,495.00 SC21V

It is all about 'work speed' and affordability.

The Sirocco System is the most asked for recovery systems we have ever sold.

> SC21V Vacuuming 21" Surface Cleaner



Call for options list and more information!

ALLISON IRON HORSE CHEMICAL INDUCTION SYSTEM

The biggest complaints "EVER" with chemical injectors are:

- 1. With more than 125' of hose they won't draw chemical!
- 2. Although it is a 20% injector it doesn't draw enough chemical!
- 3. I wish I didn't have to use a 'pump-up' to apply bleach!

NOW YOUR HEADACHES ARE BEHIND YOU!

The Allison Chem-Induction System which includes the Allison Super Suds Sucker Injector allows you to draw an incredible amount of chemical.

The following test was based on using a typical injector advertised to draw at 20% (NOT OURS) mounted on a TS-2021 General Pump running at 5.6 GPM.


- 1. With 100' of hose INJECTOR ONLY 63 oz. of chem per min.
 - With 100' of hose
 WITH OUR CHEM INDUCTION 204 OZ. OF CHEM PER MIN.

NOW CHECK THIS OUT!

- 3. With 500' of hose& a Competitors 20% Injector0 oz. of chem per min.
 - 4. With 500' of hose & WITH CHEM INDUCTION 204 OZ. OF CHEM PER MIN.

This means that regardless of which problem you are having you will still induct almost 2 gallons of chemical per minute into the system. Never again will you have to apply the product 2 or 3 times to get the job done. Now you'll be on your way after the first pass. Roof Cleaners using bleach really love this system.

No more 'pump-up' or 'back-pac' sprayers to lug around!



12 VOLT, HIGH VOLUME COMES COMPLETE WITH:

- Allison High Induction Chemical Injector
- 4 additional, easily interchangeable injector nozzles that will allow you to use this system on any pressure washer from 2 GPM thru 10 GPM.
- Induction Pump mounted on a convenient 'hand carry' base plate.
- This System can be detached from the Chemical Injector and utilized to spray undiluted chemical when you purchase Part #1596

The Injector comes set up with convenient 'quick connects'
To be used with pressure type unloaders only.

PART #	DESCRIPTION / PRICE	
1595	CHEMICAL INDUCTION SYSTEM, 12V	\$239.95
1671	REPLACEMENT INDUCTION PUMP	\$102.54
2351	REPLACEMENT DIAPHRAGM ASSEMBLY	\$ 63.55
2352	PRESSURE SWITCH	\$ 24.67
1596	100'HOSE, LANCE & GUN ASSEMBLY	\$127.42

LASER DECK FLAT SURFACE CLEANERS

SEMI-PROFESSIONAL LASER DECK



12 INCH

- · Use with an optional spray gun kit
- · Attach to a longwand
- · Attach to a spray lance







RECOMMENDED SIZES FOR VARIOUS

PRESSURE WASHER FLOWS

4-5 GPM 20" 2-BAR **5-6 GPM** 20" 2-BAR

or 24" 3-BAR **6-8 GPM** 24" 3-BAR

> or 24" 4-BAR or 30" 3-BAR

8-12 GPM 24" 4-BAR


or 30" 3-BAR or 30" 4-BAR

NOTE:

For Speed and Quality we recommend that you never use a nozzle size less than #2 and a pattern of 25 degrees.

CUSTOMER PAYS SHIPPING

1850 DECK / 2 Nozzles Required \$87.70



REPLACEMENT SWIVEL FOR LASER DECKS - 20"-24"

#1632 \$147.71





• Easy to handle frame is designed for less operator fatigue

· Helps eliminate zebra striping

PART # DESCRIPTION / PRICE

853 2 Nozzles Required \$309.43

2-bar Configuration

Remember... these units do not come with nozzles.

STAINLESS STEEL

20 & 24 INCH

- Three rotary cleaning arms
- Comes with castors ideal for cleaning driveways and other large flat surfaces
- Stainless Steel design for maximum cleaning durability
- Easy to handle frame is designed for less operator fatigue
- · Helps eliminate zebra striping

PART #	DESCRIPTION / PRICE	
1845	20" - 2 Nozzle Bar (No Nozzles)	\$488.08
1846	20" - 3 Nozzle Bar (No Nozzles)	\$498.08
1847	24" - 2 Nozzle Bar (No Nozzles)	\$524.41
1848	24" - 3 Nozzle Bar (No Nozzles)	\$539.70

What is the best set-up?

P-SWEEP Hydro-broom

Ours Includes The Nozzles!

Most Don't!



Part#	Description	Noz	Price
1886	12" Sweep Only	3	\$29.66
1888	16" Sweep Only	4	\$36.80
1887	12" w/48" Lance & Gun	3	\$52.60
1889	16" w/48" Lance & Gun	4	\$68.17
NOS- 05013M	Replacement Nozzle	ea.	\$ 2.75

LASER DECK PARTS

PART#	DESCRIPTION / PRICE	
1641	Swivel Head for 12"	\$35.51
1632	Swivel for 20" ABS $\&$ 20"-24" Stainless	\$147.71
1649	Rotary Arm for 12' 2-Bar	\$26.87
1648	Rotary Arm for 20" 2-Bar	\$39.12
1647	Rotary Arm for 20" 3-Bar	\$48.18
2337	Rotary Arm for 24" 2-Bar	\$38.12
1646	Rotary Arm for 24" 3-Bar	\$48.77
1635	Swivel Repair Kit for 20", 22", 24"	\$119.13
1642	Brush Skirt for 12"	\$28.60
1637	Brush Skirt for 20" ABS Plastic	\$64.91
1638	Brush Skirt for Stainless 20's	\$65.81
1639	Brush Skirt for Stainless 24's	\$66.84
1640	Caster Wheel for Stainless 20 & 24's	\$29.74
1627	Gun for 20", 24"	\$29.89



IRON HORSE SPINNER

EnviroSpec Endorsed

as the 'best in the industry' at the best price!

- Swiss Engineered Stainless Swivel
- Carbide Seal System
- Hi-Torque Load Bearings
- 5000 PSI Easy Spin Design'Quiet Run' Technology
- Rated to 2000 PSI & 250°



#4801 20" Stainless, 2-Bar \$589.11 #4802 20" Stainless, 3-Bar \$595.63

#4803 24" Stainless, 2-Bar \$658.88

#4804 24" Stainless, 3-Bar \$664.03

#4805 Replacement Swivel \$216.62

CUSTOMER PAYS SHIPPING ON ALL CONCRETE CLEANERS

TECH LIBRARY: TRIGGER GUNS

A trigger gun provides an operator with a grip that is designed so the human hand can hold it comfortably. Some designs do a better job providing comfort than others. There are pistol style guns, straight through style guns, front and rear entry guns, open guns, and dump guns. When using any type gun that can stop the water flow, a pressure washer must be equipped with an unloader valve. Using an open gun or a dump gun eliminates the need for an unloader valve.

A pressure relief valve should be installed on equipment regardless of the gun type used, but it is most important when there is no unloader valve. Trigger guns have an inlet port where they are attached to the high-pressure hose. Industry standard for the size of the inlet port is 3/8". The industry standard size of a trigger gun outlet port is 1/4". The two ports are connected together allowing the water to flow through.

Repair or Replacement: Trigger Guns either get damaged because of rough handling, or the seat and ball get damaged or worn. The value of rebuilding a trigger gun is questionable. With most trigger guns selling for \$10.00 to \$29.00, they are generally a throw away and replace item. Rebuild kits are available and very easy to install. Unscrew

24" Lance/Gun Assembly for 'Close Quarters'



- The bent end for greater surface impact
- Light Weight Stainless Lances and Stainless Valve Body
- Dual Valve Assembly when open draws soap and when closed goes to high pressure rinse
- Comfortable, Relax-Grip Gun for long hours of operation

PART # DESCRIPTION / PRICE

1259 24", LANCE/GUN ASSEMBLY \$66.39

and remove the grip. Unscrew the hex cap on top of the valve body. Remove the stem, spring, ball and oring. Replace with the new parts from the kit, installing them in the same order. Use thread seal on the threads of the valve body cap, reinstall, and then screw the molded grip back onto the inner gun assembly. Sometimes debris gets caught in the valve assembly and stops the ball from seating properly. This causes the trigger gun to continue to allow water flow after the operator has released the trigger. Pulling and releasing the trigger a few times will fix this problem most of the time.

HI-TECH Gun No Trigger

GPM: 8 PSI: 4100 PSI TEMP: 300° F



PART # DESCRIPTION / PRICE

1223 Triggerless Gun Handle \$15.38

Hose Whips for Trigger Guns

The purpose of the Hose Whip is to extend the life of the quick connects & eliminate leaking. When you are pulling the hose using the gun and lance for leverage you are putting the quick connect in a "metal to metal" bind. When the whip is in place the quick connect coupler and pluq will always be pulling in-line with the hose.

Install a whip on inlet side of gun & extend the "quick connect" life ten-fold.



RT# DESCRIPTION / PRICE

4103 2' WHIP w/Swivel & "QC"

1202 1'4,000 PSI WHIP Only \$ 6.95 1568 1'WHIP w/Swivel & "QC" \$11.44 1172 2'4,000 PSI WHIP Only \$ 7.95

\$16.45

Float Valve

- Max Temperature 140°F
- Max Pressure 145 PSI
- 3/4" Inlet





PART # DESCRIPTION / PRICE

1598 FLOAT VALVE 3/4" PLASTIC \$13.85 1599 FLOAT VALVE 3/4" BRASS \$17.63

Plastic Float Tank with Cover

- Max Temp 140°F
- Capacity 0.8 US Gal.
- Overall Size 5" x 10" x 8"
- Material copolymer



PART # DESCRIPTION / PRICE

1597 FLOAT TANK with LID & BULKHEAD \$7.9

1234 FILTER 3/8M PLASTIC - 450 MICRON

Hudson Float Valve



Preferred over typical float valves.

No External Moving Parts
 No Float Ball or Arm

• 90° or 150° Max Temp

• All Stainless, Plastic & Nylon

• 1" Inlet - easy installation

\$29.62

Automatic anti-siphon

PART # DESCRIPTION / PRICE

1343 VALVE, 90° TEMP. RATING

1344 VALVE, 150° TEMP. RATING \$31.35



RL-51

COMPENSATING EASY PULL GUN! GPM: 13.2

PART# **DESCRIPTION / PRICE** 1204 HI-TECH 4100

1205 **COMPLETE KIT** \$14.01

COMPENSATING EASY PULL GUN!

TEMP: 320° F

PART# DESCRIPTION / PRICE 1206 HI-TECH 5700

Arrow Line AL-35

SAFETY YELLOW!

GPM: 8 **PSI:** 5000 PSI **TEMP:** 300° F

best with chem injectors!

DESCRIPTION / PRICE	
ARROW LINE AL-35	\$24.1
CERAMIC KIT	\$ 2.95
COMPLETE KIT	\$12.2
	ARROW LINE AL-35 CERAMIC KIT

PREMIUM IRIDE GUN



best with chem injectors!

\$41.82

PART# DESCRIPTION / PRICE

1225 IRIDE PRO GUN \$24.61 1749 **CERAMIC KIT** \$ 2.95

PREMIUM ASTRA GUN



PART# DESCRIPTION / PRICE

3225 ASTRA PRO GUN \$26.87 1749 **CERAMIC KIT** \$ 2.95

PSI: 4100 PSI TEMP: 320° F

RL-56

GPM: 8 PSI: 5700 PSI

\$43.85 **COMPLETE KIT** \$15.26 1207

GENERAL PUMP DCG GUN

COMPENSATING EASY PULL GUN!

GPM: 10.0 PSI: 5000 PSI TEMP: 320° F

PART # DESCRIPTION / PRICE

1230 DCG GUN \$29.36 1749 CERAMIC KIT \$ 2.95

YG4000S Lenier

GPM: 10.5 PSI: 4050 PSI TEMP: 300° F



DESCRIPTION / PRICE PART# 1218 YG4000S \$24.61 1747 **CERAMIC KIT** \$ 2.95 1219 **COMPLETE KIT** \$13.67

Front Entry Gun



PART# DESCRIPTION / PRICE FRONT ENTRY GUN 1203 \$8.65



\$ 2.95

PART#

DESCRIPTION / PRICE 1208 HI-TECH 5000 \$19.67 CERAMIC KIT

HI-TECH 5000

YG 5000

1747

GPM: 11 PSI: 5000 PSI TEMP: 300° F

Chlorine Version Available!



1220 YG5000 \$23.93 1221 YG5000 Chlorine Version \$24.93 1747 **CERAMIC KIT** \$ 2.95



CUSTOM K7 Unloader

Flow Actuated

GPM: 2.1-10.8 PSI: 3,500 PSI **TEMP: 165° F**



If you are buying K-7's from anyone else they will probably 'surge' in by-pass!

PART #	DESCRIPTION / PRICE	Sec.
1089	2.1-2.9 GPM - K7.0 (with Anti-Surge By-r	\$74.92 pass Port)
1090		\$74.92
1091	4.2-6.6 GPM - K7.2 (with Anti-Surge By-p	\$74.92
1092	6.6-10.8 GPM - K7.3 (with Anti-Surge By-p	\$74.92
1789	REPAIR KIT - FITS ALL	\$19.61

K10 Unloader

GPM: 10.8 PSI: 3,600 PSI **TEMP: 165° F**

One Size Fits All!

PART#	DESCRIPTION / PRICE		
1000	HALLOADED K 10 FLOW		

UNLOADER, K-10 FLOW ACTUATED \$62.20

REPAIR KIT FOR K-10

K9 Unloader



ACTUATED

PART # DESCRIPTION / PRICE UNLOADER, K-9 \$438.08 REPAIR KIT FOR K-9 \$220.84

K5 Unloader

Flow Actuated

GPM: 2.1-10.8 **PSI:** 3,000 PSI **TEMP:** 165° F



YU-2140 Unloader

The best large volume pressure actuated unloader in the industry!

GPM: 21 **PSI:** 4,500 PSI **TEMP: 200°**

DESCRIPTION / PRICE 1100 1/2" In/Out/1 By-pass Port (Blue) \$76.54 1/2" In/Out/ 2 By-pass Ports (Green) \$79.54 1101 1102 ADJUSTABLE KNOB \$ 9.89 1103 Repair Kit \$13.62

PART# DESCRIPTION / PRICE 2.1-2.9 GPM - K5.0 \$69.95 1085 1086 2.9-4.2 GPM - K5.1 \$69.95 1087 4.2-6.6 GPM - K5.2 \$69.95 1088 6.6-10.8 GPM - K5.3 \$69.95 REPAIR KIT - FITS ALL \$19.61 1785

VB350 Unioader

GPM: 10.5 PSI: 5,650 PSI **TEMP:** 195° F

2033

PART# DESCRIPTION / PRICE UNLOADER, VB350 \$81.76 2032



VB-10 Unloader

SUPER SOFT TOUCH

REPAIR KIT, VB350 \$36.66

GPM: 8 **PSI:** 4,000 PSI **TEMP:** 195° F

Feels like a **FLOW ACTUATED** ...but easy to adjust like a **PRESSURE ACTUATED!**

DESCRIPTION / PRICE PART#

UNLOADER, PA10 1108 \$69.95 REPAIR KIT FOR VB-10 \$58.73

Hi-Tech"MV Unloader

GPM: 8


PSI: 2,000-3,600 PSI

TEMP: 200° F

PAKI#	DESCRIPTION / PRICE	
1118	MV 520 UNLOADER UP TO 2000 PSI	\$27.45
1119	MV 540 UNLOADER UP TO 2500 PSI	\$29.08
1120	MV 550 UNLOADER UP TO 3600 PSI	\$40.34
1121	MV 580 UNLOADER UP TO 4000 PSI	\$37.26

A-R BOLT-ON

- Mini for 'XT' & 'XM' Pumps 2-5 GPM to 2600 PSI
- Gymatic for 'XM' & 'RK' Pumps 3-5.5 GPM to 3650 PSI
- Gymatic '3072' XM' & 'RK' Pumps 5 GPM to 4000 PSI







#1 SELLER IN 2010

ALLISON 'SOFT-TOUCH' UNLOADER

Once you use this unloader you will never use another style.

For those of you who like the K7... I guarantee that you will love this unloader.

It feels better than the K-7 and another great feature is that it adjust like a pressure actuated unloader.

This unloader will not cycle like the K7's.

\$59.88 w/o Micro Switch - Replaces all other unloaders

#7638 \$69.88 with Micro Switch (Used on Allison Clutch Drive & Idle Down Systems)


#7639 \$12.66 Replacement Micro-Switch

Got a leaky hose or quick connect? This unloader re-cycles LESS than any unloader on the market!

GPM: 9.0 **PSI:** 3,650 PSI **TEMP:** 195° F

With a 15 amp mico-switch for controlling Clutches, Idle Downs & Burners. Install the Allison Soft-Touch unloader, connect a couple of wires and you are ready to go.

K-7 & K-5 Unloader **Hi-Spike By-pass Hose**



- Eliminates "surging" on flow actuated unloaders
- 300 PSI working
- 1,200 PSI burst

Eliminates "Surging"

PART#

1195 \$1.88 PER FOOT

· Takes the load off of the pump head

Block

Unloader

Mounting

- Solid brass
- Rated to 5,000 PSI

PART # DESCRIPTION / PRICE 1081 3/8" X 3/8" \$12.97 1082 3/8" X 1/2" \$12.95 1083 1/2" X 1/2" \$12.97



800 PSI

This is the ONLY HOSE that you should be using to by-pass water either back to the tank (open loop) or back to the inlet side of the pump (closed loop.)

BY-PASS HOSE

PΔRT # DESCRIPTION / PRICE

PREMIUM UNLOADER

3399 3/8" ID, 800 PSI, PER FOOT \$1.01 1/2"ID, 800 PSI, PER FOOT \$1.17

YU831 Unloader

GPM:8 **PSI:** 4,000 PSI **TEMP:** 195° F

Multi-Port By-Pass Ports

PART # DESCRIPTION / PRICE

UNLOADER, YU-831 PULSAR \$39.63 1104 1098 REPAIR KIT \$14.77

EnviroSpec

AL-607 Premiur Series

GPM: 10.5 PSI: 4,500 PSI **TEMP: 195° F**



PART # DESCRIPTION / PRICE

AL-607P SERIES \$43.59

REPAIR KIT \$12.85

AL-607 Standard Series

GPM: 8.0 PSI: 4,500 PSI **TEMP: 190° F**

PART # DESCRIPTION / PRICE

1114 AL-607X UNLOADER \$39.62

1113 REPAIR KIT

\$18.45

Control Set Unloader

GPM: 8.0 PSI: 3,650 PSI **TEMP:** 195° F

PART # DESCRIPTION / PRICE

BOLT ON FOR GENERAL, NO INJECTOR BOLT ON FOR GENERAL WITH INJECTOR

REPAIR KIT FOR EITHER

FITS GENERAL 47 Series EZ Series TX Series

\$74.45

\$71.26

\$18.63

Pulsar Unloader

GPM: 8 PSI: 4,000 PSI **TEMP:** 195° F

PART # DESCRIPTION / PRICE UNLOADER, PULSAR

\$42.83 1098 REPAIR KIT \$14.77





In-Line Swivels

- Swivels at max pressure
- 5,000 PSI rated Adams
- · 4,000 PSI rated NorthStar

ALLISON INDUSTRIAL BRAND

1543	IN-LINE SWIVEL, 1/4" BRASS	\$4.88
1544	IN-LINE SWIVEL, 3/8", BRASS	\$4.88
1545	IN-LINE SWIVEL, STAINLESS, 1/4"	\$8.88
1546	IN-LINE SWIVEL, STAINLESS, 3/8"	\$9.88

J. E. ADAMS BRAND

1127	INLINE SWIVEL, 1/4" BRASS	\$ 7.63
1351	INLINE SWIVEL, STAINLESS, 1/4"	\$11.50
1433	INLINE SWIVEL, STAINLESS, 3/8"	\$13.64

Twist Fast "Quick Connects"



PART#	DESCRIPTION / PRICE	3
1937	TWIST FAST COUPLER, 1/4" FPT	\$3.24
1940	TWIST FAST COUPLER, 1/4" MPT	\$3.24
1943	TWIST FAST COUPLER, 3/8" FPT	\$3.24
1946	TWIST FAST COUPLER, 3/8" MPT	\$3.24
1925	TWIST FAST PLUG, 1/4" FPT	\$2.11
1928	TWIST FAST PLUG, 1/4" MPT	\$2.11
1931	TWIST FAST PLUG, 3/8" FPT	\$2.11
1934	TWIST FAST PLUG, 3/8" MPT	\$2.11

'O' Ring Pick

For removing o'rings from Check Valves & Quick Connects

.heck Valve		a Wang	
-	-		
Ser !		1	2
/	1.00		1
-		26.20	
The man	PART#	DESCRIPTI	ON / PRICE

PART # DESCRIPTION / PRICE 1600 'O' RING PICK \$3.3

MOSMATIC

Gun to Lance & Hose to Gun Swivels

Swivels at Max Pressure
4,100 PSI Acceptable
10.5 GPM
250° F

PART #	DESCRIPTION / PRICE		
1144	SWIVEL, INLINE, 1/4"FX 1/4"M - Mosmatic	\$32.30	
1145	SWIVEL, INLINE, 1/4"FX 3/8"M - Mosmatic	\$32.30	
1146	SWIVEL, INLINE, 3/8"FX 3/8"M - Mosmatic	\$29.95	
5114	SWIVEL, INLINE, 1/4"FX 1/4"M - M-T-M	\$52.70	
5138	SWIVELINLINE 3/8"EX 3/8"M - M-T-M	\$52.70	

Ceramic Balls

Aluma-Oxide

1746

1747

1744

1745

- Replacement balls for highly corrosive environments
- Use with Chemical Injectors and Guns

DESCRIPTION / PRICE

CERAMIC BALL, ALUM OXIDE, 1/4"

CERAMIC BALL, ALUM OXIDE, 5/16"

CERAMIC BALL, ALUM OXIDE, 11/32" \$2.95

CERAMIC BALL, ALUM OXIDE, 13/32" \$2.95 CERAMIC BALL, ALUM OXIDE, 9/32" \$2.95



Hi-Heat "Couplers"

To hot to handle?
These couplers make it easier to disconnect hoses & accessories without burning your fingers.



PART#	DESCRIPTION / PRICE	
1818	EASY GRIP COUPLER, 1/4" MPT	\$3.88
1817	EASY GRIP COUPLER, 1/4" FPT	\$3.88
1820	EASY GRIP COUPLER, 3/8" MPT	\$3.88
1819	EASY GRIP COUPLER, 3/8" FPT	\$3.88

'Push & Snap' Quick Coupler

The Most Incredible Quick Couplers YOU WILL EVER SEE!



This shows the coupler in the 'staged' open position. It remains this way until you push in the plug. When you do the coupler automatically 'snaps' closed.



Here you see just how easy it is to attach a 'quick connect' plug.

PART#	DESCRIPTION / PRICE	
1901	1/4" FPT	\$4.93
1902	3/8" FPT	\$4.93



Simply insert the plug & push!

When you want the plug to release you will pull down on the collar and the plug will automatically release itself and 'snap' out of the coupler.



HARDENED BALL BEARINGS!

EPDM O'RINGS STANDARD!



'USA' - BRECO - 'USA' **COUPLINGS & PLUGS** ARE BACK!

PART#	BRECO COUPLINGS / F	PRICE	1
BC4F	1/4" FPT In, 1/4" Out	\$2.48	
BC4M	1/4" MPT In, 1/4" Out	\$2.48	
BC8F	3/8" FPT In, 3/8" Out	\$2.73	3
BC8M	3/8" MPT In, 3/8" Out	\$2.73	

PART#	BRECO PLUGS / PRICE		
BP4F	1/4" FPT In, 1/4" Out	\$.79	
BP4M	1/4" MPT In, 1/4" Out	\$.79	
BP8F	3/8" FPT In, 3/8" Out	\$.99	
BP8M	3/8" MPT In, 3/8" Out	\$.99	

STAINLESS BRECO



-	119	11/1/11	
DADT#	Broce	-Eactor C	ounling

SBC4F	1/4" FPT In, 1/4" Out	\$5.18
SBC4M	1/4" MPT In, 1/4" Out	\$5.18
SBC8F	3/8" FPT In, 3/8" Out	\$7.18
SBC8M	3/8" MPT In, 3/8" Out	\$7.18

PART #	Breco-Foster Plugs	
SBP4F	1/4" FPT In, 1/4" Out	\$3.94
SBP4M	1/4" MPT In, 1/4" Out	\$3.94
SBP8F	3/8" FPT In, 3/8" Out	\$4.20
SBP8M	3/8" MPT In, 3/8" Out	\$4.20

Premium Brass Coupler

Brass Coupler with 'Safety Loc System'



Shown: Brass Female Pipe Thread (FPT)

\$1.99
\$1.99
\$2.37
\$2.37

Premiu Stainless Coupler

Stainless Coupler with 'Safety Loc System'



Shown: Stainless Steel Male Pipe Thread (MPT)

PART #	DESCRIPTION / PRICE	
QS4FS	1/4" FPT In, 1/4" Out	\$2.99
QS4MS	1/4" MPT In, 1/4" Out	\$2.99
QS8FS	3/8" FPT In, 3/8" Out	\$3.63
OS8MS	3/8" MPT In. 3/8" Out	\$3.63

"Super Hard" Plated Steel Plug



Shown: Female Pipe Thread (FPT)

	PART#	DESCRIPTION / PRICE	735
	QP4FB	1/4" FPT In, 1/4" Out	\$.59
	QP4MB	1/4" MPT In, 1/4" Out	\$.59
į	QP8FB	3/8" FPT In, 3/8" Out	\$.68
	QP8MB	3/8" MPT In, 3/8" Out	\$.68

Stainless Plugs

"Super Hard" Stainless Plug



Shown: Stainless Male Pipe Thread (MPT)

PART#	DESCRIPTION / PRICE		
QP4FS	1/4" FPT In, 1/4" Out	\$1.38	
QP4MS	1/4" MPT In, 1/4" Out	\$1.38	
QP8FS	3/8" FPT In, 3/8" Out	\$1.71	
QP8MS	3/8" MPT In, 3/8" Out	\$1.71	

O'RINGS

11,000 PSI

These Premium O'rings have been recommended as the best for the three major issues of the PROFESSIONAL CONTRACTOR:

PRESSURE + HEAT + CHEMICAL

O ULTRA HIGH PSI O ULTRA HIGH HEAT

PART# DESCRIPTION / PRICE

'EXTREME' DUTY CYCLE O'RINGS

QOR4X 1/4", 11,000 PSI, 500°, 20 EACH \$12.97 QOR8X 3/8", 11,000 PSI, 500°, 20 EACH \$12.97

Rings

PART# DESCRIPTION / PRICE

EPDM 'O' RINGS - Chemical Resistance: Moderate

QOR4E 1/4", 300°, BLACK, 50 EACH \$ 7.67 QOR8E 3/8", 300°, BLACK, 50 EACH \$ 7.67 VITON° 'O' RINGS - Chemical Resistance: Severe

QOR4V 1/4", 350°, BROWN, 50 EACH \$11.73 00R8V 3/8", 350°, BROWN, 50 EACH \$11.73



Severe Duty

4,000 PSI + Chemical Resistance = SEVERE

These Premium 'O'rings have been recommended for the three major issues of the PROFESSIONAL CONTRACTOR: PRESSURE + HEAT + CHEMICAL

When you combine all 3 environments the only O'ring that holds up better are the 11,000 PSI Series.

DESCRIPTION / PRICE PART#

1/4" SEVERE DUTY 'O' RINGS - 50 EACH 1960 3/8" SEVERE DUTY 'O'RINGS - 50 EACH

Allison "Super Suds Sucker" Up to 33(+)% DRAW

The Original "Super Suds Sucker" is back!

For those of you to new or young to remember... ...a few years back we designed a chemical injector that would just about suck the bottom out of the pail. Not only that - we were able to put as much as 500' of hose on the machine and still suck as much chemical as most injectors equipped with only 50' of hose.

Here are the two primary advantages of owning a **Super Suds** Sucker and when you think about it - what else is there? **Longevity** - This could be the last injector you will ever buy. Most of the ones we built 10 years ago are still 'sucking' strong.



Product to Surface - When we first came out with this product we told people then that "if you can't get the product to the surface you may as well stay at home" - the same holds true today. With a Super Suds Sucker you will definitely get the product to the surface.

What do most people say when they first try it?

NOW THIS SUCKS!

TRY A **Super Suds Sucker** TODAY!

For over 20 years...

John Allison operated a Mobile Wash company. During this time he recognized that all chemical injectors had one thing in common. None of them could get enough chemical on the surface. Since that time Mr. Allison has designed some of the finest injectors in the industry under the "Super Suds Sucker" logo. However, in the past the manufacturing cost was so high that it made it to difficult to bring them to market.

But now you can experience the precision of these high induction injectors at a much more affordable price!

PART #	DESCRIPTION / PRICE	
1964	ALLISON SUPER SUDS SUCKER	\$ 38.88
1439	REPAIR KIT	\$ 9.89
2108	Replacement Noz #1	\$ 3.50
2109	Replacement Noz #2	\$ 3.50
2110	Replacement Noz #3	\$ 3.50
2111	Replacement Noz #4	\$ 3.50

Super Suds Sucker comes with additional nozzles that will handle from 2 to 10 GPM. Complete with...

quick connects, chemical line & chemical filter. **READY TO GO!**

Stainless Dual Stage

- · Stainless Steel construction for extended life.
- · Draw from one chem or two.
- · With both lines in the solution you can expect to draw up to 30% more product.

DESCRIPTION / PRICE PART#

1139 **DUAL PORT INJECTOR** \$84.63 **REPAIR KIT** \$ 9.37 1740



THE BEST "DRAW RATES" IN THE INDUSTRY DESIGNED BY: ALLISON

These unique features quarantee you Allison Injectors are the best in the industry!

- Up to 20% draw rate
- Machined Brass
- Ceramic Ball for harsh chemicals & chlorine
- 316 Stainless Nozzle
- Rated to 5.000 PSI
- Viton® O'ring

Ideally suited for the contractor who uses a lot of bleach and acid and needs economical disposable injectors.

Chem Line & Filter

Comes with our best Stainless & Brass Chemical Filter ...and 5' of Chemical Line



PART # DESCRIPTION / PRICE

CHEMICAL FILTER AND LINE \$3.78

Check Valve

• 1/4" MxF with a cracking pressure of 1/3 PSI



DESCRIPTION / PRICE CHECK VALVE \$3.78 PART # DESCRIPTION / PRICE

ADJUSTABLE WITH CERAMIC BALL, 2-5 GPM \$9.88 1448 ADJUSTABLE WITH CERAMIC BALL, 5-8 GPM \$9.88 1441 NON-ADJUSTABLE WITH CERAMIC BALL, 2-5 GPM \$9.88 NON-ADJUSTABLE WITH CERAMIC BALL, 5-8 GPM 1443 \$9.88

Allison "Suds Sucker" Double Gulp Injectors



...if you can't get enough product on the surface you may as well stay at home.

What makes this injector different from the others?

- Solid machined brass
- Ceramic Ball Standard
- Viton O'ring Standard
- Hardened Stainless Nozzle

SHOWN WITH **OPTIONAL** QUICK **CONNECTS**

You'll get much more chem draw with both lines in the same solution.



Non-Adjustable

PART#	DESCRIPTION / PRICE	
	NON-ADJUSTABLE	
1737	DUAL PORT, ALLISON, 2-5 GPM	\$19.63
1739	DUAL PORT, ALLISON, 5-8 GPM	\$19.63
	ADJUSTABLE	
1736	DUAL PORT, ALLISON, 2-5 GPM	\$23.63
1738	DUAL PORT, ALLISON, 5-8 GPM	\$23.63
1740	REPAIR KIT FITS ALL	\$11.31

Plastic Chemical Filter

- · Weight holds filter on the bottom
- plastic



PART#	DESCRIPTION / PRICE	
1150	STRAINER W/CHECK	\$1.19
1151	STRAINER W/O CHECK	\$1.19

Ready-to-Go "Suds Sucker"

Complete with Stainless Quick Connects, 10' of Chemical Line, Our Best Stainless & Brass Chemical Filter.

20+% DRAW



Allison All Stainless Injectors



PART #	DESCRIPTION / PRICE	
	NON-ADJUSTABLE	
1140	NON-ADJUSTABLE, 2-5 GPM	\$39.34
1141	NON-ADJUSTABLE, 5-8 GPM	\$39.34
	ADJUSTABLE	
1142	ADJUSTABLE, 2-5 GPM	\$45.63
1143	ADJUSTABLE, 5-8 GPM	\$45.63
1439	REPAIR KIT FITS ALL	\$ 9.89

Poly & Stainless Filters

- 1/4" hose barb
- Stainless check ball



PAKI#	DESCRIPTION / PRICE	
1152	FILTER W/O CHECK - Red Poly	\$4.57
1149	FILTER, ALL STAINLESS	\$1.69

PART# DESCRIPTION / PRICE 1442 NON-ADJ, READY TO GO, 2-5 GPM \$19.89 1444 NON-ADJ. READY TO GO, 5-8 GPM \$19.89 1447 ADJ. READY TO GO, 2-5 GPM \$22.77 1449 ADJ. READY TO GO, 5-8 GPM \$22.77 1439 REPAIR KIT FITS ALL \$ 9.89

- Stainless orifice
- Stainless check valve



PART#	DESCRIPTION / PRICE	
1135	2.2-4.0 GPM, ROBO CHEM	\$24.12
1136	4.0-5.6 GPM, ROBO CHEM	\$24.12
1137	5.6-10.9 GPM, ROBO CHEM	\$24.12
1138	REPAIR KIT FITS ALL	\$ 7.37

Premium Chemical Filter By Far The Best!

- Solid Stainless and Brass construction
- Larger than others allows more chemical flow
- Removable, internal "check" prevents chems from back flowing.

PART # DESCRIPTION / PRICE

CHEMICAL STRAINER, PREMIUM \$2.79

"Sludge Sucker"

· Place the black foot into the flooded area. Connect the pressure washer hose to the foot. Stretch out the blue discharge hose and pull the trigger on the pressure washer and watch the flooded area disappear.



EnviroSpec **Safety Relief Valve** Fully adjustable

- Rated up to 6,000 PSI
- Handles up to 12 GPM
- Rated to 195°F



PART#

DESCRIPTION / PRICE

1123 RELIEF VALVE, 3/8" MPT \$11.87 RELIEF VALVE, 3/8 W/BARB \$13.69 1126

• Installs on the high pressure (outlet) side of the pump and relieves the

"back-pressure" during start-up.

PART#

DESCRIPTION / PRICE

1124 EZ START VALVE \$11.88





• When by-pass water reaches 145° the valve opens to allow heated water to escape to atmosphere.

PART#	DESCRIPTION / PRICE	
1076	1/2" END DISCHARGE	\$ 8.86
5575	3/8" END DISCHARGE	\$ 8.93
1062	3/8" SIDE DISCHARGE	\$12.84

Chemical Metering

- Stainless & Brass
- Rated to 4,000 PSI
- Viton gland seals
- · Panel mountable
- Heavy duty brass bar stock



PRICE PART#

2447 \$11.80

Exhaust Hood Swivels, Non-Adjustable

HOT WATER SWIVELS

• Fixed nozzle positioning ideally suited to be dropped down the exhaust hood.

To order the correct nozzles take the nozzle that you are presently using and divide it by the number of nozzles required by the Exhaust Hood Swivel you are ordering. For example: If you typically use a #6 nozzle such as a #1506 and you are buying a 3-Nozzle Swivel you will order 3 each #2 nozzles such as a #1502.



These swivels require 1/8" MEG Nozzles **Sold Separately**

PART #	DESCRIPTION / PRICE						
2-NOZZLE HIGH SPEED							
1519	FIXED, 3", 2 NOZZLE	\$252.88					
1520	FIXED, 6", 2 NOZZLE	\$258.01					
1521	FIXED, 12", 2 NOZZLE	\$263.05					
1522	FIXED, 16", 2 NOZZLE	\$268.10					
1523	FIXED, 20", 2 NOZZLE	\$288.27					
1524	FIXED, 24", 2 NOZZLE	\$293.31					
3-NOZZLE HIGH SPEED							
1531	FIXED, 3", 3 NOZZLE	\$257.93					
1532	FIXED, 6", 3 NOZZLE	\$263.05					
1533	FIXED, 12", 3 NOZZLE	\$268.10					
1534	FIXED, 16", 3 NOZZLE	\$273.14					
1535	FIXED, 20", 3 NOZZLE	\$303.31					
1536	FIXED, 24", 3 NOZZLE	\$308.35					

Exhaust Hood Swivels, Adjustable

MOSMATIC **HOT WATER SWIVELS**

 Adjustable nozzle positioning to allow the swivel to pull itself.

To order the correct nozzles take the nozzle that you are presently using and divide it by the number of nozzles required by the Exhaust Hood Swivel you are ordering. For example: If you typically use a #6 nozzle such as a #1506 and you are buying a 3 each #2 nozzles such as a #1502.



These swivels require 1/8" MEG Nozzles **Sold Separately**

-Nozzle Swivel you will order 3								
PART #	DESCRIPTION / PRICE							
2-NOZZLE HIGH SPEED								
1525	ADJUSTABLE, 3", 2 NOZZLE	\$249.61						
1526	ADJUSTABLE, 6", 2 NOZZLE	\$264.01						
1527	ADJUSTABLE, 12", 2 NOZZLE	\$276.30						
1528	ADJUSTABLE, 16", 2 NOZZLE	\$284.87						
1529	ADJUSTABLE, 20", 2 NOZZLE	\$307.43						
1530	ADJUSTABLE, 24", 2 NOZZLE	\$312.47						
3-NOZZLE HIGH SPEED								
1537	ADJUSTABLE, 3" 3 NOZZLE	\$267.09						
1538	ADJUSTABLE, 6" 3 NOZZLE	\$282.21						
1539	ADJUSTABLE, 12" 3 NOZZLE	\$287.26						
1540	ADJUSTABLE, 16" 3 NOZZLE	\$302.30						
1541	ADJUSTABLE, 20" 3 NOZZLE	\$312.86						
1542	ADJUSTABLE, 24" 3 NOZZLE	\$317.52						

It's time to GET LEGAL! **GET A FREE COPY OF 'CLAWS'**

Order #CLAWS





Super Heavy Duty Sand Blast Kit*

Heavy Duty PSI: 5,500 **GPM: 10**

Weight: 9.25 lbs.

*0° Nozzle Required

DESCRIPTION / PRICE PART#

SAND BLAST KIT W/25' OF HOSE* 1288 \$69.84

mmercial Sand

Medium Duty PSI: 3,500 **GPM: 10** Weight: 9.25 lbs.

> PART# DESCRIPTION / PRICE

\$39.29 1287 KIT, W/10' OF HOSE & PROBE

Roof & Ice Walkers

High quality, easy to put over boots. These walkers provide fantastic traction. Don't risk a fall, keep these on your truck for use in slippery conditions.

Unique 360° spike pattern provides more push off and lateral grip. The replaceable Ice Diamond™ carbide spikes are integrated into the new open/close split rubber tread for ultimate traction.





PART# DESCRIPTION / PRICE 4-7 SH0E 1683 \$27.88 1684 7-10 SH0E \$27.88 1685 10-14 SHOE \$27.88

Industrial Drill Mixer

- If you buy powdered detergent you must have this tool.
- Attach to any heavy duty drill
- High speed chemical mixing thoroughly dissolves chemical



PART# DESCRIPTION / PRICE

DRILL MIXER, 5 GALLON \$12.63



BRASS FITTINGS

			9		
COUPLINGS	San Francisco	PLUG			
#BRF454 1/4"	\$1.08	#BRF804	1/4"		\$1.05
#BRF456 3/8"	\$1.97	#BRF806	3/8"		\$1.33
#BRF458 1/2"	\$2.83	#BRF808	1/2"		\$1.97
STREET EL 45	DEG	BUSHING -	MPT	x FP1	г
#BRF634 1/4"	\$2.21		3/8" x		\$1.02
#BRF636 3/8"	\$2.94		1/2" x		\$1.29
#BRF638 1/2"	\$3.96		3/4" x		\$2.37
		And the			+
STREET EL 90 #BRF604 1/4"	\$1.25	#BRF200	1/4"		\$1.08
#BRF604 1/4 #BRF606 3/8"	\$2.54	A THE RESERVE OF THE PERSON NAMED IN	1/ 4 3/8"		\$1.08
#BRF608 1/2"	\$4.96	#DKF204 .	3/0		ф1.06
#DIX 000 1/2	ψ4.90	HEX NIPPI			
ELBOW - FPT	FPT	THE RESERVE THE PARTY OF THE PA	1/4"		\$1.67
#BRF554 1/4"	\$2.58		3/8"		\$1.78
#BRF556 3/8"	\$2.84	#BRF758	1/2"		\$2.29
#BRF558 1/2"	\$3.87	NIPPLE			
TEE	1	#BRF712	1/4" x	2"	\$1.29
#BRF854 1/4"	\$2.55	#BRF724 :	3/8" x	3"	\$3.56
#BRF856 3/8"	\$3.31	#BRF733	1/2" x	3"	\$3.91
#BRF858 1/2"	\$4.76	HEX PIPE	NUT		
BRANCH TEE	6.2500		1/4"		\$1.40
#BRF875 1/4"	\$3.52	#BRF065	3/8"		\$1.74
#BRF877 3/8"	\$3.69	DADD 00 D	FC		
#BRF879 1/2"	\$5.53	BARB 90 D			
STREET TEE	-		1/4" X	1//"	\$2.39
#BRF884 1/4"	\$3.03		3/8" X		\$2.74
#BRF886 3/8"	\$3.03				
#BRF888 1/2"	\$5.47	HOSE BAR			
	17.00		1/4" x		\$1.05
CROSS - 4-WA		The state of the s	3/8" x		\$1.29
#BRF664 1/4"	\$3.38	The second secon		1/2"	\$1.98
#BRF666 3/8"	\$5.75	#BRF368	3/4" x	3/4"	\$2.64

STAINLESS STEEL FITTINGS

D.1011					
	NG - MPT x		ELBOW - F		
#SSF404	3/8" x 1/4"	\$3.95	#SSF554	1/4"	\$3.95
#SSF407	1/2" x 3/8"	\$3.95	#SSF556	3/8"	\$4.95
#SSF411	3/4" x 1/2"	\$4.95	#SSF558	1/2"	\$5.95
#SSF413	1" x 3/4"	\$6.95	#SSF562	3/4"	\$6.95
TEE			HEX NIPP	LE	
#SSF854	1/4"	\$5.95	#SSF754	1/4"	\$3.95
#SSF856	3/8"	\$5.95	#SSF756	3/8"	\$4.95
#SSF858	1/2"	\$6.95	#SSF758	1/2"	\$5.95
PLUG			NIPPLE		
#SSF804	1/4"	\$3.95	#SSF712	1/4" x 2"	\$3.95
#SSF806	3/8"	\$3.95	#SSF714	1/4" x 3"	\$4.95
#SSF808	1/2"	\$4.95	#SSF724	3/8" x 3"	\$4.95
COUPLING			#SSF731	1/2" x 2"	\$4.95
#SSF458	1/2"	¢4 E0	#SSF733	1/2" x 3"	\$5.95
		\$4.59			· · · · · ·
#SSF462	3/4"	\$6.02		BS- BARB	
STREET FI	L 90 DEGRE	F	#SSF354	1/4" x 1/4"	\$4.95
#SSF604	1/4"	\$ 4.95	#SSF358	3/8" x 3/8"	\$5.95
#SSF606	3/8"		#SSF362	1/2" x 1/2"	\$7.95
		\$5.95	#SSF368	3/4" x 3/4"	\$9.95
#SSF608	1/2"	\$6.95			

FITTINGS IIP TO 8 OOD PSI

Rust Free Zinc Plated							
	Ru	Jι	1 166 2	-1110 1 16	ateu		
W/P = W	ORKING PR	ESS	URE				
	00 PSI - "B" =			COUPLE		W/P	1
	00 PSI - "D" =		0 PSI	HDF415	1/4" x 1/4"	Α	\$1.29
	E" = 3,000 PS	SI		HDF417	3/8" x 3/8"	Α	\$1.67
ELBOW				HDF420	1/2" x 1/2"	В	\$1.98
		W/P		HDF422	3/4" x 3/4"	В	\$2.36
HDF506	3/8" x 3/8"	С	\$2.87				
HDF508	1/2" x 1/2"	E	\$2.93	NIPPLES			
HDF512	3/4" x 3/4"	D	\$4.98			W/P	
				HDF425	1/4" x 1/4"	Α	\$1.01
TEE				HDF427	3/8" x 3/8"	Α	\$1.23
		W/P		HDF430	1/2" x 1/2"	Α	\$1.42
HDF656	3/8"	C	\$2.98	HDF434	3/4" x 3/4"	Α	\$1.96
HDF658	1/2"	E	\$3.98	NUDDI EO	DEDUCINA	_	
HDF662	3/4"	Ε	\$5.98	NIPPLES	, REDUCING	ف W/P)
CROSS				HDF429	1/2" x 3/8"	Α	\$1.70
ONOGO		W/F	•	HDF431	3/4" x 1/2"	Α	\$1.98
HDF666	3/8"	С	\$4.97				,
HDF668	1/2"	Ē	\$6.98	STREET	EL		
						W/P)
BUSHING	S, REDUC	ING		HDF438	1/4" x 1/4"	В	\$2.43
		W/P)	HDF440	3/8" x 3/8"	С	\$2.84
HDF676	3/8" x 1/4"	Α	\$1.01	HDF442	1/2" x 1/2"	Ε	\$3.23
HDF678	1/2" x 1/4"	Α	\$1.29	HDF444	3/4" x 3/4"	Ε	\$3.97
HDF680	1/2" x 3/8"	Α	\$1.41				
HDF682	3/4" x 1/2"	Α	\$1.49	STREET	TEE		
						W/P	1
PIPE NIP	PLE	W/P)	HDF684	1/4"	В	\$2.66
HDF804	3" x 3/8"	vv/г А	\$4.97	HDF685	3/8"	С	\$3.41
HDF805	3 x 3/6 4" x 3/8"	A	\$4.97 \$4.97	HDF686	1/2"	Ε	\$4.87
HDF803	4 x 3/6 3" x 1/2"	A	\$4.97 \$5.29				
HDF808	3 x 1/2 4" x 1/2"	A	\$5.29 \$5.31	BRANCH	TEE	W/P)
HDF810	6" x 1/2"	A	\$5.76	HDF875	1/4"	В	\$3.02
HDF812	3" x 3/4"	Α	\$7.89	HDF776	3/8"	C	\$3.56
HDF814	6" x 3/4"	Α	\$8.19	HDF977	1/2"	Ē	\$4.88
	2 0/ 1		40.10			_	,

Industrial Ball Valves

• Rated to 3,000 PSI • Full

1660/1670

• Full flow ports
• All FPT x FPT

•	• A	II F	P	X	ŀ

PART #	DESCRIPTI	ON / PRICE
1303	3/8" FxF	\$19.66
1669	3/8" FxF	\$32.11
1670	1/2" FxF	\$39.92

PART # DESCRIPTION / PRICE

1304	BALL VALVE, 1/4", 7,500 PSI	\$15.64
1305	BALL VALVE, 3/8", 7,500 PSI	\$17.94
1306	BALL VALVE, 1/2", 5,000 PSI	\$18.98

1467	3 WAY BALL VALVE, 5000 PSI, 1/4"	\$39.91
1468	3 WAY RALL VALVE 5000 PSL 3/8"	\$44 73

1469 3 WAY BALL VALVE, 5000 PSI, 1/2" \$47.91

Rugged carbon steel construction Blow-out proof stem Delrin® ball seats Buna-N® o'rings

3/4" GATE VALVE



• This is what the contractors use to 'shut-off' the water tank when it is full and they need to un-hook the feed hose.

PART # DESCRIPTION / PRICE4520 3/4" FxF \$11.73

Stainless Steel Ball Valves - 2,000 psi

• Rated to 2,000 psi



- 2-piece, 316 stainless
- Glass filled Teflon® seats

 PART #
 DESCRIPTION / PRICE

 2159
 1/2" FxF
 \$15.47

3-Way Ball Valve

- For setting up dual chemical feeds
- Solid brass construction
- Arrow-on indicator

High Pressure Ball Valves to 7,500 psi

 All you need is 3 hose barbs and you are in the dual chemical business



PART # DESCRIPTION / PRICE

1308 3-WAY BALL VALVE, 1/4" \$27.42

Long Handle Mini

Rated to 200 PSI • Packings are chemical resistant
 Extra long handle for 'slippery' hands'



)
)
)
)
5
7

Chemical Metering

- Solid brass construction
- MPT x 1/4" hose barb
- Can be used in conjunction with our 3-way valve to quickly meter chemicals by simply "throttling" the valve



PART # DESCRIPTION / PRICE1307 1/4" Barb x 1/4" MPT \$11.26

Mini Ball Valve

- Designed for tight places
- 13/4" long
- Compact knob
- Rated to 220 PSI



PART#	DESCRIPTI	ON / PRICE
1461	1/8" FxF	\$2.28
1462	1/4" FxF	\$8.78
1464	3/8" FxF	\$8.78
1465	1/2" FxF	\$9.87

Ball Valve

6,000 PSI 316 STAINLESS



PART#	DESCRIPTION / F	PRICE
1666	1/4" FPT X FPT	\$25.76
1667	3/8" FPT X FPT	\$42.36
1668	1/2" FPT X FPT	\$46.29

3-Way Valve 1/2" Tank/Faucet Diverter

• For use in situations where the operator will occasionally have to switch from an on-board water tank to the customers faucet.





Industrial Trigger Jet Spray Guns

DESCRIPTION / PRICE



Brass Barbs

Guns have 1/2" Inlet - so if you are using a...

- ...1/4" Chem Line order Brass Barb #1726
- ...3/8" Chem Line order Brass Barb #1727
- ...1/2" Chem Line order Brass Barb #1728

PART#	DESCRIPTION / P	RICE
1726	BRASS BARB	\$2.87
1727	BRASS BARB	\$2.87
1728	BRASS BARB	\$3.27

350 PSI GUN, VITON® SEALS WITH POLY LANCE 1213 30" POLY LANCE - SS BALL - FAN NOZZLE \$19.74 24" STAINLESS LANCE - ADJ NOZZLE - GRIP \$26.26 TRIGGER JET SPRAY GUN- STAINLESS BALL \$16.42 1169 TRIGGER JET SPRAY GUN-CERAMIC BALL \$19.86

Chemical Tubing



Tank to Equipment Non-Crushable Tubing

Will not collapse in hot weather, when you accidentally set something heavy on it or when you try and 'kink' it.

PART#	DESCRIPTION / PRICE		
4530	3/4" RIBBED	\$2.30 p/foot	
4531	1.0" RIBBED	\$2.75 p/foot	
4532	1-1/4 RIBBED	\$2.91 p/foot	

Replacement Cone Sprayer Nozzle

Solid brass construction

- Fully adjustable
- Fits 1/4" MPT Lance

PART#	PRICE	
1211	¢2 26	



pressure of 750 PSI PART # DESCRIPTION / PRICE

 Clear Reinforced Poly Tubing which is highly resistant to chemicals, fuel & solvents · Working pressure of 250 PSI with a burst

			and the same of th
1/4" POI	YBRAID CHEMICAL TUB	ING - 250 Worki	ing / 750 Burs
1159	1/4" X 25' ROLL	\$ 7.77	
1160	1/4" X 50' ROLL	\$14.34	
1161	1/4" X 100' ROLL	\$28.05	
1162	1/4" X 300' ROLL	\$80.63	1800
3/8" POI	YBRAID CHEMICAL TUB	ING-250 Worki	ng / Z50-B urs
1163	3/8" X 25' ROLL	\$ 9.90	12 2
1164	3/8" X 50' ROLL	\$17.93	
1165	3/8" X 100' ROLL	\$34.12	2
1166	3/8" X 300' ROLL	\$97.16	100
1/2″P0L	Y BRAID CHEMICAL TUE	ING - 250 Work	ing / 750 Bur
2217	1/2" X 100' ROLL	\$ 47.85	
2637	1/2" X 300' ROLL	\$128.71	
3/4" POI	YBRAID CHEMICAL TUE	ING -250 Work	ng / 750 Burs
2483	3/4" X 100' ROLL	\$ 69.60	100
2709	3/4 X 300' ROLL	\$209.12	
127	1/4" PREMIUM CLE	AR CHEMICAL LI	Ni.
1167	1/4" PREMIUM CHEM	A LINE, 100'	\$49.75
2199	1/4" STD. CHEMICAL	LINE, 100'	\$19.84

Poly Fittings

For SHURFLO & Low Pressure Pumps

• When you order a ShurFlo pump be sure and ask your sales rep for the correct poly barbs.

STRAIGHT - Any Size \$2.77



1/4" Barb x 1/4" MPT PB14S PB148S 1/4" Barb x 3/8" MPT PB38S 3/8" Barb x 3/8" MPT PB12S 1/2" Barb x 1/2" MPT PB34S 3/4" Barb x 3/4" MPT PB10S 1.0" Barb x 1.0" MPT

90° BEND - Any Size \$2.77



PB14B 1/4" Barb x 1/4" MPT 1/4" Barb x 3/8" MPT PB148B 3/8" Barb x 3/8" MPT PB38B PB12FB 1/2" Barb x 1/2" FPT 1/2" Barb x 1/2" MPT PR12R 3/4" Barb x 3/4" MPT PB34B PB10B 1.0" Barb x 1.0" MPT

DELEVAN 12 VOLT TANK & SPRAYER

WITH CHEMICAL VALVES

1 GPM @ 50 PSI




15 Gallon Tank #1067 \$69.34

Pump, Lance, 12 Volt Leads 15' Hose #1059 \$89.17

ORDER BOTH AND WE WILL ASSEMBLE

PRE-DRILLED TO FIT ALL SHURFLO PUMPS ABOVE

Shown assembled for illustration purposes only



PART # DESCRIPTION / PRICE

12 VOLT SHURFLO PUMPS WITH PREMIUM VALVES

1049	1.4 GPM / 60 PSI / VITON VALVES	\$ 87.62
1050	1.8 GPM / 100 PSI / VITON VALVES	\$ 90.47
1671	ALLISON Chem Induction Pump	\$102.54
1051	3.0 GPM / 45 PSI / VITON VALVE	\$103.93
1052	3.6 GPM / 45 PSI / VITON VALVE	\$141.52
1053	1.4 GPM / 60 PSI / VITON VALVES	\$105.93
1054	1.5 GPM / 150 PSI / VITON VALVES	\$142.20
1055	1.0 GPM / 60 PSI / VITON VALVES	\$146.78
1056	1.6 GPM / 100 PSI / VITON VALVES	\$117.30

PART # DESCRIPTION / PRICE

REPAIR KITS FOR SHURFLO PUMPS

1046	CHECK VALVE - 8000 SERIES	\$19.64
1048	CHECK VALVE - 2088 SERIES	\$17.09
1041	DIAPHRAGM KIT, 8000 SERIES	\$20.15
1045	DIAPHRAGM DRIVE KIT, 2088 SERIES	\$27.94
1042	PRESSURE SWITCH, 8000, 60 PSI, VITON SERIES	\$27.32
1043	PRESSURE SWITCH, 8000, 100 PSI, VITON SERIES	\$26.52
1044	PRESSURE SWITCH, 2088, 45 PSI, VITON SERIES	\$42.98

Pump-Up **Sprayers**

PUMP-UP SPRAYER, 2.0 GAL \$14.93 BACK-PACK SPRAYER











WINGNUT SWIVEL - STRAIGHT

#SF01	1/2" F x 1/2" Barb	\$ 1.05
#SF02	1/2" F x 3/8" Barb	\$ 1.05
#SF03	1/2" F x 3/4" (M)	\$ 1.05

HEX SWIVEL - STRAIGHT

#SF04	1/2" F x 1/2" Barb	\$ 1.05
#SF05	1/2" F x 3/8" Barb	\$ 1.05

WINGNUT SWIVEL - 90°

#SF06	1/2" F x 5/8" Barb	\$ 1.05
#SF07	1/2" F x 3/4" Barb	\$ 1.05
#SF08	1/2" F x 1/2" Barb	\$ 1.05

HEX SWIVEL - 90°

#SF09	1/2" F x 3/8" Barb	\$ 1.25
#SF10	1/2" F x 1/2" Barb	\$ 1.25







LAFFERTY HOSE END SPRAYER

Stainless Steel Hose End Sprayers.

Hose End Sprayers are machined stainless steel venturis that quick connect to the trigger gun and draw chemical from any container. Designed for pressure washers NOT equipped with a downstream chemical injector.

These applicators come with everything needed for injecting chemicals using a pressure washer.

Metering tips for accurately setting the chemical dilution ratio, quick connect fitting, tubing, and strainer are all included.

- Draw chemical concentrate from any chemical container and dilutes it to the required ratio.
- Fan pattern for quick coverage close up, remove the nozzle for distance.
- Ideal for applying stronger or more aggressive chemicals as no chemical passes through the pump, hose or trigger gun.
- · Quickly change from spraying to rinsing.
- · Choice of two models.

#969510 Model 10 SS Hose End Airless Sprayer \$194.15 #969520 Model 20 SS Hose End Airless Sprayer \$194.15

LAFFERTY HOSE END FOAMERS



Hose End Airless Foamers are machined stainless steel venturis that quick connect to the trigger gun and draw chemical from any container. Designed for pressure washers NOT equipped with a downstream chemical injector.

These applicators come with everything needed for injecting chemicals using a pressure washer.

Metering tips for accurately setting the chemical dilution ratio, quick connect fitting, tubing, and strainer are all included.

- Draws chemical concentrate from any chemical container and dilutes it to the required ratio.
- Foam is created instantly by the stainless steel venturi airless foam wand.
- Two foam nozzles included, fan pattern for quick Ideal for applying stronger or more aggressive chemicals as no chemical passes through the pump, hose or trigger gun.
- · Quickly change from foaming to rinsing.
- · Foam throw up to 30 ft.
- · Choice of two models

#969610 Model 10 SS Hose End Airless Foamer \$229.77 #969620 Model 20 SS Hose End Airless Foamer \$229.77 1-800-346-4876

LAFFERTY FOAM WAND



Airless Foam Wands are machined venturis that draw in atmospheric air to produce wet clinging foam. Designed for pressure washers that are already equipped with a downstream chemical injector.

- Thick foam is created instantly by the stainless steel venturi airless foam wand
- · Foam throw up to 35 ft.
- · MINIMUM 4.0 GPM Required
- · Recommended Injector: Super Suds Sucker

#969400 4.0 Stainless Steel, Airless Foamer \$109.77 #969410 4.5 Stainless Steel, Airless Foamer \$109.77

LAFFERTY FOAMER SPRAYER KITS

Offering convenient versatility, Combo Airless Foamer / Sprayer Kits are machined stainless steel venturi injectors that quick connect to the discharge of the pump and include a venturi foam wand and a spray nozzle that quick connect to the trigger gun.



Designed for pressure washers NOT equipped with a downstream chemical injector. These kits come with everything needed for injecting chemicals using a pressure washer. Metering tips for accurately setting the chemical dilution ratio, quick connect fittings, clear tubing, and strainer are all included

- The injector draws chemical concentrate from any chemical container and dilutes it to the required ratio.
- Select the stainless steel airless foam wand to instantly create wet clinging foam.
- Select the stainless steel spray nozzle to spray non foaming chemicals.
- Two foam nozzles included, fan pattern for quick coverage close up and zero degree for distance.
- Ideal for applying stronger or more aggressive chemicals as no chemical passes through the pump.
- Chemical concentrates can be dispensed from original containers.
- Foam throw up to 30 ft.
- · Choice of two models.

#969710 Model 10 SS Combo Airless Foamer \$296.06 #969720 Model 20 SS Combo Airless Foamer \$296.06



Premium High Volume Filter

Used on Allison Iron Horse Equipment! We recommend that you use this filter on all equipment over 8 GPM.

THE INDUSTRY'S ABSOLUTE BEST FILTER

- Extra large internal chamber
- Extra large ports for maximum flow
- Handles up to 22 GPM
- 50 mesh screen, 1" inlet/outlet

DESCRIPTION / PRICE

1015 PREMIUM WATER FILTER \$33.62



For more information about water filters look in the TECHNICAL SECTION of our Website at http://www.envirospec.com

Clear Bowl Water Filter

- 50 mesh filtration
- Heavy duty molded plastic
- Viewable filter media

6	5	
1		
C		

PART#	DESCRIPTION / PRICE	
1012	CLEAR BOWL FILTER, 1/2" In/Out	\$11.86
1013	CLEAR ROWL FILTER 3/4" In/Out	\$11.8

SUR-TRAP-Y-Trap Strainer

- Solid brass body & cap
- 50 mesh, stainless screen
- Rated to 175 PSI & 195°F

PART#	DESCRIPTION / PRICE	
1155	SUR-TRAP, Y-TRAP STRAINER, 3/8"	\$4.17
1156	SUR-TRAP, Y-TRAP STRAINER, 1/2"	\$7.62
1157	SUR-TRAP, Y-TRAP STRAINER, 3/4"	\$987
1158	SUR-TRAP, Y-TRAP STRAINER, 1"	\$9.87

Garden Hose Quick Connects

Industrial Quality

Solid Brass Construction



PART#	DESCRIPTION / PRICE	
1016	QUICK CONNECT PLUG	\$2.07
1017	QUICK CONNECT COUPLER	\$2.64
1018	OUICK CONNECT COMPLETE SET	\$4 21

Direct Mount

- · Clear view filter mounts directly to pump
- Built-in garden hose connector
- Easily disassembles for cleaning
- Solid brass construction

PART #	DESCRIPTION / PRICE

1010 DIRECT MOUNT FILTER W/O BYPASS \$8.16 1011 DIRECT MOUNT FILTER W/ BYPASS

Compact later



- Flows to 6 GPM / pressure to 150 PSI
- 50 mesh filter screen, aluminum housing
- Die-cast metal housing with plastic cap
- 1/2" FPT inlet / MPT outlet
- 2 1/4" by-pass ports

PART # **DESCRIPTION / PRICE**

1009 COMPACT WATER FILTER \$9.76

Garden Hose Connectors

- 3/4" FPT inlet
- MPT outlet filter connector
- Solid brass construction

PART#	DESCRIPTION / PRICE	
1019	CONNECTOR, GARDEN HOSE 1/2"	\$3.94
1020	CONNECTOR, GARDEN HOSE 3/4"	\$4.62
1625	WASHER SCREEN, GARDEN HOSE	\$0.21

EnviroSpec **Remote Filter Hanger**

This Filter Mounting Hanger can be frame mounted, wall mounted or floor mounted.

It comes with a 1" Hose Barb and a 1" HEX Nipple and will accommodate any 1"In/Out Filter



- Handles up to a 1" Filter
- · Mount to floor, ceiling, wall or frame
- · Shown with optional Premium High Volume Filter

PART#	DESCRIPTION / PRICE	
2412	Remote Filter Hanger	\$19.84

Includes Garden Hose

Garden Hose Connectors



PAKI#	DESCRIPTION / PRICE	The state of
1309	SHUT OFF, SINGLE GARDEN HOSE	\$3.45
1310	SHUT OFF, DUAL GARDEN HOSE	\$4.12
1311	DUAL GARDEN HOSE CONNECTOR	\$1.67

FIRE HYDRANT HOSE

- Fill that 500 Gallon Tank in 2 Minutes Flat!
- Complete with MxF NST Aluminum Connector
- Use PVC Pipe on the Tank End



PART # DESCRIPTION / PRICE 3336 50'x 2-1/2" \$284.60



Lance Couplers

- · Keeps lances from breaking at thread level.
- The stabilizing shoulder is recessed deep into the coupling before the thread starts.



PART#	DESCRIPTION / PRICE	

1021	PLUG, PLATED 1/4" FTP	\$1.91
12345		13
1022	COUPLER, PLATED 1/4" FTP	\$3.66
1023	PLUG, STAINLESS 1/4" FTP	\$3.41
1024	COUPLER, STAINLESS 1/4" FTP	\$6.81
1258	DEEP SHOULDER COUPLING	\$ 99

Flex Lances

- Flexes 180° and returns.
- · Great for wheel wells on autos.
- 18" long x 1/4" MPT in & out on plated steel.
- 1/4" MPT In & 1/4" FPT out on stainless.
- Max pressure 2,500 PSI

PART#	DESCRIPTION / PRICE	
1795	PLATED STEEL	\$ 9.82
1796	STAINLESS STEEL	\$19.01

Gutter Sweep

• 12" gutter cleaner • 1/4""QC" connectors

"Attach it to the end of your lance, snap in your favorite nozzle, position it over the gutter ...and pull the trigger!"



PART # DESCRIPTION / PRICE

W/Standard Quick Connects \$ 6.16 \$15.84 1815 W/Twist Fast QC Inlet

SPRAY-FLEX Lances



PART # **DESCRIPTION / PRICE**

1691 Rated to 3,000 PSI \$47.77 1692 Rated to 5,000 PSI \$52.77

Side Handle & Grip

These grips fit all 1/4" lances without molded grips as well as any 1/4" pipe.

1260

1612



ADJ. SIDE HANDLE

VENTED GRIP

Lance Hangers

· Keep lances off the floor

PART# DESCRIPTION / PRICE Rated to 3,000 PSI 3612 \$3.88 3613 Rated to 5,000 PSI \$3.88



Schedule 80

96" lances are sold with 2 each, 48" sections with a special lance coupler

PART# DESCRIPTION / PRICE WITH GRIPS & 1/4" MPT INLET/OUTLET

1354 24"LANCE W/ROUND GRIP \$ 8.40 \$10.16 1356 36" LANCE W/VENT GRIP 48" LANCE W/VENT GRIP 1358 \$11.89 1360 60" LANCE W/VENT GRIP \$12.91 1364 96" LANCE W/VENT GRIP \$18.86

WITHOUT GRIPS & 1/4" MPT INLET/OUTLET

1353 24" LANCE - NO GRIP \$ 4.98 36" LANCE - NO GRIP \$ 6.91 1355 1357 48" LANCE - NO GRIP \$ 7.74 60" LANCE - NO GRIP \$ 8.63 1359 72" LANCE - NO GRIP \$10.18 1361 1363 96" LANCE - NO GRIP \$16.12

Stainless & Plated Lances

All Lances have Grips 1/4 MPT In/Out

- * SPECIAL PURCHASE
 - * Industry's Best Lance! * Industry's Best Price!

\$3.93

\$5.17

PART # DESCRIPTION / PRICE PLATED • 1/4" MPT IN/OUT

1236 STRAIGHT, 12" \$ 4.79 1237 STRAIGHT, 24" \$ 5.90 1238 STRAIGHT, 36" \$ 6.82 1242 15° BENT, 36" \$ 9.63 1239 **STRAIGHT, 48" \$ 2.90***

1243 15° BENT, 48" \$15.62 1240 STRAIGHT, 60" \$ 3.12 *

1244 15° BENT, 60" \$18.81

1241 **STRAIGHT, 79"** \$ 3.88 *

1245 15° BENT, 79" \$23.07

S.S. VENTED GRIP • 1/4" MPT IN/OUT 1246 STRAIGHT, 24" \$ 9.81

1247 STRAIGHT, 36" \$15.60 1251 15° BENT, 36" \$19.91 1248 STRAIGHT, 48" \$21.57

1252 15° BENT, 48" \$24.44 1249 STRAIGHT, 60" \$24.80

1253 15° BENT, 60" \$26.90 \$29.97 1250 STRAIGHT, 79"

Zinc Lance with Diverter Trigger



• 1/4" MPT inlet - 1/8" discharge pipes

• **TEMP:** 300°F • **GPM:** 10.5 • PSI: 3,600

Nozzle Protector



Premium Series Stainless

- 1/4" MPT inlet
- 1/4" outlets for more **Chem Draw**



gun for "close quarter" work such as car lots.

• TEMP: 300°F **GPM:** 10.5

PSI: 4,100

1265 1262 NEW 1362

PART#

1263

1264

42" STAINLESS STEEL \$43.39 BEST BUY 42" ZINC PLATED

DESCRIPTION / PRICE

11"STAINLESS STEEL \$38.62

27" STAINLESS STEEL \$44.19

37" STAINLESS STEEL \$39.97

\$31.30 **BEST BUY**

36" Dual Lance, Zinc-Plated Steel with "Quick Connects" installed for pressure

& soap nozzle.....Part #1256

STAINLESS - FOR HIGHLY

CORROSIVE ENVIRONMENTS

Dual Lances

new 'deluxified' ready-to-go Lances

• Zinc-Plated Steel

• General/InterPump Brand

• 1/4" MPT inlet - 1/8" discharge pipes

• TEMP: 284°F • **GPM:** 10.5 • PSI: 3,000

DESCRIPTION / PRICE PART#

1255 36" \$54.93 1256 36", w/"QCs' \$59.96 72" \$68.84 1257

Telescoping 'Long Wands'

RATED TO 4,000 PSI



EnviroSpec

Performance Nozzle "PUSH" for Soap "Pull" for Pressure **Telescoping Wands**

- Quickly attaches to the telescoping wand to increase the chemical application distance by 25 feet & the wash/rinse distance by 40 feet.
- You can apply chemical from 0-65 degrees and rinse from 0-65 degrees without changing the nozzle.
- The 45 degree angle also helps support over 60% of the lance weight when trigger is pulled.



	PART#	DESCRIPTION / PRICE	
	1347	3.5 Nozzle Size, 4,100 PSI, 190°	\$28.39
	1365	4.0 Nozzle Size, 4,100 PSI, 190°	\$28.39
	1424	4.5 Nozzle Size, 4,100 PSI, 190°	\$28.39
	1440	5.0 Nozzle Size, 4,100 PSI, 190°	\$28.39
	1466	5.5 Nozzle Size, 4,100 PSI, 190°	\$28.39
	1470	6.0 Nozzle Size, 4,100 PSI, 190°	\$28.39
	1590	6.5 Nozzle Size, 4,100 PSI, 190°	\$28.39
Ì	1594	7.0 Nozzle Size, 4,100 PSI, 190°	\$28.39
	1623	8.0 Nozzle Size, 4,100 PSI, 190°	\$28.39





Our Most Popular Industrial Hose Reel

The Industry's Best Hose Reel Value!

They're Rugged!

We Pay Freight on these REELS

Solid Steel Construction, Durable Powder Coat, Direct Hand Crank rewind, Full Flow Swivel Brass Joint, 5,000 PSI Rated, 3-1 Burst Factor



PART#	DESCRIPTION / PRICE	
1313	HOLDS 50' of 3/8" 1-wire	\$51.93
1314	HOLDS 100' of 3/8" 1-wire	\$59.97
1315	HOLDS 150' of 3/8" 1-wire	\$71.66
1316	HOLDS 200' of 3/8" 1-wire	\$79.98
	REPLACEMENT SWIVELS	5
1008	SWIVEL, FITS #1313 & 1314	\$17.04
1001	SWIVEL, FITS #1315 & 1316	\$17.04
	REPLACEMENT HANDLE	į
1002	REPLACEMENT HANDLE	\$ 7.33

M-Series Compact Mini Hose Reel

- · Only 14.5" tall
- Fully adjustable brake
- Heavy duty ABS bearings require no lubrication
- This reel is ideally suited to fit into tight space applications
- 7-10 DAY BUILD TIME

	SCRIPTION
PART# DE	SCUIL LION

1862 HOLDS 75'3/8" or 50'1/2" \$220.34 1857 HOLDS 150'3/8" or 100'1/2" \$231.38



E-Series 12V Electric Hose Reel

- 12 V DC motor driven
- Self lubricating ABS bearings
- Motor sprocket & chain pinch points are safe guarded
- Brass swivel reduces corrosion
- 7-10 Day Build Time, Must ship freight lines

PART # DESCRIPTION

1782 HOLDS 350'3/8" or 275'1/2" \$494.34 1783 HOLDS 450'3/8" or 375'1/2" \$532.92 1784 HOLDS 550'3/8" or 475'1/2" \$551.09

M-Series Manual Hose Reel

- Hosetract industrial hose reels offer a durable and simple design.
- Self lubricating ABS bearings.
- Adjustable brake-adjust tension with hand knob.
- Heavy duty brass swivel to reduce corrosion potential.
- 7-10 DAY BUILD TIME



PART #	DESCRIPTION	
1861	HOLDS 100' 3/8" or 75' 1/2"	\$192.12
1856	HOLDS 250'3/8" or 175'1/2"	\$226.62
1858	HOLDS 350' 3/8" or 275' 1/2"	\$251.92
1859	HOLDS 450' 3/8" or 375' 1/2"	\$272.20
1860	HOLDS 550' 3/8" or 475' 1/2"	\$310.79
	STAINLESS STEEL	
1868	HOLDS 100'3/8" or 75'1/2"	\$375.07
1864	HOLDS 250' 3/8" or 175' 1/2"	\$395.12
1865	HOLDS 350' 3/8" or 275' 1/2"	\$411.57
1866	HOLDS 450' 3/8" or 375' 1/2"	\$430.21
1867		

Stackable Frame Hose Reel

- Stack capability with no added parts needed
- Self lubricating ABS bearings
- Adjustable brake adj, tension w/hand knob
- HD 4,000 PSI swivel for longer service
- Part number represents one reel
- 7-10 DAY BUILD TIME



HOSETRACT

PART # DESCRIPTION

1948	STACKER, HOLDS 250'3/8" or 175'1/2"	\$253.35
1949	STACKER, HOLDS 350′3/8″ or 275′1/2″	\$265.31
1950	STACKER, HOLDS 450′3/8″ or 375′1/2″	\$292.18
1951	STACKER, HOLDS 550′3/8″ or 475′1/2″	\$311.10
	STAINLESS STEEL	
1952	STACKER, HOLDS 250'3/8" or 175'1/2"	\$437.26
1953	STACKER, HOLDS 350′3/8″ or 275′1/2″	\$482.06
1954	STACKER, HOLDS 450'3/8" or 375'1/2"	\$485.22
1955	STACKER, HOLDS 550′3/8″ or 475′1/2″	\$491.91

SERPENTINE PRESSURE WASH HOSE

THE INDUSTRY'S #1 SELLING HOSE!

OUR 4, 5 & 6,000 HOSES WORK HARDER & WEIGH LESS THAN THEIR 3,000, 4,500 & 5800 PSI

AND LASTS MUCH LONGER!

- Super tough cover design
- 1 ea. 3/8" MPT swivel end
- 1 ea. 3/8" MPT fixed end
- Temperature to 250°F
- Tough wrapped outer cover
- Strain reliefs on both ends



50' 4000 BLACK

1 Wire - 3/8" Swivel x Fixed Ends 1708 \$49.95

50' 4000 GREY

1 Wire - 3/8"

Swivel x Fixed Ends

1804 \$59.95

1709 \$89.95

100' 4000 BLACK

1 Wire - 3/8"

Swivel x Fixed Ends

100' 4000 GREY 1 Wire - 3/8" Swivel x Fixed Ends 1805 \$99.95 50' 4000 BLACK

w/Quick Connects 1 Wire - 3/8" Swivel x Fixed Ends Q1708 \$59.95

50' 4000 GREY

w/Quick Connects
1 Wire - 3/8"
Swivel x Fixed Ends
Q1804 \$69.95

100' 4000 GREY

100' 4000 BLACK

w/Quick Connects

1 Wire - 3/8"

Swivel x Fixed Ends

Q1709 \$99.95

W/Quick Connects1 Wire - 3/8"Swivel x Fixed EndsQ1805 \$109.95

50' 6000 BLACK

2 Wire - 3/8" Swivel x Fixed Ends 6001 \$66.95 100' 6000 BLACK

2 Wire - 3/8" Swivel x Fixed Ends 6002 \$129.95 50' 6000 BLACK

w/Quick Connects 2 Wire - 3/8" Swivel x Fixed Ends Q6001 \$76.95 100' 6000 BLACK w/Quick Connects

2 Wire - 3/8" Swivel x Fixed Ends Q6002 \$139.95

50' 6000 GREY

2 Wire - 3/8" Swivel x Fixed Ends 6101 \$76.95 100' 6000 GREY

2 Wire - 3/8" Swivel x Fixed Ends 6102 \$139.95 50' 6000 GREY

w/Quick Connects 2 Wire - 3/8" Swivel x Fixed Ends

Q6101 86.95

100' 6000 GREY

w/Quick Connects

2 Wire - 3/8" Swivel x Fixed Ends Q6102 \$149.95

RE-USABLE HOSE ENDS

• For temporary repairs



1191 1 WIRE, 3/8", FIXED \$12.16

1192 1 WIRE, 3/8", SWIVEL \$16.82 1193 2 WIRE, 3/8", FIXED \$13.73

1194 2 WIRE, 3/8", SWIVEL \$17.87

PART # DESCRIPTION

\$ 6.95 1202 1'WHIP/JUMPER \$ 7.95 1172 2'JUMPER HOSE 3'JUMPER HOSE 1173 \$ 9.91 1174 4' JUMPER HOSE \$11.07 1175 5'JUMPER HOSE\$ \$11.87 1176 6' JUMPER HOSE \$12.82 1177 7'JUMPER HOSE \$14.46 8'JUMPER HOSE \$15.23 9'JUMPER HOSE \$16.72

10'JUMPER HOSE

\$17.04

"Jumper Hose" Machine To Reel



Connects Equipment to the Reel Rated to over 4400 PSI One Swivel End and One Fixed End

PART# DESCRIPTION 1181 11'JUMPER HOSE

1182 12'JUMPER HOSE \$18.86 1183 13' JUMPER HOSE \$19.24 1184 14'JUMPER HOSE \$19.99 \$20.80 1185 15' JUMPER HOSE 1186 16' JUMPER HOSE \$21.42 1187 17' JUMPER HOSE \$21.94 1188 18' JUMPER HOSE \$22.70 19' JUMPER HOSE \$23.81 1189

20' JUMPER HOSE

\$17.94

\$25.59

PREMIUM ROTATING SEWER NOZZLES

NOT THE CHEAP STUFF!

PSI: 3,000 PSI

Rotating 0° Front Laser Nozzle



PART # DESCRIPTION

1760	ROTATING NOZZLE, 1/8" FPT, 5.5 Noz	\$ 5.98
1754	ROTATING NOZZLE, 1/4" FPT, 5.5 Noz	\$ 6.32
าาดา	DOTATING NO77LE 1/4"EDT 9 O CDM	¢ 20 00



PREMIUM SEWER JETTING HOSE

- 3,000 PSI Thermo-plastic covering
- Maximum flexibility & very lightweight

PART # DESCRIPTION

1/4" Hose with 1/4" MPT x 1/8" MPT

1318	50'BLACK, 3,000 PSI	\$ 79.45
1319	100'BLACK, 3,000 PSI	\$137.75
1320	150'BLACK, 3,000 PSI	\$186.74
1321	200'BLACK, 3,000 PSI	\$233.15
1322	250'BLACK, 3,000 PSI	\$296.75
1323	300' BLACK, 3,000 PSI	\$349.75

1/8" Hose with 1/4" MPT x 1/8" MPT

324	50' BLACK, 3,000 PSI	\$ 74.14
325	100' BLACK, 3,000 PSI	\$116.55
326	150'BLACK, 3,000 PSI	\$150.70
327	200' BLACK, 3,000 PSI	\$190.75
328	250'BLACK, 3,000 PSI	\$236.74

SEWER JETTING NOZZLES - Fixed



PART#	Penetrator Nozzles	
2080	1/8" NPT / 4.0 / 3 Back 1 Front	\$5.25
2081	1/8" NPT / 5.0 / 3 Back 1 Front	\$5.25
2082	1/8" NPT / 5.5 / 3 Back 1 Front	\$5.25
2083	1/8" NPT / 6.0 / 3 Back 1 Front	\$5.25
2084	1/4" NPT / 4.5 / 3 Back 1 Front	\$5.25
2085	1/4" NPT / 5.5 / 3 Back 1 Front	\$5.25
2086	1/4" NPT / 6.5 / 3 Back 1 Front	\$5.25
2087	1/4" NPT / 7.0 / 3 Back 1 Front	\$5.25
2088	1/4" NPT / 8.0 / 3 Back 1 Front	\$5.25
2094	1/4" NPT / 9.5 / 3 Back 1 Front	\$5.25
2089	1/4" NPT / 12.0 / 3 Back 1 Front	\$5.25
2090	3/8" NPT / 4.5 / 3 Back 1 Front	\$5.25
2091	3/8" NPT / 5.5 / 3 Back 1 Front	\$5.25
2092	3/8" NPT / 6.5 / 3 Back 1 Front	\$5.25
2093	3/8" NPT / 8.0 / 3 Back 1 Front	\$5.25
9095	3/8" NPT / 12.0 / 3 Back 1 Front	\$5.25
1000	The second second	Town !

WATER / CHEMICAL APPLICATION HOSE

- · Will not collapse on reels
- Incredible bend radius without 'kinking'
- Safety Orange


PART #	DESCRIPTION
3399	3/8" ID, 800 PSI, Price Per Foot \$1.01
3400	1/2" ID, 800 PSI, Price Per Foot \$1.17
3401	3/4" ID, 800 PSI, Price Per Foot \$3.89

800 PSI



Stainless Steel Premium Swivel

- 4,100 PSI Working
- 16,000 PSI Burst
- Up to 10.5 GPM
- 200 Degrees



Coupler included to attach to 1/2" MPT reel inlet.

PART # DESCRIPTION / PRICE

1630 STAINLESS STEEL PREMIUM SWIVEL \$49.89

1629 REPAIR KIT

\$ 9.81

Heavy Duty Premium Swivel

- FPT x FPT
- 3/8" FPT inlet for hose
- 1/2" outlet mounts to reel



PART #	DESCRIPTION / PRICE	
1591	HD PREMIUM 5,000 PSI	\$27.76
1592	HD PREMIUM 7,000 PSI	\$39.88
1593	REPAIR KIT FOR 1592	\$11.94

Super Swivel Hose Reel Swivel



• 5,000 PSI • Grease Fitting for extended life

• FPT x FPT configuration When using 3/8" hose order P/N 1463

PART #	DESCRIPTION / PRICE	
1463	HOSE REEL SWIVEL, 3/8" X 1/2"	\$32.88
2331	HOSE REEL SWIVEL, 1/2" X 1/2"	\$32.88
1611	REPAIR KIT	\$11.16

http://www.envirospec.com

PREMIUM BRUSHES

PART #	PREMIUM VEHICLE & HOUSE BRUSH	PRICE
1451	10"Truck Wash	\$ 9.87
1450	10" Premium Truck & House	\$13.96
1454	14" Premium	\$14.87
1455	14" Fine Finish	\$18.78
1452	18" Truck Wash	\$17.91
1453	24" Truck Wash	\$19.93
1456	Bi-Level, 10", Hi-Pile Green	\$18.71
1457	Bi-Level, 10", Standard Yellow	\$14.22
1459	Gutter & Exhaust Stack Brush	\$21.70
1458	Bi-Directional Brush - 1/2 Circle	\$27.86
1445	Rotating Brush	\$31.16







EnviroSpec

5-Gal Certified Cans

10". 18" & 24"



RED - FLAMMABLES #6600 \$52.68

YELLOW - DIESEL #6602 \$52.68

BLUE - KEROSENE #6601 \$52.68

55 Gallon Drum Siphon Pump

- The industry's #1 selling pump
- Each will pump up to 7 GPM
- Cut down to fit 5 gallon pails

Drum Funnel and Cover

Fits both 55 and 30 gallon drums with any 2" NPT bung.

The optional cover keeps out dirt and contamination.



PART # DESCRIPTION / PRICE

1650 SIPHON PUMP, HEAVY DUTY \$11.92

1781 SIPHON PUMP, EXTREME DUTY \$16.88

Drum Lids

Keeps out dirt and contaminants.



PART# DESCRIPTION / PRICE

COVER FOR CLOSED HEAD DRUM 6603 \$15.21 6604 COVER FOR OPEN HEAD DRUM \$15.21



PART # DESCRIPTION / PRICE

2660 FUNNEL - Less Cover \$49.88 **COVER** \$21.92 2664

"Lid-Off" Pail Lid Remover

· Safely remove lids from buckets



DESCRIPTION / PRICE

PAIL LID REMOVER \$1.97 1652

CERAMIC NOZZLES LAST 10 TIMES LONGER

than Stainless Steel!

CUTS LIKE A RAZOR!







CERAMIC AFTER 50 HOURS

Quick Connect Ceramic Nozzles \$7.23

345	1.3			
NOZ.	'0' Degree	'15' Degree	'25' Degree	'40' Degree
3.0	NOQC-0003	NOQC-1503	NOQC-2503	NOQC-4003
3.5	NOQC-0003.5	NOQC-1503.5	NOQC-2503.5	NOQC-4003.5
4.0	NOQC-0004	NOQC-1504	NOQC-2504	NOQC-4004
4.5	NOQC-0004.5	NOQC-1504.5	NOQC-2504.5	NOQC-4004.5
5.0	NOQC-0005	NOQC-1505	NOQC-2505	NOQC-4005
5.5	NOQC-0005.5	NOQC-1505.5	NOQC-2505.5	NOQC-4005.5
6.0	NOQC-0006	NOQC-1506	NOQC-2506	NOQC-4006
7.0	NOQC-0007	NOQC-1507	NOQC-2507	NOQC-4007
8.0	NOQC-0008	NOQC-1508	NOQC-2508	NOQC-4008
10.0	NOQC-0010	NOQC-1510	NOQC-2510	NOQC-4010

NOZ.	'0' Degree	'15' Degree	'25' Degree	'40' Degree
3.0	NOC-0003	NOC-1503	NOC-2503	NOC-4003
3.5	N/A	NOC-1503.5	NOC-2503.5	NOC-4003.5
4.0	NOC-0004	NOC-1504	NOC-2504	NOC-4004
4.5	NOC-0004.5	NOC-1504.5	NOC-2504.5	NOC-4004.5
5.0	NOC-0005	NOC-1505	NOC-2505	NOC-4005
5.5	NOC-0005.5	NOC-1505.5	NOC-2505.5	NOC-4005.5
6.0	NOC-0006	NOC-1506	NOC-2506	NOC-4006
7.0	NOC-0007	NOC-1507	NOC-2507	NOC-4007
8.0	NOC-0008	NOC-1508	NOC-2508	NOC-4008
10.0	NOC-0010	NOC-1510	NOC-2510	NOC-4010

1/4" Threaded Ceramic Nozzles \$4.98

NOZ	ZLE (BH	ART														
NOZZLE SIZE	ORIFICE DIA.	40 PSI	100 PSI	250 PSI	500 PSI	600 PSI	700 PSI	800 PSI	1000 PSI	1200 PSI	1500 PSI	2000 PSI	2500 PSI	3000 PSI	3500 PSI	4000 PSI	5000 PSI
2	.034	0.20	0.32	0.50	0.71	0.77	0.84	0.89	1.00	1.10	1.22	1.41	1.58	1.73	1.87	2.00	2.24
2.5	.039	0.25	0.40	0.63	0.88	0.97	1.05	1.12	1.25	1.37	1.53	1.77	1.98	2.17	2.34	2.50	2.80
3	.043	0.30	0.47	0.75	1.06	1.16	1.25	1.34	1.50	1.64	1.84	2.12	2.37	2.60	2.81	3.00	3.35
3.5	.048	0.35	0.55	0.88	1.24	1.36	1.46	1.57	1.75	1.92	2.14	2.47	2.77	3.03	3.27	3.50	3.91
4	.052	0.40	0.63	1.00	1.41	1.55	1.67	1.79	2.00	2.19	2.45	2.83	3.16	3.46	3.74	4.00	4.47
4.5	.055	0.45	0.71	1.13	1.59	1.74	1.88	2.01	2.25	2.46	2.76	3.18	3.56	3.90	4.21	4.50	5.03
5	.057	0.50	0.79	1.25	1.77	1.94	2.09	2.24	2.50	2.74	3.06	3.54	3.95	4.33	4.68	5.00	5.59
5.5	.060	0.55	0.87	1.38	1.94	2.13	2.30	2.46	2.75	3.01	3.37	3.89	4.35	4.76	5.14	5.50	6.15
6	.062	0.60	0.95	1.50	2.12	2.32	2.51	2.68	3.00	3.29	3.67	4.24	4.74	5.20	5.61	6.00	6.71
6.5	.064	0.65	1.03	1.63	2.30	2.52	2.72	2.91	3.25	3.56	3.98	4.60	5.14	5.63	6.08	6.50	7.27
7	.067	0.70	1.11	1.75	2.47	2.71	2.93	3.13	3.50	3.83	4.29	4.95	5.53	6.06	6.55	7.00	7.83
7.5	.070	0.75	1.19	1.88	2.65	2.90	3.14	3.35	3.75	4.11	4.59	5.30	5.93	6.50	7.02	7.50	8.39
8	.072	0.80	1.26	2.00	2.83	3.10	3.35	3.58	4.00	4.38	4.90	5.66	6.32	6.93	7.48	8.00	8.94
8.5	.074	0.85	1.34	2.13	3.01	3.29	3.56	3.80	4.25	4.66	5.21	6.01	6.72	7.36	7.95	8.50	9.50
9	.076	0.90	1.42	2.25	3.18	3.49	3.76	4.02	4.50	4.93	5.51	6.36	7.12	7.79	8.42	9.00	10.06
9.5	.078	0.95	1.50	2.38	3.36	3.68	3.97	4.25	4.75	5.20	5.82	6.72	7.51	8.23	8.89	9.50	10.62
10	.080	1.00	1.58	2.50	3.54	3.87	4.18	4.47	5.00	5.48	6.12	7.07	7.91	8.66	9.35	10.00	11.18
11	.083	1.10	1.74	2.75	3.89	4.26	4.60	4.92	5.50	6.02	6.74	7.78	8.70	9.53	10.29	11.00	12.30
12	.087	1.20	1.90	3.00	4.24	4.65	5.02	5.37	6.00	6.57	7.35	8.49	9.49	10.39	11.22	12.00	13.42
12.5	.089	1.25	1.98	3.13	4.42	4.84	5.23	5.59	6.25	6.85	7.65	8.84	9.88	10.83	11.69	12.50	13.98
13	.091	1.30	2.06	3.25	4.60	5.03	5.44	5.81	6.50	7.12	7.96	9.19	10.28	11.26	12.16	13.00	14.53
14	.093	1.40	2.21	3.50	4.95	5.42	5.86	6.26	7.00	7.67	8.57	9.90	11.07	12.12	13.10	14.00	15.65
15	.096	1.50	2.37	3.75	5.30	5.81	6.27	6.71	7.50	8.22	9.19	10.61	11.86	12.99	14.03	15.00	16.77
20	.109	2.00	3.16	5.00	7.07	7.75	8.37	8.94	10.00	10.95	12.25	14.14	15.81	17.32	18.71	20.00	22.36
25	.125	2.50	3.95	6.25	8.84	9.68	10.46	11.18	12.50	13.69	15.31	17.68	19.76	21.65	23.39	25.00	27.95
30	.141	3.00	4.74	7.50	10.61	11.62	12.55	13.42	15.00	16.43	18.37	21.12	23.72	25.98	28.06	30.00	33.54
40	.156	4.00	6.32	10.00	14.14	15.49	16.73	17.89	20.00	21.91	24.49	28.28	31.62	34.64	37.42	40.00	44.72
50	.172	5.00	7.91	12.50	17.68	19.36	20.92	22.36	25.00	27.39	30.62	35.36	39.53	43.30	46.77	50.00	55.90

25.10 26.83 30.00 32.86 36.74 42.43 47.43 51.96 56.12 60.00 67.08

HIGH PRESSURE, SCREW-IN



These are 1/4" Male Pipe Thread Nozzles
If you require 1/8" nozzles, please change
the part number to read as follows:
'NOS8-

	HIGH PRESSURE, QUICK CONNECT								
IOZ IZE	0 °	0° 15° 25°		40 °					
2.0	LQ-0002	LQ-1502	LQ-2502	LQ-4002					
2.5	LQ-0002.5	LQ-1502.5	LQ-2502.5	LQ-4002.5					
3.0	LQ-0003	LQ-1503	LQ-2503	LQ-4003					
3.5	LQ-0003.5	LQ-1503.5	LQ-2503.5	LQ-4003.5					
4.0	LQ-0004	LQ-1504	LQ-2504	LQ-4004					
4.5	LQ-0004.5	LQ-1504.5	LQ-2504.5	LQ-4004.5					
5.0	LQ-0005	LQ-1505	LQ-2505	LQ-4005					
5.5	LQ-0005.5	LQ-1505.5	LQ-2505.5	LQ-4005.5					
6.0	LQ-0006	LQ-1506	LQ-2506	LQ-4006					
6.5	LQ-0006.5	LQ-1506.5	LQ-2506.5	LQ-4006.5					
7.0	LQ-0007	LQ-1507	LQ-2507	LQ-4007					
7.5	LQ-0007.5	LQ-1507.5	LQ-2507.5	LQ-4007.5					
8.0	LQ-0008	LQ-1508	LQ-2508	LQ-4008					
8.5	LQ-0008.5	LQ-1508.5	LQ-2508.5	LQ-4008.5					
9.0	LQ-0009	LQ-1509	LQ-2509	LQ-4009					
10	LQ-0010	LQ-1510	LQ-2510	LQ-4010					

NOZ SIZE	0 °	15°	25°	40°
2.0	LM-0002	LM-1502	LM-2502	LM-4002
2.5	LM-0002.5	LM-1502.5	LM-2502.5	LM-4002.5
3.0	LM-0003	LM-1503	LM-2503	LM-4003
3.5	LM-0003.5	LM-1503.5	LM-2503.5	LM-4003.5
4.0	LM-0004	LM-1504	LM-2504	LM-4004
4.5	LM-0004.5	LM-1504.5	LM-2504.5	LM-4004.5
5.0	LM-0005	LM-1505	LM-2505	LM-4005
5.5	LM-0005.5	LM-1505.5	LM-2505.5	LM-4005.5
6.0	LM-0006	LM-1506	LM-2506	LM-4006
6.5	LM-0006.5	LM-1506.5	LM-2506.5	LM-4006.5
7.0	LM-0007	LM-1507	LM-2507	LM-4007
7.5	LM-0007.5	LM-1507.5	LM-2507.5	LM-4007.5
8.0	LM-0008	LM-1508	LM-2508	LM-4008
8.5	LM-0008.5	LM-1508.5	LM-2508.5	LM-4008.5
9.0	LM-0009	LM-1509	LM-2509	LM-4009
10	LM-0010	LM-1510	LM-2510	LM-4010
7000		- 1000000		

25° (Green) 40° (White)

TECH LIBRARY - NOZZLES

Nozzles are the last part that the water touches on it's way out of the pressure washer. The spray nozzle is a small simple component that controls how much pressure and water flow is produced. The pump simply moves a certain amount of water. The restriction created at the nozzle is what causes the pressure to develop. If the spray nozzle hole size is so small that the pump can't force the water through it at the pumps rated pressure, then the water flowing from the nozzle is reduced. The unloader valve bypasses the extra water back to the pump. An oversized spray nozzle orifice will allow the flow of almost all the water from the pump at a reduced pressure. The way to obtain the most cleaning power from a machine is to closely match the spray nozzle orifice size to the flow and pressure ratings of the pump. Spray nozzles are manufactured with various fan spray patterns.

Chemical Nozzles: These nozzles are used with downstream chemical injection to provide chemical. They are available in either threaded or quick connect styles. The most common orifice sizes used for chemical nozzles are 30, 40, or 50. The large orifice size decreases the pressure created by the equipment. A wide fan pattern is usually desired with a chemical nozzle to provide quick and even surface coverage. The threaded nozzles can be used with a variety of nozzle holders or with a dual lance. This enables the equipment operator to switch from low-pressure chemical to high-pressure washing with clear water without having to return to the equipment. When using quick connect nozzles, switching the high-pressure nozzle with the chemical nozzle provides the same ability.

Nozzle to Surface Distance: The pressure created by the nozzle is created at the nozzle itself. As soon as the water stream starts to travel away from the nozzle the pressure drops rapidly. The force of the spray on a surface demonstrates this. Rarely is a nozzle held right up to the surface. Doing so can damage many surfaces. Generally a range of distance between four and ten inches seems to be the practical washing zone. A distance of over ten inches away from the surface generally is used for rinsing because at this distance the spray has very little impact. The most important factor governing how far from the surface the nozzle should be is the lack of damage to the surface combined with the cleaning result. On some wash jobs, a good example is house siding, you want to be a good cleaning distance, and at the same distance have the fan pattern hit on the top and the bottom of the clapboard. Depending on the distance required to obtain the desired cleaning result, the degree of fan can be changed so it impacts the area you desire.

Nozzle Wear: Spray nozzles wear out rapidly. The velocity of the water being propelled through the orifice as well as chemicals acting on the metal causes the orifice to wear larger. The orifice size is the biggest determining factor in the creation of pressure. As the orifice enlarges, the equipment pressure goes down. The use of a pressure gauge is valuable in determining how much pressure has been lost and when nozzle replacement is desirable. Nozzle wear or improper sizing is the most common factor that causes low-pressure problems. Do not attempt to compensate too much for nozzle wear by over adjusting the unloader valve. This increases the spike that occurs when the trigger gun is released. Consequently, it also increases hose failure, and wear on many equipment components.

Quick Connect Nozzles: These nozzles have a quick connect ¼" plug incorporated as part of the nozzle. Most have a color-coding system that allows for easy fan spray identification. Red is zero, yellow is 15, green is 25, and white is 40. These nozzles must be connected into a quick connect coupler to use. When changing these nozzles it is very important to make sure the coupler locks down properly onto the nozzle plug. A habit of aiming the nozzle away from surfaces when first spraying is also a good idea. An improperly installed quick connect nozzle can be propelled out of the coupler and it can cause damage or injury.

Reading the Nozzle Size & Fan: Nozzles are marked to indicate both orifice size and the degree of fan. Nozzles sometimes have the information stamped into the surface, and some nozzles have the information laser printed on the surface. Both methods of identification can wear off with use. Manufacturers add numbers and letters around the real information, but once you know how to pick out the real information it becomes easy to understand. First look for the degree of fan. After the degree of fan the orifice size will be listed. Orifice sizes less than ten will have a zero in front of them. Half sizes will have a decimal point with two numbers, like 6.5.

15° (Yellow)

0° (Red)

Sizing Nozzles for Pressure: The best way to adjust the pressure produced by a pressure washer is by increasing or decreasing the nozzle orifice size. It is important to know how to use a nozzle chart to accomplish this. On a standard nozzle chart, the top column that runs left to right is the pressure that you want to obtain. The left column top to bottom is the nozzle orifice size designation. The top to bottom column next to the orifice size column indicates the actual orifice measurement. The numbers in the shaded boxes all indicate gallons per minute of flow. The nozzle orifice size designation is obtained by the flow of water that goes through that hole size at 4000 PSI. So if you look at a nozzle chart the gallons per minute shown under the 4000 PSI column always is the same as the nozzle orifice size designation. When the water pressure is reduced below 4000 PSI, less water goes through the nozzle per minute. Pressures over 4000 PSI force more water through the nozzle each minute. Because of these facts, the nozzle chart becomes necessary. Using different nozzle orifice sizes to change pressure is better than adjusting the unloader valve. When the unloader valve is adjusted to lower the pressure the gallon per minute flow is also reduced. The flow is very important when working. Flow enables the operator to apply detergent, wash, and rinse at peak speed. Reducing the flow from four to three gallons per minute will increase cleaning time on average by 25%. Another words, a typical four hour job will now take five hours.

Threaded Nozzles: Industry standard for the thread size on spray nozzles is $\frac{1}{4}$ ". They fit into the industry standard $\frac{1}{4}$ " trigger gun outlet port. They have NPT (national pipe thread). This type of thread gets tighter as it is threaded into another component. This is done to help seal the connection. Some accessories require $\frac{1}{8}$ " threaded nozzles, duct cleaners and some surface cleaners for example.

Understanding Degree of Fan: The most commonly used fan patterns are 0, 15, 25, 40, and 65 degrees. The higher the number of the fan, the wider the fan pattern is. A zero degree nozzle sprays in a pencil point pattern, which is a straight stream. This pattern yields the greatest surface impact. Unfortunately it isn't very practical for most wash applications because it covers such a small area. The practical answer when using a zero degree nozzle is the rotating nozzle. The characteristics of a fifteen-degree fan pattern are a tight fan pattern with excellent surface impact. The edges of the fan, because they end so sharply on the surface, sometimes make blending the cleaning result uniformly very difficult. A twenty-five degree of fan is the most popular. It is wider than fifteen-degree, making it easier to wash most common surfaces. The forty-degree of fan is also popular, it is a wider fan and the edges don't have as sharp an impact on the surface. This makes blending on the surface easier, which yields an even result on the wash surface. The down side of wider fan patterns is the spreading out of the surface impact. A sixty-five degree fan pattern is not popular for high pressure washing because the impact is too diffused for most work. This fan pattern is commonly acknowledged to be best for detergent application. The wide fan allows for rapid surface coverage.

Stainless Steel & Brass Soap Nozzles



PART#	DESCRIPTION / PRICE	
1870	BRASS NOZZLE - Screw-In, 25°, 30	\$5.25
1871	BRASS NOZZLE - Screw-In, 25°, 40	\$5.25
1872	BRASS NOZZLE - Screw-In, 25°, 50	\$5.25
1873	BRASS NOZZLE - Screw-In, 40°, 30	\$5.25
1874	BRASS NOZZLE - Screw-In, 40°, 40	\$5.25
1875	BRASS NOZZLE - Screw-In, 40°, 50	\$5.25
1876	BRASS NOZZLE - Screw-In, 65°, 40	\$1.97
SSN-0030	STAINLESS NOZZLE - Screw-In, 0°, 30	\$6.95
SSN-0050	STAINLESS NOZZLE - Screw-In, 0°, 50	\$6.95
SSN-0060	STAINLESS NOZZLE - Screw-In, 0°, 60	\$6.95
SSN-0070	STAINLESS NOZZLE - Screw-In, 0°, 70	\$6.95
SSN-1515	STAINLESS NOZZLE - Screw-In, 15°, 15	\$6.95
SSN-1520	STAINLESS NOZZLE - Screw-In, 15°, 20	\$6.95
SSN-1525	STAINLESS NOZZLE - Screw-In, 15°, 25	\$6.95
SSN-1530	STAINLESS NOZZLE - Screw-In, 15°, 30	\$6.95
SSN-1535	STAINLESS NOZZLE - Screw-In, 15°, 35	\$6.95
SSN-1560	STAINLESS NOZZLE - Screw-In, 15°, 60	\$6.95
SSN-2515	STAINLESS NOZZLE - Screw-In, 25°, 15	\$6.95
SSN-2530	STAINLESS NOZZLE - Screw-In, 25°, 30	\$6.95
SSN-2540	STAINLESS NOZZLE - Screw-In, 25°, 40	\$6.95
SSN-2550	STAINLESS NOZZLE - Screw-In, 25°, 50	\$6.95
SSN-4015	STAINLESS NOZZLE - Screw-In, 40°, 15	\$6.95
1877	BRASS NOZZLE - Quick Connect, 65°, 40	\$.74

Nozzle Clean-Out

Brass or Plastic

Quick Connect to Pressure Washer

frame for safe keeping!

PART#	DESCRIPTION / PRICE	1500
1878	CLEAN-OUT TOOL BRASS	\$3.91
1879	CLEAN-OUT TOOL PLASTIC	\$1.97

General Hi-Lo Nozzle

"Push" for Soap - "Pull" for Pressure



PSI: 4,100 PSI **TEMP:** 195° F

Hi-Lo settings allow for both cleaning and chem applications

PART#	DESCRIPTION / PRICE	
4002	2.0 NOZZLE SIZE (Light Green)	\$14.53
4003	2.5 NOZZLE SIZE (Pink)	\$14.53
4004	3.0 NOZZLE SIZE (White)	\$14.53
1292	3.5 NOZZLE SIZE (BROWN)	\$14.53
1293	4.0 NOZZLE SIZE (YELLOW)	\$14.53
1294	4.5 NOZZLE SIZE (BLUE)	\$14.53
1295	5.0 NOZZLE SIZE (PURPLE)	\$14.53
1296	5.5 NOZZLE SIZE (RED)	\$14.53
1297	6.0 NOZZLE SIZE (GREEN)	\$14.53
1299	7.0 NOZZLE SIZE (ORANGE)	\$14.53
1300	8.0 NOZZLE SIZE (GREY)	\$14.53

MTM DuraJet Nozzle

"Push" for Soap
"Pull" for Pressure



PSI: 3,000 PSI **TEMP:** 300° F

Hi-Lo settings allow for both cleaning and chem applications

PART#	DESCRIPTION / PRICE	
1602	Push-Pull Nozzle 3.0 White Dot	\$7.97
1603	Push-Pull Nozzle 3.5 Yellow Dot	\$7.97
1604	Push-Pull Nozzle 4.5 Orange Dot	\$7.97
2050	Push-Pull Nozzle 5.0 Red Dot	\$7.97
2051	Push-Pull Nozzle 5.5 Blue Dot	\$7.97
2052	Push-Pull Nozzle 6.5 Black Dot	\$7.97
2053	Push-Pull Nozzle 7.5 Brown Dot	\$7.97
2054	Push-Pull Nozzle 8.0 Green Dot	\$7.97



PSI: 4,300 PSI **TEMP:** 195° F

"PUSH" for Soap
"PULL" for Pressure

Hi-Lo settings allow for both cleaning and chem applications

PART#	DESCRIPTION / PRICE	
1686	VAIRO-JET - NOZZLE SIZE 4.0	\$34.95
1687	VARIO-JET - NOZZLE SIZE 4.5	\$34.95
1688	VARIO-JET - NOZZLE SIZE 5.5	\$34.95

MTM DuraJet Nozzle

Variable Angle Only



PSI: 3,000 PSI **TEMP:** 300° F

Adjust From 0° thru 65°

PART#	DESCRIPTION / PRICE	
2055	Variable Nozzle 3.0 White Dot	\$6.49
2056	Variable Nozzle 3.5 Yellow Dot	\$6.49
2057	Variable Nozzle 4.5 Orange Dot	\$6.49
2058	Variable Nozzle 5.0 Red Dot	\$6.49
2059	Variable Nozzle 5.5 Blue Dot	\$6.49
2060	Variable Nozzle 6.5 Black Dot	\$6.49
2061	Variable Nozzle 7.5 Brown Dot	\$6.49
2062	Variable Nozzle 8.0 Green Dot	\$6.49

Lance Caddy

Slip over the lance and attach lance to the trigger gun!



Holds 7 Nozzles Stainless Steel, only 0.53 lbs.

DESCRIPTION / PRICE PART# 1266 LANCE CADDY \$7.24

The Nozzle Keeper

- NEVER lose another nozzle!
- · Install your favorite nozzles
- For 3 nozzle set-ups

Nozzles sold separately



PART# PRICE 1827 \$2.95

Nozzie Holder Twist Type

One of our most popular holders

- 1 ea. 1/4" inlet & 2 ea. 1/4" nozzle outlets
- HP nozzle on one side LP on the other side
- Twist to change nozzle & draw chem

PART#	DESCRIPTION / PRICE	
1275	NOZZLE HOLDER, TWIST TYPE	\$19.96
1276	2 EA TEFLON SEATS FOR #1275	\$.99

Allison Dual Nozzle Holder - Ball Type

Now Available with Corrosion Proof Ceramic Ball

NOT MADE IN CHINA!

This is the best in the industry!

- GPM: 12 PSI: 3,500
- Up to 190 degrees
- 1/4" inlet from lance
- 2 ea. 1/4" outlets accommodates 2 nozzles
- Rotate lance to change to soap nozzle

PART# DESCRIP	TION / PRICE
---------------	--------------

1267	Holder with Stainless Steel Ball	\$14.84
1269	Holder with Ceramic Ball	\$16.93
1745	Replacement Ceramic Bal, 13/32	\$ 2.95



Nozzle Boot

Eliminates Scratched Finishes



PSI: 3,650 PSI

GPM: 8

- · Install boot on lance and nozzle in boot • The rubber bumper protects surfaces
- from being scratched by the nozzle

PART# PRICE 1271 NOZZLE BOOT \$1.96



Nozzie Holder

1/4" inlet from lance 1/4" outlet - accommodates one nozzle. Twist to reduce pressure to draw chemical.

PRICE 1274 \$9.63



Bolts to any machine

- No more misplaced nozzles!
- Comes complete with grommets & bolts

Nozzle Caddy for Machine

PART# DESCRIPTION / PRICE

1621 **COMPLETE HOLDER**

1622

\$6.98 REPLACEMENT GROMMET \$.32

Belt Clip Nozzie Holde

This high density rubber boot holds 4 nozzles securely.

- · No more misplaced nozzles!
- Attaches to belt loop

PART# PRICE 7780 \$4.89



Trombone Dual Nozzle Holder

High Pressure Nozzle goes in the top.

Low Pressure Nozzle goes in the bottom.

When you want low pressure soap simply release the trigger & reach up and pull back on the piston.

Rated to 11 GPM @ 4,000 PSI



PART# PRICE \$9.63

On this page we pay the freight on \$50.00 Web Orders or \$200.00 Call-in Orders

ROTOJET TURBO NOZZLE

#1 Seller in 2003 thru 2008

0° - 25° Nozzle Rotation
Up to 3,000 RPM
High Strength Forged Brass

190° Max Temp (Shown with optional filter) Precision ceramic orifice and race

Always start a turbo with nozzle pointed down

Wider pattern for cleaning larger areas such as graffiti removal, concrete floors and side walks, etc.

PART#	PRICE	PSI	Noz Size	Kit#	PRICE
1548	\$41.06	3600	3.5	1570	\$28.88
1549	\$41.06	3600	4.0	1571	\$28.88
1550	\$41.06	3600	4.5	1572	\$28.88
1551	\$41.06	3600	5.0	1573	\$28.88
1552	\$41.06	3600	5.5	1574	\$28.88
1553	\$41.06	3600	6.0	1575	\$28.88
1562	\$54.58	4500	4.0	1584	\$36.42
1563	\$54.58	4500	4.5	1585	\$36.42
1564	\$54.58	4500	5.0	1586	\$36.42
1565	\$54.58	4500	5.5	1587	\$36.42
1566	\$54.58	4500	6.0	1588	\$36.42
1567	\$54.58	4500	7.0	1589	\$36.42
1554	\$79.95	5800	4.0	1576	\$39.96
1555	\$79.95	5800	4.5	1577	\$39.96
1556	\$79.95	5800	5.0	1578	\$39.96
1557	\$79.95	5800	5.5	1579	\$39.96
1558	\$79.95	5800	6.0	1580	\$39.96
1559	\$79.95	5800	7.0	1581	\$39.96
1560	\$79.95	5800	8.0	1582	\$39.96
1561	\$79.95	5800	12.0	1583	\$39.96



The 'Splatter Shield' attaches to any lance and covers the Turbo Nozzle so harsh chemicals and pressure do not come in contact with delicate surfaces.

For All Turbos
Quickly attaches to lance

PART PRICE 1497 \$41.36



ROTOMAX

0° - 15° Nozzle Rotation
Up to 3,000 RPM
176° Max Temp
Tighter pattern for classing concent

Tighter pattern for cleaning concentrated pollutant such as 'chewing gum'

PART #	PRICE	PSI	GPM	Kit#	PRICE
1498	\$39.96	3500	2.1-2.6	1501	\$19.98
1499	\$39.96	3500	2.9-4.0	SAME	\$19.98
1500	\$39.96	3500	4.2-6.0	SAME	\$19.98

SUPER ROTOMAX

0° - 15° Nozzle Rotation Up to 3,000 RPM 176° Max Temp

Tighter pattern for cleaning concentrated pollutant such as 'chewing gum'

PART#	PRICE	PSI	GPM	Kit#	PRICE
1502	\$109.87	5800	2.0-4.0	1504	\$45.36
1503	\$109.87	5800	4.1-7.0	Same	\$45.36

M-16 Thruster Nozzle



Reaches 3-4 stories from the safety of the ground! Want to go even higher than 3 stories? Simply connect the thruster to a Telescoping Lance! Then throw up to 6 stories high!

- Push for Fully Adjustable Soap from 0° to 65°
- Pull Back for Adjustable High Pressure from 0° to 65°

Comes Standard with:

- 50' of Chemical Line
- Premium Stainless/Brass Filter

PART#	DESCRIPTION	
1992	THRUSTER WITH 3.5 NOZZLE	\$39.87
1993	THRUSTER WITH 4.0 NOZZLE	\$39.87
1994	THRUSTER WITH 4.5 NOZZLE	\$39.87
1995	THRUSTER WITH 5.0 NOZZLE	\$39.87
1996	THRUSTER WITH 5.5 NOZZLE	\$39.87
1997	THRUSTER WITH 6.0 NOZZLE	\$39.87
1998	THRUSTER WITH 6.5 NOZZLE	\$39.87
1999	THRUSTER WITH 7.0 NOZZLE	\$39.87
2000	THRUSTER WITH 8.0 NOZZLE	\$39.87
1439	REPAIR KIT FOR INJECTOR BODY	\$ 9.89

VIPER TURBO



Tighter pattern for cleaning concentrated pollutant such as 'chewing gum'

PART #	PRICE	PSI	Noz	Kit#	PRICE
1505	\$49.67	5000	4.5	1506	\$29.65
1507	\$49.67	5000	5.5	1508	\$29.65

DIRT KILLER TURBOS



3200 PSI	PRICE	SIZE	KIT	PRICE
1471	\$55.03	3.0	1476	\$39.60
1472	\$55.03	3.5	1477	\$39.60
1473	\$55.03	4.5	1478	\$39.60
1474	\$55.03	5.5	1479	\$39.60
1475	\$55.03	7.0	1480	\$39.60
4700 PSI	PRICE	SIZE	KIT	PRICE
1481	\$94.88	3.5	1489	\$54.02
1482	\$94.88	4.0	1490	\$54.02
1483	\$94.88	4.5	1491	\$54.02
1484	\$94.88	5.5	1492	\$54.02
1485	\$94.88	6.0	1493	\$54.02
1486	\$94.88	7.0	1494	\$54.02
1487	\$94.88	8.0	1495	\$54.02
4400	\$55.00	9.0	N/A	
1488	\$94.88	10.0	1496	\$54.02

THE INDUSTRY'S BEST 'FULL-PATTERN' TURBO!

4000 PSI

TURBO \$34.70	NOZ	KIT \$21.48
16221	2.5	41374
16222	3.0	41375
16223	3.5	41376
16224	4.0	41377
16225	4.5	41378
16226	5.0	41379
16227	5.5	41380
16228	6.0	41381

M-T-M HYDROJETS



5000 PSI

TURBO \$49.40	NOZ	KIT \$29.23
16284	3.0	41482
16285	3.5	41483
16286	4.0	41484
16287	4.5	41485
16288	5.0	41486
16289	5.5	41487
16290	6.0	41488
16291	6.5	41489
16292	7.0	41490
16293	7.5	41491

PA TURBO NOZZLE



Features spring loaded shock absorption for longer ceramic life.

"Quiet-Run" technology with an 18° pattern

WHEN YOU COMPARE THE PARTS LIST OF THE BLUE COVER TURBO TO THE RED COVER TURBO you will find that every part is identical but the cover itself.

So why would one spend the extra money?

PART #	PRICE	Permissable PSI	Noz Size	Kit#	PRICE
2002	\$45.54	5100	3.0	2003	\$28.44
2004	\$45.54	5100	3.5	2005	\$28.44
2006	\$45.54	5100	4.0	2007	\$28.44
2008	\$45.54	5100	4.5	2009	\$28.44
2010	\$45.54	5100	5.0	2011	\$28.44
2012	\$45.54	5100	5.5	2013	\$28.44
2014	\$45.54	5100	6.0	2015	\$28.44
2016	\$45.54	5100	6.5	2017	\$28.44
2018	\$45.54	5100	7.0	2019	\$28.44
2020	\$45.54	5100	8.0	2021	\$28.44

High Pressure Filter for Turbos

Manufacturers will not warranty Turbos if they have been used without a filter

#1510 Shown

PART#	PSI	Configuration	PRICE
1509	5000	1/4" MPT x 1/4" FPT	\$5.88
1510	5000	1/4" Plug x 1/4" MPT	\$6.24

STILETTO TURBO LASER

...cuts like a

RAZOR KNIFE

at a much
higher RPM

THE SHARPEST CUTTING TURBO IN THE INDUSTRY!



THE INDUSTRY'S BEST 'TIGHT-PATTERN' TURBO!

Place the **Stiletto Turbo Laser** on the end of the lance - pull the trigger and watch the zero degree laser produce a cleaning path of 10 to 60 degrees* while rotating as high as 3,500 rpm.

Absolutely nothing in the industry cleans like the...

STILETTO TURBO LASER!

OPERATING PRESSURE 5100 PSI

At 2,000 to 3,000 psi - you'll lift chewing gum from sidewalks, barnacles from boats, remove graffiti & paint, remove concrete from truck bodies and new construction, rust from trailer frames, etc.

At 5,000 (+) psi - you can remove paint from auto bodies and chew through plywood and concrete. Yes - there is always a reason to own a...

STILETTO TURBO LASER!

No Filter	PRICE	w/Filter	PRICE	Size	Kit#	PRICE
1965	\$51.17	1965F	\$57.82	3.0	1966	\$28.44
1967	\$51.17	1967F	\$57.82	3.5	1968	\$28.44
1969	\$51.17	1969F	\$57.82	4.0	1970	\$28.44
1971	\$51.17	1971F	\$57.82	4.5	1972	\$28.44
1973	\$51.17	1973F	\$57.82	5.0	1974	\$28.44
1975	\$51.17	1975F	\$57.82	5.5	1976	\$28.44
1977	\$51.17	1977F	\$57.82	6.0	1978	\$28.44
1979	\$51.17	1979F	\$57.82	6.5	1980	\$28.44
1981	\$51.17	1981F	\$57.82	7.5	1982	\$28.44
1983	\$51.17	1983F	\$57.82	8.0	1984	\$28.44

PART# PART# Noz

Tighter pattern for cleaning concentrated pollutant such as chewing gun, paint removal, tar, bugs, etc.



TINGLEY PREMIUM BOOTS

These boots are so comfortable you can work long days without discomfort. They keep your feet warm and dry. Steel toes protect your toes from unfortunate drops and crushing. They are chemical resistant, have an aggressive tread to keep you on your feet, and they have removable insoles so things stay pleasant inside, day after day. They are stylish and ready for anything. Once you work in these you will never go back.

\$38.62

#7290 Size 9 #7210 Size 10

#7211 Size 11

#7212 Size 12

TINGLEY ECONOMY BOOTS

The time tested Tingley boots have served mobile washers well for decades. Tingley's economy boot provides a good waterproof boot at a very reasonable price. It is available with a plain toe or a steel toe. They keep your feet warm and dry. They are resistant to fats and caustics. They have removable insoles so things stay pleasant inside, day after day.

\$18.77

#7090 Size 9 #7010 Size 10 #7011 Size 11

#7012 Size 12

#7012 Size 12

\$24.38

#8090 Size 9 #8010 Size 10

#8011 Size 11

#8012 Size 12



TINGLEY GREEN CHEMICAL RESISTANT

The time tested Tingley rain gear have served mobile washers well for decades. This gear will not fail you when you need it most. The rain gear is light weight, comfortable and warm. It keeps you dry and stays flexible in all temperatures. When it's cold, wear a few layers underneath and you can go all day.

JACKET GREEN CHEMICAL RESISTANT \$46.37

#7280M Medium #7280L Large #7280XL X-Large #7280XXL XX-Large

OVERALL GREEN CHEMICAL RESISTANT \$38.63

#7281M Medium #7281L Large #7281XL X-Large #7281XXL XX-Large

TINGLEY CLASSIC YELLOW RAIN GEAR

This is quality raingear at an attractive price. Quality & value is what this gear is all about. It holds up to the harshest conditions.



SAFETY REFLECTIVE RAIN GEAR

When you are working in areas where traffic is a concern, the reflective rain gear could very well be a life saver. The rain gear is comfortable and warm. They stay flexible in all temperatures. They are chemical resistant. Did I mention it keeps you clean underneath too? Strip it off, wash your hands, and you are ready for a night on the town. Buy a jacket and overalls for complete and matching protection. Complete your protective package with genuine Tingley waterproof boots.



OVERALLS

\$32.74

#7285M Medium

#7285L Large

#7285XL X-Large

#7285XXL XX-Large



JACKET \$57.45

#7284M Medium #7284L Large #7284XL X-Large #7284XXL XX-Large



PANTS \$36.77

#P23122M Medium #P23122L Large #P23122XL X-Large #P23122XXL XX-Large

575522 • Lime Long Sleeve Birds Eye Polyester 2" Silver Reflective

Tape 1 Pocket

Sizes S-5X

OUTDOOK GEAP



SHIRTS

Part # Price S75522 N/A S75029 N/A S75022-S \$17.26 S75022-M \$17.26 \$17.26 S75022-L \$75022-XL \$17.26 \$75022-XXL \$17.26 \$75022-XXXL \$17.26

S78029 N/A S78022-S \$46.55 S78022-M \$46.55 S78022-L \$46.55 \$78022-XL \$46.55 \$78022-XXL \$48.55 S78022-XXXL \$48.55

S78122-S \$47.55 \$47.55 S78122-M S78122-L \$47.55 \$47.55 S78122-XL \$78122-XXL \$48.55 S78122-XXXL \$48.55 S78129 N/A

\$75029 • Orange / \$75022 • Lime

- Short Sleeve
- Birds Eye Polyester
- 2" Silver Reflective Tape
- 1 Pocket
- Sizes S-5X

Birds Eye Polyester - Moisture Management Fabric Wicks Perspiration Away from the Body to Keep You Cooler

10

and More Comfortable.

Class 3 Sweatshirts





- Polyester

N

- 2" Silver Reflective Tape
- Zipper Closure
 - 2 Pockets
 - Sizes S-5X



Size Small Sweatshirts Have Fluorescent Color Pockets to Meet ANSI 107 Requirements.



SAFETY VEST



VEST

Part #	Price
V71622-SM	\$14.79
V71622-LXL	\$14.79
V71622-2X3X	\$14.79

V71622 • Lime

- Polyester Solid
- 2" Silver Reflective Tape
- Hook & Loop Closure
- 2 Interior Pockets
- Sizes S/M, L/XL, 2X/3X, 4X/5X

			312	NG				
CLASS 2 & 3 SA								
Sizes	S-M	L-X	XL	2X-3X	4X-5X			
Chest Size	36-42	44-	-50	52-58	60-66			
CLASS 2 & 3 T-5	HIRTS AN	D SWE	ATSHIRT	S				
Sizes	S	M	L	XL	2X	3X	4X	5X
Chest Size	36-38	40-42	44-46	48-50	52-54	56-58	60-62	64-66
CLASS E MESH	PANTS							
Sizes	S-M	L-X	XL 2	2X -3X	4X -5X			
Waist	40-46	48-	-54	56-62	64-70			
Inseam	30 1/4	31	1/2	32 3/4	34			
CLASS 3 JACKE	TS							
Sizes	S	M	L	XL	2X	3X	4X	5X
Chest Size	36-38	40-42	44-46	48-50	52-54	56-58	60-62	64-66
Jacket Length	29	30	31	31	32	32	32	33
Sleeve Length	33	34	341/2	35	351/2	36	36	38
CLASS E OVERA	ALLS AND	PANTS						
Sizes	S	M	L	XL	2X	3X	4X	5X
Waist	32-34	36-38	40-42	44-46	48-50	52-54	56-58	60-62
Inseam	28	29	30	31	32	32	32	33
CLASS 3 COATS								
Sizes	S	M	L	XL	2X	3X	4X	5X
Chest Size	36-38	40-42	44-46	48-50	52-54	56-58	60-62	64-66
Coat Length	47	48	50	50	52	52	52	52
Sleeve Length	33	34	341/2	35	351/2	36	36	38

VEST

Part #	Price
V70722-SM	\$14.79
V70722-LXL	\$14.79
V70722-2X3X	\$14 79



V70722 • Lime

- Polyester Mesh
- 2" Silver Reflective Tape
- Hook & Loop Closure
- 2 Interior Pockets
- Sizes S/M, L/XL, 2X/3X, 4X/5X




JACKETS

Protective Apron

A41008 \$19.87



Protective Sleeves 541108 \$9.97



Breathable to ASTM E96

Premium Insulated All Season

Outerwear

Jacket J24172 • Lime
Class 3 • All the Premium Features of
the Icon™ plus a Removable 300 Gram
Insulating Fleece Liner with 2 Slash
Pockets, Zippers and Adjustable
Elastic Drawcord • Sizes S-5X

ICON 3.1

Part #	Price
J24172-S	\$99.17
J24172-M	\$99.17
J24172-L	\$99.17
J24172-XL	\$99.17
J24172-XXL	\$99.17





BECKETT BURNERS



- Interchanges with Wayne
- Easy installation
- Special burner made to our specifications

One of the longest lasting, most trouble free burners in the Industry!

PART # DESCRIPTION / PRICE

1390	12Volt ADC - for Washers up to 6 GPM	\$423.91
1391	12 Volt SDC - for Washers over 6 GPM	\$499.70
1393	115 Volt AFG -for Washers up to 6 GPM	\$381.55
1304	115 Volt SE - for Washers over 6 GPM	\$397.97



PART#	DESCRIPTION / PRICE	200
1379	BURNER NOZZLE, 1.00 80B	\$5.68
1380	BURNER NOZZLE, 1.25 80B	\$5.68
1381	BURNER NOZZLE, 1.50 80B	\$5.68
1382	BURNER NOZZLE, 1.75 80B	\$5.68
1383	BURNER NOZZLE, 2.00 80B	\$5.68
1384	BURNER NOZZLE, 2.25 80B	\$5.68
1385	BURNER NOZZLE, 2.50 80B	\$5.68
1386	BURNER NOZZLE, 2.75 80B	\$5.68
1387	BURNER NOZZLE, 3.00 80B	\$5.68

- · On / Off positioning
- Rated to 50 Amps @ 12 Volts



PART # 1388

DESCRIPTION / PRICE ON/OFF SWITCH \$6.89

Adjustable

- Panel Mount
- Adjustable
- Rated to 3,500 PSI
- Super quick response



PART#	DESCRIPTION	PRICE
1422	PREMIUM THERMOSTAT 302 DEGREES	\$28.45
1425	PREMIUM THERMOSTAT 194 DEGREES	\$28.45

Pre-Set Thermostats

Last Longer and More **Accurate** than typical thermostats

• On and Off at constant temperature

• 5° - 8° deadband - super quick response

DESCRIPTION / PRICE

PRE-SET THERMOSTAT, SHUTS OFF AT 160° \$19.12 1884

Adjustable **Thermostats**

 Mounts on discharge side of heating coil

 Interchanges with all in-line thermostats

 Temp range 60°F to 230°F



PART#

DESCRIPTION / PRICE

IN LINE THERMOSTAT

Hi-Limit Safety Burner Shut Dow

 Shuts down the fuel solenoid at 210°



PART # DESCRIPTION / PRICE

HI LIMIT SWITCH WITH LEAD \$20.87 1107

Pressure Switch

PREMIUM SERIES FOR PROFESSIONAL EQUIPMENT

Rated to 250V, 15 amps & 190°F



PART #	DESCRIPTION	PRICE
1370	PRESSURE SWITCH, 3,650 PSI, 1/4" MPT	\$21.16
1371	PRESSURE SWITCH, 3,650 PSI, 3/8" MPT	\$21.16
1372	PRESSURE SWITCH, 6,500 PSI, 1/4" MPT	\$55.96

Flow Switch

Tungsten contact reed switch

- Viton seals
- Rated to 4,400 PSI
- · For solenoid control only



DESCRIPTION / PRICE

1367 VERTICAL MOUNT ONLY \$34.90 VERTICAL OR HORIZONTAL 1368 \$34.90



• Both are rated to 5,000

DESCRIPTION / PRICE

FLOW SWITCH, TMT, 12 GPM \$ 39.84 1369 PHOENIX, RATED TO 18 GPM \$121.85

Vac Switch

· Installs on the inlet side of the pump

- 1/4" FPT connector
- Heavy duty 16 Amp contact
- 140°F maximum water temperature



DESCRIPTION / PRICE

1373 VACUUM SWITCH, FOR GAS ENGINES \$19.94 VACUUM SWITCH, FOR ELECTRIC MOTORS \$19.94 1374

On this page we pay the freight on \$50.00 Web Orders or \$200.00 Call-in Orders

Transformers & **Igniters**

PART#	DESCRIPTION / PRICE	

1404	12V IGNITOR ASSY SDC BECKETT	\$ 84.14
1404C	12V IGNITOR ASSY SDC BECKETT w/CAD CELL	\$107.49
1405	12V IGNITOR ASSY ADC BECKETT	\$ 84.14
1405C	12V IGNITOR ASSY ADC BECKETT w/CAD CELL	\$107.49
1406	TRANSFORMER FOR 120V 'A' BECKETT Old Style	\$ 58.43
1407	TRANSFORMER FOR 230V 'A' SERIES BECKETT	\$ 64.32
1408	TRANSFORMER FOR 230V 'S' SERIES BECKETT	\$ 66.12
1409	TRANSFORMER FOR 120V 'A' BECKETT SMALL VERSION - See 1406 for old style	\$ 48.48
1375	IGNITER, WAYNE, 12V, BACK HINGE FOR MSR	\$109.15
1376	TRANSFORMER, WAYNE, 120V SIDE HINGE	\$ 65.68
1377	TRANSFORMER, WAYNE, 120V, BACK HINGE	\$ 76.56
1378	TRANSFORMER, WAYNE, 230V, SIDE HINGE	\$ 73.57

Fits Beckett and Suntec

PART #	DESCRIPTION / PRICE	
1418	SUNTEC 120 VOLT	\$24.87
1392	SUNTEC 220 VOLT	\$24.87

1417 SUNTEC 12 VOLT \$25.92

FUEL PUMPS

- Fits Beckett & Wayne
- SunTech you must order solenoid separately
- · Becketts come with solenoid



PART#	DESCRI	PTION

1399	FUEL PUMP, A2VA7116	\$44.11
1400	FUEL PUMP, A1VA7112	\$54.85
1402	FUEL PUMP, A1YA7912	\$63.12
1397	BECKETT WITH 115 VOLT SOLENOID	\$53.59
1398	BECKETT WITH 12 VOLT SOLENOID	\$56.15
1396	KIT FOR BECKET SOLENOID, 12 VOLT	\$12.66
1395	KIT FOR BECKETT 115V SOLENOID	\$10.83

Burner Motors

These motors fit both **Beckett and Wayne Burners**



PART #	DESCRIPTION	
1410	3450 RPM, 1/7 HP, 115V (2456U)	\$ 59.49
1411	3450 RPM, 1/5 HP, 115V (2900U)	\$ 72.66
1412	3450 RPM, 1/6 HP, 13.5V (21699U)	\$ 71.35
1413	3450 RPM, 1/4 HP, 12V (21539)	\$124.06
1414	3450 RPM, 1/4 HP, 115/240V (21344)	\$ 97.55
1415	3450 RPM, 1/4 HP, 240V (2899)	\$ 77.36

Beckett & Wayne Burner Parts

PART # DESCRIPTION / PRICE

1350	Universal Burner to Coil Gasket	\$ 2.34
1217	Blower Wheel, Beckett SF - SM 5-3/4D x 3-7/16W	\$14.49
1312	Blower Wheel, Beckett AFG 4-1/4 x 2-7/16	\$11.48
1197	Blower Wheel, Beckett ADC 5-3/4D x 3-7/16W	\$14.66
1261	Blower Wheel, Beckett SR 6-1/4D x 3-7/16W	\$16.26
1199	Blower Wheel, Beckett SDC 5-3/4D x 3-7/16W	\$16.26
1170	Blower Wheel, Wayne 5-3/16 x 3-7/16	\$ 6.88
1201	Blower Wheel, Wayne 6-1/4 x 4-3/16	\$19.02
1171	Blower Wheel, Wayne 4-1/4 x 3-1/8	\$ 5.76
1277	Blower Wheel to Pump Coupling Beckett SM - SF	\$ 4.76
1278	Blower Wheel to Pump Coupling Beckett AFG	\$ 3.88
1198	Blower Wheel to Pump Coupling Beckett ADC	\$ 3.91
1200	Blower Wheel to Pump Coupling Beckett SDC	\$ 4.07





SET-UP YOUR OWN 12 VOLT BURNER DIAGNOSTIC CENTER

It will tell you in 2 seconds what it would normally take 2 hours to figure out on your own. A very simple wiring job using the enclosed instructions will have you up and running with a complete 12 volt burner diagnostic center on your machine in 'no time flat.'

It takes them 2 HOURS

to figure out why their burner is not working.

It will take you **2 SECONDS!**

PART#	PRICE
4001	\$119.74

If your burner stops... just look at the lights.

> The one that is **NOT LIT** is the problem.

Change that part and you are back up running.

12 Volt Burner Relay

Most 12 Volt Burner failures come as a result of the tremendous spiking that occurs when the burner cycles between on and off.

This relay comes with easy to install instructions. It acts as a "shock absorber' as this erratic electricity passes from the battery to the burner.

The installation of either of these relays virtually eliminates 12V burner problems.



WINCO GENERATOR

- Rotates in either direction

PART # DESCRIPTION / PRICE

1434	2,000 WATTS WINCO GENERATOR	\$459.86
1435	BRUSH (3 REQUIRED) FOR 2000 WATT #1434	\$ 10.78
1436	RECEPTACLE (2 REQUIRED) FOR 2000 WATT #1434	\$ 9.32
1437	RECTIFIER (1 REQUIRED) FOR 2000 WATT #1434	\$ 37.66



Beckett Nozzle Gauge

This gauge is used to set the proper electrode gap on Beckett Burners.

- Remove Burner from Coil Assembly
- Butt the gauge up against the Burner Nozzle and set electrodes
 PART# PRICE

4501 \$2.49

CHEK-MATE Transformer/Igniter Tester



No more guessing!

 Simply touch the two electrodes and if the light comes on the unit is working properly.

PART # 1947

PRICE \$54.36

Resteable Fuses & Diagnostic Center Lights



- Use 10 AMPs for flow, pressure, vac, hi-limit switches & thermostats
- Use 30 AMP for Burner Motors, On/Off

PART #	ALL CIRCUIT BREAKERS \$5.3
1741	10 AMP Circuit Breaker
1742	15 AMP Circuit Breaker
1743	30 AMP Circuit Breaker



PART#	ALL REPLACEMENT LIGHTS \$14.67
5796	Flow Switch Light - Blue - 12V
5797	Thermostat Light - Red - 12V
5798	Hi-Limit Light - Yellow - 12V
5790	Flow Switch Light - Blue - 115V
5791	Thermostat Light - Red - 115V
5792	Hi-Limit Light - Yellow - 115V

NEED A COIL or Coil Replacement Parts

We can match-up any coil you are trying to replace.

- We build them better than original equipment
- Custom Coil Available for those exotic projects we can all come up with.

REPLACEMENT DISC FOR COIL END CAPS



PART # DESCRIPTION



COIL INSULATION BLANKET

- Coil wraps need special insulation
- This is enough to do one coil
- You should always keep a spare wrap on hand because it is doubtful that you will find it locally in case of an emergency

PART # PRICE 1037 \$29.63

EnviroSpec

Burner Fuel Pump Pressure Gauge

- Fuel pumps run between 100 & 150 PSI
- Comes ready to mount with a 2 1/2" x 1/8" pipe



PART # DESCRIPTION / PRICE

1128 200 PSI GAUGE/TESTER \$5.91

BURNER/COIL SOOT REMOVER

Cleans burner tips, improves burner efficiency, delivers more heat from less fuel and combats the formation of sludge and gum deposits in the fuel tank, line and filter.



NOTE: PART # DESCRIPTION / PRICE
This product 6998 1 PINT \$ 9.93
can not ship 'AIR' 6999 1 QUART \$17.12

Fuel Filter Mounting Block



- 1/4" FPT inlet and outlet
- · Bolts directly to the frame or remotely
- Takes the load off the burner fuel pump

PART # PRICE 1115 \$7.16

Coil Blow Out Valve





- Install on inlet side of pump
- Use air pressure to blow water out of the system to prevent freezing.

PART # PRICE 1074 \$4.88

We Carry the Complete Line of:

KUBOTA, KOHLER & LOMBARDINI

ALL DIESELS COME WITH SHAFT, RADIATOR, FAN & CONTROLS



= TECHNICAL DATA ON WEB



- **KD350** \$1548.80
 - 1 Cylinder » 349 cc
 - » 5.0 kW/6.7 HP
 - » 3600 RPM
 - » 12.2 ft. lbs @ 2400 RPM



- **KD420** \$1798.80
 - 1 Cylinder » 442 cc
 - » 7.3 kW/9.8 hp
 - » 3600 rpm
 - » 17 ft lbs @ 2200 rpm



- **KD477** \$3338.07
 - 2 Cylinders » 954 cc
 - » 16.2 kW/21.7 HP
 - » 3600 RPM
 - » 40.6 ft. lbs. @ 2200 RPM



- CKD625-2 \$3515.72
 - 2 Cylinders » 1248 cc
 - » 18.8 kW/25.2 HP
 - » 3000 RPM
 - » 55.3 ft. lbs. @ 2000 RPM



- **KDW702** \$3429.92
 - 2 Cylinders » 686 cc
 - » 12.5 kW/16.8 HP
 - » 3600 RPM
 - » 29.9 ft. lbs @ 2000 RPM



- **KDW1003** \$3644.72
 - 3 Cylinders » 1028 cc
 - » 19.5 kW/26.1 HP
 - » 3600 RPM
 - » 47.2 ft. lbs. @ 2000 RPM



- **KDW1404** \$4494.66
 - 4 Cylinders » 1372 cc
 - » 26 kW/34.9 HP
 - » 3600 RPM
 - » 62 ft. lbs. @ 2000 RPM



- **KDW1603** \$4704.94
 - 3 Cylinders » 1649 cc
 - » 30.0 kW/40.8 HP
 - » 3000 RPM
 - » 83.3 ft. lbs. @ 1600 RPM



- **KDW2204** \$5545.92
 - 4 Cylinders » 2199 cc
 - » 38 kW/51 HP
 - » 3000 RPM
 - » 106.2 ft. lbs. @ 2000 RPM





14 HP

EnviroSpec

We Carry the Complete Line of:

KOHLER & KUBOTA CAS ENGINES



New from... KOHLER.



KUB65 KUBOTA 65 HP Diesel w/Shaft and Controls



GAS ENGINES

CS7T	Kohler, 7 HP, 3/4" Shaft, w/Muf.	\$295.60
1772	Kohler, 8.5 HP, 1" Shaft, w/Muf.	\$591.87
2068	Honda, 13 HP, 1" Shaft, w/Muf.	\$522.30
KO14	Kohler, 14 HP, 1" Shaft, w/Muf.	\$463.59
KO14E	Kohler, E/Start, 14 HP, 1" Shaft, w/Muf.	\$643.12
1829	Kohler, 18 HP, 20 Amp Recharge, 1" - w/OFS Muf.	\$882.80
1732	Vanguard, 18 HP, 20 Amp Recharge, 1" Shaft w/Muf.	\$799.21
1830	Kohler, 22 HP, 25 Amp Recharge, 1-1/8" Shaft	\$1219.61
1831	Kohler, 25 HP, 25 Amp Recharge, 1" Shaft	\$1276.26
1832	Kohler, 27 HP, 25 Amp Recharge, 1-1/8" Shaft	\$1557.45
2888	Kohler, 28 HP, Water Cooled, 25 Amp, 1-1/8" Shaft Includes Control Module, Use Muffler #2340	\$1696.03
1833	Kohler, 28 HP, EFI Fuel Miser, 25 Amp, 1-1/8" Shaft	\$1912.37
1834	Kohler, 30 HP, 25 Amp Recharge, 1-1/8" Shaft	\$1783.49
1836	Kohler, 40 HP, 25 Amp Recharge, 1-7/16" Shaft	\$2481.80

MUFFLERS

1279	Kohler, 18-22 HP, Top Mount, Oil Filter Side	\$ 79.03
1280	Kohler, 18-22 HP, Top Mount, Starter Side	\$ 88.06
1282	Kohler, 18-22 HP, Low Mount, Oil Filter Side	\$109.91
1281	Kohler, 18-22 HP, Low Mount, Starter Side	\$ 99.75
1283	Kohler, 25-30 HP, Top Mount , Oil Filter Side	\$ 99.75
1284	Kohler, 25-30 HP, Top Mount , Starter Side	\$ 99.75
1286	Kohler, 25-27 HP, Low Mount Oil Filter Side	\$191.07
1285	Kohler, 25-27 HP, Low Mount Starter Side	\$191.07
2340	Kohler, 28 Water Cooled, Oil Filter Side	\$ 99.75

Kohler Engine Filters

PART #	Description	PRICE
1837	Long oil filter / Pro Series	\$ 7.41
1838	Short oil filter / Pro Series	\$ 7.62
1839	Fuel filter	\$ 6.66
1840	Air filter/Pre-Cleaner fits CH-25 & CH-27	\$7.79
1841	Pre-cleaner fits CH-25 & CH-27	\$ 3.07
1842	Air filter/Pre-Cleaner,CH-18, CH-20, CH-22	\$ 6.72
1843	Pre-cleaner fits CH-18, 20 & 22	\$ 3.07
3932	Donalson Air Filter for Our 28 WC, 30 & 38	\$16.46
3933	Donalson Safety Filter for 3932 above	\$19.16
200	The Control of the Co	



Key-Way Stock Premium

• 1/4" key stock for engine shafts

• A MUST for gear drive systems

 Heat treated for longer life and

higher horsepowers



Honda & Briggs Filters

and the		
PART #	Description	PRICE
1613	Honda Air Filter for GC160	\$ 6.06
1614	Honda Air Filter for GX160 & GX 200	\$ 5.83
1615	Honda Air Filter for GX240 & GX270	\$ 5.78
1616	Honda Air filter for GX340 & GX390	\$ 6.88
1733	Vanguard Pre-cleaner	\$ 3.03
1734	Vanguard Oil Filter	\$ 7.51
1735	Vanguard Air Filter	\$12.90
1617	Honda Oil Filter for GX620 or GX670	\$ 8.70
1618	Honda Spark Plug for GC & GX 4 HP to 13 HP	\$ 1.49
4701	Spark Plug Kohler Kohler 7 HP	\$ 6.90
4702	Spark Plug Kohler14 & 18 & Vanguard 18	\$ 2.76
4703	Spark Plug Kohler 22, 25, 27, 28 & 30 HP	\$ 4.58
4704	Spark Plug Kohler 40 HP	\$12.70
4705	Spark Plug Kohler Agis Liquid Cooled	\$ 2.76
1619	Honda Dip Stick for GS260 & GX390	\$ 5.82
1620	Honda Dip Stick for GC135 & GX200	\$ 5.82

Oil Drain PART # / PRICE

\$5.35

Super Hard

PART#





- No more "messy" oil changes



NEW FROM KOHLER



Change Oil... Engines 50 hrs. Pumps 500 hrs. Gear Box 500 hrs.

> 6440 \$39.53 6441 \$39.53

6440 KIT Fits 18 HP bought from EnviroSpec 6441 KIT Fits all Kohlers 22 HP through 30 HP

Universal Starter Solenoid



- For gas engines
- 5/16: double terminal

PART # / PRICE 1427 \$8.86 · Same as used on Vanguards





Simple to install easy to use

· Will not fit Honda



PART # / PRICE 1991 \$41.12

PART # / PRICE

1196 \$.79

- 36" Cable can be cut to fit
- For precise engine speed control
- Auto Pre-sets

Industrial

• 1/4" Thick Wall

Priced per foot

For Gas or Diesel

- Push Pull or 'Snap' Pull and lock
- · Designed for harsh, moist environments



Tiny-Tach / Hour Meter

- Takes the "guess work" out of pressure washer problems
- #1429 works on all 1 & 2 cylinder GAS engines.
- #3407 is for DIESEL engines regardless of cylinders up to 10,000 RPM. It has a solid state, quartz crystal control.

PART# DESCRIPTION / PRICE 1429 For Gas Engines \$ 33.77 3407 For Diesel Engines \$127.24

ALLISON PREMIUM CART SYSTEMS

REPLACEMENT CART FOR ANY 13 to 18 HP BELT DRIVE SYSTEM

- Aircraft Aluminum
 Pre-drilled for most engines
- These are the finest replacement cart in the industry.

9900 \$237.32 This is a Belt Drive Frame 10 x 25 x 3/8 Aluminum Pre-Drilled for Honda

9901 \$197.12

This is a Signature Gear Drive Frame 10" x 30" x 1/4" Aircraft Aluminum Pre-Drilled for 18 thru 30 Kohlers



BASE PLATE handles up to 30 HP Engines

- Handles engines up to 30 HP
- Pre-drilled for most engines
- Rubber feet provides shock absorption between unit and bed of truck/trailer.



Replacement Gas Cap

• Fits all Honda PART # / PRICE GX series engines 1129 \$3.11



Marine Battery Box



- High density plastic
- Tie-down hardware included
- Marine grade

PART # DESCRIPTION / PRICE Large - Standard Size \$9.98 4690 Small - U1 - Tractor \$9.98

Universal Key Switch

1430 \$18.45

- Fits all Engines
- ON/OFF/Start
- Springs back to "ON"
- Panel Mounts
- Two Keys included









Molded Foot

PREMIUM 2-WHEEL CART

Includes: 100' Reel **Tool Tray** Hose Hanger **Vibration Mounts** 13" Premium Tires **Powder Coated Steel**



#RC-101 \$163.58

Replacement Cart Parts

PART#	DESCRIPTION / PRICE	3	3
1778	10" Foam filled, never flat tire/wheel	\$1	2.4
1773	13" Pneumatic Tire/wheel for 3/4" Axle	\$1	6.87
1779	13" Foam filled, never flat tire/wheel	\$2	3.8
2330	Best Buy - Normally sells for \$47.80 13" Premium Mag never flat tire/wheel	\$2	3.90
1774	Axle Cap, nickel, fits 5/8" axle	\$.89
1775	Axle Cap, nickel, fits 3/4" axle	\$.97
1776	Rubber Foot, round	\$.86
1777	Molded Rubber Foot	\$	94

Premium Battery Terminal

- Works on all battery cables
- Heavy duty lead construction
- Keep lubed with lithium grease

PART # / PRICE

1825 \$1.49






Are you up to Code or are you using a 5 gallon 'soap bucket' as your Gas Can? **BE SAFE - NOT SORRY**

Plumbed to fit all 'tankless' pressure washers

#4121 \$48.62



9-GALLON **FUEL TANK**

ALLISON 24 GALLON **FUEL TANKS**




Mounting Hardware, Cap and Fuel Pick-up Tube included

Includes 1/4" Bottom Drain

31.5" Long 17" Wide 11" High

PART#	DESCRIPTION	PRICE
9400	RED 24 Gallon Tank for GAS ONLY	\$176.19
9401	BLUE 24 Gallon Tank for Diesel & Kerosene	\$176.19

WIRE LOOM No more tangled electrical wires DESCRIPTION / PRICE 1/4" X 8 FEET 4455 \$3.70 4457 1/2" X 8 FEET \$4.80 5/8" X 8 FEET \$5.20



RUBBER



Eliminates hose wear due to vibration

PART#	DESCRIPT	ION/PRICE
95302	1/4"	\$.76
95304	3/8"	\$.76
95306	1/2′	\$.98
95310	3/4"	\$1.08
95314	1.0"	\$1.29
95318	1-1/4"	\$1.94
95322	1-1/2"	\$2.41

ACID RESISTANT '316' Satinless Steel

PART #	DESCRIPTION	PRICE
90014	1/4" - 9/16"	\$2.75
90017	7/16" - 11/16"	\$3.19
90024	5/8" - 15/16"	\$3.33
90032	1" - 1-1/4	\$3.84

ENGINE THROTTLE DOWN

- · Idles the engine down when you release the trigger.
- · Returns to full throttle when the trigger is pulled.
- · Not to be used on hot water machines equipped with a generator.





DUAL PUMPER FRAME

Pre-drilled for the following:

- 18-40 HP Kohler
- Dual or Single Pump Drive
- Dual or Single Pump Adjusters
- Generator with Single Pump



- O Dual or Single Chem Induction Systems
- Oil Drain Holes
- Tank Sold Separately
- Includes Battery Box
- Belt Guard

#9997 \$797.83

Gear Boxes

 Fits 1450 RPM Pumps with 24MM Pump Shaft & reduces pump speed to 1450 RPM when installed on a 3600 RPM Engine.





PART #	that have a 24MM Shaft	PRICE
5320	UDOR Gear Box for 1-1"Shaft PREMIUM GEAR BOX - Used on Iron Horse Use on Engines up to 30 HP	\$229.84
5321	UDOR Gear Box for 1-1/8" Shaft PREMIUM GEAR BOX - Used on Iron Horse Use on Engines up to 30 HP	\$229.84
1028	'PA' Dual Bearing Heavy Duty Gear Box 1" Eng Shaft	\$219.97

Use on Engines up to 30 HP 'PA' Dual Bearing Heavy Duty Gear Box

Use on Engines up to 30 HP

1-1/8" Shaft

1029

GET 10 TIMES THE LIFE OUT OF YOUR PUMP

\$219.97

JUST BY INSTALLING THIS 12V CLUTCH



FOR GAS ENGINES UP TO 22 HP

PART # PRICE 9333 \$215.76

You will absolutely love... ...this set-up!

Super Easy Call for Instructions on this... super easy Install!

Pump Pulleys and Bushings

To help you select the right pulley and bushing here are a few combinations that we recommend.

12 Volt with a...

1450 RPM Pump Pulley = 8.401750 RPM Pump Pulley = 7.40Pump Pulley Bushing* = 24mm Engine Pulley for 1450 = 3.40Engine Pulley for 1750 = 3.60Engine Pulley Bushing** = 1"

*assuming the pump has a 24mm shaft *assuming the engine has a 1' shaft





Part #	Pulley Size	
1654	3.00 - 2-Groove "B"	\$42.35
1655	3.20 - 2-Groove "B"	\$42.35
1656	3.40 - 2-Groove "B"	\$42.35
1658	3.60 - 2-Groove "B"	\$42.35
1659	3.90 - 2-Groove "B"	\$42.35
1661	6.40 - 2-Groove "B"	\$42.35
1662	7.40 - 2-Groove "B"	\$60.37
1663	8.40 - 2-Groove "B"	\$68.85

Here is the way you determine the correct pulley size. First you need to determine the pump manufacturers recommended rpm. Then you have to remember that the gas engine runs at 3600 rpm. So here we go.

Let's say you have a 3.40 engine pulley and you want to find the correct pump pulley.

3.40 x engine speed (3600 rpm) = 12240 then divide by the pump rpm (let's say 1450) = 8.44 pump pulley. What they don't make a 8.44? Just get close. In this case get the 8.4 pulley size.

You can figure any pulley size you need just by knowing 3 of the four questions. 1: Pump RPM 2. Pump Pulley Size 3. Engine RPM & 4. Engine Pulley Size. Any 3... ex. 1 x's 2 divided by 3 = 4/3 x's 4 divided by 1 - 2

Part #	Required Bushings					
1025	5/8" For Engine	\$11.37				
1026	1.0" For Engine	\$11.37				
1027	1-1/8 For Engine	\$11.37				
1032	20mm For Pump	\$11.37				
1033	24mm For Pump	\$11.37				
1034	32mm For Pump	\$11.37				





PULLEY-PULLER

I'll bet there have been times when you wish you had one of these!

PART # PRICE 3342 \$17.83

OIL CAPS



PART # DESCRIPTION / PRICE

OIL DIP STICK, GENERAL PUMPS \$11.87 1887

OIL CAP, CAT, PUMPS 5DX, 66DX, 5CP \$14.16

OIL CAP, CAT, PUMPS 2SF, 4SF, 2DX \$12.16

Gauge Port Valve Cap

· Mount the gauge on the pump



PART # DESCRIPTION / PRICE

1060 For EZ General Pumps \$19.46

1061 For TS2021, TS1511, all T & TS Generals \$19.46

Replacement Site Glass



PART # DESCRIPTION / PRICE

1421 TSF Series General Pumps

OIL LEVEL INDICATOR. \$9.89 General Pumps T & TS Series 47 (TS-2021) - T991 Series, TT & TP Series

TALL PUMP RAILS



#1653 \$29.95

ALLISON PUMP SAVER

FOR "DC" CURRENT ONLY DO NOT INSTALL ON AC CURRENT



 Shuts engine down before the pump head overheats & destroys the packings.

• Hooks to the pump inlet and senses incoming "by-pass" water temperature. If the water reaches 145°F the Terminator "kills" the engine.

 Keep in mind if you leave the trigger gun in the "off" position for more than 3 minutes chances are the pump head has already reached 145°F

Pump Oil

PART # / PRICE

1990 \$14.65

Ideal for high pressure pumps. Non detergent and non foaming. Specially formulated and rated for superior rust protection and oxidation protection. Not for use in engine.





\$24.93

\$99.36

\$10.36





Note: Change oil after the first 50 hours of operation, then every 3 months or as

Fill oil half-way on the indicator site glass only. **Tape - T**eflon/Electrical

GENERAL PUMP OIL, 6 PACK / 16 OZ. BOTTLES

GENERAL PUMP OIL, 24 PACK / 16 OZ. BOTTLES

CAT CRANKCASE OIL - 21 OZ. BOTTLE

Professional quality

1064





PART# D	ESCRIPTION	/ DRICE

1651	TAPE, TEFLON 520' x 1/2"	\$0.49
2151	USA PREMIUM TEFLON, 520' x 1/2"	\$1.48
1601	TAPE FLECTRICAL 3/4" X 60' III	\$0.95

Thread Locker



- Seal and Locks Fittings & Plumbing
- The Name Brand goes for \$139.99

PART # DESCRIPTION / PRICE

1057	THREAD LOCKER, MEDIUM	\$45.8
1058	THREAD LOCKER, HIGH STRENGTH	\$45.8

Sewer Jetting Valves for General Pumps

- Increase your service by turning your General Pump into a sewer jetting machine.
- Simply remove the center high pressure valve cap & check valve and install the jetter valve in it's place.
- Then when you want a jetter turn the knob and the jetter hose will start pulling itself along.

Call for other brands of pumps.



PART#	DESCRIPTION	
1004	For TT Series General Pumps	\$69.3
1005	For EZ Series General Pumps	\$69.3
1006	For T & TS General Pumps	\$69.3
3340	For TSF Series General Pumps	\$69.3

Value Kit #1

Part Number 2035 \$325.17

GENERAL PUMPS

- 6 Hi-Temp Check Valves
- 3 Complete Sets of Hi-Temp Packings
- 3 Sets of Packing Brass
- 3 Ceramic Coated Pistons (packings and brass are pre-assembled)

Fits These Pumps

TS-2021, TS2011, T9131, T1011, T9161, T1511, T9211, T2031, TS1021, TS1011, TS1331, TS1511, TS1711, TS821

Value Kit #2

Part Number 2036 \$289.12 GENERAL PUMPS

- 6 Check Valves
- 3 Complete Sets of Standard Packings
- 3 Sets of Packing Brass
- 3 Ceramic Coated Pistons (packings and brass are pre-assembled)

Fits These Pumps

TS-2021, TS2011, T9131, T1011, T9161, T1511, T9211, T2031, TS1021, TS1011, TS1331, TS1511, TS1711, TS821

Pump Head Pressure Tester



- Not sure why you are losing pressure
- Remove Unloader and attach direct to head

Ceramic

Coated Pistons

- INSTALL CORRECTLY SIZED NOZZLE
- Hold trigger securely and start engine and see exactly what your pump is capable of producing



HIGH TEMP CHECK VALVES

#2034 - \$94.63

The same as a Kit 1 General except it is rated for 185°



Fits: TS2021, TS1011, TS1321. TS1331. TS1511. TS1021. TS1621. TS1711. TS2011. TS2011. TS821, TT941, TT941, TT9351. TT9441. TT2028E. TT2035. TT9061. TT9071, T9051, T9721, T9731, T9971, T921, T731, T991, T9951, T9971, T921, T9131, T1011, T1321, 59161, T511, T1621, T1631, T9211, T2011, T2031, T9281, T9051EBF,

Pressure Gauges

- Stainless Steel case 2-1/2" Face
- Bottom 1/4" Mount Glycerine filled

PART # DESCRIPTION

- 1130 PRESSURE GAUGE, 3,000 PSI \$9.73
- 1131 PRESSURE GAUGE, 4,500 PSI \$9.73
- 1132 PRESSURE GAUGE, 6,000 PSI \$9.73
- 1133 PRESSURE GAUGE, 10,000 PSI \$9.73

20mm Piston fits:

22mm Piston fits:T921, T1321, T1621, T1631, T921, TS1321, TS1621

• 6 Hi-Ter • 3 Comp

Value Kit#3

EnviroSpec

Part Number 2037 \$168.71 GENERAL PUMPS

- 6 Hi-Temp Check Valves
- 3 Complete Sets of Hi-Temp Packings
- 3 Sets of Packing Brass

(packings and brass are pre-assembled)

If you are having a pressure problem you can usually tell if it is the 'check valve' by feeling and watching the high pressure hose. Worn or damaged 'check valves' will cause the hose to vibrate.

Fits These Pumps

TS-2021, TS2011, T9131, T1011, T9161, T1511, T9211, T2031, TS1021, TS1011, TS1331, TS1511, TS1711, TS821

Value Kit #4

Part Number 2038 \$132.83
GENERAL PUMPS

- 6 Standard Check Valves
- 3 Complete Sets of Standard Packings
- 3 Sets of Packing Brass (packings and brass are pre-assembled)

Large Frame pumps (over 30 lbs) can handle 145-160° head temperature while smaller pumps handle 130°. A pump will see temps around 175° if you allow the machine to run for more than 3 minutes without pulling the trigger.

Fits These Pumps


TS-2021, TS2011, T9131, T1011, T9161, T1511, T9211, T2031, TS1021, TS1011, TS1331, TS1511, TS1711, TS821

'QC' Pressure Test Tool

Connect between the unloader and hose

• 6,000 PSI









PART # 1232

PART # DESCRIPTION

4505 STAINLESS STEEL BODY - NO GAUGE \$ 8.78 4506 STAINLESS STEEL BODY w/GAUGE \$12.97

On this page we pay the freight on \$50.00 Web Orders or \$200.00 Call-in Orders

1071

\$23.16

PART#

DESCRIPTION



WORLD LEADER IN PLUNGER PUMPS



Here is your crossover for pumps that fall into the 5.5 GPM @ 3,500 PSI Series

A-R RW-21 5.5 @ 3500 PSI Weighs 31 lbs.

CAT 7F-59 5.5 @ 3500 PSI Weighs 29 lbs.

COMET RW5535S 5.5 @ 3500 PSI Weighs 27 lbs.

GENERAL TS2021 5.6 @ 3500 PSI Weighs 32 lbs.

UDOR GC2120-E 5.5 @ 3500 PSI Weighs 36 lbs.

PLUNGER PUMPS

Without a doubt...
...the best money can buy!

GC2120GR	\$610.60	GKCW3814S	\$656.80
GC2120GR GC2120GR118	\$610.60	GKD5540S	\$583.30
GC2120E	\$526.60	GKD5550S	\$789.10
GC2120EL	\$526.60	GKD7035S	\$602.20
GC2620GR	\$633.70	GKD7045S	\$797.50
GC2620GR118	\$633.70	GSC2715S	\$2,503.63
GC2620S	\$484.60	GSC3415S	\$2,503.63
GC3017GR GC3017GR118	\$652.60 \$652.60	GSC4215S MC1320S	\$2,503.63 \$314.50
GC3017GK116	\$499.30	MC1520GR	\$480.40
GC3815GR	\$713.50	MC1520S	\$314.50
GC3815GR118	\$713.50	MC1820S	\$333.40
GC3815S	\$560.20	MD4020S	\$314.50
GD5530S	\$459.40	MD4020U	\$339.70
GD7022S	\$484.60	MD4030S	\$314.50
GD8022S GD8022SL	\$499.30 \$499.30	MD4030U MD40L	\$339.70 \$339.70
GHC1250GR	\$1,578.70	MD5025S	\$333.40
GHC1250GR118		MD5025SL	\$320.80
GHC1250S	\$1,387.60	MD5025U	\$350.20
GHC1650GR	\$1,578.70	MD5025UL	\$350.20
GHC1650GR118		MD5030U	\$375.40
GHC1650S	\$1,387.60	MKC1328S	\$362.80
GHD3075S GHD4575S	\$1,387.60	MKC1528S MKC1824S	\$362.80
GHD4575S GKC1230GR	\$1,387.60 \$868.90	MKC2024S	\$381.70 \$394.30
GKC1728GR	\$726.10	MKCW3100	\$560.20
GKC1728GR118	\$726.10	MKD4030U	\$400.60
GKC1728S	\$572.80	MKD4030UL	\$503.50
GKC1735GR	\$942.40	MKD4040S	\$362.80
GKC1735GR118		MKD4530U	\$503.50
GKC1735S	\$789.10 \$1,139.80	MKD4530UL	\$503.50
GKC1940GR GKC1940GR118		MKD5035S MKL3540W	\$381.70 \$362.80
GKC1940S	\$980.20	MKL4040W	\$362.80
GKC2128GR	\$736.60	MKL4040WL	\$362.80
GKC2128GR118	\$736.60	MKL5035W	\$381.70
GKC2128S	\$583.30	ML3530W	\$304.00
GKC2135GR	\$955.00	ML3530WL	\$304.00
GKC2135GR118 GKC2135S	\$955.00 \$797.50	ML3535W ML4030W	\$354.40 \$304.00
GKC2624GR	\$757.50	ML4030WL	\$304.00
GKC2624GR118		ML4035W	\$354.40
GKC2624S	\$602.20	ML5030W	\$320.80
GKC2628GR	\$770.20	MSC1615S	\$1,522.00
GKC2628GR118		MSC2015S	\$1,522.00
GKC2628S	\$614.80	PC1117S	\$245.20
GKC3020GR	\$772.30	PC1315S	\$245.20
GKC3020GR118 GKC3020S	\$772.30 \$616.90	PD1020Z PD1520Z	\$243.10 \$243.10
GKC3024GR	\$816.40	PD2020Z	\$243.10
GKC3024GR118	\$816.40	PD3015ZA	\$207.40
GKC3024S	\$637.90	PD3020S	\$243.10
GKC3817GR	\$795.40	PD3020Z	\$245.20
GKC3817GR118		PD3020ZL	\$245.20
GKC3817S GKC3817SL	\$642.10	PD3520S	\$245.20
GKC3817SL GKC3820GR	\$642.10 \$835.30	PD4015S PD4015T	\$245.20 \$278.80
GKC3820GR118		PD40157	\$249.40
GKC3820S	\$656.80	PDCW4015S	\$245.20
GKC4215GR	\$816.40	PDCW4015Z	\$249.40
GKC4215GR118	\$816.40	PL2020Z	\$243.10
GKC4215S	\$656.80	PL2020ZL	\$243.10
GKC4215SL	\$656.80	PL2520T	\$243.10
GKC5012GR GKC5012GR118	\$835.30 \$835.30	PL2525TV PL3020T	\$287.20 \$243.10
GKC5012GR118 GKC5012S	\$682.00	PL30201 PL3020Z	\$243.10 \$245.20
GKCW1814S	\$602.20	PL3020ZL	\$245.20
GKCW2114S	\$616.90	PL3025T	\$249.40
GKCW3014S	\$642.10	PL3522T	\$249.40

For the Specifications of any pump please visit our web site

http://www envirospec.com

or call 1-800-346-4876



DIAPHRAGM PUMPS

Without a doubt... ...the best money can buy!

B110CC	\$1,683.81	K40WOC	\$391.63
B150CC	\$2,060.98	K43	\$487.59
B200CC	\$2,877.80	K43GR	\$704.08
B240CC	\$2,949.22	K43GRWOC	\$623.74
I18E	\$329.15	K43WOC	\$391.63
I18M	\$650.52	K53	\$503.22
120	\$329.15	K53GR	\$797.81
I20GR	\$429.57	K53GR8	\$824.59
I20GR58	\$429.57	K53WOC	\$405.03
I20GRV	\$447.42	K55	\$639.35
120H	\$532.23	K55GR5	\$860.30
I20M220V	\$690.69	K55GR5WOC	\$762.11
K100	\$936.18	K55GR8	\$911.63
K100C	\$911.63	K55GR8WOC	\$813.43
K100CC	\$989.74	K55TS	\$688.45
K100CIND	\$940.65	K55WOC	\$545.62
K100CWOC	\$784.42	K7115V	\$576.86
K100CWOD	\$846.91	K712V	\$485.37
K100GR	\$1,311.12	K712VHP	\$639.35
K100TS	\$989.74	K75	\$820.13
K100VAIND	\$1,027.68	K75CC	\$882.62
K100WOC	\$811.20	K75GR	\$1,094.63
K120CC	\$1,471.80	K75GRWOC	\$971.89
K120GR	\$1,889.13	K75TS	\$882.62
K120TS	\$1,534.29	K75WOC	\$695.15
K150CC	\$1,690.51	K7DC	\$259.96
K150GR	\$2,054.28	O140CC	\$1,460.64
K150GRASSY	\$5,263.54	O170CC	\$1,692.74
K150TS	\$1,750.77	R110	\$683.99
K1512V	\$485.37	R1102S	\$683.99
K1512VHP	\$610.35	R110C	\$663.91
K15CS	\$262.19	R110GR	\$962.96
K15DC	\$259.96	R130C	\$692.92
K15GR	\$355.93	R160C	\$1,045.53
K15GR58	\$355.93	R160CC	\$1,052.23
K15GR58CI	\$507.69	R160H	\$1,125.88
K15GRCI	\$507.69	R210CC	\$1,346.82
K1812V	\$507.69	R250CC	\$1,384.76
K18DC	\$284.51	R250H	\$1,451.71
K16DC	\$420.64	R320CC	\$1,701.67
K2512V	\$1,668.20	R70	\$489.83
K25GR	\$483.13	R70115V	\$1,619.10
K25WOC	\$320.22	R7012V	\$1,619.10
K30	\$474.20	R70GR5	\$721.93
K30115V	\$1,574.46	RP4401D	\$188.54
K3012V	\$1,574.46	Z40E	\$619.27
K30GR	\$695.15	Z40EGR5	\$826.82
K30WOC	\$378.24	Z40GRWOC	\$1,020.99
K33	\$474.20	Z40P	\$873.69
K3312V	\$1,996.26	Z40PGR	\$1,099.09
K33GR	\$697.38	Z40PGRWOC	\$1,020.99
K33WOC	\$396.10	Z40PWOC	\$777.72
K40	\$487.59	Z85	\$668.37
K40115V	\$1,574.46	Z85C	\$492.06
K4012V	\$1,574.46	Z85GR5	\$873.69
K40GR	\$704.08	Z85P	\$933.94
K40GRWOC	\$619.27	Z85PGR5	\$1,154.89
K40TS	\$514.38	Z85WOC	\$512.29

DIAPHRAGM

UDOR DIAPHRAGM PUMP FEATURES

- Over 40 Years Of Diaphragm Pump Experience.
- One Piece Stainless Steel Diaphragm Bolts.
- Heavy Duty Pre-Formed Urethane Diaphragms.
- Can Be Run Dry.
- Visual Oil Sight Gauges.
- Self-Priming Operation.
- Stainless Steel Check Valves.
- Large Capacity Oil Bath Crank Cases
- Compatible with Most Fluids
- Adapt Easily To PTO, Gas Engine, Hydraulic & Belt Drive Applications.
- Maximum Fluid Temperature, 140° F.
- Custom Pumps Available To 200° F.
- Largest Selection of Flows, Pressures & Drive Options Available.

REPAIR KITS FOR ALL UDORS

UD1	\$57.87	UD33	\$57.15
UD10	\$70.63	UD37	\$10.00
UD106	\$42.70	UD38P	\$85.60
UD107	\$10.00	UD3P	\$127.72
UD10P	\$130.81	UD3PPV	\$135.33
UD11	\$72.37	UD3PV	\$87.34
UD111	\$133.06	UD4	\$20.91
UD112	\$129.19	UD40	\$24.97
UD113	\$22.71	UD41	\$88.24
UD114	\$178.09	UD42	\$70.38
UD115	\$30.39	UD5	\$21.87
UD116	\$115.92	UD6	\$47.86
UD117	\$123.91	UD63	\$83.92
UD119	\$93.34	UD63P	\$161.91
UD11P	\$138.42	UD64	\$81.40
UD12	\$74.37	UD7	\$65.22
UD123	\$25.48	UD70	\$173.25
UD12P	\$146.04	UD71	\$127.72
UD13	\$51.99	UD72	\$142.93
UD14	\$52.90	UD78P	\$84.88
UD15	\$52.90	UD8	\$67.21
UD16	\$59.02	UD80P	\$130.81
UD17	\$66.45	UD85	\$44.64
UD17P	\$123.21	UD85P	\$81.99
UD18	\$68.38	UD86	\$187.18
UD18P	\$130.81	UD86P	\$444.42
UD19	\$70.38	UD87	\$121.92
UD19P	\$138.42	UD87P	\$183.00
UD2	\$60.00	UD88	\$316.77
UD20	\$20.91	UD88P	\$485.88
UD28	\$67.21	UD8B	\$10.00
UD28B	\$69.99	UD9	\$69.28
UD29	\$52.90	UD93	\$129.52
UD3	\$66.96	UD94	\$147.13
UD30	\$63.22	UD95	\$156.28
UD31	\$69.28	UD96	\$157.65
UD31P	\$135.33	UD97	\$161.19
UD31PPV	\$142.93	UD98	\$161.19
UD31PV	\$82.95	UD99	\$185.77

APPLICATIONS INCLUDE:

Chlorine Roof Cleaning

Lawn Care • Pest Control

Crop Spraying • Hydrostatic Testing

Air Craft De-Icing . Spray Insulation Ground and Sod Aeration

De-Mucking • Pressure Washing

Sewer Jetting • Car/Truck Washing

Tree Debarking • Reverse Osmosis

Mist Cooling . Food Processing





SUPER DUTY MK-Series High Pressure Plunger Pumps

- Heavy Duty Bronze or High Strength Aluminum Alloy Connecting Rod Assemblies 1 lb. each
- · Heavy Duty Reinforced Brass Heads with External and Internal Bracing
- · Large Diameter Stainless Steel Valve Caps with Increased Thread Depth
- Reinforcing Ring on Inlet and Discharge Ports
- Deeper Back Covers for Increased Oil Capacity. 28 oz. Crank Case Capacity



Solid Shaft Models

24 mm Keyed, Solid Shaft

	MODEL	GPM	PSI	POWER REQUIREMENTS	SEAL KIT	VALVE KIT	WEIGHT
1450	MKC 13/28-S	3.5	4000	10 HP Electric	UD-28	UD-30	27 lbs.
RPM	MKC 15/28-S	4.0	4000	10 HP Electric	UD-28	UD-30	27 lbs.
	MKC 18/24-S	5.0	3500	12.5 HP Electric	UD-9	UD-30	27 lbs.
	MKC 20/24-S	5.5	3500	15 HP Electric	UD-9	UD-30	27 lbs.
1750	MKD 4.0/40-S	4.0	4000	10 HP Electric	UD-28	UD-30	27 lbs.
RPM	MKD 5.0/35-S 5.0 3500		12.5 HP Electric	UD-28	UD-30	27 lbs.	
Rail	8702.10		Standard (7/8") Rail Kit for MK-Series Solid Shaft Pumps				
Kits	8702.20		Tall	(2-1/2") Rail Kit for MK-Sei	ries Solid Sh	aft Pumps	



Direct Drive, Gas Engine Flange Models

1" Hollow Shaft with Mounting Flange and Set Screw

	MODEL	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT
3400	MKL 3.5/40-W	3.5	4000	14.5 HP Gas	UD-7	UD-30	28 lbs.
RPM	MKL 4.0/40-W	4.0	4000	16 HP Gas	UD-7	UD-30	28 lbs.
	MKL 5.0/35-W	5.0	3500	16 HP Gas	UD-28	UD-30	28 lbs.



Gear Reduction Drive, Gas Engine Model

1" or 1-1/8" Hollow Shaft (Please Specify) • 2.2:1 Gear Reduction

	MODEL	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT
Gear	MKC 13/28-GR	3.5	4000	14.5 HP Gas	UD-28	UD-30	37 lbs.
Reduction	MKC 15/28-GR	4.0	4000	16 HP Gas	UD-28	UD-30	37 lbs.
	MKC 18/24-GR	5.0	3500	16 HP Gas	UD-9	UD-30	37 lbs.
	MKC 20/24-GR	5.5	3500	18 HP Gas	UD-9	UD-30	37 lbs.



SUPER DUTY MK-Series High Pressure Plunger Pumps



Direct Drive, Electric Flange Models

1-1/8" Hollow Shaft with 182/184 Mounting Flange and Set Screw

MKD 4.5/30-UL

MKD 4.0/30-U

	MODEL	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT
1750	MKD 4.0/30-U	4.0	3000	7.5 HP Electric	UD-28	UD-30	30 lbs.
RPM	MKD 4.5/30-UL	4.5	3000	10 HP Electric	UD-9	UD-30	30 lbs.

G-Series High Pressure Plunger Pumps

- 13" L x 9-3/4" W x 5-1/2" H (Solid Shaft Model)
- · Brass Manifold
- · Heat Treated Crankshaft
- Stainless Steel Piston Guides
- · Replaceable Teflon Coated Body Guides

- 3/4" Inlet 3/8" Outlet
- · Solid Ceramic Plungers
- · Stainless Steel Check Valves
- Heavy Duty Flat Base High Pressure Seals
- · 40 oz. Capacity Vented Oil Bath Crank Case
- High Strength Aluminum Alloy Connecting Rods with Guide Pins for Perfect Cap Alignment 1 lb each
- Industrial Quality Tapered Roller Bearings
- Max. Fluid Temp. 160°F



Solid Shaft Models

24 mm Keyed, Solid Shaft

	Model	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT	
1450	GC 21/20-S E	5.5	30(350	0 12.5 HP Electric	UD-10	UD-3	36 lbs.	
RPM	GC 26/20-S	7.0	3000	15 HP Electric	UD-10	UD-3	36 lbs.	
	GC 30/17-S	8.0	2500	15 HP Electric	UD-11	UD-3	36 lbs.	
	GC 38/15-S	10.0	2200	15 HP Electric	UD-12	UD-3	36 lbs.	
1750	GD 5.5/30-S	5.5	3000	12.5 HP Electric	UD-10	UD-3	36 lbs.	
RPM	GD 7.0/22-S	7.0	2200	10 HP Electric	UD-10	UD-3	36 lbs.	
	GD 8.0/22-S	8.0	2200	10 HP Electric	UD-10	UD-3	36 lbs.	
Rail	8702.07	Medium (1-3/4") Rail Kit for G-Series Solid Shaft Pumps						
Kits	8702.08	Standard (1") Rail Kit for G-Series Solid Shaft Pumps						
	8702.25	Tall(2-1/2")Rail Kit for G-Series Solid Shaft Pumps						



G-Series High Pressure Plunger Pumps



Gear Reduction Drive, Gas Engine Models

1" or 1-1/8" Hollow Shaft (Please Specify)
2.2:1 Gear Reduction

	MODEL	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT
Gear	GC 21/20-GR	5.5	3000	16 HP Gas	UD-10	UD-3	46 lbs.
Reduction	GC 26/20-GR	7.0	3000	20 HP Gas	UD-10	UD-3	46 lbs.
	GC 30/17-GR	8.0	2500	20 HP Gas	UD-11	UD-3	46 lbs.
	GC 38/15-GR	10.0	2200	20 HP Gas	UD-12	UD-3	46 lbs.

SUPER DUTY GK-Series High Pressure Plunger Pumps

- Heavy Duty Bronze Connecting Rod Assemblies with Guide Pins for Perfect Cap Alignment 2 lbs. each.
- Heavy Duty Reinforced Brass Heads with External and Internal Bracing Reinforcing Ring on Inlet and Discharge Ports
- · Large Diameter Stainless Steel Valve Caps with Increased Thread Depth
- Deeper Back Covers for Increased Oil Capacity. 40 oz. Crank Case Capacity



Solid Shaft Models

24 mm Keyed, Solid Shaft

	Model	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT	
1450	GKC 17/28-S	4.5	4000	12.5 HP Electric	UD-10	UD-31	39 lbs.	
RPM	GKC 21/28-S	5.5	4000	15.0 HP Electric	UD-10	UD-31	39 lbs.	
	GKC 26/24-S	7.0	3500	17.0 HP Electric	UD-10	UD-31	39 lbs.	
	GKC 26/28-S	7.0	4000	20.0 HP Electric	UD-10	UD-31	40 lbs.	
	GKC 30/20-S	8.0	3000	17.0 HP Electric	UD-11	UD-3	39 lbs.	
	GKC 30/24-S	8.0	3500	20.0 HP Electric	UD-11	UD-3	40 lbs.	
	GKC 38/17-S	10.0	2500	17.0 HP Electric	UD-12	UD-3	39 lbs.	
	GKC 38/20-S	10.0	3000	20.0 HP Electric	UD-12	UD-3	40 lbs.	
	GKC 42/15-S	11.5	2200	17.0 HP Electric	UD-12	UD-3	39 lbs.	
	GKC 50/12-S	12.5	2000	17.0 HP Electric	UD-12	UD-3	39 lbs.	
1750	GKD 5.5/40-S	5.5	4000	15.0 HP Electric	UD-10	UD-31	39 lbs.	
RPM	GKD 7.0/35-S	7.0	3500	17.0 HP Electric	UD-10	UD-31	39 lbs.	
Rail	8702.07	Medium (1-3/4") Rail Kit for GK-Series Solid Shaft Pumps						
Kits	8702.08	Standard(1")Rail Kit for GK-Series Solid Shaft Pumps						

SUPER DUTY GK-Series High Pressure Plunger Pumps



Gear Reduction Drive, Gas Engine Models

1" or 1-1/8" Hollow Shaft (Please Specify) 2.2:1 Gear Reduction

	Model	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT
Gear	GKC 17/28-GR	4.5	4000	16 HP Gas	UD-10	UD-31	49 lbs.
Reduction	GKC 21/28-GR	5.5	4000	20 HP Gas	UD-10	UD-31	49 lbs.
	GKC 26/24-GR	7.0	3500	22 HP Gas	UD-10	UD-31	49 lbs.
	GKC 26/28-GR	7.0	4000	24 HP Gas	UD-10	UD-31	55 lbs.
	GKC 30/20-GR	8.0	3000	22 HP Gas	UD-11	UD-3	49 lbs.
	GKC 30/24-GR	8.0	3500	24 HP Gas	UD-11	UD-3	55 lbs.
	GKC 38/17-GR	10.0	2500	22 HP Gas	UD-12	UD-3	49 lbs.
	GKC 38/20-GR	10.0	3000	24 HP Gas	UD-12	UD-3	55 lbs.
	GKC 42/15-GR	11.5	2200	22 HP Gas	UD-12	UD-3	49 lbs.
	GKC 50/12-GR	12.5	2000	22 HP Gas	UD-12	UD-3	49 lbs.

SUPER DUTY - HP GK-Series High Pressure Plunger Pumps

- Heavy Duty Bronze Connecting Rod Assemblies with Guide Pins for Perfect Cap Alignment 2 lbs. each
- · Heavy Duty Reinforced Nickel Plated Heads with External and Internal Bracing
- · Large Diameter Stainless Steel Valve Caps with Increased Thread Depth
- · Reinforcing Ring on Inlet and Discharge Ports
- · Deeper Back Covers for Increased Oil Capacity. 40 oz. Crank Case Capacity



Solid Shaft Models

24 mm Keyed, Solid Shaft



	MODEL	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT	
1450	GKC 17/35-S	4.5	5000	17.0 HP Electric	UD-9	UD-41	42 lbs.	
RPM	GKC 19/40-S	5.0	5800	20.0 HP Electric	UD-9	UD-63	43 lbs.	
	GKC 21/35-S	5.5	5000	20.0 HP Electric	UD-9	UD-41	42 lbs.	
1750 RPM	GKD 5.5/50-S	5.5	5000	20.0 HP Electric	UD-9	UD-41	42 lbs.	
Rail	8702.07		Mediu	m(1-3/4")Rail Kit for GK-S	Series Solid	Shaft Pumps	3	
Kits	8702.08		Standard (1") Rail Kit for GK-Series Solid Shaft Pumps					
	8702.25		Tall	(2-1/2") Rail Kit for GK-Ser	ries Solid Sh	aft Pumps		

M-Series High Pressure Plunger Pumps



Direct Drive, Gas Engine Flange Models

1" Hollow Shaft with Mounting Flange and Set Screw

	MODEL	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT
3400	ML 3.5/30-W	3.5	3000	9 HP Gas	UD-28	UD-2	25 lbs.
RPM	ML 4.0/30-W	4.0	3000	11 HP Gas	UD-28	UD-2	25 lbs.
	ML 5.0/30-W	5.0	3000	14.5 HP Gas	UD-28	UD-2	25 lbs.

When looking at pumps always compare the WEIGHTS of each



Direct Drive, Gas Engine Flange Models

1" Hollow Shaft with Mounting Flange and Set Screw

	Model	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT
3400	ML 3.5/35-W	3.5	3500	11 HP Gas	UD-7	UD-30	27 lbs.
RPM	ML 4.0/35-W	4.0	3500	13 HP Gas	UD-7	UD-30	27 lbs.

When looking at pumps always compare the WEIGHTS of each



Gear Reduction Drive, Gas Engine Models

1" or 1-1/8" Hollow Shaft (Please Specify)
2.2:1 Gear Reduction

	MODEL	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT
Gear	MC 13/20-GR	3.5	3000	9 HP Gas	UD-28	UD-2	33 lbs.
eduction	MC 15/20-GR	4.0	3000	11 HP Gas	UD-28	UD-2	33 lbs.
	MC 18/20-GR	5.0	3000	14.5 HP Gas	UD-9	UD-2	33 lbs.

When looking at pumps always compare the WEIGHTS of each



Direct Drive, Electric Flange Models

1-1/8" Hollow Shaft with 182/184 Mounting Flange and Set Screw

	MODEL	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT
1750	MD 4.0/20-U	4.0	2000	5 HP Electric	UD-28	UD-2	26 lbs.
RPM	MD 4.0/30-U	4.0	3000	7.5 HP Electric	UD-28	UD-2	26 lbs.
	MD 5.0/25-U	5.0	2500	7.5 HP Electric	UD-28	UD-2	26 lbs.
	MD 5.0/30-U	5.0	3000	10 HP Electric	UD-28	UD-2	26 lbs.





- · 24 mm Solid, Keyed Shaft or 5/8" Hollow Shaft
- Brass Manifold
- Stainless Steel Plunger Rods
- Solid Ceramic Plungers

Stainless Steel Check Valves

	MODEL	GPM	PSI	POWER REQUIREMENTS	INLET	DISCHARGE	WEIGHT
1750	PDCW 4.0/15-S	4.0	1500	4.0 HP Electric	3/8" FNPT	3/8" FNPT	12 lbs.
RPM	PDCW 4.0/15-Z	4.0	1500	4.0 HP Electric	3/8" FNPT	3/8" FNPT	13 lbs.

When looking at pumps always compare the WEIGHTS of each

SUPER DUTY MKCW-Series Car Wash Pump



- · Dual 20 mm Solid, Keyed Shaft
- · Direct, Bolt-in Replacement for '310'
- · Includes Rails, Thru-Shaft Protector
- · Double Lip Oil Seals

- Brass Manifold
- · Bronze Connecting Rods
- · Stainless Steel Check Valves
- · Custom, Stepped Plunger Rods

	MODEL	GPM	PSI	POWER REQUIREMENTS	INLET	DISCHARGE	WEIGHT
950	MKCW-3100	4.0	2000	5 HP Electric	1/2" FNPT	3/8" FNPT	32 lbs.
PDM							

When looking at pumps always compare the WEIGHTS of each

SUPER DUTY GKCW-Series Car Wash Pumps



- · 24 mm Solid, Keyed Shaft
- · Bronze Connecting Rods
- · Stainless Steel Check Valves
- · Solid Ceramic Plungers

- · Brass Manifold
- · Tapered Roller Bearings
- · Stainless Steel Plunger Rods

	MODEL	GPM	PSI	POWER REQUIREMENTS	INLET	DISCHARGE	WEIGHT
1100	GKCW 18/14-S	5	2000	7.5 HP Electric	3/4" FNPT	3/8" FNPT	39 lbs.
RPM	GKCW 21/14-S	6	2000	10.0 HP Electric	3/4" FNPT	3/8" FNPT	39 lbs.
	GKCW 30/14-S	8	2000	12.5 HP Electric	3/4" FNPT	3/8" FNPT	39 lbs.
	GKCW 38/14-S	10	2000	15.0 HP Electric	3/4" FNPT	1/2" FNPT	39 lbs.

When looking at pumps always compare the WEIGHTS of each

GSCW-Series Car Wash Pumps



- · 35 mm Solid, Keyed Shaft
- · Bronze Connecting Rods
- · Stainless Steel Check Valves
- Solid Ceramic Plungers

- · Brass Manifolds
- · Tapered Roller Bearings
- · Stainless Steel Plunger Rods

	MODEL	GPM	PSI	POWER REQUIREMENTS	INLET	DISCHARGE	WEIGHT
900 RPM	GSCW 50/NB	12	1500	12.5 HP Electric	1" FNPT	3/4" FNPT	80 lbs.
1200 RPM	GSCW 60/NB	16	1500	15.0 HP Electric	1" FNPT	3/4" FNPT	80 lbs.

P-Series High Pressure Plunger Pumps

- 7-3/4" L x 8" W x 4" H (Solid Shaft Model)
- · Brass Manifold
- · Heat Treated Crankshaft
- · Stainless Steel Piston Guides
- High Strength Aluminum Alloy or Bronze Connecting Rods
- · Industrial Quality Ball Bearings and Needle Bearings
- · 12 oz. Capacity Vented Oil Bath Crank Case

- 3/8" Inlet 3/8" Outlet
- · Solid Ceramic Plungers
- · Stainless Steel Check Valves
- · Heavy Duty Flat Base High Pressure Seals
- Max. Fluid Temp. 160°F



Solid Shaft Models

24 mm Keyed, Solid Shaft

	Model	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT			
1450	PNC 11/17-S	3.0	2500	5 HP Electric	UD-8	UD-1	12 lbs.			
RPM	PNC 13/15-S	3.5	2000	5 HP Electric	UD-8	UD-1	12 lbs.			
1750	PND 3.0/20-S	3.0	2000	4 HP Electric	UD-7	UD-1	12 lbs.			
RPM	PND 3.5/20-S	3.5	2000	5 HP Electric	UD-8	UD-1	12 lbs.			
	PND 4.0/15-S	4.0	1500	4 HP Electric	UD-8	UD-1	12 lbs.			
Rail Kit	8702.10		Standard (7/8") Rail Kit for P-Series Solid Shaft Pumps							

When looking at pumps always compare the WEIGHTS of each



Direct Drive, Gas Engine Flange Models

3/4" Hollow Shaft with Mounting Flange and Set Screw

	MODEL	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT
3400	PNL 3.0/20-T	3.0	2000	5.5 HP Gas	UD-7	UD-1	13 lbs.
RPM	PNL 3.0/25-T	3.0	2500	6.5 HP Gas	UD-7	UD-1	14 lbs.
	PNL 3.5/22-T	3.5	2200	6.5 HP Gas	UD-7	UD-1	14 lbs.

When looking at pumps always compare the WEIGHTS of each



Gear Reduction, Gas Engine Models

3/4" Hollow Shaft 2.2:1 Gear Reduction

		Model	GPM	PSI	Power Requirements	SEAL KIT	VALVE KIT	WEIGHT
Ge	ear	PNC 11/17-GR	3.0	2500	6.5 HP Gas	UD-8	UD-1	18 lbs.
Redu	ction	PNC 13/15-GR	3.5	2000	6.5 HP Gas	UD-8	UD-1	18 lbs.

PENTA-Series Industrial Plunger Pumps



PENTA-Series Industrial 5-Cylinder Plunger Pumps



- 35 mm Solid Keyed Shaft
- · Stainless Steel Check Valves
- · Heavy Duty Brass Manifold · Stainless Steel Plunger Rods
- · Heavy Duty Bronze Connecting Rods with Guide Pins for Perfect Cap Alignment
- · Dual Roller Bearings
- Heat Treated Crankshaft
- 80 oz. Crank Case Oil Capacity
- 15"L x 16.5"W x 9"H
- Solid Ceramic Plungers
- Max. Fluid Temp. 160°F
- · Heavy Duty, Flat Base High Pressure Seals
- · Replaceable Teflon Coated Body Guides
- · All Penta Pumps Include Lift Ring and Dust Cover to Protect Oil Seals

	Model	GPM	PSI	POWER REQUIREMENTS	INLET	DISCHARGE	WEIGHT
5-Cylinder	PENTA-B 25/400	6.5	6000	25 HP Electric	1" FNPT	1/2" FNPT	110 lbs.
1000	PENTA-B 30/300	8.0	4500	25 HP Electric	1-1/4" FNPT	3/4" FNPT	110 lbs.
RPM	PENTA-B 40/280	10.0	4000	30 HP Electric	1-1/4" FNPT	3/4" FNPT	110 lbs.
	PENTA-B 50/200	13.0	3000	30 HP Electric	1-1/4" FNPT	3/4" FNPT	110 lbs.
5-Cylinder	PENTA-C 35/400	9.0	6000	35 HP Electric	1" FNPT	1/2" FNPT	110 lbs.
1450	PENTA-C 43/300	11.0	4500	35 HP Electric	1-1/4" FNPT	3/4" FNPT	110 lbs.
RPM	PENTA-C 55/280	15.0	4000	40 HP Electric	1-1/4" FNPT	3/4" FNPT	110 lbs.
	PENTA-C 70/200	18.0	3000	40 HP Electric	1-1/4" FNPT	3/4" FNPT	110 lbs.
1750 RPM	PENTA-D 70/280	18.0	4000	50 HP Electric	1-1/4" FNPT	3/4" FNPT	110 lbs.
Rail Kit 8702.30 Tall 2-1/2" Heavy Duty Rail Kit for PENTA						TA Pumps	

When looking at pumps always compare the WEIGHTS of each




PENTA-Series Industrial Stainless Head Plunger Pumps

35mm Solid Keyed Shaft

Stainless Steel Block Manifold • Pressurized Inlet Only

	MODEL	GPM	PSI	POWER REQUIREMENTS	INLET	DISCHARGE	WEIGHT		
1000 RPM	PENTA-B 20/500	5.0	7300	25 HP Electric	1"	3/8"	135 lbs.		
1450 RPM	PENTA-C 27/500	7.0	7.0 7300 35 HP Electric		1"	3/8"	135 lbs.		
1750 RPM	PENTA-D 33/500	9.0	7300	40 HP Electric	1"	3/8"	135 lbs.		
Rail Kit	8702.30		Tall 2-1/2" Heavy Duty Rail Kit for PENTA Pumps						



 PLUMBING
 2 - 4 GPM
 3/4"
 3/4" 20-40 Mesh Screen


 REQUIREMENTS
 5 - 7 GPM
 1"
 1" 20-40 Mesh Screen

 8 - 15 GPM
 1-1/2"
 1-1/2" 20-40 Mesh Screen

NOTE: All plumbing accessories should be the same or greater diameter as the feed line. All ball valves should be full port valves.

WARNING: Consult UDOR U.S.A. for plumbing requirements on high speed, 3400 RPM Pumps.

BASIC TANK FEED HIGH PRESSURE CLEANING SYSTEM PLUMBING DIAGRAM Trigger Over 7 GPM. <u>DUAL INLET REQUIRED</u>



UDOR U.S.A. Plunger Pump Parts Breakdowns & Reference Guide

Problem	Probable Cause	Solution
Low Pressure	Worn or Plugged Nozzle	Replace or clean nozzle, of proper size.
	Belt Slippage.	Tighten or replace belt.
	Air leak in inlet plumbing.	Disassemble, reseal and reassemble.
	Pressure gauge inoperative or not registering accurately.	Check with new gauge; replace worn or damaged gauge.
	Relief / unloader valve stuck, partially plugged or improperly adjusted; valve seat worn.	Repair/replace and adjust relief / unloader valve; check for worn and dirty valve seats.
	Inlet suction strainer clogged or improper size.	Clean, use adequate size, check more frequently.
	Worn seals. Abrasives in pumped fluid or severe cavitation. Inadequate water supply.	Install and maintain proper filter. Replace seals. Check inlet water supply. Max. 6 in. inlet vacuum.
	Fouled or dirty inlet or discharge valves.	Clean inlet and discharge valve assemblies.
	Worn inlet or discharge valves.	Replace worn valves.
	Leaky discharge hose.	Replace discharge hose.
Pump runs	Restricted inlet or air entering the inlet plumbing.	Proper size inlet plumbing; check for air tight seal at fittings & filtings &
extremely rough,. pressure very low	Inlet restrictions and/or air leaks. Stuck inlet or discharge valves.	Replace worn seals, clean out material in valves or replace worn valves.
	Plugged Inlet Filter	Clean or replace filter.
Water leakage from under the manifold.	Worn inlet seals, Cracked plunger.	Replace seals. Install new plungers.
Oil leak between crankcase and pumping section.	Worn crankcase oil seals.	Replace crankcase oil seals.
Oil leaking in the area of crankshaft.	Worn crankshaft seal, bearing or case o-ring.	Replace crankshaft seal, bearing or case o-ring.
of Crankshaft.	Bad bearing.	Replace bearing.
Excessive play in the end of the crankshaft	Worn bearing.	Replace ball bearing.
Water in crankcase.	May be caused by humid air condensing into water inside the crankcase.	Change oil at 3 month or 500 hour intervals using UDOR LUBE (or SAE 30W non-detergent oil).
	Worn or improperly installed inlet water seals.	Replace seals. Follow proper installation procedures. Contact UDOR pump supplier for servicing.
Oil leaking at the rear portion of the crankcase.	Damaged or improperly installed sight glass or crankcase rear cover gasket and drain plug gasket.	Replace sight glass, crankcase cover gasket or drain plug gasket.
Loud knocking noise	Pulley loose on crankshaft.	Check key and tighten set screw.
in pump.	Broken or worn bearing.	Replace bearings.
Frequent or premature failure of the packing	Scored plungers. Over pressure to inlet manifold. Abrasive material in the fluid being pumped. Excessive temperature of fluid being pumped Running pump dry.	Replace plungers Reduce inlet pressure. Max. 75 PSI. Install proper filtration on pump inlet plumbing. Assure fluid inlet temperature are within specified range. Max. 160° DO NOT run pump without fluid.
Strong surging at the inlet and low pressure discharge.	Foreign particles in the inlet or discharge valve or worn inlet and/or discharge valves.	Replace worn valves. Check supply tank for contamination. Install and regularly clean filter. Never pump abrasive fluids.

GENERAL PUMP KITS AND WHAT THEY FIT

PUMP	Valves	Valve Caps	Packings	Packing w/Brass	Head Rings	Intermediate Ring Kit	Pistons	Piston Bolts	Crankshaft Seal	Oil Seal
CW1012	K62	98231200	K113	K67 (2)	K65	69216770	69040109	K74	K32	K37
CW1541	K943	98242000	K940	K939 (3)	K41	K942	69040009	K74	K32	K32
CW1635	K1094	N/A	F1287	K1095 (3)	N/A	N/A	F124200310	N/A	N/A	N/A
CW2004	K01	K04	K969	K9101A (3)	K07	K71	1310-850	K06	K03	K02
CW24	K01	K04	K969	K9101A (3)	K07	K71	1310-850	K06	K03	K02
CW3040	K01	K04	K969	K9101A (3)	K07	K71	1310-850	K06	K03	K02
CW61	K943	98242000	K940	K939 (3)	K41	K942	69040009	K74	76021135	K32
CW81	K943	98242000	K940	K939 (3)	K41	K942	69040009	K74	76021035	K32
EZ2536E	K123	K124	K127	K131 (3)	K129	K128	44040109	92221600	N/A	K23
EZ2542E	K123	K124	K127	K131 (3)	K129	K128	44040109	92221600	N/A	K23
EZ2542S	K123	K124	K127	K131 (3)	K129	K128	44040109	92221600	N/A	K23
EZ2545E	K123	K124	K88	K130 (3)	K129	K89	1310-852	92221600	N/A	K23
EZ2545G	K123	K124	K88	K130 (3)	K129	K89	1310-852	92221600	N/A	K23
EZ3035G	K123	K124	K88	K130 (3)	K129	K89	1310-852	92221600	N/A	K23
EZ3040G	K123	K124	K88	K130 (3)	K129	K89	1310-852	92221600	N/A	K23
EZ3040S	K123	K124	K88	K130 (3)	K129	K89	1310-852	92221600	N/A	K23
EZ4040G	K123	K124	K153	K156 (3)	N/A	K154	44040266	92221600	N/A	K23
T1011	K01	K04	K08	K28 (3)	K7	K71	1310-850	K06	K03	K2
T1321	K01	K04	K148	K29 (3)	K11	K149	1310-854	K06	K03	K02
T1511	K01	K04	K08	K28 (3)	K7	K71	1310-850	K06	K03	K02
T1551	K43	96242000	K113	K115 (3)	K65	K66	76040056	K74	K32	K44
T1621	K01	K05	K148	K29 (3)	K11	K149	1310-854	K06	K03	K02
T1631	K01 (2)	K04 (2)	K148 (2)	K29 (6)	K11 (2)	K149 (2)	1310-854	K06 (2)	K24	K02
T2011	K01	K05	K08	K28 (3)	K07	K71	1310-850	K06	K03	K02
T2031	K01 (2)	K04 (2)	K08 (2)	K28 (6)	K07 (2)	K71 (2)	1310-850	K06 (2)	K24	K02 (2)
T41	K62	99366900	K38	K39 (3)	K41	K42	69040009	K74	K32	K37
T4251	K122	99486000	K77	K78 (3)	K07	K75	61040056	61219566	K32	K44
T5050	K150	99428200	K109	K151 (3)	K108	K110	47040856	47219666	K03	K02
T61	K43	98242000	K79	K80 (3)	K48	K81	76040209	K74	K32	K44
T721	K01	K04	K19	K27 (2)	K21	K20	1310-851	K06	N/A	K23
T731	K01	K04	K19	K27 (2)	K21	K20	1310-851	K06	N/A	K23
T81	K43	98242000	K79	K80 (3)	K48	K81	76040209	K74	K32	K44
T9051	K01	K84	K97	K96 (3)			51040009		90164400	K83
T9131	K01	K04	K08	K28 (3)	K7	K71	1310-850	K06	K03	K02
T9161	K01	K05	K08	K28 (3)	K7	K71	1310-850	K06	K03	K02
T921	K01	K04	K148	K29 (3)	K11	K149	1310-854	K06	K03	K02
T9211	K01	K05	K08	K28 (3)	K7	K71	1310-850	K06	K03	K02
T9281	K01	K106	K109	K112 (3)	K108	K110	47040856	K107	K03	K02
T9721	K01	K04	K19	K27 (3)	K21	K20	1310-851	K06	N/A	K23
T9731	K01	K04	K19	K27 (3)	K21	K20	1310-851	K06	N/A	K23
T9791	K01	K04	K19	K27 (3)	K21	K20	1310-851	K06	N/A	K23
T991	K01	K04	K19	K27 (3)	K21	K20	1310-851	K06	N/A	K23
T9951	K01	K04	K19	K27 (3)	K21	K20	1310-851	K06	N/A	K23

EnviroSpec

GENERAL PUMP KITS AND WHAT THEY FIT

PUMP	Valves	Valve	Packings	Packing w/Brass	Head	Intermediate	Pistons	Piston Bolts	Crankshaft Seal	Oil Seal
=		Caps			Rings	Ring Kit		Service of	100	
T9971	K01	K04	K19	K27 (3)	K21	K20	1310-851	K06	90164400	K23
TS1011	K01	K04	K08	K28 (3)	K07	K71	1310-850	K06	K03	K02
TS1021	K01	K04	K08	K28 (3)	K07	K71	1310-850	K06	K03	K02
TS1041	K62		K08	K82 (3)	K07	K71	1310-850	K54	K03	K37
TS1321	K01	K04	K12	K29 (3)	K11	K149	1310-854	K06	K03	K02
TS1331	K01	K04	K08	K28 (3)	K07	K71	1310-850	K06	K03	K02
TS1511	K01	K04	K08	K28 (3)	K07	K71	1310-850	K06	K03	K02
TS1531	K62	98231200	K08	K82 (3)	K07	K71	1310-850	K54	K32	K37
TS1621	K01	K05	K12	K29 (3)	K29	K1497	1310-854	K06	K03	K02
TS1711	K01	K04	K08	K28 (3)	K07	K71	1310-850	K06	K03	K02
TS2011	K01	K05	K08	K28 (3)	K07	K71	1310-850	K06	K03	K02
TS2021	K01	K05	K08	K28 (3)	K07	K71	1310-850	K06	K03	K02
TS821	K01	K04	K08	K28 (3)	K07	K71	1310-850	K06	K03	K02
TS921	K01	K04	K148	K29 (3)	K11	K149	1310-854	K06	K03	K02
TSF2019	K169	66130041	K170	K171 (3)		66216070	66040009	99380100	K03	K02
TSF2021	K169	66130041	K170	K171 (3)		66216070	66040009	99380100	K03	K02
TSF2219	K169	66130041	K172	K173 (3)		66216070	66040109	99380100	K03	K02
TSF2221	K169	66130041	K172	K173 (3)		66216070	66040109	99380100	K03	K02
TSF2421	K169	66130041	K181	K182 (3)		66216070	66040409	99380100	K03	K02
TSP1621	K150	66130041	K174	K175 (3)		66216070	66040209	99380100	K03	K02
TSP1819	K150	66130041	K180	K176 (3)		66216070	66040309	99380100	K03	K02
TSP1821	K150	66130041	K180	K176 (3)		66216070	66040309	99380100	K03	K02
TT2028E	K01	K84	K97	K96 (3)	51100051		51040009			K83
TT2028G	K01	K84	K97	K96 (3)			51040009	1 - E	Frank L	K83
TT2035	K01	K84	K97	K96 (3)			51040009		- 64	K83
TT9061	K01	K84	K97	K96 (3)			51040009		100	K83
TT9071	K01	K84	K97	K96 (3)			51040009	-		K83
TT9111	K01	K84	K141	K140 (3)			51040109			K83
TT9351	K01	K04	K88	K92 (3)	K90	K89	1310-852			K23
TT941	K01	K84	K97	K96 (3)			51040009	4		K83
TT9441	K01	K04	K88	K92 (3)	K90	K89	1310-852		1 3	K23
TX1505G6	K123	K124	K160	K166 (3)		K164	1310-852	-	- 1	K159
TX1506G6	K123	K124	K160	K166 (3)		K164	1310-852		-	K159
TX1508G6	K123	K124	K160	K166 (3)		K164	1310-852	£16 77	1 to 10	K159
TX1508G8	K123	K124	K160	K166 (3)		K164	1310-852	- K	- 1	K159
TX1509G8	K123	K124	K160	K166 (3)		K164	1310-852	Balow	100	K159
TX1510G8	K123	K124	K160	K166 (3)		K164	1310-852	1		K159
				(=/			1500		The state of the	A STATE OF THE PARTY OF THE PAR



UDOR - the industry's TOUGHEST PUMP!

Remember...

Heavier Pumps work harder and last longer. When purchasing a pump always look at the weight of the pump as well.



GC2120E

Model: GC2120E

PSI: 3500 GPM: 5.5 RPM: 1450 PRICE: \$496.60 Weight 36 lbs. How good is this pump? We have

been selling and manufacturing with the Udor Pump for over 10 years and have experienced...

...'0' failures!

Same 'foot print' as the General, A-R & Comet.

Plainless replacement for the industry's toughest pump!

This pump will last twice as long!



Model: MLK4040W

PSI: 4000 GPM: 4.0 RPM: 3400 PRICE: \$362.,80 Weight 28 lbs.

UDOR#	Shaft	RPM	Drive	GPM	PSI	Weight	PRICE
MC 1820-S	24MM	1450	Pulley	5.0	3000	23 lbs.	\$333.40
MKC 1824-S	24MM	1450	Pulley	5.0	3500	27 lbs.	\$381.70
MKC 2024-S	24MM	1450	Pulley	5.5	3500	27 lbs.	\$394.30
MKL 4040W		3400	Direct	4.0	4000	28 lbs.	\$362.80
MKL 5035W		3400	Direct	5.0	3500	28 lbs	\$381.70
GKC 3024-S	24MM	1450	Pulley	8.0	3500	40 lbs.	\$637.90
GKC 3820-S	24MM	1450	Pulley	10.0	3000	40 lbs.	\$656.80
GKC 4215-S	24MM	1450	Pulley	11.5	2200	39 lbs.	\$656.80
GKC 5012-S	24MM	1450	Pulley	12.5	2000	39 lbs.	\$682.00
GKC 1735-S	24MM	1450	Pulley	4.5	5000	42 lbs.	\$789.10
GKC 1940-S	24MM	1450	Pulley	5.0	5800	43 lbs.	\$980.20
GKC 2135-S	24MM	1450	Pulley	5.5	5000	42 lbs.	\$797.50

TS2021

Model: TS2021 PSI: 3500 GPM: 5.6 RPM: 1450 PRICE: \$485.13 Weight 32 lbs.





EZ4040G

Model: EZ4040G PSI: 4000 GPM: 4.0 RPM: 3400 PRICE: \$298.70 Weight 20 lbs.

EnviroSpec

OUR PUMPS COME DIRECT FROM THE MANUFACTURER

AND NOT A **'BACKDOOR' RESELLER**

IN THE PAST WE HAVE IISED A THIRD PARTY RESELLER BUT HAD **WARRANTY ISSUES. NOW WE** SHIP ONLY FROM MANUFACTURES



POPULAR **GENERAL PUMPS**

Model	PSI	GPM	RPM	PRICE
TSF2019	3600	6.3	1450	\$604.00
TSF2019L	3600	6.3	1450	\$629.00
TSF2021	3600	7.0	1450	\$604.00
TSF2021L	3600	7.0	1450	\$629.00
TSF2219	3000	7.0	1450	\$687.73
TSF2219L	3000	7.0	1450	\$712.73
TSF2221	3000	8.5	1450	\$719.75
TSF2221L*	3000	8.5	1450	\$729.75
TSF2421	2500	12.0	1450	\$838.52
TSF2421L*	2500	12.0	1450	\$863.52

NOTF: "L" = Left Hand Shaft

CALL FOR COMET & CAT







ALL OF GENERAL PIIMP PRICING 276 69

271 33

305.29

305.29

257.99

271.33

276.69

271.33

305.29

305.29

267.95

271.33

271.33

305.29

271 33

271.33

305.29

305.29

257.99

257.99

257.99

271.33

271.33

271.33

271.33

271.33

295.80

257.99

257.99

257.99

271.33

255.30

271.33

271.33

255.30

260.31

296.85

296.85

260.31

296.85

296.85

296.85

279.33

248.38

283.18

283.18

255.30

255.30

283.18

260.31

296.85

434.93

434.93

447.50

447.50

924.59

924.59

447.50

447.50

434.93

434 93

384 17

592.83

409.17

549.23

1190.63

TS1621

TS1621I

TS1711

TS1711L

TS1811

TS2011

TS2011L

TS2021

TS2021L

TSF1819

TSF2019

TSF2019DS

TSF2019L

TSF2021

TSF2021L

TSF2219

TSF2219L

TSF2221

TSF2221L

TSF2421

TSF2421L

TSF2819

TSP1621

TSP1621I

TSP1819

TSP1819L

TSP1821

TSP1821L

TT1540GBF

TT2021EBF

TT2021EBFL

TT2028EBF

TT2028EBFL

TT2028GBF

TT2028GBFL

TT2028GBFUI

TT2028GBFUIL

TT2028X34

TT2035EBE

TT2035EBFL

TT2035EBFUI

TT2035GBF

TT2035GBFL

TT2035GBFU

TT2035GBFUI

TT2035GBFUII

TT9061EBE

TT9061EBFL

TT9061EBFU

TT9061EBFUI

TT9061EBFUIL

TT9061EBFXI

TT9061EFL

TT9061EFUI

TT9061GBF

TT9061GBFL

TT9061GBFU

TT9061GBFUI

TT9061GBFUIL

TT9061GEUL

TT9071CSOV

TT9071EBE

TT9071EBFL

TT9071EBFU

TT9071EBFUI

TT901

TS921

TT9071FBFUIL

TT9071GB

TT9071GBF

TT9071GBFL

TT9071GBFU

TT9071GBFUI

TT9071GBFUIL

TT9071GFL

TT9111EBF

TT9111EBFL

TT9111L

TT931

TT9351

TT9351L

TT941

TT9441

TT9441L

TX1505G6

TX1506G8

TX1506G8UI

TX1506G8UK

TX1506S34

TX1508G6

TX1508G8

TX1508G8UI

TX1508G8UIA

TX1508G8UIL

TX1508G8UK

TX1508S34

TX1509G8

TX1509G8UI

TX1509G8UII

TX1509G8UK

TX1509G8UKL

TX1510E349

TX1510G8

TX1510G8L

TX1510G8UIA

TX1510G8UKL

TX1510S34

TX1510S34L

TX1512E179

TX1512S17

TX1512S17L

TX1513S17

TX1513S17L

TX1810E179

TX1810E179L

TX1810HA17

TX1810S17

TX1810S17L

TX1812F179

TX1812F179L

TX1812E179UI

TX1812S17

TX1813S17

TX1813S17L

TX1812S17L

TX1510S34UIA

TX1506G6UIL TX1506G6UKL

TT9071GFUIL

524.18

447.50

447.50

454.39

524.18

524 18

485.13

487.81

510.13

706.58

604.00

744.75

629.00

604 00

629.00

687.73

712.73

719.75

729.75

838.52

786.60

836.60

786.60

836.60

786.88

836.88

258.16

265.85

258.16

258.16

258.16

258.16

258.16

299.20

299 20

261.58

258.16

258.16

299.20

258.16

258.16

299.20

235.15

280.62

250.49

288.04

292.86

292.86

235.15

246.96

288.73

250.49

250.49

288.04

292.86

292.86

283.90

292.86

280.62

250.49

288.04

292 86

250 49

250.49

250.49

288.04

292 86

292 86

246.96

288.73

260.24

276.91

276.91

260.24

235.15

375 11

375.11

235.15

375.11

375.11

235.15

288.73

335.20

295 73

321.96

335.20

274.81

288.73

295.73

321.96

321.96

321.96

335.20

274.81

295.73

321.96

321.96

335 20

335.20

288.73

295.73

295.73

335.20

274 81

274.81

301.09

288.73

274.81

274.81

287.35

287.35

288.73

288.73

317.04

274.81

274.81

288 73

288 73

321.96

274.81

274.81

287.35

287.35

TC1507F346

TC1507GUI

TC1507GUIL

TC1507S34

TC1508E175

TC1508E346

TC1508G

TC1508GUI

TC1508GUIL

TC1508S34

TC1509E175

TC1509E175L

TC1509F17N

TC1509G

TC1509GUI

TC1509GUIL

TC1509S17

TC1511S17

TC1511S17L

TC1809E175

TC1809E175L

TC1809E17N

TC1809HA17

TC1809S17

TC1809S17L

TC1811S17

TP2021C17

TP2021S17

TP2024C17

TP2032C17

TP2032S17

TP2520J34

TP2526.I34

TP2520J34UI

TP2520.13411II

TP2526J34UFII

TP2526J34UI

TP2526J34UIL

TP2530J34

TP2530J34L

TP2530X34

TP2530X34I

TP2533J34

TS1011

TS1011L

TS1021

TS1021L

TS1041L

TS1321

TS1321L

TS1331

TS1331I

TS1511

TS1511H

TS1511L

TS1521

TS1531

TS1531L

TP2530X34UIL

TP2533J34UIL

TC1509E175UI

TC1507G

447 50

3783.30

3049.28

4746.43

524.18

524 18

1470.55

1470.55

5731.89

824.33

824.33

3714.43

3714.43

1017.50

1017.50

2351.58

2402.46

332.70

268.54

279.05

268.54

2351.58

2351.58

1302.03

252 48

263.03

263.03

288.04

292.86

292 86

327.11

549.23

434.93

549.23

549.23

434.93

767.14

299.10

268.54

279.05

299.10

297.10

268.54

279.05

299.10

297.10

279.05

340.35

340.35

340 35

340 35

433.65

433.65

271.33

271.33

305 29

271.33

271.33

271.33

276.69

271.33

305.29

305.29

271.33

CW1012

CW1012L

CW1522

CW1541

CW2004

CW2004L

CW2040

CW24

CW24L

CW3040

CW3040L

CW61

CW61L

CW81

CW81I

EZ2530SUI

EZ2536E

EZ2536EL

EZ2536EUI

EZ2542SI

F72545F

E72545EI

FZ2545S

EZ2545SI

EZ2555E

E72555EI

F72555S

EZ3030G34

EZ3030G34U

EZ3030G34U

EZ3035G

EZ3035GL

EZ3035GUI

EZ3035GUIL

EZ3035GUKL

EZ3040GFUIL

EZ3040G

EZ3040GL

EZ3040GUI

EZ3040GUIL

EZ3040GUKL

EZ3042S

EZ3042SL

FZ3045G

EZ3045GI

EZ3045GUI

EZ4030G34

EZ4030S34

EZ4035E34

EZ4035G34L EZ4035S34

EZ4040E34

EZ4040E34L

EZ4040G

EZ4040GL

EZ4040S34

T1011

T1011L

T121

T1321

1439 95

1439.95

3876.46

4352.28

543.09

570.14

564 55

535.15

535.15

555.05

555.05

2517.24

2517.24

2517.24

2517 24

368.88

348.65

348.65

395.34

333.31

333.31

348.65

333.31

348.65

348.65

333.31

333.31

348.65

348.65

348.65

333.31

379.10

379.10

366.78

366.78

407.85

407.85

428.04

366.78

407.85

366.78

407.85

407.85

428.04

348.65

348.65

366.78

366.78

407 85

407.85

388.34

407.85

407.85

388 34

407.85

407.85

298.70

407.85

407.85

434.93

434.93

3783.30

447.50

T1321D

T1321I

T151

T1551

T1591

T1621

T1621I

T4251

T42511

T5050

T5050L

T61

T61L

T711

T721B

T731BI

T81

T81L

T8271

T9051FB

T9051EBF

T9051EBFL

T9051EBFU

T9051EBFUI

T9051FRFUII

T9161L

T9211

T9211L

T921I

T9281

T9711ERE

T9721B

T9721BL

T9721EBF

T9721EBFL

T9731B

T9731BL

T9731EBF

T991I

T9951

T9951I

T9971

T9971L

TC1502E175

TC1502E175L

TC1504E345L

TC1505E345

TC1505E345L

TC1506E345

TC1506E346

TC1506G

TC1506GUI

TC1506GUIL

TC1507E345

TC1507E345L 271.33

U-Pay Freight this Page

EnviroSpec KE SERIES KF SERIES LHZ SERIES MK SERIES

GENERAL HIGH PRESSURE JETTING PUMPS

_										_
1	F201030080	9,577.52	KS28SA15R2	10,174.92	MK40A18R3	17,539.42	MKS50A15R4	19,112.46	MSN5015R3	38,444.99
	F250201000	3,406.68	KS28SA15R3	10,174.92	MK40A18R4	17,539.42	MKS50A15R5	19,112.46	MSN5015R4	38,444.99
	F250220020L	10,550.87	KS28SA15R4	10,174.92	MK40A18R5	17,539.42	MKS50A18HR3		MSN5015R5	38,444.99
	F250220020R	10,550.87	KS28SA15R5	10,174.92	MK45A15R1	17,539.42	MKS50A18R1	19,112.46	MSN5018R1	38,444.99
	F250220080	10,114.27	KS28SA18R1	10,174.92	MK45A15R2	17,539.42	MKS50A18R2	19,112.46	MSN5018R2	38,444.99
	F250222030	10,114.27	KS28SA18R2	10,174.92	MK45A15R3	17,539.42	MKS50A18R3	19,112.46	MSN5018R3	38,444.99
	F250222340	9,951.18	KS28SA18R3	10,174.92	MK45A15R4	17,539.42	MKS50A18R4	19,112.46	MSN5018R4	38,444.99
	F250222340R	9,951.18	KS28SA18R4	10,174.92	MK45A15R5	17,539.42	MKS50A18R5	19,112.46	MSN5018R5	38,444.99
	F70602001	2,702.27	KS28SA18R5	10,174.92	MK45A18R1	17,539.42	MKS55A15R1	19,112.46	MSN55	37,704.53
	FPKF000	3,193.81	KS28SAL	9,538.04	MK45A18R2	17,539.42	MKS55A15R2	19,112.46	MSN5515R1	38,444.99
	FPKFS000 FPMS8450	3,193.81 8,915.46	KS32A KS32A15R1	9,538.04 10,174.92	MK45A18R3 MK45A18R4	17,539.42 17,539.42	MKS55A15R3 MKS55A15R4	19,112.46 19,112.46	MSN5515R2 MSN5515R3	38,444.99 38,444.99
	HF18A	5,618.89	KS32A15R1	10,174.92	MK45A18R5	17,539.42	MKS55A15R4	19,112.46	MSN5515R4	38,444.99
	HF18AL	5,618.89	KS32A15R3	10,174.92	MK50A15R1	17,539.42	MKS55A18HR3		MSN5515R5	38,444.99
	HF20A	5,618.89	KS32A15R4	10,174.92	MK50A15R2	17,539.42		19,422.03	MSN5518R1	38,444.99
	HF22A	5,618.89	KS32A15R5	10,174.92	MK50A15R3	17,539.42	MKS55A18L1	19,112.46	MSN5518R2	38,444.99
	HF22AL	5,618.89	KS32A18L3	10,174.92	MK50A15R4	17,539.42	MKS55A18R1	19,112.46	MSN5518R3	38,444.99
	HF25A	5,618.89	KS32A18L4	10,174.92	MK50A15R5	17,539.42	MKS55A18R2	19,112.46	MSN5518R4	38,444.99
	HF25AL	5,618.89	KS32A18R1	10,174.92	MK50A18R1	17,539.42	MKS55A18R3	19,112.46	MSN5518R5	38,444.99
	HFN25A	12,021.48	KS32A18R2	10,174.92	MK50A18R2	17,539.42	MKS55A18R4	19,112.46	MW32A15L1	12,793.98
	KE20A	3,498.23	KS32A18R3	10,174.92	MK50A18R3	17,539.42	MKS55A18R5	19,112.46	MW32A15L2	12,793.98
	KE20AL	3,498.23	KS32A18R4	10,174.92	MK50A18R4	17,539.42	MKS60A15R1	19,112.46	MW32A15L3	12,793.98
	KE22A	3,498.23	KS32A18R5	10,174.92	MK50A18R5	17,539.42	MKS60A15R2	19,112.46	MW32A15L4	12,793.98
	KE22AL	3,498.23	KS32A22R1	10,174.92	MK55A15R1	17,539.42	MKS60A15R3	19,112.46	MW32A15L5	12,793.98
	KE24AL	3,498.23 3,498.23	KS32A22R2 KS32A22R3	10,174.92 10,174.92	MK55A15R2 MK55A15R3	17,539.42	MKS60A15R4 MKS60A15R5	19,112.46 19,112.46	MW32A15R1 MW32A15R2	12,793.98 12,793.98
	KE24AL KE28A	3,498.23	KS32A22R3 KS32A22R4	10,174.92	MK55A15R3	17,539.42 17,539.42	MKS60A18HR3		MW32A15R2 MW32A15R3	12,793.98
	KE28AL	3,498.23	KS32A22R5	10,174.92	MK55A15R4	17,539.42	MKS60A18R1	19,112.46	MW32A15R3	12,793.98
	KE30A	3,498.23	KS36A	9,538.04	MK55A18R1	17,539.42	MKS60A18R2	19,112.46	MW32A15R5	12,793.98
	KE30AL	3,498.23	KS36A15R1	10,174.92	MK55A18R2	17,539.42	MKS60A18R3	19,112.46	MW32A18HDL1	13,048.62
	KE36MA	4,155.72	KS36A15R2	10,174.92	MK55A18R3	17,539.42	MKS60A18R4	19,112.46	MW32A18HDL2	13,048.62
	KEN20A	4,228.39	KS36A15R3	10,174.92	MK55A18R4	17,539.42	MKS60A18R5	19,112.46	MW32A18HDL3	13,048.62
	KEN22A	4,228.39	KS36A15R4	10,174.92	MK55A18R5	17,539.42	MKS65A15R1	19,112.46	MW32A18HDL4	13,048.62
	KEN24A	4,228.39	KS36A15R5	10,174.92	MK60A15L5	17,539.42	MKS65A15R2	19,112.46	MW32A18HDL5	13,048.62
	KEN28A	4,228.39	KS36A18R1	10,174.92	MK60A15R1	17,539.42	MKS65A15R3	19,112.46	MW32A18L1	12,793.98
	KEN30A	4,228.39	KS36A18R2	10,174.92	MK60A15R2	17,539.42	MKS65A15R4	19,112.46	MW32A18L2	12,793.98
	KEZ20A	5,244.66	KS36A18R3	10,174.92	MK60A15R3	17,539.42	MKS65A15R5	19,112.46	MW32A18L3	12,793.98
	KEZ22A	5,244.66	KS36A18R4	10,174.92	MK60A15R4	17,539.42		19,422.03	MW32A18L4	12,793.98
	KEZ24A KEZ28A	5,244.66 5,244.66	KS36A18R5 KS36A22R1	10,174.92 10,174.92	MK60A15R5 MK60A18L5	17,539.42 17,539.42	MKS65A18R1 MKS65A18R2	19,112.46 19,112.46	MW32A18L5 MW32A18R1	12,793.98 12,793.98
	KEZ30A	5,244.66	KS36A22R1	10,174.92	MK60A18R1	17,539.42	MKS65A18R3	19,112.46	MW32A18R2	12,793.98
	KEZ36A	5,244.66	KS36A22R3	10,174.92	MK60A18R2	17,539.42	MKS65A18R4	19,112.46	MW32A18R3	12,793.98
	KEZ36AL	5,244.66	KS36A22R4	10,174.92	MK60A18R3	17,539.42	MKS65A18R5	19,112.46	MW32A18R4	12,793.98
	KF28A	4,817.78	KS36A22R5	10,174.92	MK60A18R4	17,539.42	MSN36	37,704.53	MW32A18R5	12,793.98
	KF28AL	4,817.78	KS40A	9,538.04	MK60A18R5	17,539.42	MSN3615R1	38,444.99	MW32A22L1	12,793.98
	KF30A	4,817.78	KS40A15R1	10,174.92	MK65A15R1	17,539.42	MSN3615R2	38,444.99	MW32A22L2	12,793.98
	KF30AL	4,817.78	KS40A15R2	10,174.92	MK65A15R2	17,539.42	MSN3615R3	38,444.99	MW32A22L3	12,793.98
	KF36A	4,817.78	KS40A15R3	10,174.92	MK65A15R3	17,539.42	MSN3615R4	38,444.99	MW32A22L4	12,793.98
	KF36AL	4,817.78	KS40A15R4	10,174.92	MK65A15R4	17,539.42	MSN3615R5	38,444.99	MW32A22L5	12,793.98
	KF40A	4,817.78	KS40A15R5	10,174.92	MK65A15R5	17,539.42	MSN3618R1	38,444.99	MW32A22R1	12,793.98
	KF40AL	4,817.78	KS40A18R1	10,174.92	MK65A18R1	17,539.42	MSN3618R2	38,444.99	MW32A22R2	12,793.98
	KF40MBA	5,944.48	KS40A18R2	10,174.92	MK65A18R2	17,539.42	MSN3618R3	38,444.99	MW32A22R3	12,793.98
	KFM40A KFN28A	5,875.24 5,673.82	KS40A18R3 KS40A18R4	10,174.92 10,174.92	MK65A18R3 MK65A18R4	17,539.42 17,539.42	MSN3618R4 MSN3618R5	38,444.99 38,444.99	MW32A22R4 MW32A22R5	12,793.98 12,793.98
	KFN30A	5,673.82	KS40A18R5	10,174.92	MK65A18R5	17,539.42	MSN40	37,704.53	MW36A15L1	12,793.98
	KFN36A	5,673.82	KS40A22R1	10,174.92	MKS40A15R1	19,112.46	MSN4015L5	38,444.99	MW36A15L2	12,793.98
	KFZ28A	7,761.86	KS40A22R2	10,174.92	MKS40A15R2	19,112.46	MSN4015R1	38,444.99	MW36A15L3	12,793.98
	KFZ30A	7,761.86	KS40A22R3	10,174.92	MKS40A15R3	19,112.46	MSN4015R2	38,444.99	MW36A15L4	12,793.98
	KFZ36A	7,761.86	KS40A22R4	10,174.92	MKS40A15R4	19,112.46	MSN4015R3	38,444.99	MW36A15L5	12,793.98
	KFZ40A	7,761.86	KS40A22R5	10,174.92	MKS40A15R5	19,112.46	MSN4015R4	38,444.99	MW36A15R1	12,793.98
	KFZ40AL	7,761.86	LK3615	23,495.68	MKS40A18HR3	19,422.03	MSN4015R5	38,444.99	MW36A15R2	12,793.98
	KS28A	9,538.04	LK3617	23,495.68	MKS40A18R1	19,112.46	MSN4018R1	38,444.99	MW36A15R3	12,793.98
	KS28A15R1	10,174.92	LK4015	23,495.68	MKS40A18R2	19,112.46	MSN4018R2	38,444.99	MW36A15R4	12,793.98
	KS28A15R2	10,174.92	LK4017	23,495.68	MKS40A18R3	19,112.46	MSN4018R3	38,444.99	MW36A15R5	12,793.98
	KS28A15R3	10,174.92	LK4515	23,495.68	MKS40A18R4	19,112.46	MSN4018R4	38,444.99	MW36A18HDL1	13,048.62
	KS28A15R4 KS28A15R5	10,174.92 10,174.92	LK4517 LK5015	23,495.68 23,495.68	MKS40A18R5 MKS45A15R1	19,112.46 19,112.46	MSN4018R5 MSN45	38,444.99 37,704.53	MW36A18HDL2 MW36A18HDL3	13,048.62 13,048.62
	KS28A18R1	10,174.92	LK5017	23,495.68	MKS45A15R1	19,112.46	MSN4515R1	38,444.99	MW36A18HDL4	13,048.62
	KS28A18R2	10,174.92	LK5515	23,495.68	MKS45A15R3	19,112.46	MSN4515R2	38,444.99	MW36A18HDL5	13,048.62
	KS28A18R3	10,174.92	LK5517	23,495.68	MKS45A15R4	19,112.46	MSN4515R3	38,444.99	MW36A18L1	12,793.98
	KS28A18R4	10,174.92	LK6015	23,495.68	MKS45A15R5	19,112.46	MSN4515R4	38,444.99	MW36A18L2	12,793.98
	KS28A18R5	10,174.92	LK6017	23,495.68	MKS45A18HR3		MSN4515R5	38,444.99	MW36A18L3	12,793.98
	KS28A22R1	10,174.92	MK40A15L5	17,539.42	MKS45A18R1	19,112.46	MSN4518R1	38,444.99	MW36A18L4	12,793.98
	KS28A22R2	10,174.92	MK40A15R1	17,539.42	MKS45A18R2	19,112.46	MSN4518R2	38,444.99	MW36A18L5	12,793.98
	KS28A22R3	10,174.92	MK40A15R2	17,539.42	MKS45A18R3	19,112.46	MSN4518R3	38,444.99	MW36A18R1	12,793.98
	KS28A22R4	10,174.92	MK40A15R3	17,539.42	MKS45A18R4	19,112.46	MSN4518R4	38,444.99	MW36A18R2	12,793.98
	KS28A22R5	10,174.92	MK40A15R4	17,539.42	MKS45A18R5	19,112.46	MSN4518R5	38,444.99	MW36A18R3	12,793.98
	KS28AL	9,538.04	MK40A15R5	17,539.42	MKS50A15R1	19,112.46	MSN50	37,704.53	MW36A18R4	12,793.98
	KS28SA KS28SA15R1	9,538.04	MK40A18R1 MK40A18R2	17,539.42 17,539.42	MKS50A15R2 MKS50A15R3	19,112.46 19,112.46	MSN5015R1 MSN5015R2	38,444.99 38,444.99	MW36A18R5 MW36A22L1	12,793.98 12,793.98
ı	ROZOGRIORI	10,114.92	WINHUMIONZ	11,508.42	WINGOOM TONG	10,112.40	MONJOTORZ	50,444.33	WWWOOMZZEI	12,133.30

GENERAL HIGH PRESSURE JETTING PUMPS

MWR32A18HDL1 13.277.51 MWR40A18R1 13.022.87 MWR50A22L5 13 022 87 MW36A22L3 12.793.98 MW50A15L3 12.793.98 MWR32A18HDL2 13.277.51 MWR40418R2 13.022.87 MWR50422R1 13.022.87 MW36A22L4 12,793.98 MW50A15L4 12,793.98 MWR32A18HDL3 13,277.51 MWR40A18R3 MWR50A22R2 13,022.87 MW36A22L5 12.793.98 MW50A15L5 12.793.98 MWR32A18HDL4 13.277.51 MWR40A18R4 13,022.87 MWR50A22R3 13.022.87 MW36A22R1 12,793.98 MW50A15R1 12,793.98 MWR32A18HDL5 13,277.51 MWR40A18R5 13.022.87 MWR50A22R4 13.022.87 MWR40A22L1 MW36A22R2 12 793 98 MW50A15R2 12 793 98 MWR32A18L1 13 022 87 13,022.87 13,022.87 MW36A22R3 12,793.98 MW50A15R3 12,793.98 MWR32A18L2 13,022.87 MWR40A22L2 MWR55A15L1 13.022.87 12.793.98 12.793.98 13.022.87 MWR40A22L3 13,022.87 MWR55A15L2 13.022.87 MW36A22R5 12.793.98 MW50A15R5 12.793.98 MWR32A18L4 13.022.87 MWR40A22L4 13 022 87 13,022.87 MW40A15L1 12,793.98 MW50A18HDL1 13,048.62 MWR32A18L5 13,022.87 MWR40A22L5 13,022.87 MWR55A15L4 13,022.87 12.793.98 MW50A18HDL2 13.048.62 13.022.87 MWR40A22R1 13.022.87 MWR55A15L5 13 022 87 MW40A15L3 12,793.98 MW50A18HDL3 13,048.62 MWR32A18R2 13,022.87 MWR40A22R2 13.022.87 MWR55A15R1 13,022.87 MWR40A22R3 MW40A15I4 12 793 98 MW50A18HDL4 13 048 62 MWR32A18R3 13 022 87 13,022.87 MWR55A15R2 13,022.87 12,793.98 MW50A18HDL5 MWR32A18R4 13,022.87 MWR55A15R3 13 022 87 MW40A15R1 12.793.98 MWR32A18R5 MW50A18L1 12.793.98 13.022.87 MWR40A22R5 13,022.87 13.022.87 MW40A15R2 12.793.98 MW50A18L2 12.793.98 MWR32A22L1 13.022.87 MWR45A15I 1 13 022 87 MWR55A15R5 13,022.87 13,022.87 MW40A15R3 12,793.98 MW50A18L3 12,793.98 MWR32A22L2 MWR45A15L2 13,022.87 MWR55A18HDL1 13.277.51 MWR45A15L3 MW40A15R4 12.793.98 MW50A18L4 12.793.98 MWR32A22L3 13.022.87 13,022.87 MWR55A18HDL2 13,277.51 MW40A15R5 12,793.98 MW50A18L5 12,793.98 MWR32A22L4 13,022.87 MWR45A15L4 13.022.87 MWR55A18HDL3 13.277.51 MW40A18HDI 1 13 048 62 MW50A18R1 12 793 98 MWR32A22L5 13 022 87 MWR45A15L5 13,022.87 MWR55A18HDL4 13.277.51 MW40A18HDL2 13,048.62 MW50A18R2 12,793.98 MWR32A22R1 13,022.87 MWR45A15R1 13.022.87 MWR55A18HDL5 13.277.51 MW40A18HDL3 13.048.62 MW50A18R3 12.793.98 MWR32A22R2 13.022.87 MWR45A15R2 13,022.87 MWR55A18I 1 13 022 87 MW40A18HDL4 13.048.62 MW50A18R4 12.793.98 MWR32A22R3 13.022.87 MWR45A15R3 13 022 87 MWR55A18L2 13.022.87 MW40A18HDL5 13,048.62 MW50A18R5 12,793.98 MWR32A22R4 13,022.87 MWR45A15R4 13,022.87 MWR55A18L3 13,022.87 13.022.87 12.793.98 12.793.98 13.022.87 MWR55A18L4 13.022.87 MW40A18L2 12,793.98 MW50A22L2 12,793.98 MWR36A15L1 13,022.87 MWR45A18HDL1 13.277.51 MWR55A18L5 13 022 87 12,793,98 MW40A18L3 12 793 98 MW50A22L3 MWR36A15L2 13.022.87 MWR45A18HDL2 13,277.51 MWR55A18R1 13,022.87 MW40A18L4 12,793.98 MW50A22L4 MWR36A15L3 13,022.87 MWR55A18R2 13,022.87 MW40A18L5 MWR36A15L4 12.793.98 MW50A22L5 12.793.98 13.022.87 MWR45A18HDL4 13,277.51 MWR55A18R3 13 022 87 MW40A18R1 12.793.98 MW50A22R1 12.793.98 MWR36A15L5 13.022.87 MWR45A18HDL5 13 277 51 MWR55A18R4 13,022.87 MW40A18R2 12,793.98 MW50A22R2 12,793.98 MWR36A15R1 13,022.87 MWR45A18L1 13,022.87 MWR55A18R5 13,022.87 MW40A18R3 12.793.98 MW50A22R3 MWR36A15R2 13.022.87 MWR45A18L2 13.022.87 12.793.98 MWR55A22L1 13 022 87 MW40A18R4 12.793.98 MW50A22R4 12,793.98 MWR36A15R3 13,022.87 MWR45A18L3 13,022.87 MWR55A22L2 13,022.87 MW40A18R5 12 793 98 MW50A22R5 12 793 98 MWR36A15R4 13 022 87 MWR45A18L4 13,022.87 MWR55A22L3 13,022.87 MW40A22L1 12,793.98 MW55A15L1 MWR36A15R5 13,022.87 MWR45A18L5 13.022.87 MWR55A22L4 13.022.87 12.793.98 MWR36A18HDL1 12.793.98 13.277.51 MWR45A18R1 13,022.87 MWR55A22L5 13.022.87 MW40A22L3 12.793.98 MW55A15L3 12.793.98 MWR36A18HDL2 13.277.51 MWR45A18R2 13 022 87 MWR55A22R1 13.022.87 MW40A22L4 12,793.98 MW55A15L4 12,793.98 MWR36A18HDL3 13,277.51 MWR45A18R3 13,022.87 MWR55A22R2 13.022.87 12.793.98 12.793.98 MWR36A18HDL4 13.277.51 MWR45A18R4 13.022.87 MWR55A22R3 13.022.87 MW40A22R1 12.793.98 MW55A15R1 12.793.98 MWR36A18HDL5 13.277.51 MWR45A18R5 13.022.87 MWR55A22R4 13.022.87 12,793,98 12,793,98 13.022.87 MWR45A22L1 MW40A22R2 MW55A15R2 MWR36A18L1 13,022.87 MWR55A22R5 13.022.87 MW40A22R3 12,793.98 MW55A15R3 13,022.87 30,136.32 MWR36A18L3 MW40A22R4 12,793.98 MW55A15R4 12.793.98 13,022.87 MWR45A22L3 13,022.87 SK2017 30,136.32 MW40A22R5 12.793.98 MW55A15R5 12.793.98 MWR36A18L4 13.022.87 MWR45A22L4 13 022 87 SK2215 30 136 32 MW45A15L1 12,793.98 MW55A18HDL1 13,048.62 MWR36A18L5 13,022.87 MWR45A22L5 13,022.87 30,136.32 MW45A15L2 12.793.98 MW55A18HDL2 13.048.62 MWR36A18R1 13.022.87 MWR45A22R1 13.022.87 SK2415 30,136.32 MW45A15L3 12.793.98 MW55A18HDL3 13.048.62 MWR36A18R2 13.022.87 MWR45A22R2 13.022.87 SK2417 30 136 32 MW45A15I 4 12 793 98 MW55A18HDL4 13 048 62 MWR36A18R3 13 022 87 MWR45A22R3 13 022 87 SK2615 30,136.32 MW45A15L5 12,793.98 MW55A18HDL5 13,048.62 MWR36A18R4 13,022.87 MWR45A22R4 13.022.87 SK2617 30,136.32 MW45A15R1 12.793.98 MWR36A18R5 13.022.87 MW55A18L1 12.793.98 MWR45A22R5 13,022.87 SK2815 30.136.32 MW45A15R2 12.793.98 MW55A18L2 12.793.98 MWR36A22L1 13.022.87 MWR50A15I 1 13 022 87 SK2817 30,136.32 MW45A15R3 12,793.98 MW55A18L3 MWR36A22L2 13,022.87 MWR50A15L2 13,022.87 SK3015 30,136.32 12.793.98 12.793.98 13.022.87 MWR50A15L3 13.022.87 SK3017 30.136.32 MW45A15R5 12.793.98 MW55A18L5 12.793.98 MWR36A22L4 13.022.87 MWR50A15L4 13.022.87 11.493.32 MW45A18HDL1 13.048.62 MW55A18R1 12,793,98 MWR36A22L5 13.022.87 MWR50A15L5 13,022.87 11,493.32 VF14 MW55A18R2 MWR36A22R1 13,022.87 VK12 17.668.74 MW45A18HDL3 MW55A18R3 MWR36A22R2 13,048.62 12,793.98 13,022.87 MWR50A15R2 13,022.87 17.668.74 MW45A18HDL4 13.048.62 MW55A18R4 12.793.98 MWR36A22R3 13.022.87 MWR50A15R3 13 022 87 23.178.10 VS1615 13,048.62 MW55A18R5 MWR36A22R4 13,022.87 MWR50A15R4 VS1618 23.178.10 MW45A18L1 MWR36A22R5 12.793.98 MW55A22L1 12.793.98 13.022.87 MWR50A15R5 13.022.87 VS1622 23,178.10 MW45A18L2 12.793.98 MW55A22L2 12.793.98 MWR40A15L1 13.022.87 MWR50A18HDL1 13.277.51 VS1815 23,178,10 MW45A18L3 12 793 98 MW55A22L3 12.793.98 MWR40A15L2 13.022.87 MWR50A18HDL2 13 277 51 VS1818 23 178 10 MW45A18L4 12,793.98 MW55A22L4 12,793.98 MWR40A15L3 13,022.87 MWR50A18HDL3 VS1822 23,178.10 MW45A18L5 12.793.98 12.793.98 MWR40A15L4 13.022.87 MWR50A18HDL4 13.277.51 VS2015 23,178.10 MW45A18R1 12.793.98 MW55A22R1 12.793.98 MWR40A15L5 13.022.87 MWR50A18HDL5 13 277 51 MW45A18R2 12,793.98 MW55A22R2 MWR40A15R1 13,022.87 MWR50A18L1 VS2018 23,178,10 23,178.10 VS2018R4 MW45A18R3 12.793.98 MW55A22R3 12.793.98 MWR40A15R2 13.022.87 MWR50A18L2 13.022.87 VS2022 23,178.10 MW45A18R4 12.793.98 MW55A22R4 12.793.98 MWR40A15R3 13.022.87 MWR50A18L3 13.022.87 MWR50A18L4 MW45A18R5 12.793.98 MWR40A15R4 13.022.87 VS22 23.178.10 MW55A22R5 12.793.98 13.022.87 23,178,10 12,793.98 MW55MA13R1 15,902.29 13,022.87 13,022.87 VS2215 MW45A22L2 12,793.98 MWR32A15L1 13,022.87 MWR40A18HDL1 13,277.51 MWR50A18R1 13,022.87 VS2218 23,178.10 MW45A22L3 12.793.98 MWR32A15L2 13.022.87 MWR40A18HDL2 13.277.51 MWR50A18R2 13 022 87 VS2222 23.178.10 23.178.10 MW45A22L4 12,793.98 MWR32A15L3 13,022.87 MWR40A18HDL3 13,277.51 MWR50A18R3 13,022.87 VS2222L5 MW45A22L5 12.793.98 MWR32A15L4 13.022.87 MWR40A18HDL4 13.277.51 MWR50A18R4 23,178.10 13.022.87 MW45A22R1 12.793.98 MWR32A15L5 13.022.87 MWR40A18HDL5 13.277.51 MWR50A18R5 13.022.87 VS2418 23.178.10 12,793,98 MW45A22R2 13.022.87 MWR40A18I 1 13.022.87 MWR50A22L1 23 178 10 MWR32A15R1 13.022.87 VS2418HDL3 MW45A22R3 12,793.98 MWR32A15R2 13,022.87 MWR40A18L2 13,022.87 MWR50A22L2 13,022.87 23,178,10 MW45A22R4 12.793.98 MWR32A15R3 MWR40A18L3 13.022.87 MWR50A22L3 13.022.87 13.022.87 MW45A22R5 12.793.98 MWR32A15R4 13.022.87 MWR40A18L4 13.022.87 MWR50A22L4 13.022.87



MWR40A18L5

MWR50A22L5

MW50A15L1

GENERAL PUMP REPAIR KITS

ď			HEN	EKA	L PUMP REP	AIK I	KIT:	5	
	K01	KIT 1 - VALVE ASSEMBLY	41.97	K165	KIT INTERMEDIATE RING	33.81	K27	KIT 27-LONG PACKING ASSY	21.93
	K01A	KIT 1A,O-RING VA,190-016	2.91	K166	KIT 166 LONG PACKING ASSY	47.43	K27HP	KIT 27-PACKING ASSEMBLY	24.28
	K02	KIT 2 - PISTON GUIDE OIL	6.27	K167	KIT LONG PACKING ASSY	47.43	K28	KIT 28- LONG PACKING ASSY	29.53
-	K03	KIT 3-CRANKSHAFT OIL SEAL	14.84	K168	KIT,REPAIR,UNLOADER,ZK1	83.59	K28HP	KIT 28-PACKING ASSEMBY	31.42
٠,	K04	KIT 4 - VALVE CAP BRASS	70.89	K169	VALVE KIT,66 SERIES	137.80	K29	KIT 29-LONG PACKING ASSY	31.88
	K05 K06	KIT 5-VALVE CAP NICKEL KIT 6, PISTON BOLT ASSY	110.47 22.08	K17 K170	KIT 17 INTERMEDIATE RINGS 20MM PACKING KIT	51.36 108.73	K29HP K31	KIT 29-PACKING ASSEMBLY KIT 31 PACKING ASSEMBLY	37.64 52.99
	K06A	KIT 6A,WASHERS/RI,190-015	6.63	K170	KIT,PACKING,20MM,	80.07	K32	KIT 32-CRANKSHAFT OIL SEA	17.95
	K07	KIT 7 - HEAD RING	10.76	K172	22MM PACKING KIT,	108.73	K33	*KIT 33 - VALUE	51.82
S	K08	KIT 8 - PACKING 20MM	42.18	K173	KIT,PACKING,22MM,	80.07	K34	*KIT 34-ACCUMULATOR ASSEM	73.80
ă	K08HP	KIT 8HP, V-PACKING, 20 x	29.43	K174	KIT,SEAL,16MM (1)	118.88	K35	*KIT 35-PISTON DIAPHRAGM	43.04
	K10	KIT 10-PACKING RETAINER	18.11	K175	*KIT,PACKING,16MM (3)	81.75	K37	KIT 37 OIL SEAL	23.36
	K101T K102	PACKING KIT, TEFLON, KIT-102 TT UNLOADER MAINT	171.21 99.76	K176 K177	KIT,PACKING,18MM (3) KIT,FLOW,B/I UNLOADER,	84.51 88.18	K38 K39	KIT 38-36MM SHORT PACKING KIT 39 - PACKING ASSEMBLY	73.80 78.95
	K102	*KIT 103	19.69	K177	KIT,FLOW,B/I UNLOADER, KIT.REPAIR.UNLDR.ZK3608	42.02	K40	KIT 40 PACKING RETAINER	77.57
	K105	KIT 105 P10 MAINTENANCE	34.94	K180	PACKING KIT,18MM	132.75	K41	KIT 41- HEAD RING 38 MM	31.98
þ	K106	KIT-106 - VALVE CAP	125.72	K181	KIT,LP SEAL,HP SEAL,	94.71	K42	KIT 42-INTERMEDIATE RING	56.00
2	K107	KIT 107 PISTON BOLT	45.14	K182	KIT,PACKING,24MM,	80.07	K43	KIT 43 - VALVE	186.76
_	K108	KIT 108 - HEAD RING (6)	7.45	K183	KIT,UNLDR,BUILT-IN,FLOW	156.32	K43A	*KIT 43A,O-RING V,190-017	8.87
	K109	KIT 109 - PACKING 16MM	89.96	K184 K187	KIT,UNLDR,BUILT-IN,TRPPD	81.80	K44 K47	KIT 44-PISTON ROD OIL SEA KIT 47- PACKING RETAINER	29.07
	K109KD K11	KIT 109RD PACKING 16MM, KIT 11-HEAD RINGS	166.16 9.44	K107	KIT,REPAIR,INTERNAL KIT 19-SHORT PACKING 20MM	89.91 38.10	K47	KIT 47- PACKING RETAINER KIT 48- HEAD RING 45MM	85.27 30.70
	K110	KIT-110 INTERMEDIATE RING	62.17	K191	KIT,REPAIR,UNLOADER,	98.18	K50	*KIT 50-VALVE MAINTENANCE	28.76
	K111	KIT 111 PACKING RETAINER	58.65	K192	KIT, VALVE, SS, SIX PIECES	127.30	K51	KIT 51 TIMAX MAINTENANCE	56.51
š	K112	KIT 112-LONG PACKING ASSY	84.41	K196	SEALS,HP,PACKINGS,15MM	45.85	K52	KIT 52 PIMATIC/P11 GUN	30.70
ж.	K113	KIT 113-SHORT PACKNG ASSY	126.63	K197	SEALS,HP,PACKINGS,18MM	55.74	K54	KIT 54 - BOLT KIT	37.28
	K114	KIT 114-PACKING RETAINER	195.43	K198	RING,INTERMEDIATE,15MM	29.38	K56	*KIT 56-S1 VALVE MAINTENA	12.44
	K115 K116	*KIT 115 PACKING ASSEMBLY *KIT 116-P3 MAINTENANCE	138.57 31.98	K199 K19HP	RING,INTERMEDIATE,18MM KIT 19HP, V-PACKING, 20 x	29.38 31.06	K57 K58	KIT,PACKING RETAINER & KIT 58 - K5 MAINTENANCE	75.48 61.35
	K118	KIT 118 SHORT PACKING	12.80	K19RD	KIT 19RD SHORT PACKING	95.68	K59	KIT 59 K3 MAINTENANCE	57.17
_	K119	KIT 119 LNG PACKING	13.92	K20	KIT-20 INTERMEDIATE RING	19.02	K60	KIT 60 - K5 COMPLETE REUB	89.15
ė	K12	KIT 12 - PACKING 22MM	49.22	K200	SEALS,LP,15MM 60 SERIES	26.98	K61	KIT-61 K3 COMPLETE REBUILD	93.89
~	K120	KIT 120 - UNLOADER MAINTE	27.08	K201	KIT,VALVE,HIGH	78.44	K62	KIT 62 - VALVE (6)	119.14
	K121	KIT 121 K9 MAINTENANCE	237.00	K2012	KIT,VALVE,INLET,71 SERIES	319.36	K63	KIT 63 - PACKING 30MM	78.23
E.	K122 K123	KIT, VALVE ASSY - T4251 KIT, VALVE	365.11 51.20	K2013 K202	KIT,VALVE,OUTLET,71 KIT,SEALS,LP&HP,HIGH	324.00 233.12	K64 K65	KIT 64 PACKING RETAINER KIT 65-INTERMEDIATE RING	87.01 11.53
-	K123 K124	KIT, VALVE CAP, EZ	69.51	K202	KIT,SEAL ASSEMBLY,HIGH	105.26	K66	KIT 66-INTERMIDAITE RING	79.10
	K125	KIT 125 PACKING RETAINER	31.98	K2030	KIT,VALVE,70 SERIES	599.15	K67	KIT 67-SHORT PACKING ASSY	83.74
8	K126	KIT 126-PACKING RETAINER	31.98	K2031	KIT,SEALS,HT,70 SERIES	536.11	K69	KIT 69,SHORT PACKING ASSY	61.20
á	K127	KIT 127,SHORT PACKNG ASSY	59.87	K2032	KIT,PACKING,HT,70 SERIES	218.18	K70	KIT 70 - K7 MAINTENANCE	88.89
	K128	KIT, INTERMEDIATE RING	31.21	K2033	KIT,SEALS,PACKING,HT	555.34	K71	KIT,INTERMEDIATE RING,	66.76
	K129	EZ HEAD RINGS,EZ SERIES	7.65	K2034	KIT,PACKING,HT,71 SERIES	266.32	K72	KIT 72 - MAINTENANCE	29.07
	K12HP	KIT 12HP, V-PACKING, 22 x KIT,15MM Long Packing Assy	44.78 44.73	K204 K205	KIT,SEAL,HIGH PRESSURE, KIT,SEAL ASSEMBLY,63 HT	205.58 92.21	K74 K75	KIT 74 PISTON BOLT KIT 75-INTERMEDIATE RING	88.43 107.46
		KIT 130-PACKING ASSEMBLY	36.36	K206	KIT,SEAL,HIGH PRESSURE,	272.85	K76	KIT 76-PACKING RETAINER	171.26
	K131	KIT 131,18MM Packing Assy	54.57	K207	KIT,SEAL ASSEMBLY,20MM,	128.27	K77	KIT-77 PACKING W/RESTOP 2	91.14
8	K132	KIT 132 - UNLOADER KIT	24.79	K208	KIT,SEAL,HIGH PRESSURE,	272.85	K78	KIT 78 LONG PACKING ASSY	128.88
	K133	KIT 133 - VALVE CAP	16.12	K209	KIT,SEAL ASSEMBLY,22MM,	128.27	K78HP	KIT 78-PACKING ASSEMBLY	105.93
	K134	KIT 134 - VALVE REPAIR	25.86	K21	KIT 21 - HEAD RINGS	8.06	K79 K80	KIT 79 - PACKING W/RESTOP KIT 80-LONG PACKING ASSY	114.09
w	K135 K136	*PACKING KIT, SINTEX KIT 136-PISTON ROD OIL	15.61 17.95	K210 K211	KIT,SEAL,HIGH PRESSURE, KIT,SEAL ASSEMBLY,24MM,	286.67 132.75	K80 K81	KIT 81-INTERMEDIATE RING	85.88 111.89
-00	K137	KIT, REPAIR, ZUI UNLOADER	86.85	K212	KIT,SEAL,HIGH PRESSURE,	423.10	K82	KIT 82 LONG PACKING W/RES	73.64
	K139	KIT 139 PACKING RETAINER	30.24	K213	KIT,SEAL,ASSEMBLY,69 HT	178.60	K82HP	KIT 82-PACKING ASSEMBLY	53.35
Ì	K14	KIT 14-PACKING RETAINER	14.28	K214	KIT,PACKINGS,63SS,15MM	279.68	K83	KIT 83 - OIL SEAL	16.83
	K140	KIT 140 LONG PACKING ASSY	20.30	K215	KIT,PACKING,COMPLETE,15MM	200.74	K84	KIT 84 - VALVE CAP	57.53
•	K141	KIT 141 PACKING 18 MM	31.11	K216	KIT,PACKING,COMPLETE,18MM	193.44	K85	KIT 85 - COMPLETE PACKING	14.74
	K142 K143	*KIT, REPAIR FOR HX VALVE	125.87 40.24	K217 K218	KIT,PACKING,SS,20MM,66 SS KIT,PACKING,SS,22MM,66 SS	238.53 238.53	K86 K87	KIT 86 SHORT PACKING KIT 87-PACKING LESS BRASS	20.30 20.09
	K145	KIT 146 - PACKING	12.65	K219	KIT,PACKING,HT,24MM	269.13	K88	KIT,PACKING,W/RESTOP RING	45.03
	K147	KIT 147 - OIL SEAL	14.64	K22	KIT-22 PACKING RETAINER	14.08	K88HP	KIT,HIGH PRESSURE PACKING	45.65
	K148	KIT 148,SHORT PACKNG ASSY	69.05	K220	KIT,HOT,VALVE AND SEALS,	249.29	K89	KIT 89-INTERMEDIATE RING	29.17
		KIT 148RD,PACKING 22MM,	233.84	K220A	KIT,SEAL,20MM,HOT	163.00	K90	KIT 90 -HEAD RING 5110005	5.46
	K149	KIT 149,INTERMEDIATE RING	42.38	K222	KIT,SEAL,22MM,HIGH	249.29	K91	KIT 91 - PACKING RETAINER	29.17
	K15 K150	KIT 15 HEAD RING 24MM KIT, VALVE, T5050	7.65 182.99	K225 K226	SEALS,LP,18MM 60 SERIES KIT,PACKING,COMPLETE,15MM	26.98 35.50	K9101A	KIT 910 CW LP PACKING KIT 9101A, CW LONG PACKNG	45.95 36.92
ж.		KIT, VALVE,	182.99	K227	KIT,PACKING,COMPLETE,18MM	37.89	K911	KIT 911-SEAL RETAINER	45.03
	K151	KIT, LONG PACKING, T5050	75.68	K228	KIT,VALVE,SS,SIX PIECES,	192.93	K92	KIT 92-LONG PACKING ASSY	42.18
	K152	KIT, PACKING RETAINER	69.36	K23	KIT 23-PISTON ROD OIL SEA	17.09	K93	KIT 93-CONTROL SET W2	32.95
	K153	KIT, SHORT PACKING	81.45	K235	KIT,ASSEMBLY,UPPER	70.02	K939	KIT 939-PACKING ASSEMBLY	82.62
	K154	KIT,INTERMEDIATE RING	80.68	K236	KIT,ASSEMBLY,COMPLETE	103.53	K94	KIT 94 - CONTROL SET FOR	8.36
	K155 K156	KIT-155,HEAD RING, 13MM KIT, LONG PACKING ASSY	6.43 82.42	K237 K238	KIT,ASSEMBLY,INJECTOR KIT,SEAL,HT,20MM	13.77 292.23	K940 K942	KIT 940,PACKING RETAINER KIT,INTERMEDIATE RING	116.08 120.67
	K158	KIT-158, VALVE CAP	112.20	K239	KIT,ASSEMBLY,SEAL,HT	264.49	K942 K943	KIT, VALVE CAR WASH	162.13
	K159	KIT PISTON ROD OIL SEAL	17.34	K24	KIT 24 - PISTON ROD OIL S	20.30	K95	KIT 95 - KR UNLOADER	55.79
	K16	KIT 16 - PACKING 24MM	73.70	K240	KIT,ASSEMBLY,SEAL,HT	257.81	K96	KIT 96-LONG PACKING ASSY	11.53
	K160	KIT SHORT PACKING,15MM	76.50	K243	KIT,SEALS,60 SER.,HT	293.66	K967	KIT 967,PACKING ASSY,	82.98
	K161	KIT SHORT PACKING, 18MM	76.50	K244	KIT,ASSEMBLY,SEAL,60	136.58	K969	KIT 969, CW SHORT PACKING	62.99
	K162 K163	KIT 162 - SEAL RETAINER KIT 163 - SEAL RETAINER	31.06 31.06	K25 K25	KIT 25- PACKING 22MM KIT 25- PACKING 22MM	26.93 26.93	K97 K98	KIT 97 - SHORT PACKING KIT 98 - W1 MAINTENANCE	16.52 96.29
*	K163	KIT INTERMEDIATE RING	33.81	K25 K26	KIT 26 - PISTON BOLT	20.96	K98 K99	X KIT,UI MANIFOLD	14.69
0	3200	N. C.	50.01	27.50		_0.50		,	

POPULAR KIT TOOLS



PUMP REBUILDING 'CD'

How much did you say that you have spent over the years having someone else rebuild your

GENERAL PUMP?

Not any more! How about 10 minutes to change all the packings & valves? Can you live with that?

ORDER #GPV-101 \$9.95

PACKING EXTRACTION KIT



INCLUDES:
Slide Hammer
that attaches to
extractor socket
& extractor sockets
that fit:
15mm, 18mm, 20mm,

22mm & 24mm.

PART # P 1007 \$

PRICE \$49.77

KING

For All General Pumps

Getting the packing out is one thing... ... getting them back in is another



PART # PRICE 1063 \$14.76





A-R KITS

AR1808	52.12	AR2156	46.83	AR2597	15.18
AR1811	16.62	AR2157	19.57	AR2598	15.18
AR1815	13.36	AR2167	29.34	AR2599	21.76
AR1816	14.11	AR2186	36.37	AR2606	56.67
AR1819	63.93	AR2188	36.30	AR2622	18.43
AR1820	12.22	AR2189	51.67	AR2623	73.93
AR1824	22.53	AR2190	14.11	AR2624	80.82
AR1827	51.60	AR2191	10.41	AR2631	67.95
AR1828	48.34	AR2233	15.63	AR2674	25.47
AR1829	17.91	AR2234	29.26	AR2683	29.04
AR1846	64.62	AR2235	20.32	AR2687	23.65
AR1848	71.20	AR2236	17.22	AR2740	10.48
AR1855	52.80	AR2237	15.63	AR2741	71.35
AR1856	57.04	AR2332	17.61	AR2744	21.76
AR1859	34.93	AR2503	58.03	AR2745	11.25
AR1860	40.39	AR2504	40.84	AR2747	77.79
AR1863	26.23	AR2508	24.94	AR2781	50.53
AR1864	42.13	AR2511	13.89	AR2784	76.20
AR1865	35.47	AR2514	57.64	AR2786	35.62
AR1866	69.09	AR2528	41.29	AR2787	48.03
AR1872	36.00	AR2529	44.17	AR2797	23.20
AR1873	40.00	AR2577	23.13	AR2798	55.00
AR1874	71.20	AR2581	24.19	AR2799	22.14
AR1916	16.17	AR2582	39.55	AR2800	57.12
AR1922	26.53	AR2583	16.02	AR2825	71.88
AR1925	32.74	AR2584	39.78	AR2826	71.88
AR1930	33.27	AR2586	21.39	AR2855	16.84
AR2040	22.14	AR2587	43.11	AR2856	19.80
AR2121	25.17	AR2588	20.32	AR2864	50.16
AR2125	42.13	AR2591	21.84	AR2868	21.84
AR2136	25.32	AR2592	15.70	AR2869	42.13
AR2155	23.20	AR2593	32.52	AR2873	38.95

A-R PUMPS AND PRICING

RC1117N	210.34	RKA7G20HEF17	459.15	RW21	351.60	XMV3G25DF25	273.79
RC1317N	210.34	RKA7G20HN	399.73	SJV25G27DF7	223.88	XMV3G25EF33	280.91
RCA25G25N	210.34	RKA7G20HN	399.73	SJV25G27DF7M22	223.88	XMV3G27DF25	273.79
RCA2G25EF8	219.44	RKASS23G15EF17	1562.77	SJV3G27DEZ	238.13	XMV3G30DF24	285.66
RCA2G25EF8SX	219.44	RKASS23G15EF33	1562.77	SJV3G27DF7	233.38	XT814N	266.65
RCA35G16EF8	219.44	RKASS23G15N	1491.55	SRMW22G26EZ	124.76	XTA05G10EBAF8	304.80
RCA35G25N	210.34	RKV35G30ADF24	356.96	SRMW22G26EZSX	124.76	XTA1G15EF8	280.91
RCA3G25EF8	219.44	RKV35G40HDF24	404.49	SXMA3G35EF17	347.46	XTA2G15EBAF8	280.91
RCA3G25N	210.34	RKV45G32DF24	390.23	SXMA4G30EF17	347.46	XTA2G15NBA	266.65
RCV25G25DF7	219.44	RKV45G37DF24	390.23	SXMV35G40DF24	311.80	XTA2G22EF8	299.93
RCV25G25DF7S	219.44	RKV45G40HDF24	404.49	SXMV3G40DF24	311.80	XTA2G22N	285.66
RCV25G27DF7	219.44	RKV4G37DF24	325.00	SXMV4G40DF24	311.80	XTA3G16EBAF8	290.42
RCV2G25DF7	219.44	RKV4G40HDF24	360.00	SXW1535	605.00	XTA3G16N	273.79
RCV2G25EF8	219.44	RKV55G40HDF24	404.49	SXW2135	605.00	XTA3G19EF8	307.05
RCV35G25DF7	219.44	RKV5G40HDF24	404.49	SXWA4G50	701.54	XTA3G19N	290.42
RCV3G25DF7	219.44	RKW1514N	501.92	SXWA55G50	701.54	XTA4G15EBAF8	309.43
RCV3G25EF8	219.44	RMV25G30D	162.10	SXWA7G50	701.54	XTV05G10EF8	304.80
RHW1515N	763.77	RMV2G25D	147.83	WHW2115N	940.51	XTV2G15DBAF7	280.91
RK1528HN	360.00	RMW25G25D	147.83	WHWL3815N	940.51	XTV2G15EBAF8	280.91
RK1828HN	399.73	RMW25G28EZSX	166.84	WHWL4215N	940.51	XTV2G22EF8	299.93
RK2120NL	399.73	RMW2G24	114.57	WHWL5015N	940.51	XTV3G16EF8	280.91
RKA35G25N	375.96	RMW2G25D	147.83	XHW1117N	665.00	XTV3G22DF7	299.93
RKA35G30EF17	399.73	RR1520N	263.79	XJV2G15EF8	233.38	XTV3G22EF8	299.93
RKA35G30N	375.96	RR1816N	263.79	XJV3G20EF8	233.38	XW3025N	623.12
RKA35G40HEF1	449.64	RRA35G30N	263.79	XM1117N	266.65	XWA9G30N	623.12
RKA35G40HN	392.61	RRA3G30EF17	277.64	XM1515N	273.79	XWAM4G40N	539.94
RKA45G35HN	392.61	RRA4G30EF17	277.64	XMA25G18EF33	280.91	XWAM55G40N	539.94
RKA48G30EF17	449.64	RRA4G30N	263.79	XMA2G22EF33	280.91	XWAM7G40N	594.60
RKA4G20EF17	399.73	RRA55G26EF17	277.64	XMA35G22N	273.79	XWAM8G35N	554.60
RKA4G30AN	340.33	RRA55G30N	263.79	XMA35G25EF17	316.56	XWF2620N	675.39
RKA4G30EF17	399.73	RRV35G36DF24	268.41	XMA35G25N	266.65	XWF3020N	675.39
RKA4G30HEF17	449.64	RRV3G36DF24	268.41	XMA3G18EF33	280.91	XWF3617N	675.39
RKA4G30N	375.96	RRV4G36DF24	268.41	XMA3G25N	266.65	XWL4121N	730.05
RKA4G35N	392.61	RSV25G25DF25	290.42	XMA3G30EF17	316.56	XWL4215N	675.39
RKA4G35NL	402.11	RSV35G35DF40	311.80	XMA4G20N	273.79	XWL5015N	730.05
RKA4G40HN	392.61	RSV3G25DF25	290.42	XMV25G26DF25	273.79	XWLA13G15N	675.39
RKA4G40HNL	402.11	RSV3G30DF40	311.80	XMV2G25EF33	280.91	XWM1530N	539.94
RKA55G13EF17	442.50	RSV4G40DF40	311.80	XMV35G20EF33	280.91	XWM2128N	539.94
RKA55G30HN	399.73	RW15	351.60	XMV35G25DF25	273.79	XWM2623N	594.60
RKA65G20HN	399.73	RW15	351.60	XMV35G25DF33	280.91	XWT2120N	675.39
				CONTRACTOR OF THE PARTY OF THE		The second second	ATTENDED

An unborn animal will never have to die in an animal shelter...

Gloss Enhancing House Wash for Cold Water

55 GALLONS

Specifically formulated for Cold Water Equipment & 'Hard Water' Areas

POWER HOUSE was developed for cold water washing where hard water is present. This product contains an over abundance of water softening chelating agents which makes it well suited for hard water areas throughout the country.

Typically hot water is the preferred method of applying and rinsing cleaning chemicals from the surface. However, you will find POWER HOUSE to work equally as well in a cold water environment. This is especially important in States like Florida, Georgia & Texas where it is not uncommon to see surface temperatures in the 130 degree range. Since heat generates alkalinity you can see how dangerous it can be when detergent is applied to the surface using a hot water pressure washer. Quite often this method results in alkaline shock where the water from the detergent evaporates and damages the surface before the operator has time to rinse. More often than not this damage is irreversible. Use Power house to avoid this danger.

The dispersant utilized in POWER HOUSE allows for a high concentration of specific builders and surfactants which will completely emulsify carbonaceous as well as general 'fall-out' pollutants commonly found in areas that see a lot of motor vehicle traffic. POWER HOUSE contains a high volume of our SuperFlo Polymer which accounts for it's surface gloss.

Although POWER HOUSE is considered a Super Concentrate you will find that it will provide a great wash/rinse cycle while remaining gentle

POWER HOUSE is a unique blend of specialty surfactants and alkalis specifically formulated for the Professional Exterior House Washing Industry. It acts by first wetting and chelating pollutants and then holding them in suspension until the surface is thoroughly rinsed. POWER HOUSE is less aggressive on surface and vegetation than typical cleaners used in this field but will achieve superior cleaning results.

> 5 GAL #PH5 \$15.00 20 GAL #PH20 \$45.00 55 GAL #PH55 \$99.95

being sold to the Professional Mobile Wash Industry by other manufacturers.

Hi-Solvent Truck Wash / Degreaser



Specifically formulated for **Truck & Bus Washing Industry** Non-Caustic Degreaser with Gloss Enhancers for Dull Surfaces

Viper is a specialty product specifically formulated for the Truck Washing & Bus Washing Industry where exhaust fumes have become attached to the stack side of the trailer body & rear engine areas of City Buses. Coupled with carbon release activating solvents and rinse aids, Viper also finds itself being utilized in other areas where the heavy build-up of grease & oil is present. Garage Floors, Vehicle Maintenance Shops, and Service Stations are just a few of the many areas where Viper is utilized.

Viper is preferred by many professionals who have scheduled cleaning of commercial vehicles with a frequency of weekly or every other week service. It is a quick cleaner and a fast rinser. Areas where this product is being utilized is on Hertz, UPS, Ryder and many other Nationally known vehicle accounts.

Viper exhibits excellent wetting, chelating, rinsing and emulsifying properties. It has the ability to hold pollutants in suspension during the wash process and it's rinsability makes it an ideal product when using either cold or hot water equipment.

Viper's horsepower is derived from a group of Specialty Gloss Enhancers, Spot Free Rinse Aids, and a unique blend of surfactants which are not commonly found in the detergent industry.

Viper comes packaged in a two-part system. One part is approximately forty (40) pounds of Base Product. The second part is one gallon of Carbon Release Activator. The two combined will make 55 gallons of a super concentrate.

> 5 GAL #VIP5 \$15.00 20 GAL #VIP20 \$45.00 55 GAL #VIP55 \$99.95

EXPERIENCE THE POWER OF ZOLOID 'CROSS-LINKED' SURFACTANTS

Z'GREASER



THE INDUSTRY'S MOST POWERFUL **DEGREASING FORMULA**

If you find yourself in a real 'bind' over removing oils and grease you will be amazed at what z'Greaser will 'cut.'

z'Greaser is the most powerful non-caustic formula in the degreasing chemical industry. Over 40 pounds of powder plus liquid activators are blended together to make 55 Gallons of liquid concentrate.

In general, z'Greaser was formulated to disrupt the surface membrane of grease in order to first free and then solubilize membrane-bound pollutants while, at the same time, holding those pollutants in solution and not allowing them to redeposit themselves elsewhere on the surface prior to rinsing.

Because of its wide range of a unique Zoloid Surfactant which is produced by EnviroSpec, z'Greaser can be utilized in a wide variety of cleaning applications. We have tested this product extensively in the truck washing industry and found that at a final product to surface dilution level of 225 parts water to 1 part product, z'Greaser produced the best results in 98% of our test models. In the heavy equipment degreasing industry 90 parts water to 1 part z'Greaser proved to be the best dilution rate.

Although expensive on a per unit basis, when you consider the unlimited cleaning projects that can be performed by z'Greaser at these phenomenal dilution rates you can readily see that this is really one of the most cost effective products on the 5 GAL #ZG5 \$25.00 market. It is not uncommon to have 1 drum of z'Greaser Concentrate to equal 5 drums of what is presently 20 GAL #ZG20

55 GAL #ZG55 \$149.95

...so please Spay or Neuter your pet.



Specifically Formulated to Rejuvenate Wood Fibers

of Oxygenated Cleaner & the only oxygenated cleaner with an Orange Solvent

We are widely regarded as one of the leading global experts in the development and implementation of Green cleaning solutions and the invention Fiber-X, our latest wood rejuvenator, is a good example why most experts turn to EnviroSpec to help them with their toughest cleaning projects.

Fiber-X is a blend of oxygenators, orange peel solvents and cross-linked surfactants that break the degenerative cycle of drying & decaying wood fibers that begins when environmental factors come into play. When used as directed Fiber-X breaks this cycle by allowing the wood to breath more efficiently. The orange peel solvents help to penetrate and eliminate any existing wood destroying bacteria by weakening it's cell wall. When the cell wall is weakened or disrupted, it can no longer function. This forces the cell to burst due to osmotic effects (water rushing into the cell). At this point wood fibers can recapture their shape while continuing to exist in a harsh outdoor environment.

For best results place 1/2 to 3/4 pound of product into a clean 5 gallon pail filled with slightly warm water. Pour in the product and stir 8-10 times. At this point approximately 80% of the powder wil still be at the bottom of the pail. Apply by placing the chemical pick-up line from a 12V or 115V ShruFlo or Flojet pump at the bottom of the pail and begin to drench the wood surface. By the time you have completely drained the pail all of the product will have been solubilized through its own oxygenation process. Allow to stand for approximately 15-20 minutes and rinse.

In some cases, especially with pressure treated wood, the surface will 'fuzz.' This will normally return to its natural state in a few days. Occasionally a light sanding may be required. It is because

of this that we recommend a 1/2 pound per gallon of warm water for pressure treated wood.

5 GAL #FIB5 \$17.00 27 GAL #FIB27 \$39.00

55 GAL #FIB55 \$79.00

100% of the net profits
that are generated from the
EnviroSpec Chemical Division
are donated to...





PRO-BLEND

Quick Rinsing Truck & House Wash loaded with Water Softners

55 GALLONS 2 \$99.95

'Film Free' Cleaning in the Truck & House Washing Industry

SuperFlo Polymer Gloss Enhancers - Water Softening Additives - Nonionic Surfactant Base

Pro Blend is, by far, the most effective non-caustic, film free cleaning detergent concentrate in the professional contract cleaning industry. When used properly, the operator can expect to remove 85% to 90% of all road film from both tractor and trailer bodies that are cleaned on a regular basis.

Pro Blend exhibits excellent wetting, chelating, rinsing and emulsification properties due to its high concentration of our SuperFlo Polymer Complex System. This exotic complex is formulated from a variety of unique dispersants, hydrotopes, and surfactants which are not commonly found in detergent formulations.

The power from Pro Blend originates from a wide variety of uniquely charged ion surfactants, which will alter a positive charged substrate to a negative charge upon contact. This bond breaking function will provide the operator with a one-step cleaning process, rather than the typical acid-alkaline or two-step process that is presently being utilized throughout the industry. The advantages of single step cleaning, using Pro Blend, are twofold, 1) the contractor will be able to provide his/her customer with a much higher quality service, at a 5 GAL #PB5 \$15.00

much lower cost, or should they choose, greatly enhance their own profit margin, and 2) eliminates the possibility of etching glass which can easily happen when using solutions with a hydrofluoric acid content.

20 GAL #PB20 \$45.00

55 GAL #PB55 \$99.95

PRODIGY



How good is it? We have one customer who purchases 5,500 drum packs a year!

CONTAINS SUPER GLOSS ENHANCERS

Prodigy is, by far, one of the highest non-caustic detergent concentrations available in the industry. Prodigy exhibits excellent wetting, chelating, rinsing, and emulsification properties due to its high concentration of our SuperFlo Polymer Complex System. This exotic complex is formulated from a variety of unique dispersants, hydrotopes, and surfactants, which are not commonly found in detergent formulations.

The general rule of thumb in detergent formulation is as follows: Approximately 1 gallon of water will hold approximately 1 pound of powder before separation begins. If your product begins to separate using this method, more often than not, your product has been camouflaged with what is known in our industry as "fillers". Fillers provide little to no value to the products integrity and/or performance. They are used primarily to add weight and increase the bottom line profit for the manufacturer. Using the 1 pound per 1 gallon rule, you can see the potency of Prodigy when you consider that we are able to thoroughly dissolve up to 2.3 pounds of Prodigy into 1 gallon of water without separation. To our knowledge, no other company can make this claim. The advantage of these concentration levels are twofold: 1) the contractor is now able to clean substrates that normally require the use of caustic cleaners and 2) work faster and safer, which increases your bottom line.

As the leader in contract cleaner formulations, EnviroSpec goes to great lengths in providing products that are both environment friendly as well as effective, an attitude not commonly found in such a demanding industry.

Since PRODIGY came out in 1986 it has grown to be the most asked for Truck Wash Detergent in the Mobile Wash Industry.

5 GAL #PRO5 \$15.00 20 GAL #PRO20 \$40.00 55 GAL #PRO55 \$99.95

MR.MUSCLE



What is Mr. Muscle?
PRODIGY with extra Grease Cutters

CONTAINS 'EB' SOLVENT BOOSTERS QUICK RINSE ADDITIVES AND EXTRA GLOSS ENHANCERS

Mr. Muscle has a 40 pound base of Prodigy, the industry's #1 Selling Tractor/Trailer Wash, plus 2.5 gallons of solvent/surfactant additive that really cranks up the horsepower and safely cuts through the heavy build-up of carbonaceous pollutants such as the exhaust typically found on over-the-road trailer bodies and 'fifth-wheel grease!"

Mr. Muscle runs circles around all the degreasers found in the marketplace and at a price that is well below what you would expect to pay for such a product.

In addition, you will find it to work extremely well with both hot and cold water systems. The addition of SpeedX-777 which is part of the liquid additive makes rinsing a breeze.

Mr. Muscle exhibits excellent wetting, chelating, rinsing, and emulsification properties due to its high concentration of our SuperFlo Polymer Complex System. This exotic complex is formulated from a variety of unique dispersants, hydrotopes and rinse aids which are not commonly found in detergent formulations.

Typical applications for the concentrate are: Tractor/Trailer Bodies, Engines, Fork Lifts, Garage Floors, Rail Cars

EnviroSpec goes to great lengths in providing products that are both environment friendly as well as effective.

5 GAL #MRM5 \$25.00 20 GAL #MRM20 \$75.00 55 GAL #MRM55 \$159.95

EMULSIFIER PLUS The Industry's #1 Selling House Wash



BLEACH FRIENDLY DETERGENT WITH GLOSS ENHANCERS

For the very best of all worlds start with 4 gallons of Emulsifier Plus to 1 Gallon of Bleach

Emulsifier Plus - is one of the Original House Wash Formulas developed by EnviroSpec. Our dilemma at the onset of its development stages were: we all know bleach works better than anything for killing and cleaning mold & mildew but we also knew that bleach does absolutely nothing about cleaning carbonaceous pollutants such as exhaust carbons, dirt, grease and grime. The task was - how to do both at the same time!

Bleach, for the most part, does not like to be blended with other chemical products and many of the chemical products found in the professional mobile wash industry can create a serious explosive situation when mixed with sodium hypochlorite (bleach). Emulsifier Plus, on the other hand, is the answer to both the safety issue as well as the cleaning problem. These two products work extremely well together when blended and applied in accordance with the EnviroSpec instructions. Have the best of both worlds - Clean and Kill Mildew and Clean All the other Pollutants typically found on an exterior substrate. And do it all in one pass!

Emulsifier Plus has a pH of around 11.8 to 12.0 in a 1% solution. This unique blend of Surfactants & Builders has been specifically formulated for the House Wash Industry as a stand alone detergent or a detergent additive to be blended together with Bleach.

Emulsifier Plus works great on removing heavy build-ups of grease, grime and general fallout pollutants generally found in high traffic areas and exhibits excellent wetting, chelating, rinsing, and emulsification properties. Its ability to hold pollutants in suspension during the wash process makes it an ideal product when using either hot or cold water pressure washers.

5 GAL #EMUP5 \$29.95 20 GAL #EMUP20 \$59.95 55 GAL #EMUP55 \$99.95

PREMIUM 'HIGH YIELD' DETERGENT WITH LAUROX LO



High Foaming Blend of Emulsifiers, Solvents & 'Quick Rinse' Agents. It is loaded with Water Softeners, Static Reducing Additives & Gloss Enhancers.

FORMULATION OBJECTIVE: SPEED IN CLEANING AND RINSING

BLUE LIGHTENING is the result of blending the very best 'job specific' ingredients that cover every aspect of a cleaning task that will insure the 'perfect clean.' We wanted speed - which meant we had to get the product on the surface - have it do it's job - and get it off the surface quickly.

We added a large amount of LAUROX LO which quickly wets the surface while at the same time generates a substantial 'foam bed' that keeps the soil suspended in the liquid so that it does not redeposit itself on the surface during the cleaning process.

It is formulated with 'top shelf builders.' Not one 'builder' but several are utilized and each has a specific purpose. Some provide alkalinity to aid in cleaning & keeping emulsified soil in suspension. Others emulsify oil and grease and overcome problems associated with water hardness.

BLUE LIGHTENING has a generous amount of SuperFlo Polymer. It is this product that has placed EnviroSpec as the leader in Gloss Enhancing detergent chemistry.

BLUE LIGHTENING can be used in virtually every type of cleaning environment. Truck Washing where heavy build-ups of exhaust carbon and 'road static' are present, House Washing, Brick and Masonry Cleaning, Car Washing, Wood Surfaces & Engine Degreasing are just a few of the cleaning tasks that are easily handled by Blue Lightening.

5 GAL #BL5 \$20.00 20 GAL #BL20 \$60.00 55 GAL #BL55 \$148.00

FOR ACID DAMAGED GLASS

Jewelers use a lesser grade of this compound to polish out scratches on expensive crystal.

Glass De-Etch is a Rare Earth Glass/Crystal Polishing Compound to be used when severe acid damaged has occurred to any glass.

USE INSTRUCTIONS:

Mix with water to the consistency of pancake batter and wipe on windshield. Using a electric buffer with a low pile polishing pad buff briskly into the surface. Work in small areas.

A high stock removal rate, which is partially due to the narrow particle distribution resulting in a low percentage of fines, leaves a clear, bright finish.

#ZPGDE \$44.95 - Enough for 10 Windshields

FOR SOAP DAMAGED GLASS

Did you let soap dry on the glass? **Yes Scum Buster Really Works!**

Scum Buster is manufactured from the world's finest Rare Earth Glass Polishing Compounds.

USE INSTRUCTIONS:

Mix with water to the consistency of warm syrup. Wipe or paint onto glass and briskly polish surface.

#ZPSB \$44.95 - Enough for an entire house

Exhaust Carbons Explode from the Surface!

"OIL EATING" Super Solvent-Surfactant for those 'nasty' Truck Fleets that are loaded with exhaust carbon.

'OCB' Emulsifier can be added to any Drum Pack of EnviroSpec Detergent in concentration levels of 1 Gallon to 55 Gallons.

Ask any Professional Mobile Washer who washes trucks and they will tell you that not a 'shift' goes by without running into at least one account that is loaded with exhaust carbon on the 'stack side' of the trailer. When this happens it takes forever to finish that account and when you think you are through...

...the job still looks terrible!

All of the EnviroSpec Truck Wash Products are loaded with 'OBC' Emulsifier already but occasionally even that is not enough

> Add 1 Gallon of 'OCB' Emulsifier and watch the carbon & grease - explode off the surface!

#ZLOIL1 \$39.95 1 Gallon - Treats 1 55 Gallon Drum of Detergent

'Two-Step' Truck Washing Manual is on our Web Site

For Trucks With Polished Aluminum Tanks

NEVER DULL



Specifically formulated for

Vehicles with Polished Aluminum Tanks, Imron Paint & Expensive Lettering.

Never Dull is the preferred product for Vehicles that are, without question, products of an image conscious customer. A lot of time and expense goes into the production of such vehicles. Imron paint itself is very expensive as is the lettering and graphics that present the company's position in the marketplace. With all this in mind, however, nothing, absolutely nothing will get a fleet owner more upset or irritated than when you 'dull' their polished aluminum tanks.

When used according to our recommendations Never Dull is the perfect cold water product that has a unique blend of citrus solvents, surfactants & chelators that we've designed specifically for those trucks that need a product 'tuff' enough to remove carbonaceous pollutants such as grease and fuel over-spill as well as general fallout pollutants, yet gentle enough to clean tanks and never leave them looking dull.

Along with these special blends, Never Dull also has a double dose of Speed -X 777 which keeps the pollutant in solution not allowing it to redeposit itself elsewhere on the surface prior to rinsing. This product is recommended to be used with cold water equipment. The reasoning behind this is because heat generates alkalinity and since Never Dull has a specific balancing of "builder to surfactant" the introduction of heat (hot water) makes it's design both unpredictable and uncontrollable.

In order to avoid 'alkaline shock' remember to cool down the surface prior to product application.

Never Dull is the perfect blend for 5 GAL #ND5 \$15.00

Never Dull is the perfect blend for those perfect vehicle finishes.' 5 GAL #ND5 20 GAL #ND20

20 GAL #ND20 \$45.00 55 GAL #ND55 \$99.95 Truck Wash With Extra Carbon Release Activators

RELEASE



Non-Caustic formula with 'High yield' Carbon Release Solvents & Gloss Enhancers

Release is a high solvent, medium duty vehicle detergent for finer finishes than typically found on 'over the road' Tractors, Trailers & Straight Trucks. This product would be your first choice for vehicles that are washed weekly or every other week. Vehicles such as package delivery, school buses, airport shuttle vehicles that do not see heavy road use but are exposed to carbonaceous pollutants typically found in 'close quarter' operation would be good candidates for Release.

Companies whose vehicles are presently being cleaned with the Release formula are Hertz, UPS, FEDX, DHL and New York Airports not to mention thousands of School Buses. This product was developed while cleaning Connecticut Natural Gas vehicles in the 1980's and have been an industry favorite ever since.

Release is a non-caustic detergent concentrate that contains Gloss Enhancing additives that will help to keep vehicles looking good longer. This product will not harm delicate graphics typically found on such vehicles.

Release exhibits excellent wetting, chelating, rinsing and emulsification properties. Its ability to hold pollutants in suspension during the wash process and not allowing them to be redeposited makes it an ideal product when using cold or hot water systems. The unique 'grease release' activator in RELEASE quickly removes oil/grease pollutants from the substrate.

Release comes packaged in a two-part system. One part is approximately forty pounds of Release Base Product & the second part

is one gallon of Carbon Release Activator. When mixed they make 55 gallons of a super concentrate with a very long shelf life.

5 GAL #REL5 \$15.00 20 GAL #REL20 \$45.00 55 GAL #REL55 \$99.95

BLEACH STABLE - EMULSIFYING - FOAM GENERATOR with AMMONYX® LO

LAUROX LO

275 GALLON TREATMENT **\$79.95**

FUNCTIONAL PROPERTIES

BLEACH STABLE
 ACID STABLE

• FOAM ENHANCER • EMULSIFIER

• FOAM STABILIZER • WETTING AGENT
• VISCOSITY BUILDER

LAUROX LO is a unique blend of AMMONYX® LO, solvents, water softeners and quick rinse additives.

With the addition of LAUROX LO to bleach, detergent or acids you can expect a quick rinsing thick foam with dramatically enhanced cleaning characteristics.

Add to product in levels from 3% to 10% by weight.

Treats:

55 GAL #LA1.0 \$20.00 138 GAL #LA2.5 \$40.00 275 GAL #LA5.0 \$79.95 Available in a
55 Gallon Drum
\$879.95
Treats:
3,000 GALLONS
#LA55

CLEANER AND BONDING AGENT FOR PAINTERS

PREPE77



PRE-PAINT SURFACE PREP WITH PAINT BONDING AGENTS

This non-caustic, specialty solvent based pre-paint prep product has been specifically formulated to safely remove surface oxidation, mildew and general fallout pollutants prior to painting while leaving behind a unique 'paint to surface' bonding environment.

When used properly PrepEZZ will insure that your finished product will last many years longer than what you would normally expect based on paint manufacturers claims. Our unique SuperFlo Polymer Additive, an EnviroSpec exclusive, charges the surface in such a manner that 'locks down' paint adhesion. Used properly the professional painting contractor can be assured that they will never be called back to the job site because the paint is "lifting" or "flaking".

PREPEZZ is sold in a 20 gallon powdered kit form that can be easily dissolved into a solution when needed.

PREPEZZ can be used with hot or cold pressure washers and does not contain harmful caustics or bleach.

#ZPPREP20

This 20 lb. Kit makes 20 Gallons of Concentrate

http://www.envirospec.com

The Industry's Only 'FILM FREE' Truck Wash

BOND BREAKER

\$160.00

House Wash with Solvents & Mildew Release Agents

LIMONENE



Contains **STATiX**™

An exclusive product of EnviroSpec specifically formulated to eliminate 'STATIC CLING' ON VEHICLE SURFACES

Bond Breaker is the most incredible product of its kind in the industry. Never has anyone been able to remove as much of the film caused by electromagnetic bonding of particles which results as the vehicle cuts it's way through the wind.

Typically this attempt is performed through the use of caustics such as Sodium or Potassium Hydroxides which are typically found in the paint stripping or exhaust hood cleaning industries. These products should never be utilized to clean painted vehicles. Yes, when applied the dirt and debris starts to roll off the surface but behind that dirt is a microscopic layer of the painted surface coming off with it. As the process continues the vehicle surfaces become dull.

Bond Breaker utilizes a unique blend of products to break the magnetic field which holds the film particles on the surface. Given the best of all the elements, soft water, ambient temperatures and cleaning methods, Bond Breaker will remove 99% of all film from the surface. Worst case scenario you can expect 95%-97% removal.

Our development model for Bond Breaker was as follows:

- 1) It had to have an extremely quick reaction time yet Safe to use.
- 2) It had to dissolve grease and carbon on contact with minimum dwell time
- 3) It had to produce a minimum of 92% film free surface.
- 4) It had to have exceptional rinsing characteristics.

Bond Breaker is not for everyone. It is an expensive product to formulate and stabilize. It is aimed at a unique market that demands the very best and expects it to perform accordingly.

5 GAL #BB5 \$20.00 20 GAL #BB20 \$60.00 55 GAL #BB55 \$160.00 Contains Pure d'Limonene

Solvent

Exterior House Wash Orange Peel Solvents and High Yield Gloss Enhancers

In recent years the evolution of the environment conscious homeowners are becoming much more educated in the field of exterior house washing. They are saying 'no-more' to the contractors who are using the unfriendly bleach that has been so popular for so long simply because it is inexpensive to purchase and, until now, there have been few alternatives for removing mold and mildew.

The solvency in Limonene originates from citrus by-products such as orange and lime peels. These solvents, coupled with specific pH balanced surfactants and builders, provide the contractor with an excellent product that quickly removes carbonaceous pollutants such as oil and grease and other fallout pollutants commonly found in the house washing industry. Pollutants such as gutter streaks, mold/mildew, etc. For the first time ever they are experiencing safe and effective surface chemistry that deals with wood, aluminum and vinyl siding and the pollutants common to those surfaces.

Limonene has excellent hydrotoping characteristics through the use of a unique dispersant complex which is not commonly found in detergent chemistry. This complex, known as SuperFlo Polymer, has been developed by EnviroSpec and is found throughout our detergent formulary because of its tremendous ability to add horsepower to virtually every type of alkali detergent products while remaining much more gentle than the alternatives. You will find that Limonene has superior rinsing qualities in both hot and cold water environments which results in cleaning faster and safer.

5 GAL #LIM5 \$15.00 20 GAL #LIM20 \$45.00 55 GAL #LIM55 \$99.95

LOADED WITH GLOSS ENHANCERS

FOAM & SHINE



High Foaming Car, Truck & House Wash SINGLE PASS CLEANING! INCREDIBLY FAST RINSING! GREAT SHINE! HIGH FOAM CLEANING! SOLVENT FREE!

That is what the 'Foam-N-Shine' Formula is all about!

Using the finest builders in the industry and adding in specific water softening and foaming additives plus a blend of unique 'chelating agents' which 'tie up' the metallic ions in water has resulted in that 'always looked for' but 'seldom found' black magic formula that we now call...

FOAM'N-SHINE

FOAM-N-SHINE exhibits excellent wetting, chelating, rinsing and emulsification properties due to its high concentration of our SuperFlo Polymer Complex System. This exotic complex is formulated from a variety of unique dispersants, hydrotopes, and surfactants which are not commonly found in detergent formulations. With this 'double dose' of SuperFlo Polymer you can expect exceptional brilliance on most surfaces.

FOAM-N-SHINE dramatically reduces surface tension so pollutants 'roll-off' the surface with ease without having to brush. With special wetting agents you will find that FOAM-N-SHINE keeps the surface wetter longer allowing the contractor more flexibility in washing larger areas without having to worry about the surface drying before rinsing. FOAM-N-SHINE works extremely well with cold water or hot water equipment.

5 GAL #FS5 \$15.00 20 GAL #FS20 \$45.00 55 GAL #FS55 \$99.95

On this page we pay the freight on \$50.00 Web Orders or \$200.00 Call-in Orders

Exhaust Hood Cleaning Manual is on our Web Site

MAKE YOUR OWN CAUSTIC EXHAUST HOOD CLEANER

PERFORMANCE BUILDER



WAIT! DON'T BUY ANY MORE CAUSTIC HOOD CLEANERS

if you do you are wasting even more money!

Personally speaking I think one of the biggest 'scams' perpetrated on the Professional Mobile Wash Industry is trying to make them think that there is a lot of 'rocket science' that goes into producing high performance, caustic exhaust hood cleaners. There isn't and if you insist on purchasing those type of products - well then -you are just wasting a lot of money because anyone can make them.

Simply purchase a drum of 85% Potassium Hydroxide and add one gallon of

PERFORMANCE BUILDER PLUS

Sodium Hydroxide and Potassium Hydroxide Exhaust Hood Cleaners and Paint Strippers (same thing) are nothing but 1 gallon of surfactant added to the drum and stirred in. Nothing more - nothing less. The secret is this - because of the aggressiveness of these two raw materials there are only a couple of surfactants that are stable in the solution for any period of time and they are not cheap. Because of the cost of this family of surfactants many manufacturers rely on a nine mole surfactant such as that found in typical detergents and slap a label on it and out the door it goes. The trouble here is that by the time you get the product the surfactant has been overwhelmed by the hydroxide to a point where it has exhausted it's ability to perform. Performance Builder Plus is a blend of high yield, caustic stable surfactants & emulsifiers that will hold up indefinitely and help to 'crank up' the horsepower of the raw material.

Next time you decide to buy a caustic cleaner order up a gallon of Performance Builder Plus. Then look in your yellow pages for your local chemical supplier. If you can't find one call Univar at 800-233-0633 or http://www.univarusa.com or Brentag Mid South at 800-289-4020 or http://www.pbschemical.com for their location nearest you.

A premium caustic exhaust hood cleaner would be one where 50 pounds of sodium hydroxide beads are mixed with 55 gallons of water along with one gallon of Performance Builder Plus. Exercise caution when mixing sodium hydroxide beads with water. Add very slowly otherwise there can be a violent reaction where the product will blow back on you. After the beads have been added stir in the Performance Builder Plus. If you use Potassium Hydroxide you will purchase that in a 85% liquid form. Typically a manufacturer will make 4 drums out of 1 drum of the 85% solution. In this case you will need 4 gallons of Performance Builder Plus. EXERCISE CAUTION when working with any chemical product. Read and understand the MSDS and all safety information about the products being handled. Wear protective clothing and safety glasses. Do not allow any unprotected person or animal around the mixing area. Clean up when done.

#ZLPBC - This 2.5 Gallon Kit will treat 137 Gallons of Caustic - 3,000 Gallon Kits also available (55 Gallon Drum) - CALL

NEED TO MAKE A FOAMING DETERGENT?

KLINGON FOAMER

Thickens 75 GALLONS **\$24.95**

WANT IT TO LAY ON THE SURFACE LONGER?

.40 Pounds of KLINGON is all you will need to turn a 5 gallon pail of detergent or exhaust hood cleaner into a rich, thick Foamer!

Need a product that 'clings' to the surface? Or maybe a product that will provide you with that added dwell time that many projects require.

KLINGON is a non-acidic blend of natural thickeners and foamers that work in both alkalis as well as some acids such as many of those found in the aluminim brightening industry. Call for acid compatibility.

This is especially useful in the exhaust hood cleaning industry where product to surface dwell time is crucial.

Most thickeners on the market are formulated by introducing an acid into an alkali to thicken the product. When this happens product neutralization occurs. This leaves the operator with a thick product but one with dramatically reduced performance characteristics.

KLINGON can easily be adjusted to produce a slightly thickened product or a 'wall paper-paste' type product should you require a brush or roll-on paint stripper.

#ZPKL5-This 5 lbs thickens up to 75 gallons of product

OUICK RINSE ADDITIVE

SPEED-X-777

275 GALLON TREATMENT \$49.95

Not making as much money as you thought you would?

Have you stopped to consider that 70% of your overall cleaning time is lost in the RINSING rather than WASHING?

Don't believe it? The next time you go to the job site time yourself. How long does it take to apply the soap and how long does it take to make absolutely sure that all the "soap" is rinsed free? You are in for a shock!

Cut your WASH TIME as much as 70% with Speed-X-777

Plus You'll Save that Precious Water!

Add 1 Gallon to 55 Gallons of detergent. (enough for 275 Gallons)

#7I SPE5

This 5 Gallon Container Treats 275 Gallons of Concentrate

Concrete Cleaner & Brightener

The Only Non-Caustic Exhaust Hood Cleaner



Specifically Formulated For FLAT SURFACE CONCRETE CLEANING

"Power Stroke" has successfully replaced the harsh caustics that have been being used for years. The science behind Power Stroke has made it the Professionals First Choice.

Contains:

CONCRETE BRIGHTENING AGENTS

Power Stroke is the highest non-caustic detergent concentration available in the industry.

Power Stroke has been specifically formulated for heavy-duty oil/grease removal for untreated concrete. Unlike the caustics typically used in this industry Power Stroke is much more user and surface friendly when it comes to over spray.

You will find Power Stroke cleans much 'quicker' than caustics and acids due to it's excellent wetting, rinsing and emulsification properties and SuperFlo Polymer Complex System.

The general rule of thumb in detergent formulation is as follows: Approximately 1 gallon of water will hold approximately 1 pound of powder before separation begins. If your product begins to separate using this calculation, more often than not, your product has been camouflaged with what is known in our industry as fillers. Fillers provide little to no value to the products integrity. They are used primarily to add weight and increase the bottom line profit for the manufacturer. A typical filler would be Soda Ash. Using the 1 pound per 1 gallon rule you can see the potency of Power Stroke when you consider that we are able to thoroughly dissolve up to 2.5 pounds of Power Stroke into 1 gallon of water without separation. To our knowledge - no other company can make this claim. The advantage of these concentration

levels are two fold: 1) the contractor is now able to clean substrates that normally require the use of caustic cleaners and 2) work faster and safer 55 GAL #PF55 \$199.95 which increases your bottom line.

5 GAL #PS5 \$25.00 20 GAL #PS20 \$75.00

Specifically Formulated For RESTAURANT EXHAUST HOOD CLEANER 10 years ago they were sceptical. Today more contractors are using Hood Pro as their First Choice Cleaner over the strongest Caustics on the market!

Until now Professionals have always had to rely on corrosives for the real tough hood cleaning jobs but not anymore! Hood Pro has revolutionized the industry by providing the contractor with a product that cleans as quick and effective as the 'hottest' hydroxide products in the industry while leaving him completely 'scare free' and with hair still on his arms when the job is complete. Only a Professional Exhaust Hood Contractor can fully appreciate that statement.

EnviroSpec's HOOD PRO product is the non-caustic workhorse of the professional exhaust hood cleaning industry. Known for it's consistent high performance, this powerful grease dissolving formula is being used more and more by the professionals who know and understand the disadvantages of using sodium or potassium hydroxide products. The "power" from Hood-Pro comes mainly from a wide variety of special 'ion' charged surfactants not commonly found in the detergent formulary industry. Coupled with a unique "builder" base, HOOD-PRO exhibits unbelievable pH stability and excellent foaming characteristics.

HOOD PRO offers excellent and economical grease dissolving, foaming, wetting, emulsification and biodegradability needed for today's specialized contractor. HOOD PRO is 100% active and highly concentrated. For example; the 'hottest' hydroxide products consist mainly of 50 pounds of powder to 50 gallons of water. The finished HOOD-PRO product will yield 55 gallons which is compounded from 80 pounds of the finest builders and performance driven surfactants in the industry

HOOD PRO will respond to your most difficult cleaning project with ease and provide you with an environment which is much safer to humans and less 55 GAL #HP55 \$199.95 damaging to the surface.

5 GAL #HP5 \$25.00 20 GAL #HP20 \$75.00

Heavy Duty Detergent with Gloss Enhancers





Until now - most 'so called' environment friendly cleaners have been little more than 'watered down' products that have been sold under another name.

Choosing environmentally friendly cleaning products and eliminating toxic ones has always been what EnviroSpec is all about and Bio-Green is the latest addition to our arsenal of environment friendly products.

Bio-Green, a variation of the Limonene family, is the answer to everyone's concerns about Earth Friendly products that really can clean.

Bio-Green is truly a workhorse in the industrial and institutional detergent industry. Known for consistency, EnviroSpec, has developed this product to be the answer to all of the concerns in the vehicle cleaning and house washing industry as well as other projects requiring special surface active properties.

Bio-Green offers excellent and detergency, foaming, wetting, emulsification and biodegradability needed for today's specialized high performance cleaning products. It has excellent foaming characteristics which will provide the user with the 5 GAL #BG5 \$15.00 necessary visual requirements to determine concentration levels on the surface being cleaned. Yes, Bio-Green 20 GAL #BG20 \$45.00 can respond to your toughest needs, whether it's a medium duty truck or house wash job or a 'down and dirty' 55 GAL #BG55 \$99.95 forklift with years of grease and grime. And it can do all this and still be gentle on the world we live in.

Deck Restoration Manual is on our Web Site

Sodium Hydroxide FREE Deck & Shake Stripper

STRIP-T-EASE

55 GALLONS **\$99.95**

The Safest Deck Stripper in the Industry

Simply spray 'STRIPT-ease' on and let it sit for 15 minutes and power wash the stain away.

'STRIPT-ease' contains a unique blend of surfactants and emulsifying solvents that attack and breakdown the stain allowing for a fast attack and flush product.

'STRIPT-ease' is packaged in a 55 gallon drum pack which consist of 50 pounds of a powder and solvent blend. Simply add your own water to produce a product that is superior and safer than anything you have ever used.

5 GAL #STR5 \$15.00 20 GAL #STR20 \$45.00 55 GAL #STR55 \$99.95

Removes Rust Stains from Concrete

RUST-A-WAY

55 GALLONS **\$89.95**

Specifically formulated to Remove Well Water Rust Stains

Spray-on! Rinse-off! No Scrubbing Necessary!

If you work or live in Florida there are two things you must have...
...a bathing suit and a box of Rust-A-Way!

RUST-A-WAY crystals are a unique blend of mild acids and surfactants which remove well-water rust stains from concrete surfaces.

Spray it on - have a cup of coffee and rinse off.

Not for use on Brick containing iron oxide pigments.

Run a test pattern in an inconspicuous area if you are not sure.

5 GAL #RUS5 \$19.00 20 GAL #RUS20 \$40.00 55 GAL #RUS55 \$89.95 Oxygen Deck & Shake Cleaner

RESTORE



Simply Put - Awesome! BRINGS OLD WOOD BACK TO NEW

Cedar Shakes & Unpainted Wood Surfaces such as Decks - Stripping Antique Furniture - Cleaning Tile Grout - Laundry Presoak & Bleach Replacement -Carpet Cleaning ... you just won't find anything better than RESTORE!

For Cedar Shakes and unpainted Wood Decks simply spray RESTORE on, wait 20 to 30 minutes, and rinse off. You will not believe your eyes! No more harsh bleach or surface and vegetation aggressive chemicals. Totally removes black mold and mildew build-up on shakes, regardless of how long it has been there.

RESTORE works by means of oxygenation and should not be mixed with water until the operator is ready to perform the job. Once RESTORE is in solution, the operator will have approximately 1-2 hours before the product has exhausted itself. Mix up enough so that you will be able to get the product on the surface within this time. Mix approximately 1/2 to 1 pound of RESTORE into 1 gallon of water and stir several turns. Complete solubility is not necessary since RESTORE will go into solution on it's own through the oxygenation process. Using a ShurFlo Pump place the pickup line in the solution and spray product directly onto the surface. When product has removed pollutant, rinse with low pressure, 500 - 1000 PSI is all that is required. When using this product on pressure treated wood we recommend the 1/2 lb to 1 gallon of water ratio and rinsing with no more than 500 PSI. Higher dilutions and pressures will cause the surface to 'fuzz' up. When this happens it is generally a temporary situation that will correct itself in a couple of days. Do not use a pump-up sprayer to apply Restore since this product builds pressure when added to water and will over pressurize the sprayer which could result in an injury should the sprayer erupt.

This product will provide unbelievable results. You will be able to produce twice the results in 1/3 the time and with little to no mess. You'll never use harsh chlorine cleaners or solvent based strippers again.

5 GAL #RES5 \$20.00 20 GAL #RES20 \$45.00 55 GAL #RES55 \$79.95

Neutralizes, Brightens & Repairs Unpainted Wood

DECK & SHAKE BRIGHTENER



High pH 'detergent beds' especially sodium or potassium hydroxide, shorten the life of wood.

The Deck Restoration Industry has grown considerably in recent years. As is the case when most great ideas are conceived - experts seem to blossom overnight as they have done here. This is not always a good thing.

In the Professional Mobile Wash Industry contractors quite often find themselves in the 'clutches' of many companies with so-called 'revolutionary' cleaning products that are merely extremely high pH detergents of which most are either sodium or potassium hydroxide based. These are great products but not for this industry. The hydroxide family of products are extremely effective in the drain cleaning and exhaust hood cleaning industrys but certainly not wood cleaning. When used for wood cleaning they immediately start breaking down wood fibers.

More often than not this idea of using an excessively strong alkali detergent 'bed' has been introduced to kill mold and mildew. We have a product, RESTORE, that will do this without harming the wood but even if RESTORE is not the product of choice a very diluted solution of bleach would be a much better choice than high pH detergents.

Deck & Shake Brightener is a product that will do 2 things. First it will brighten weathered wood and revive it's natural color. For years this product has been a favorite among furniture craftsman who occasionally find themselves in a situation where a dark or stained spot needs to be blended back in to match the rest of the wood. Second it can be used as the necessary "bandage" when contractors insist on using these strong detergents and the wood has darkened as a result. Or they have to follow behind another contractor.

who has darkened the wood and doesn't know how to fix it. Deck & Shake Brightener quickly starts reversing this action upon contact. Typically, the darkened surface will be back to normal in 1-4 days.

5 GAL #DSB5 \$19.00 20 GAL #DSB20 \$45.00 55 GAL #DSB55 \$79.95

http://www.envirospec.com

For Gutter Streaks & Heavy Oxidation

RIPPER



Removes those 'nasty' Black Streaks & Heavy Surface Oxidation on Gutters

Our House Wash Collection offers a rich assortment of job matched cleaning products that are uniquely EnviroSpec. RIPPER is just one in that collection that has been making the Exterior House Washing Professional's job so much easier for so many years. To professionals, the real beauty to any of the EnviroSpec performance products is how fast, how effective and how safe they are to use.

RIPPER, developed specifically for gutter streaks & oxidation removal, utilizes several blends of high-performance solvents and specially blended surfactants to deliver optimum efficiency. Knowing that no two gutters will clean alike, EnviroSpec has incorporated into RIPPER a variety of solvent blends that will work independently on the specific pollutant that has created the streak. One of these unique solvents will attack and eliminate the problem.

Of all the questions that have been thrown at us about house washing - the question of how to safely remove gutter streaks is by far the most frequent. We know that solvents are the only products that will safely remove gutter streaks and RIPPER has more than twice the solvent content than most cleaning products in our industry.

After it's introduction into the industry in 1987 RIPPER soon became the envy of many companies who are in the business of manufacturing products for such a demanding industry. Many of those companies sell sodium or potassium hydroxide base products to tackle the gutter streak problem and the unsuspecting contractor buys them not knowing that what they are actually buying are paint strippers. RIPPER

is a more effective and much safer way to eliminate the gutter streak & oxidation problem.

5 GAL #RIP5 \$20.00 20 GAL #RIP20 \$60.00 55 GAL #RIP55 \$150.00 Contains Silicone for Surface Luster

PREMIER



Specifically formulated for

Colored Siding with Heavy Oxidation

After cleaning - Premier leaves a SILICONE MEMBRANE on the surface which is designed to retard the formation of mildew and to keep general 'fall-out' pollutants from adhering to the surface..

Premier would also be your first choice for cleaning new homes in a housing development where the pollutant being cleaned is primarily mildew and general 'fall-out' pollutants. This type of cleaning does not require the solvent but only mildew release agents and gloss enhancing additives. Premier would also be a great choice for houses or mobile homes that are cleaned annually.

Premier takes a bow for impressive performance in providing a thorough wash/rinse cycle while remaining gentle on new aluminum, vinyl and wood siding.

Premier is a unique blend of specialty surfactants and alkalis specifically formulated for the Professional Exterior House Washing Industry. It acts by first wetting and chelating pollutants and then holding them in suspension until the surface is thoroughly rinsed.

Premier is less aggressive on surface and vegetation than typical cleaners used in this field but will achieve superior cleaning results.

Premier is ideally suited for both a hot and cold water pressure washers. By chelating of both calcium and iron in water and a unique water softening additive Premier will provide 'spot free' rinsing when used in accordance with the manufacturers instructions.

5 GAL #PRE5 \$15.00 20 GAL #PRE20 \$40.00 55 GAL #PRE55 \$89.95

Mildew Retardant & Surface Protector with Gloss Enhancers

PLEX-MASTER



Specifically formulated for the Exterior House Washing Industry

Plex-Master is a blend of silicone & silicone hardener, polymer and mildew retardant that will enhance the appearance of Vinyl and Aluminum Siding, Painted Wood and Metal surfaces after cleaning. Plex-Master is also an excellent product that will eliminate or substantially reduce the reformation of mold and mildew on all surfaces.

Plex-Master provides a distinctive edge that will separate the Professional Contract Cleaner from the "Splash 'N Dash" house washer. For just pennies per job the contract cleaner can provide the homeowner with a 'cleaner clean' and a 'brighter shine' that will last much longer than that of their closest competitor.

When you explain the advantages of using environment friendly products that will leave the soil exactly the way you found it and the added benefit of the Plex-Master application you have virtually left your competitors in the 'dust (dirt).' With the addition of this product to your sales presentation you will be washing houses from \$400.00 and up even though your competitor quoted them for \$79.95. This is a fact that has been proven time and time again.

Mildew, which will form on virtually anything, will be much easier to remove when the surface has been coated with Plex-Master. In most cases the homeowner will be able to keep the surface looking 'alive' and free of mildew with an occasional rinse down using a standard garden hose. Another great feature of Plex-Master is that once applied and rinsed before it has been allowed to dry, the windows will be 'squeaky' clean. Our 2.5 gallon

container makes 28 gallons & our 5 gallon pail makes 55 gallons. Apply & rinse in 15 minutes.

28 GAL #PLE28 \$40.00 55 GAL #PLE55 \$79.95

NEW FOR 2011 - SPECIALTY ACID CLEANERS

PROFESSIONAL ACID CLEANERS

ACID PREP 4410

55 Gal. \$460.17

A true HF #1 detergent used in a two-step process to pre-treat road film, diesel soot and aluminum surfaces. Designed to use in high-pressure two-step systems with a dilution ratio of 25:1. Road film and grime as well as diesel soot are removed without brushing when used in conjunction with Largo #2 type detergent. #1 Acid Prep quickly brightens aluminum surfaces, neutralizes completely with Largo #2 product and can be used with hot or cold water at high or low pressure.

ACID PREP 4411

55 Gal. \$531.55

A phosphoric/citric #1 detergent used in the two-step process to pre-treat road film, bugs, diesel soot and clean aluminum on vehicle surfaces. #1A Acid Prep is completely safe on all surfaces. #1A Acid Prep was designed to use in high-pressure two step systems with a dilution ratio of 25:1. When used in conjunction with any Largo #2 type detergent, road film, bugs, and diesel soot are removed without brushing. #1A Prep brightens aluminum surfaces, neutralizes completely with Largo #2 product and can be used with hot or cold water at high or low pressure.

SALT BUSTER

55 Gal. \$446.97

Salt Buster safely removes and neutralizes road salt from snow plows, loaders, graders, dump trucks, transit vehicles, rolling stock, buses, commercial and municipal vehicles and equipment. Salt Buster may be applied with low-pressure applicators on pressure washer, undercarriage applicators or foaming device. Easy and simple to use.

ABX 4450

55 Gal. \$492.29

ABX is a specially formulated blend of acids, wetting agents, inhibitors, and chelating agents designed to rapidly remove salt, stains, soot and contaminates and brightens aluminum surfaces instantly. ABX rinses freely and dries streak-free. ABX may be used with hot or cold-water application, with a dilution ratio of 50:1. ABX is an industrial-strength product and must be properly used by trained personnel. Apply through pressure washer with a pump saving down stream injector, or use pump-up sprayer, foaming device or through acid arches. Use protective clothing and face shields at all times when using this product. Uses: Aluminum trailers, painted trailers, tankers, reefers, dump beds, fuel tanks, pontoons, and more.

ABX 4450 HIGH FOAM

55 Gal. \$534.58

ABX HF is the same as ABX 4450 with high foam.

ABX EXTRA

55 Gal. \$644.87

ABX Extra is a Highly Concentrated Hydrofluoric Acid Solution for extra heavy duty brightening of aluminum tanks, vans, reefers, livestock hauler and panels. Extra care must be taken when using this concentrated product. Only well trained and well-protected personnel should use this product. Hydrofluoric Acid solutions can be very dangerous and deadly if contact is made in concentrated form to human tissue. Please refer to the MSDS prior to considering this product and understand how this product is intended to be diluted and used in the cleaning process.

TRAIL BRITE

55 Gal. \$499.82

An acidic blend enhanced with special wetting agents and emulsifiers used in two-step process, Trail Brite rapidly removes road film, bugs and diesel soot and cleans aluminum surfaces on vehicles without brushing when used in conjunction with any Largo #2 type of detergents. Quickly brightens aluminum. Designed to use in high-pressure systems with a dilution ratio of 25:1. Trail Brite neutralizes completely with our #2 product. Uses: Aluminum trailers, painted trailers, tankers, reefers, dump beds, fuel tanks, pontoons, and more.

MIRROR BRITE

55 Gal. \$484.92

Mirror Brite Polished Aluminum Maintainer is an exceptional product designed to "maintain" that polished aluminum appearance on wheels, fuel tanks, tank trucks, feed trucks and fuel trucks. Mirror Bright is a non-etching cleaner and brightener that with continued use maintains the appearance of polished aluminum surfaces. Does not turn the aluminum surface "white, satin, or dull" like Aluminum Brighteners will. Does not contain hydrofluoric acid, ammonium bifloride, hydrochloric or sulfuric acid. It may be used in hot or cold water systems with either low or high-pressure spray. We find that it works best when used in our Two- Step Systems along with our 4425 Super Clean Truck Wash. It may be used on most surfaces not harmed by water.

STABRITE

55 Gal. \$443.57

Sta Brite Aluminum Brightener is a non-hydrofluoric (HF) acid brightener designed for use on polished aluminum tanks and trailer stock.

Completely safe on glass, non-dulling, and will not "milk" mirror-polished aluminum surfaces. Advantages: Highly concentrated for economical use. Free-rinsing and non-streaking. Safe on environment. Safe for personnel.

CONCRETE REMOVER

55 Gal. \$427.12

Concrete Remover is a powerful extra heavy-duty concrete remover designed for thorough removal of concrete (less than 1/16" thick) from most ferrous metals. It is intended for use on ready mix trucks, concrete mixers, concrete forms and other equipment where concrete accumulation occur. Concrete Remover is inhibited to protect the metal substrate, works fast, is economical and is harmless to good paint.

CONCRETE TRUCK ACID WASH

55 Gal. \$736.53

Concrete Truck Wash is a blended acidic detergent for daily washing concrete truck fenders, slides, drum and wheel wells on concrete carriers.

Removes concrete film and residue while providing excellent detergency to quickly clean away stubborn soils, oil, grease and grime. May be brushed or sprayed and hosed off with manual or high-pressure water. Does not contain muriatic acid. Works well in brick and masonry cleanup.

ENVIROSPEC LIQUID CONCENTRATED DETERGENTS

The following are liquid versions of several of our detergent products that until now you have only been able to purchase in Drum-Kit versions. You will notice that all - have 'extra' solvents, rinse-aids, surfactants and foamers. We are able to do this because we have the 'high-sheer' equipment that will blend these super concentrated products in such a manner where minimum to zero 'fall-out' will occur. You also will find that our 'pure-water-plus' blending process will make an already 'great' and 'almost perfect' product - PERFECT!

Prodigy Double & Tripple Strength is, by far, the highest non-caustic detergent concentrations available in the industry. Prodigy exhibits excellent wetting, chelating, rinsing, and emulsification properties due to its high concentration of our SuperFlo Polymer Complex System. This exotic complex is formulated from a variety of unique dispersants, hydrotopes, and surfactants, which are not commonly found in detergent formulations.

PRODIGY DS **DOUBLE STRENGTH** #ZLPRO-DS 55 Gal. \$462.00

The general rule of thumb in detergent formulation is as follows: Approximately 1 gallon of water will hold approximately 1 pound of powder before separation begins. If your product begins to separate using this method, more often than not, your product has been camouflaged with "fillers". Filers are used primarily to add weight and increase the bottom line profit for the manufacturer. Using the 1 pound per 1 gallon rule, you can see the potency of Prodigy when you consider that we are able to thoroughly dissolve up to 2.3 pounds of Prodigy into 1 gallon of water without separation.

PRODIGY TS TRIPPLE STRENGTH #ZLPRO-TS 55 Gal. \$636.00

These versions of Prodigy also includes our Quick Rinse Aid - Speed-X-777 & extra Foamers

For more information about this product read the description under the Powder Drum Pak version.

Bond Breaker is the most incredible product of its kind in the industry. Never has anyone been able to remove as much of the film caused by electromagnetic bonding of particles which results as the vehicle cuts it's way through the wind.

Typically this attempt is performed through the use of caustics such as Sodium or Potassium Hydroxides which are typically found in the paint stripping or exhaust hood cleaning industries. These products should never be utilized to clean painted vehicles.

BOND BREAKER **#ZLBON-DS**

55 Gal. \$447.00

This liquid version of Bond Breaker also includes our Quick Rinse Aid - Speed-X-777 + Extra Solvents

For more information about this product read the description under the Powder Drum Pak version.

Mr. Muscle Liquid is a 55 gallon drum of Prodigy, the industry's #1 Selling Tractor/Trailer Wash, plus 4 gallons (1.5 gallon more than the powdered version) of solvent/surfactant additive that really cranks up the horsepower and safely cuts through the heavy build-up of carbonaceous pollutants such as the exhaust typically found on over-the-road trailer bodies and 'fifthwheel grease!"

MR. MUSCLE LIQUID 55 Gal. \$442.00

This version of Mr. Muscle also includes our Quick Rinse Aid - Speed-X-777

For more information about this product read the description under the Powder Drum Pak version.

EnviroSpec's HOOD PRO product is the non-caustic workhorse of the professional exhaust hood cleaning industry. Known for it's consistent high performance, this powerful grease dissolving formula is being used more and more by the professionals who know and understand the disadvantages of using sodium or potassium hydroxide products. The "power" from Hood-Pro comes mainly from a wide variety of special 'ion' charged surfactants not commonly found in the detergent formulary industry.

HOOD-PRO DOUBLE STRENGTH #ZLPRO-DS

These versions of Hood Pro includes extra foamers and thickeners for the best clinging action in the industry.

For more information about this product read the description under the Powder Drum Pak version.

Bio-Green 'LO' is truly a workhorse in the industrial and institutional detergent industry. Known for consistency, EnviroSpec, has developed this product to be the answer to all of the concerns in the vehicle cleaning and house washing industry as BIO-GREEN 'LO' well as other projects requiring special surface active properties.

55 Gal. \$535.00

#ZLBIGLO 55 Gal. \$394.00

Bio-Green 'LO' includes a high concentration of AMMONYX® LO Bleach Stable Surfactant

For more information about this product read the description under the Powder Drum Pak version.

Emulsifier Plus - is one of the Original House Wash Formulas developed by EnviroSpec. Our dilemma at the onset of its development stages were: we all know bleach works better than anything for killing and cleaning mold & mildew but we also knew that bleach does absolutely nothing about cleaning carbonaceous pollutants such as exhaust carbons, dirt, grease and grime. The task was - how to do both at the same time!

EMULSIFIER PLUS-LO **DOUBLE** STRENGTH #ZLEMULO 55 Gal. \$390.00

Bleach, for the most part, does not like to be blended with other chemical products and many of the chemical products found in the professional mobile wash industry can create a serious explosive situation when mixed with sodium hypochlorite (bleach). Emulsifier Plus, on the other hand, is the answer to both the safety issue as well as the cleaning problem. These two products work extremely well together when blended and applied in accordance with the EnviroSpec instructions. Have the best of both worlds - Clean and Kill Mold & Mildew plus cleans all the other pollutants that bleach will not touch... ...and do it all in one pass!

Emulsifier Plus 'LO' is loaded with AMMONYX® LO Bleach Stable Surfactant

For more information about this product read the description under the Powder Drum Pak version.




As you can see...

Suzie's Friends is to animals much like Disney World is to kids.

'Skipper' (to the left) has his very own 'handicap' ramps and ladders so he can be a part of all the fun.

Yes - we spoil our children too.



As you can see we make absolutely sure that our animals are comfortable.




More often than not when someone contacts the State of GA inquiring about building an animal shelter they tell them to visit Suzie's Friends first.

Those who visit find a facility as clean or cleaner than most hospitals and a lot more fun.



It doesn't get any better for animals than... Suzie's





Suzie's Friends Sanctuary - 122 Lakeview Drive - Homerville, GA 31634 - 912-487-0916



SoapforHope CHARITIES

EnviroSpec donates 100% of the profits from it's Chemical & Equipment sales to Animal Charities such as Suzie's Friends Animal Sanctuary, The Humane Society of the United States, ASPCA, Local Animal Shelters, Humane Societies and Rescues in other areas of the country.

Meet Suzie, who inspired John & Shelley Allison to build Suzie's Friends Animal Sanctuary.

This is a 'labor of love' that John & Shelley Allison have committed their lives to in honor of all of Suzie's friends everywhere who are beaten, abused, homeless & hungry.



It is through this passion that we are reminded daily of all the animals who walk the highways & by-ways throughout our Nation in search of something to eat, a warm place to sleep or a soothing voice to calm their fears.

And we must never forget the thousands who didn't find anything to eat or when help came - it came to late.

The mission of Suzie's Friends is to provide a special no-kill, no-cage sanctuary where the hungry are fed, the homeless are sheltered, and the abused and abandoned are provided care.

Each day over 10,000 HUMANS are born in the United States and each day 100,000 Puppies and Kittens are born and as long as these birth rates exists there will never be enough homes for all the animals.

As a result we force sad men and women to show up every week at animal shelters everywhere with tears in their eyes as they come to end the lives of millions of beautiful, loving animals who's time is up - and this is being done in the greatest and most giving NATION in the world that has yet to come up with anything more humane.

The rest are left to fend for themselves against automobiles, the elements, other animals and cruel humans.

Regardless of their condition every animal we see gets a chance to live and given that chance most will. The pup to the right is named 'Chance' and as horrible as he looks he turned out to be the most beautiful dog.

The only chance they have is if we all SPAY & NEUTER our pets as well as those who are lost or been abandoned and allow them to live out the rest of their lives where they have chosen to call home.

"The greatness of a Nation and it's moral progress can best be judged by the way in which it's animals

are treated." --- Gandhi

With this incredible thought in mind I can say to you today that we have not treated our animals very well.

But together we can take the first step in helping our animals by reminding everyone that through Spay/Neuter

programs we will never

have to kill an unborn kitten or puppy.

At 7 a.m. and 5 p.m. daily we take off to feed 25 colony cats in our neighborhood. They are all Spayed/Neutered & well cared for.

This is Olive Oil (eating) and Gulliver. Gulliver was hit by a car and killed shortly after this picture.

We will always remember and miss him. He was a good boy & great friend.


So, if one litter of kittens goes unborn or one dog is not tied to a tree or shoved in a drum and forgotten or one 'stray' is fed as a result of what we choose to do today then we will have done a good thing for our animals.

99.5% of the funding that Suzie's Friends receives comes from EnviroSpec but that is not enough. There are no volunteers to help with the heavy workload required to maintain Suzie's Friends. EnviroSpec employees show up early every morning to clean and care for the animals.

We need your help to be able to keep our commitments to animals everywhere a reality. Because we are a no-kill sanctuary it cost hundreds of dollars per animal to make sure they all live a healthy, happy life. A life where some will eventually find loving homes but where most will live out the rest of their life at Suzie's Friends.

Because of you - our customer we are able to give back so much in the form of love & support to the Children & Animal Charities that we serve. Thank you, Shelley & John Allison

Go to http://www.suziesfriends.org and see the video of this beautiful facility.



Here is what Suzie's Friends is all about...

Meet Suzie's Friend

Simon

In October 2007 Simon was hit by a car on Jekyll Island, GA. His eyes had been knocked out of their sockets and, among many other things, he had 4 ribs that had been broken away from his spine.

Simon was on an IV for several days while he was unable to eat. Honestly, most would have given up and put this little fellow out of his misery and pain but we kept looking for the 'wag.'

You see - given a little time a dog will tell you when they can't take any more and it is time for them to let go. The sign we look for at Suzie's Friends is the 'wag' of their tail. It took a while for Simon to decide but on day 5 we visited him and as I touched his head his little tail moved ever so slowly a couple of times. I knew then that he had decided to live.

Suzie's Friends is full of stories just like Simon's. Honestly - they all want to live and will if we give them a chance. We do everything humanly possible to give them that chance but it cost a lot of money.






Simon's doctor bills escalated to \$2500.00.

To continue to do the things we do we always need financial help. So - if you have a few bucks you can spare you can help Suzie's little friends find their way through the real tough times and into a loving home. Our promise to them is their time will never be up at Suzie's Friends. They can live with us forever.

Suzie's Friends, Inc C/O EnviroSpec - 751 MLK Hwy Homerville, GA 31634

a 501(c)3 Charity
Your donation is tax deductible.



A Tale of Two Pups

a true story by Suzie's Friends

'Jordan'



Unlike Jingles...

Jordan had a very sad and lonely life. Shelley Allison caught a glimpse of something moving in the ditch as she E John, her husband, were on the way back to their animal sanctuary in October of 2008. When they turned around there she was with her little tail wagging almost as if she already knew that wonderful things were goning to be a part of the rest of her life. It took a lot of love to help her survive.





Jungles, on the other hand...

tound herself living the life that every dog dreams of. Running, playing and, of course, digging holes are just a few of her favorite things that she gets to do everyday. She lives with her adopted family Ken & Kimberly McCord who have made a special place in their hearts and home for this beautiful little girl. Spoiled? Absolutely! Deserving? Absolutely! Why? Her name was once Jordan.





Suzie



DID YOU KNOW

Each day 10,000 humans are born in the U.S. - and each day 100,000 puppies and kittens are born. As long as these birth rates exist, there will never be enough homes for all the animals.

As a result, millions of healthy, loving cats, dogs, kittens and puppies face early deaths because of what we have grown to believe is our only form of animal control. Others are left to fend for themselves against automobiles, the elements, animals and cruel humans.

I say to you today that warehousing animals in Humane Societies or animal control facilities has absolutely nothing to do with eliminating the problem.


Just recently I read a brochure sent to me from a local animal agency where they talk about their budget as being \$30,000.00 per month and last year they adopted 400 animals. This means that every adoption last year cost \$900.00 each. When you look at the numbers below you can see where spaying 20 female cats means that 6,000 unwanted animals will never show up at an animal shelter or Humane Society.

Here are the facts. An unspayed female cat, her mate and all of their offspring, producing 2 litters per year, with 2.8 surviving kittens per litter can total:

1 Year:	12
2 Years	67
3 Years	376
4 Years	2,107
5 Years	11,801
6 Years	66,088
7 Years	370,092
8 Years	2,072,514
9 Years	11,606,077

EnviroSpec

751 MLK Highway Homerville, GA 31634 PRSRT STD U.S. POSTAGE PAID PPCO





© 2011 EnviroSpec - All Rights Reserved Duplication for Personal Use Only