




PTO MOUNTED STEEL FRAME



Distinguishing Features

- A Mounts to any Category 1 hitch
- B PTO Shaft is Included
- C Industrial Black Powder Coated Frame

#	Model#	PTO RPM	Hitch	Pump	PSI	GPM	Weight
99	PE-40PTOCOM MODEL SHOWN	540	CAT 1	Comet HW3540S	4,000	3.5	120 lbs

Pic	Feature	Pic	Feature	Pic	Feature
	• 14,000 Cleaning Units	2	Chemical Injector	•	PTO Shaft Included
	• PTO Driven	3	50' Steel Braided Non Marking Hose	•	540 6 Spline PTO Included
1	Adjustable Unloader	4	5,000 PSI Spray Gun	•	Black Powder Coated Frame
	• Thermal Relief Valve (145°)	5	36" Insulated Lance	•	Comes with Industrial Triplex Pump (Part # 85.149.031AB)
	• Safety Relief Valve	6	4 Quick-Connect Spray Tips		

PTO INCLUDED



BE**PTO DRIVEN CLEANING****DRIVEN BY THE PTO ON YOUR TRACTOR OR CAT**

BE

POWER EASE

PREMIUM
GENERATOR
SERIES

Powered by
HONDA
ENGINES

2600 WATT GENERATOR, 9 HOUR RUN TIME

Generator comes with CSA approved genpack.
Optional wheel kit part# 85.400.037.



LONG-LASTING 14L (3.75 GAL) GAS TANK

2600 WATT GENERATOR

Generator comes with CSA approved genpack.
Optional wheel kit part# 85.400.029.



Model#	BE-2600WT
Engine	Honda GC160, Oil Alert (5.0)
Max Output	2600 Watts
Continuous Output	2100 Watts
Max Load	21 Amps
Max Continuous Load	17 Amps
Approx. Run Time	15 Hours at 50% Load
Voltage	120V
Receptacles	2 x 120 volt duplex
Breakers	2-10 Amps
Tank Capacity	14 L (3.75 Gal)
Weight	81 lbs
Box Dimensions	L24" x W18" x H18"



REPLACEMENT PARTS

Rubber Foot	85.660.011
Engine Mount	85.660.022
Shock Absorber	
Genpack Shock Absorber	85.660.027

Model#	BE-2600W
Engine	Honda GC160, Oil Alert (5.0)
Max Output	2600 Watts
Continuous Output	2100 Watts
Approx. Run Time	3.5 Hours at 50% Load
Max Load	21 Amps
Max Continuous Load	17 Amps
Voltage	120V
Receptacles	2 x 120 volt duplex
Breakers	2-10 Amps
Tank Capacity	1.72L 1.82 Quart
Weight	80 lbs
Box Dimensions	L24" x W18" x H18"



REPLACEMENT PARTS

Rubber Foot	85.660.011
Engine Mount	85.660.022
Shock Absorber	
Genpack Shock Absorber	85.660.027




POWER EASE

INDUSTRIAL GENERATOR SERIES

Powered by
HONDA
ENGINES

2900 WATT GENERATOR

Generator comes with CSA approved genpack. Optional wheel kit part# 85.400.029.




Model#	BE-2900W
Engine	Honda GX160, Oil Alert (5.5)
Max Output	2,900 Watts, 24.1 Amps
Continuous Output	2,400 Watts, 20 Amps
Approx. Run Time	4.1 Hours at 1/2 Load
Voltage	120V
Receptacles	2 x 120V Duplex
Breakers	2-10 Amps
Tank Capacity	3.88 Litres
Weight	85 lbs
Box Dimensions	L24" x W18" x H18"

REPLACEMENT PARTS

Rubber Foot	85.660.011
Engine Mount Shock Absorber	85.660.022
Genpack Pack Shock Absorber	85.660.027

3100 WATT GENERATOR

Generator comes with CSA approved genpack. Optional wheel kit part# 85.400.029



Model#	BE-3100W
Engine	Honda GX200, Oil Alert (6.5)
Max Output	3100 Watts, 25.8 Amps
Continuous Output	2800 Watts, 23.3 Amps
Approx. Run Time	4 Hours at 1/2 Load
Voltage	120V/240V
Receptacles	120V Duplex & 240V Twistlock
Breakers	2-15 Amps
Tank Capacity	3.88 Litres
Weight	91 lbs
Box Dimensions	L24" x W18" x H18"

REPLACEMENT PARTS

Rubber Foot	85.660.011
Engine Mount Shock Absorber	85.660.022
Genpack Pack Shock Absorber	85.660.027


4800 WATT GENERATORS

Generator comes with CSA approved genpack. Optional wheel kit part# 85.400.034.

BE-4800W



BE-4800W4



Model#	BE-4800W	BE-4800W4
Receptacles	120V Duplex & 120 Twistlock	120V Duplex & 240 Twistlock
Breakers	1-20A/30A/40A	2-20A
Voltage	120V	120/ 240V

Specifications

Engine	Honda GX270, Oil Alert (9.0)
Max Output	4800 Watts, 40 Amps
Continuous Output	4500 Watts, 37.5 Amps
Approx. Run Time	4.1 Hours at 1/2 Load
Tank Capacity	6.4 Litres
Weight	132 lbs
Box Dimensions	L31" x W24" x H25"

REPLACEMENT PARTS

Rubber Foot	85.660.011
Engine Mount Shock Absorber	85.660.022
Genpack Pack Shock Absorber	85.660.028



1200 WATT GENERATOR



Model#	VI-1200
Engine	2.5 HP, 4 Stroke
Max Output	1200 Watts
Continuous Output	900 Watts
Approx. Run Time	5.8 hours @ 50% load
Voltage	120V
Receptacles	1 x 120V
Breakers	1 x 8 Amp
Decibels	65 db
Tank Capacity	1 Gallon (4L)
Weight	53 lbs (24 kg)

3000 WATT GENERATOR



Model#	VI-3000
Engine	6.5 HP, 4 Stroke
Max Output	3000 Watts
Continuous Output	2800 Watts
Approx. Run Time	11 Hours @ 50% Load
Voltage	120/240V
Receptacles	2 x 120V, 1 x 240V Twistlock
Breakers	2 x 13 Amp
Decibels	74 db
Tank Capacity	4 Gallons (15L)
Weight	108 lbs (49 kg)

6500 WATT GENERATOR



- AVR
- ELECTRIC START
- AUTO IDLE
- WHEEL KIT



Model#	VI-6500	VI-6500P
Engine	13 HP, 4 Stroke	13 HP, 4 Stroke
Ignition	Electric Start	Pull Start
Max Output	6500 Watts	6500 Watts
Continuous Output	5500 Watts	5500 Watts
Approx. Run Time	7 Hours @ 100% Load	7 Hours @ 100% Load
Voltage	120/240V	120/240V
Receptacles	4 x 120V, 1 x 240V Twistlock	4 x 120V, 1 x 240V Twistlock
Breakers	2 x 23 Amps	2 x 23 Amps
Decibels	69 db	69 db
Tank Capacity	6.5 Gallons (25L)	6.5 Gallons (25L)
Weight	203 lbs (92 kg)	203 lbs (92 kg)

9000 WATT GENERATORS



- AVR
- ELECTRIC START
- AUTO IDLE
- WHEEL KIT



Model#	VI-9000
Engine	15 HP Engine, 4 Stroke
Max Output	9000 Watts
Continuous Output	7500 Watts
Approx. Run Time	5 hours @ 100% Load
Voltage	120/240V
Receptacles	2x 120V, 1 x 120V Twistlock, 1 x 240V Twistlock
Breakers	2 x 32 Amps
Decibels	74 db
Tank Capacity	8 Gallon (30L)
Weight	212 lbs (96 kg)