


Brass Fittings

Pipe



Pipe Size	1/16	1/8	1/4	3/8	1/2	3/4	1
Thread Size	1/16-27	1/8-27	1/4-18	3/8-18	1/2-14	3/4-14	1-11^{1/2}
Working Pressure	1200	1200	1200	1200	1200	1000	1000

•Typical Application

Grease, fuels, LP and Natural gas (available on special order), refrigeration, instrumentation and hydraulic systems.

•Pressure

Operating pressure up to 1200 PSI.

•Vibration

Fair resistance.

•Temperature Range

-65°F to +250°F (-53°C to +121°C).

•Material

CA360 Brass for Barstock fittings
CA377 Brass for forged fittings

•Used With

Brass, bronze, copper, steel, aluminum and iron pipe

•Conformance

Meets specifications and standards of ASA, ASME and SAE.

•“L” at the end of a Part# means Light Pattern


- these fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.

•Assembly Instructions

- 1- Tighten approximately 2-1/2 turns past hand tight.
- 2- Fittings with Everseal tighten two turns past hand tight. Brittle materials require special cautions.

- for larger sizes see bronze fittings on page 114
- see page 152 for plastic pipe fittings.
- see page 212 for steel pipe fittings.

Actual outside diameters of pipe threads



Actual Male Thread Profiles



90° FEMALE ELBOW

**SAE#
130238**



2200P
3500
302
200

Part #	Size	List Price
28-001	1/8	1.41
28-002	1/4	1.90
28-003	3/8	2.59
28-004	1/2	5.08
28-005	3/4	12.69

90° FORGED FEMALE ELBOW



1200P
E7
100AF
100B

Part #	Size	List Price
28-009	1/8	1.45
28-010	1/4	1.95
28-011	3/8	2.98
28-012	1/2	5.06
28-013	3/4	10.94
28-014	1/4x1/8	3.32
28-015	3/8x1/4	3.76
28-016	1/2x3/8	7.14

45° FEMALE ELBOW



129
2201P
205
23355
45EZ
105
100-45A

Part #	Size	List Price
28-018	1/8	2.76
28-019	1/4	4.05

UNION TEE

**SAE#
130438**



322
2203P
3700
203
101A
311

Part #	Size	List Price
28-024	1/8	1.61
28-025	1/4	2.41
28-026	3/8	3.46
28-027	1/2	5.50
28-028	3/4	14.39

UNION FORGED TEE



1203P
LT7
101AF
101B

Part #	Size	List Price
28-032	1/8	1.85
28-033	1/4	2.41
28-034	3/8	3.10
28-035	1/2	6.32
28-036	3/4	10.35

REDUCING FORGED TEES

Part #	Size			List Price
	1	2	3	
28-029	1/8	1/8	1/4	3.85
28-030	1/4	1/4	1/8	3.97
28-031	1/4	1/4	3/8	6.66
28-037	3/8	3/8	1/8	6.61
28-038	3/8	1/4	3/8	6.33
28-039	3/8	3/8	1/4	6.33
28-046	1/2	1/2	3/8	8.30
28-047	3/4	1/2	3/4	15.53
28-048	3/4	3/4	1/2	15.53

CROSS



2205P
3950
228
102A
102BE

Part #	Size	List Price
28-041	1/8	3.43
28-042	1/4	4.15
28-043	3/8	5.56
28-044	1/2	14.15
28-045	3/4	32.93

FORGED CROSS



C7
105
102AF
102B

Part #	Size	List Price
28-049	1/8	3.08
28-050	1/4	4.77
28-051	3/8	6.57
28-052	1/2	9.63

COUPLING



SAE #	207P
130238	371
	3300
	103AH
	103B

Part #	Size	List Price
28-058L	1/8	0.50
28-058	1/8	1.06
28-059L	1/4	0.80
28-059	1/4	1.52
28-060L	3/8	1.26
28-060	3/8	1.98
28-061L	1/2	2.13
28-061	1/2	3.02
28-062L	3/4	4.06
28-062	3/4	6.77

REDUCING COUPLING



SAE #	377
130138	3300
	208P
	108
	119B
	119AH

Part #	Size	List Price
28-181L	1/4x1/8	0.88
28-181	1/4x1/8	1.52
28-182	3/8x1/8	1.92
28-183L	3/8x1/4	1.43
28-183	3/8x1/4	2.33
28-180	1/2x1/8	3.83
28-184L	1/2x1/4	2.66
28-184	1/2x1/4	3.26
28-185L	1/2x3/8	2.76
28-185	1/2x3/8	3.34
28-188	3/4x3/8	5.01
28-189	3/4x1/2	4.13

UNION



3250
212P
104A
104B

Part #	Size	List Price
28-067	1/8	6.48
28-068	1/4	8.50
28-069	3/8	15.22
28-070	1/2	14.98

CAP



3129
213P
23129
108A
108B

Part #	Size	List Price
28-075	1/8	0.55
28-076	1/4	0.79
28-077	3/8	1.48
28-078	1/2	2.07
28-079	3/4	3.28


Brass

SAE# 90° STREET ELBOW

130239



Short Pattern



Regular Pattern

2202P
304
115
202
3400
116A

Part #	Size	List Price
28-156	1/8	0.92
28-156S	1/8short	0.65
28-157	1/4	1.57
28-157S	1/4short	1.22
28-158	3/8	2.29
28-159	1/2	4.28
28-160	3/4	7.14

See page 8 for Long Street Elbows.

FORGED 90° STREET ELBOW



5E8
1202P
116AF
116B

Part #	Size	List Price
28-165	1/8	2.04
28-166	1/4	1.86
28-167	3/8	3.04
28-168	1/2	4.15
28-169	3/4	6.95

FORGED REDUCING 90° STREET ELBOW

Female x Male

Part #	Size	List Price
28-260	1/8X1/4	2.88
28-261B	1/4FIPX1/8MIP (Barstock)	1.89
28-261	1/4X1/8	2.04
28-262	1/4X3/8	3.57
28-263	3/8X1/4	3.84
28-264	3/8X1/2	5.44
28-265	1/2X3/8	6.53

PIPE SWIVEL 90° STREET ELBOW



Part #	Size	List
28-430	1/4	17.10

HEX BUSHING

SAE # 130140



373
3220
209P
110A
110B

Male x Female

Part #	Size	List Price
28-102L	1/4x1/8	0.36
28-102	1/4x1/8	0.52
28-103	3/8x1/8	0.91
28-104L	3/8x1/4	0.57
28-104	3/8x1/4	0.77
28-105L	1/2x1/8	1.41
28-105	1/2x1/8	1.69
28-106L	1/2x1/4	0.91
28-106	1/2x1/4	1.28
28-107L	1/2x3/8	0.89
28-107	1/2x3/8	1.17
28-108	3/4x1/8	2.61
28-109L	3/4x1/4	2.24
28-110L	3/4x3/8	1.97
28-111L	3/4x1/2	1.29
28-111	3/4x1/2	2.12
28-112	1x1/4	4.54
28-113	1x3/8	5.44
28-114	1x1/2	3.56
28-115	1x3/4	3.75

FACE BUSHING



Male x Female

Part #	Size	List Price
28-121	1/4x1/8	0.64
28-122	3/8x1/8	1.04
28-116	3/8x1/4	0.94
28-090	1/2x1/8	1.81
28-128	1/2x1/4	1.45
28-117	1/2x3/8	0.80
28-129	3/4x1/4	2.76
28-130	3/4x3/8	2.59
28-118	3/4x1/2	1.11
28-120	1x3/4	4.60

🔑 "L" means light pattern. See section header for description.

SQUARE HEAD PLUG



3151
211P
109A
109B

Part #	Size	List Price
28-084	1/8	0.32
28-085	1/4	0.45
28-086	3/8	0.70
28-087	1/2	1.17
28-088	3/4	2.73
28-089	1	5.42

COUNTERSUNK HEX HEAD PLUG



3155
219P
109CS
118

Part #	Size	List Price
28-092	1/16	0.55
28-093	1/8	0.45
28-094	1/4	0.52
28-095	3/8	0.58
28-096	1/2	0.98
28-097	3/4	2.50

SLOTTED-HEAD PLUG



220P
3150
117A
117B

Part #	Size	List Price
28-174	1/8	0.37
28-175	1/4	0.49
28-176	3/8	0.78

CORED HEX PLUGS



218P
3152
121A
103
121B
PPH
218P

Part #	Size	List Price
28-201	1/8	0.33
28-202	1/4	0.47
28-203	3/8	0.73
28-204	1/2	1.15
28-205	3/4	2.21
28-206	1	5.84

SOLID HEX HEAD PLUGS



121AS

Part #	Size	List Price
28-201S	1/8	0.67
28-202S	1/4	0.79
28-203S	3/8	1.15
28-204S	1/2	1.96
28-205S	3/4	3.21
28-206S	1	4.37

LOCKNUT

- Jam nuts
- Straight pipe thread




210P
21102
111A
111B

Part #	Size	List Price
28-123	1/8	0.53
28-124	1/4	0.77
28-125	3/8	0.87
28-126	1/2	1.09
28-127*	1/2	0.64

* Die Cast

CLOSE NIPPLE



165
215PN
3326
112A
112B

Part #	Diameter	Length	List Price
28-131	1/8	0.75	0.35
28-132	1/4	0.88	0.45
28-133	3/8	1.00	0.65
28-134	1/2	1.13	1.54
28-135	3/4	1.38	1.54

LONG NIPPLE



113B
113A
166
3327
3331
215PNL

Part #	Diameter X Length	List Price
28-140	1/8x1-1/2	0.67
28-141	1/8x2	0.99
28-142	1/8x2-1/2	1.38
28-143	1/8x3	1.56
28-144	1/4x1-1/2	0.83
28-145	1/4x2	1.05
28-146	1/4x2-1/2	1.64
28-147	1/4x3	2.37
28-148	3/8x1-1/2	1.17
28-149	3/8x2	1.79
28-150	3/8x2-1/2	2.32
28-151	3/8x3	3.08
28-152	1/2x1-1/2	1.90
28-153	1/2x2	2.50
28-154	1/2x2-1/2	3.01
28-155	1/2x3	3.63

🔑 See Red Brass Nipples for larger sizes!

"I can't do it" never accomplished anything. "I will try" has performed wonders.
-George P. Burnham

HEX NIPPLE



SAE#
130137

216P
3325
379
122AH
122B

Part #	Size	List Price
28-211L	1/8	0.43
28-211	1/8	0.60
28-212L	1/4	0.54
28-212	1/4	0.92
28-213L	3/8	1.03
28-213	3/8	1.44
28-214L	1/2	1.68
28-214	1/2	2.60
28-215	3/4	2.76
28-216	1	7.65

REDUCING HEX NIPPLE

SAE#
130137



216P
3325
379
122AH
122B

Part #	Size	List Price
28-220L	1/4x1/8	0.75
28-220	1/4x1/8	0.95
28-221L	3/8x1/8	1.50
28-221	3/8x1/8	2.13
28-222L	3/8x1/4	0.99
28-222	3/8x1/4	1.48
28-223L	1/2x1/4	1.88
28-223	1/2x1/4	2.47
28-224L	1/2x3/8	1.60
28-224	1/2x3/8	2.03
28-225	3/4x1/2	3.68

🔑 "L" means light pattern. See section header for description.

Enthusiasm is the greatest asset in the world. It beats money, power and influence.
-George P. Burnham

Brass Fittings

Pipe

Pipe

45° STREET ELBOW

**SAE#
130339**



306
3350
2214P
224

Part #	Size	List Price
28-230	1/8	1.53
28-231	1/4	1.92
28-232	3/8	2.68
28-233	1/2	4.60
28-234	3/4	12.47

45° FORGED STREET ELBOW



45E8
124B

Part #	Size	List Price
28-238	1/8	2.60
28-239	1/4	3.14
28-240	3/8	4.26

STREET TEE

**SAE#
130424**



225
2225P
3750
326
225
127A

Part #	Size	List Price
28-245	1/8	1.76
28-246	1/4	3.02
28-247	3/8	3.96
28-248	1/2	6.40
28-249	3/4	14.13

Male NPT x Female NPT 360° turning swivel fitting

360° Turning



NEW

Part #	Size	List Price
320-061	1/4	11.75

FORGED STREET TEE



107
T8
127B

Part #	Size	List Price
28-253	1/8	2.16
28-254	1/4	2.64
28-255	3/8	4.55
28-256	1/2	9.84
28-257	3/4	21.54

EXTENDER / ADAPTER

**SAE#
130139**



375
222P
3200
R1
120AH
120B

Female x Male

Part #	Size	List Price
28-190L	1/8x1/8	0.60
28-190	1/8x1/8	0.66
28-191L	1/4x1/8	0.69
28-191	1/4x1/8	1.48
28-192L	1/4x1/4	0.91
28-192	1/4x1/4	1.29
28-198	3/8x1/8	1.92
28-193L	3/8x1/4	1.09
28-193	3/8x1/4	1.99
28-194L	3/8x3/8	1.51
28-194	3/8x3/8	1.96
28-199	1/2x1/4	2.75
28-195L	1/2x3/8	2.56
28-195	1/2x3/8	3.46
28-196	1/2x1/2	2.49
28-207	3/4x3/8	10.65
28-208	3/4x1/2	4.37
28-209	3/4x3/4	6.53

PIPE SWIVEL ADAPTER



344R
3183

Female x Male

Part #	Size	List Price
28-425	1/4	7.65
28-426	3/8	17.10

See page 8 for long extender/ adapters

Brass

FORGED 90° MALE ELBOW



LE5
3455
116AMF

Part #	Size	List Price
28-266	1/8	1.53
28-267	1/4	1.86
28-268	3/8	3.71
28-269	1/2	4.97

90° MALE REDUCING ELBOW

Part #	Size	List Price
28-274	1/4X1/8	2.78
28-275	3/8X1/4	2.93
28-276	1/2X3/8	4.06

MALE BRANCH TEE

SAE#
130425



X106
23601
3600
2224P
226
329
128

Part #	Size	List Price
28-281	1/8	2.28
28-282	1/4	2.98
28-283	3/8	4.78
28-284	1/2	8.32
28-285	3/4	13.89

FORGED MALE BRANCH TEE



Part #	Size	List Price
28-281F	1/8	2.28
28-282F	1/4	3.43

FORGED ALL MALE TEE



T12
M101

Part #	Size	List Price
28-290	1/8	2.70
28-291	1/4	3.02
28-292	3/8	4.54
28-293	1/2	5.98
28-294	3/4	14.84

LONG STREET ELLS

D.O.T.
Approved



Part #	Size	Length	List Price
28-440	1/8	1-3/16"	4.55
28-441	1/8	1-7/16"	4.50
28-442	1/8	1-11/16"	4.70
28-443	1/8	1-7/8"	5.60
28-328	1/4	1-3/16"	8.00
28-329	1/4	1-7/16"	6.40
28-330	1/4	1-11/16"	6.40
28-331	1/4	1-7/8"	8.95
28-332	1/4	2-1/4"	8.85
28-333	3/8	1-3/4"	8.50

See page 4 for regular street elbows








LONG EXTENSION ADAPTERS

D.O.T.
Approved



Part #	Size	Length	List Price
28-335	1/8	1-1/4"	3.97
28-336	1/8	1-3/4"	4.19
28-337	1/8	3"	4.95
28-338	1/4	1-9/16"	3.11
28-339	1/4	1-13/16"	3.24
28-340	1/4	2-1/16"	3.87


BULKHEAD / ANCHOR / FRAME COUPLINGS



Part#	Terminal Bolts / Frame Couplings				Length(in.)	List
	A	B	C	D		
28-300	1/8 - 27 NPTF	5/8 - 18 UNS	---	---	1-1/2	3.11
28-303	3/8 - 18 NPTF	1 - 14 UNS	---	---	15-16	4.03
28-301	1/4 - 18 NPTF	3/4 - 16 UNS	---	---	15-16	4.43
28-302	1/4 - 18 NPTF	3/4 - 16 UNS	---	---	1-1/2	5.02
28-315*	1/4 - 18 NPTF	3/4 - 16 UNS	---	---	1-1/2	5.15
		*(same as 28-302 except with larger mounting nut)				
28-304	1/2 - 14 NPTF	1-1/8 - 14 UNS	---	---	1-1/2	6.77
28-317	1/2 - 14 NPTF	1 - 14 UNS	1/4 - 18 NPTF	---	2-1/8	6.40
28-318	1/2 - 14 NPTF	1 - 14 UNS	3/8 - 18 NPTF	---	1-11/16	4.43
28-319	1/2 - 14 NPTF	1 - 14 UNS	3/8 - 18 NPTF	---	1-29/32	4.93
28-325	1/2 - 14 NPTF	3/4 - 16 UNS	1/4 - 18 NPTF	1/4 - 18 NPTF	1-11/16	5.20
28-345	1/2 - 14 NPTF	3/4 - 16 UNS	1/4 - 18 NPTF	---	2-5/32	4.77
28-313	1/2 - 14 NPTF	1 - 14 UNS	1/4 - 18 NPTF	---	2-7/8	6.07
28-314*	1/2 - 14 NPTF	1 - 14 UNS	1/4 - 18 NPTF	---	2-7/8	6.27
		*(same as 28-313 except with larger mounting nut)				
28-316	1/2 - 14 NPTF	1 - 14 UNS	1/4 - 18 NPTF	---	3-15/16	11.70
28-346	3/8 - 18 NPTF	1 - 14 UNS	1/2 - 14 NPTF	---	1-7/8	5.07
28-347	1/2 - 14 NPTF	1 - 14 UNS	1/2 - 14 NPTF	---	2-3/8	7.00
28-321	1/2 - O.D. Tube	7/8 - 20 UNCF	3/8 - 18 NPTF	---	1-5/16	7.43
28-322	3/8 - O.D. Tube	7/8 - 20 UNF	3/8 - 18 NPTF	---	1-3/8	7.65
28-348	3/8 - 18 NPTF	7/8 - 20 UNCF	3/8 - 18 NPTF	---	2-5/16	6.41
STEEL BULKHEAD FITTINGS						
28-306	1/4 - 18 NPTF	3/4 - 16 UNS	---	---	.94	5.49
28-307	1/4 - 18 NPTF	3/4 - 16 UNS	---	---	1.50	5.84
28-309	1/2 - 14 NPTF	3/4 - UNS	1/4 - 18 NPTF	1/4 - 18 NPTF	2.16	9.50
28-310	1/2 - 14 NPTF	3/4 - UNS	1/4 - 18 NPTF	---	2.53	16.42
28-312	1/2 - 14 NPTF	1 - 14 UNS	1/4 - 18 NPTF	---	2.53	15.53

Brass

Hose Barb Fittings



See page 147 for plastic hose barb fittings


•Temperature and Working Pressure Ranges
From -40°F to + 160°F at 150 PSI maximum.

•Material
CA360 Brass for Barstock fittings.
CA377 Brass for Forged fittings.

Note: These fittings are intended for use with hose clamp, similar type clamp or a crimped ferrule.
See pages 160 for hose clamps


•Assembly Instructions

- 1- Cut hose cleanly and squarely to length.
- 2- Slide clamp on hose
- 3- Lubricate hose. Push hose on fitting until hose bottoms against stop ring or hex.
- 4- Position hose clamp as shown below and secure with a screwdriver or wrench. Maintain "A" dimension noted below for proper clamp positioning.



Hose Size	A
3/16"	1/4"
1/4"	1/4"
5/16"	1/4"
3/8"	1/8"
1/2"	1/8"
5/8"	1/8"
3/4"	1/8"

Actual Profile of Hose Barbs



RIGID MALE ADAPTER

PGH
101
102
201A



125HBL
105B-1
KF-PS
MPB

HOSE I.D. X MALE PIPE

Part #	Size	List Price
32-300	1/8x 1/16	6.80
32-001	1/8x1/8	0.64
32-027	1/8x1/4	0.76
32-002	3/16x1/8	0.54
32-003	3/16x1/4	0.89
32-301	1/4x1/16	2.22
32-004	1/4x1/8	0.54
32-005	1/4x1/4	0.54
32-006	1/4x3/8	0.89
32-007	1/4x1/2	1.79
32-008	5/16x1/8	0.57
32-009	5/16x1/4	0.64
32-010	5/16x3/8	1.08
32-390	5/16x1/2	2.06
32-011	3/8x1/8	0.61
32-012	3/8x1/4	0.54
32-013	3/8x3/8	0.71
32-014	3/8x1/2	1.50
32-026	3/8x3/4	2.97
32-333	7/16x1/4	2.50
32-302	1/2x1/8	0.94
32-015	1/2x1/4	0.79
32-016	1/2x3/8	0.93
32-017	1/2x1/2	1.18
32-018	1/2x3/4	2.20
32-303	1/2x1	6.21
32-304	5/8x1/4	2.47
32-019	5/8x3/8	1.17
32-020	5/8x1/2	1.43
32-021	5/8x3/4	2.38
32-305	5/8x1	5.20
32-306	3/4x3/8	3.16
32-022	3/4x1/2	1.79
32-023	3/4x3/4	2.21
32-316	3/4x1	6.90
32-299	1x3/8	6.80
32-307	1x1/2	4.08
32-024	1x3/4	3.13
32-025	1x1	4.70
32-028	1-1/4x1	5.50

See Bronze insert fittings on page 191 for larger sizes

SWIVEL MALE ADAPTER

Rotation 360°



SMS
103

HOSE I.D. X NPTF

Part #	Size	List Price
32-200	1/4x1/4	2.41
32-201	3/8x1/4	2.41
32-202	3/8x3/8	2.73
32-355	1/2x3/8	3.58
32-356	1/2x1/2	3.78
32-357	3/4x3/4	5.54

MENDER / SPLICER




MSB
122HBL
HM
129
178
73
108

HOSE I.D. X HOSE I.D

Part #	Size	List Price
32-091	1/8	0.93
32-092	3/16	0.79
32-093	1/4	0.71
32-094	5/16	0.79
32-095	3/8	0.71
32-096	1/2	1.00
32-097	5/8	1.13
32-098	3/4	1.88

See Bronze insert fittings on page 191 for longer sizes.

See Hose Clamps on page 160 

**Male NPT x Female NPT
360° turning swivel fitting**

360° Turning



NEW

Part #	Size	List Price
320-061	1/4	11.75

Brass

RIGID FEMALE ADAPTER

209A
128
29A
29F
126HB
126



FPB
105B-2
KF-RS
104

HOSE I.D. X FEMALE PIPE

Part #	Size	List Price
32-050	1/8x1/8	0.83
32-317	1/8x1/4	2.41
32-051	3/16x1/8	0.83
32-062	3/16x1/4	1.73
32-052	1/4x1/8	0.83
32-053	1/4x1/4	0.82
32-054	1/4x3/8	1.21
32-055	5/16x1/8	1.15
32-056	5/16x1/4	1.15
32-318	5/16x3/8	2.35
32-320	5/16x1/2	2.59
32-057	3/8x1/8	0.96
32-058	3/8x1/4	0.96
32-059	3/8x3/8	1.25
32-063	3/8x1/2	1.63
32-064	1/2x1/4	1.16
32-060	1/2x3/8	1.78
32-061	1/2x1/2	2.17
32-065	3/4x3/4	3.95
32-049	1x3/4	9.56

**SWIVEL FEMALE ADAPTER
With Gasket**

130
126
29FSG
KF-RN



5/Bag
NPF
NPSM-
GASKET SEAT

HOSE I.D. X NPSM

Part #	Size	List Price
32-120	1/4x1/8	3.50
32-121	1/4x1/4	1.35
32-129	1/4x3/8	3.26
32-130	5/16x1/4	3.75
32-122	3/8x1/4	2.66
32-123	3/8x3/8	2.95
32-354	3/8x1/2	4.38
32-124	1/2x3/8	3.43
32-125	1/2x1/2	4.05
32-117	1/2x3/4	5.19
32-118	5/8x3/4	5.91
32-119	3/4x3/4	3.42

See page 81 for Beaded Hose Barbs

**FORGED HOSE BARB
90° ELBOW**



129
HBE1
KF-PS90
HE-1
29E
139

HOSE I.D. X MALE PIPE

Part #	Size	List Price
32-308	3/16x1/8	1.46
32-391	3/16x1/4	1.91
32-038	1/4x1/8	1.63
32-039	1/4x1/4	1.88
32-309	1/4x3/8	2.50
32-036	5/16x1/8	1.71
32-040	5/16x1/4	1.75
32-310	5/16x3/8	3.65
32-046	3/8x1/8	1.67
32-041	3/8x1/4	1.88
32-042	3/8x3/8	2.14
32-047	3/8x1/2	1.88
32-048	1/2x1/4	2.79
32-043	1/2x3/8	3.29
32-311	1/2x1/2	3.75
32-044	5/8x3/8	3.13
32-045	5/8x1/2	3.25
32-312	5/8x3/4	5.42
32-313	3/4x1/2	4.79
32-314	3/4x3/4	6.67
32-330	3/4x1	7.95
32-315	1x3/4	7.50

See Bronze insert fittings on page 191 for larger sizes

**BARSTOCK HOSE BARB
90° ELBOW**



129HB

HOSE I.D. X MALE PIPE

Part #	Size	List
32-308B	3/16x1/8	2.44
32-038B	1/4x1/8	2.73
32-039B	1/4x1/4	2.94
32-041B	3/8x1/4	3.41
32-042B	3/8x3/8	7.96
32-043B	1/2x3/8	6.76

HOSE BARB TEES



32-128

Part #	Size	List Price
32-367	1/8	2.00
32-365	1/4	2.00
32-366	5/16	2.50
32-126	3/8	2.38
32-400	1/2	2.83
32-128	3/8X1/4 MIP Branch	5.71

See Bronze insert fittings on page 191 for larger sizes

90° HOSE BARB ELBOW



HOSE I.D. X HOSE I.D.

Part #	Size	List Price
32-412	1/4 x 1/8	1.61
32-413	1/4 x 1/4	1.61
32-414	3/8 x 1/8	2.32
32-415	3/8 x 1/4	2.32
32-416	3/8 x 3/8	1.96
32-417	3/8 x 1/2	2.71
32-418	1/2 x 1/4	2.71
32-419	1/2 x 3/8	2.71
32-420	1/2 x 1/2	2.71

90° FEMALE HOSE BARB ELBOW



HOSE I.D. X FEMALE PIPE

Part #	Size	List Price
32-401	1/4 x 1/8	2.50
32-402	1/4 x 1/4	2.50
32-403	3/8 x 1/8	2.50
32-404	3/8 x 1/4	3.14
32-405	3/8 x 3/8	3.93
32-406	3/8 x 1/2	5.75
32-407	1/2 x 1/4	3.68
32-410	1/2 x 3/8	4.57
32-411	1/2 x 1/2	5.79

See hose clamps on page 160

90° HOSE BARB X SWIVEL MALE PIPE



HOSE I.D. X MALE PIPE

Part #	Size	List Price
32-421	1/4 x 1/8	3.68
32-422	1/4 x 1/4	3.68
32-423	3/8 x 1/8	4.82
32-424	3/8 x 1/4	4.82
32-426	3/8 x 3/8	4.82
32-427	3/8 x 1/2	5.36
32-428	1/2 x 1/4	5.36
32-431	1/2 x 3/8	5.57
32-432	1/2 x 1/2	6.25

45° ELBOW



140
HE145
139HB
KF-PS45
139

HOSE I.D. X MALE PIPE

Part #	Size	List Price
32-110	1/4X1/8	3.41
32-109*	1/4X1/4	5.98
32-111	3/8X1/8	2.60
32-112	3/8X1/4	2.34
32-113	3/8X3/8	3.58
32-346	1/2X1/4	4.36
32-114	1/2X3/8	3.95
32-115	5/8X3/8	3.96

* Barstock

.....
 •When your confidence goes •
 • up, your competence goes •
 • up at the same time •

Brass

BALLSEAT FITTINGS

BALL END SWIVEL

NPSM-
BALL SEAT TYPE



128HBLSV
29FS
209AS
124
131

HOSE I.D. X NPSM

Part #	Size	List Price
32-066	1/8X1/8	1.57
32-067	3/16X1/8	1.39
32-068	3/16X1/4	1.76
32-069	1/4X1/8	1.62
32-070	1/4X1/4	1.08
32-078	1/4X3/8	2.15
32-071	5/16X1/4	1.30
32-072	3/8X1/4	1.17
32-073	3/8X3/8	1.47
32-074	3/8X1/2	3.14
32-075	1/2X3/8	1.73
32-076	1/2X1/2	2.19
32-077	3/4X3/4	3.52

BALLSEAT MALE ADAPTER

Beveled Seat



134
127HB
122AS
172

NPSM X MALE PIPE

Part #	Size	List Price
32-359	1/8X1/8	1.53
32-034	1/4X1/8	1.10
32-030	1/4X1/4	1.05
32-362	3/8X1/4	2.97
32-031	3/8X3/8	2.09
32-364	1/2X3/8	3.62
32-032	1/2X1/2	2.73
32-033	3/4X3/4	4.76

HOSE BARB X FLARE ADAPTER

45° FLARE ADAPTER



142
201BF
KF-MS

HOSE I.D. X 45° FLARE

Part #	Size	List Price
32-322	3/16X1/4	1.78
32-081	1/4X1/4	1.32
32-082	1/4X3/8	1.68
32-083	5/16X5/16	1.83
32-084	3/8X3/8	1.68

FEMALE 45° FLARE SWIVEL



29SAE
209ASF
146HBLFSV
KF-NS
128
FSS
146
144

HOSE I.D. X 45° FLARE

Part #	Size	List Price
32-326	3/16X3/16	2.13
32-107	3/16X1/4	1.73
32-101	1/4X1/4	1.18
32-102	1/4X5/16	1.45
32-103	1/4X3/8	1.31
32-104	5/16X5/16	1.50
32-327	5/16X3/8	1.83
32-105	3/8X3/8	1.40
32-106	3/8X1/2	3.33
32-100	1/2X1/2	1.94

FEMALE 37° J.I.C. FLARE SWIVEL

HOSE I.D. X 37° FLARE

Part#	Size	List
32-334	1/4x3/8	1.75
32-335	5/16 x 3/8	1.80
32-336	3/8 x 3/8	1.70

Accept that some days you're
the pigeon, and some days
you're the statue.

HOSE BARB X FLARE ADAPTER

DUAL 45°/37° FLARE SWIVEL



HOSE I.D. X DUAL SEAT

Part#	Size	List
32-337	1/4 X 1/4	1.60
32-339	5/16 X 5/16	1.66
32-340	3/8 X 1/2	2.45
32-341	1/2 X 1/2	2.48
32-342	1/2 X 5/8	3.28

INVERTED FLARE SWIVEL



HOSE I.D. X INVERTED FLARE

Part #	Size	List
32-369	1/4X1/4	5.02
32-370	5/16X5/16	4.57
32-371	3/8X3/8	4.21
32-372	1/2X1/2	5.44
32-373	5/8X5/8	6.31

See page 81 for Beaded Hose Barbs

"It's just too hot to wear clothes today," a husband remarked as he stepped out of the shower.

"Honey, what do you think the neighbors would think if I mowed the lawn like this?" He asked his wife.

"Probably that I married you for your money," she replied.

BRASS WELDING CONNECTORS

• Combine type of nut needed with proper stem size to get your required configuration

STEM ONLY



201RWA
WRS
WLS

Part #	Size	List
30-410	3/16	0.84
30-411	1/4	0.70
30-412	5/16	1.00
30-413	3/8	0.90

RIGHT HAND 9/16-18 FOR OXYGEN LINE



201RWA
WRS
KF-PE
152

Part #	Size	List
30-420	R.H. Nut Only	0.83

LEFT HAND 9/16-18 FOR ACETYLENE LINE



209LWA
WLS
154
KF-RE

Part #	Size	List
30-421	L.H. Nut Only	0.83

WELDING HOSE ADAPTERS

RIGHT HAND 9/16-18 #122RWA

122RWA
9/16 - 18



156

Part #	Size	List
30-401	1/4-18	1.94

LEFT HAND 9/16-18 #122LWA

122LWA
9/16 - 18



158

Part #	Size	List
30-406	1/4-18	1.94

STAINLESS STEEL HOSE BARBS

304 STAINLESS STEEL HOSE NIPPLES



Part #	Hose I.D. x Male Pipe	List Price
73-951	1/4"	4.24
73-952	3/8"	6.40
73-953	1/2"	6.41
73-954	3/4"	8.33
73-955	1"	10.29
73-956	1-1/4"	17.86
73-957	1-1/2"	18.63
73-958	2"	28.53
73-959	2-1/2"	47.55
73-960	3"	62.84
73-961	4"	150

304 STAINLESS STEEL REDUCING HOSE NIPPLES

Part #	Barb x Male Pipe	List Price
73-970	1/4 x 1/8	4.18
73-971	3/8 x 1/4	5.00
73-972	1/2 x 3/8	7.46
73-973	1/2 x 1/4	7.46
73-974	3/4 x 1/2	9.53
73-975	1 x 3/4	11.39
73-976	1 x 1/2	11.70
73-977	1-1/4 x 1	15.30
73-978	1-1/4 x 3/4	15.30
73-979	1-1/2 x 1-1/4	24.05
73-980	1-1/2 x 1	19.25
73-981	2 x 1-1/2	33.20
73-982	2 x 1-1/4	26.55

316 STAINLESS STEEL HOSE NIPPLES

Part #	Barb x Male	List Price
973-951	1/4"	4.60
973-952	3/8"	5.90
973-953	1/2"	9.90
973-954	3/4"	9.35
973-955	1"	12.47
973-956	1-1/4"	16.95
973-957	1-1/2"	29.46
973-958	2"	31.38
973-959	2-1/2"	87.50
973-990	3"	107.80
973-991	4"	246.75

BRASS MALE SWIVEL HOSE BARBS

MALE SWIVEL



4015
6065
8085

Hose I.D. X Male Pipe

Part #	Size	List Price
32-765	1/4x1/4	3.75
32-766	3/8x3/8	5.29
32-767	1/2x1/2	14.40

See page 11 for more Male Swivel fittings

HI VOLUME MALE SWIVEL

4065



Hose I.D. x Male Pipe

Part #	Size	List Price
32-781	3/8x1/4	9.32

300 PSI MAX.
WORKING PRESSURE



HOSE I.D. X MALE BALL SWIVEL

Part #	Size	List Price
28-415	1/4x1/4	17.50
28-417	3/8x1/4	15.81

REUSABLE HOSE COUPLINGS

183



1/4" MALE THREAD ID X OD

Part #	Size	List Price
32-725	3/8x3/4(23/32)	4.10
32-726	1/4x5/8	3.51
32-727	1/4x1/2	3.25
32-728	1/4x19/32	3.45
32-741	5/16x5/8	3.87
32-742	3/8x5/8	6.70

More sizes and configurations available

BRASS BARBS FOR POLYETHYLENE TUBING

• Quick connecting fittings that do not require tube preparations for hand assembly. Inexpensive with excellent resistance to vibration.
 • All sizes are tube O.D. (I.D.)



UNION



1062
962

TUBE O.D. (TUBE I.D.) X TUBE O.D. (TUBE I.D.)

Part #	Size	List
21-003	1/4 (1/8) X 1/4 (1/8)	1.22
21-007	3/8 (1/4) X 1/4 (1/8)	2.17
21-009	3/8 (1/4) X 3/8 (1/4)	.99

MALE ADAPTER



1068
968
688

TUBE O.D. (TUBE I.D.) X MALE PIPE

Part #	Size	List
21-021	1/4 (1/8) X 1/16	1.40
21-025	1/4 (1/8) X 1/4	1.53
21-027	3/8 (1/4) X 1/8	1.58

FEMALE ADAPTER



1066
966
26
668

TUBE O.D. (TUBE I.D.) X FEMALE PIPE

Part #	Size	List
21-043	1/4 (1/8) X 1/8	2.22
21-047	3/8(1/4) X 1/4	3.92

BULKHEAD UNION



1074

TUBE O.D. (TUBE I.D.)

Part #	Size	List
21-083	3/8(1/4)	6.68

UNION ELBOW



1065
965

TUBE O.D. (I.D.)

Part #	Size	List
21-095	1/4 (1/8)	1.90
21-097	3/8 (1/4)	2.74
21-099	1/2 (3/8)	3.21

MALE 90° ELBOW



1069
969
229

TUBE O.D. (I.D.) X MALE PIPE

Part #	Size	List
21-111	1/4 (1/8) X 1/16	2.34
21-113	1/4 (1/8) X 1/8	2.03
21-115	1/4 (1/8) X 1/4	2.54
21-117	3/8 (1/4) X 1/8	2.75
21-119	3/8 (1/4) X 1/4	4.32
21-121	1/2 (3/8) X 3/8	6.59

FEMALE 90° ELBOW



1070
970
230

TUBE X FEMALE PIPE

Part #	Size	List
21-133	1/4 (1/8) X 1/8	2.48

UNION TEE




1064
964
224

O.D. (I.D.) X O.D. (I.D.) X O.D. (I.D.)

Part #	Size	List
21-151	1/4 (1/8)	2.39
21-153	3/8 (1/4) X 3/8 (1/4) X 1/4 (1/8)	2.61
21-155	3/8 (1/4)	2.80
21-159	1/2 (3/8) X 1/2 (3/8) X 3/8 (1/4)	3.45
21-161	1/2 (3/8)	3.91

MALE BRANCH TEE




1072
972
232

O.D. (I.D.) X O.D. (I.D.) X MALE PIPE

Part #	Size	List
21-193	1/4 (1/8) X 1/4 (1/8) X 1/8	2.98
21-195	3/8 (1/4) X 3/8 (1/4) X 1/8	3.43
21-197	3/8 (1/4) X 3/8 (1/4) X 1/4	3.92

FEMALE BRANCH TEE




1077
978

O.D. (I.D.) X O.D. (I.D.) X FEMALE PIPE

Part #	Size 1x2x3	List
21-207	1/4 (1/8) X 1/4 (1/8) X 1/8	3.74

TWO BARB FITTINGS



MALE ADAPTER PIPE



Part #	Tube O.D. (I.D.) X Male Pipe	List
32-150	1/4 (1/8) X 1/8	2.21
32-151	1/4 (1/8) X 1/4	3.15
32-153	3/8 (1/4) X 1/4	2.79

UNION TEE




Part #	Tube O.D. (I.D.)	List
32-159	1/4 (1/8 ID)	3.92
32-160	3/8 (1/4 ID)	4.59

90° ELBOW



Part #	Tube O.D. (I.D.)	List
32-170	1/4 (1/8 ID)	2.93
32-171	3/8 (1/4 ID)	4.10

Push On Barb Fittings



Typical Application: Low Pressure Air, Fuel, Lube, and Oil Lines

Material: CA360 Brass

Advantages: Easy assembly. No clamps needed!!


ASSEMBLY INSTRUCTIONS:

- 1- Lubricate insert.
- 2- Hold hose at angle as shown & push on and up over first barb.
- 3- Continue to push straight on until hose is seated under protective plastic cap. Keep hands back from hose end area so that hose can expand.

DISASSEMBLY INSTRUCTIONS:

- 1- Split hose as shown above. Do not cut completely through hose. Sealing edge of barb could be damaged.
- 2- Bend hose and remove with a quick pull

ACTUAL PUSH ON BARB PROFILES



MALE ADAPTER



301
P990A
HLM
100B-1
KA-MB
272
29PO
725
625

I.D. HOSE X MALE PIPE

Part #	Size	List Price
30-200	1/4x1/8	0.64
30-201	1/4x1/4	0.83
30-211	1/4x3/8	1.41
30-212	5/16x1/8	2.20
30-213	5/16x1/4	1.48
30-202	3/8x1/8	1.04
30-203	3/8x1/4	0.88
30-204	3/8x3/8	1.13
30-205	3/8x1/2	1.88
30-216	1/2x1/4	1.38
30-206	1/2x3/8	1.29
30-207	1/2x1/2	1.79
30-217	1/2x3/4	2.99
30-219	5/8x3/8	4.40
30-209	5/8x1/2	3.44
30-214	5/8x3/4	3.99
30-215	3/4x1/2	2.99
30-210	3/4x3/4	2.88

MALE SWIVEL



HMS
285

HOSE I.D. X MALE PIPE

Part #	Size	List Price
30-385	1/4x1/4	2.79
30-386	3/8x1/4	2.89
30-387	3/8x3/8	3.86
30-388	1/2x3/8	3.80
30-389	1/2x1/2	4.22
30-390	3/4x3/4	6.15

FEMALE SWIVEL



HOSE I.D. X GASKET SWIVEL

Part #	Size	List
30-358	1/4x1/4	3.24
30-360	3/8x1/4	3.77
30-361	3/8x3/8	4.98
30-365	5/8x3/4	10.53
30-366	3/4x3/4	11.15

696
29SPO
296
729

HOSE SPLICER

100B-Y
KA-RM
MHL
296



Part #	Size	List Price
30-300	1/4	0.93
30-305	5/16	1.23
30-301	3/8	1.11
30-302	1/2	1.67
30-303	5/8	3.42
30-304	3/4	3.70

RIGID FEMALE ADAPTER



29FPO
HLF
626
274
726

HOSE I.D. X FEMALE PIPE

Part #	Size	List Price
30-220	1/4x1/8	1.20
30-221	1/4x1/4	1.08
30-222	5/16x1/4	1.38
30-224	3/8x1/4	1.38
30-225	3/8x3/8	1.84
30-223	1/2x1/4	4.34
30-226	1/2x3/8	1.93
30-227	1/2x1/2	2.85

MALE ELBOW



100-C
29EPO

HOSE I.D. X MALE PIPE

Part #	Size	List Price
30-372	1/4x1/8	3.42
30-373	1/4x1/4	3.97
30-374	5/16x1/8	7.90
30-375	5/16x1/4	7.52
30-370	3/8x1/8	4.03
30-371	3/8x1/4	3.29
30-376	3/8x3/8	2.64
30-377	3/8x1/2	6.74
30-378	1/2x1/2	6.93
30-379	5/8x1/2	10.52
30-380	5/8x3/4	9.94
30-381	3/4x3/4	9.85

RIGID TUBE ADAPTER



294
100B-X
KA-RL
303
732
694

HOSE I.D. X O.D. TUBE

Part #	Size	List Price
30-290	1/4x3/16	2.32
30-291	1/4x1/4	1.04
30-292	1/4x5/16	2.20
30-293	5/16x5/16	5.23
30-294	3/8x3/8	1.96
30-297	1/2x1/2	3.13

MALE SAE FLARE ADAPTER



100B-3
KA-MS
727
682
302
282

HOSE I.D. X O.D. TUBE

Part #	Size	List Price
30-240	1/4x1/4	1.75
30-241	1/4x5/16	1.93
30-249	5/16x5/16	6.33
30-271	3/8x5/16	2.50
30-243	3/8x3/8	2.31
30-245	1/2x1/2	3.42

MALE JIC FLARE ADAPTER



HOSE I.D. X MALE JIC

Part #	Size	List Price
32-900	1/4X1/4	1.65
32-901	1/4x5/16	1.80
32-902	3/8x3/8	3.22
32-903	1/2x1/2	3.20
32-905	3/4x3/4	7.95

**SAE/JIC
DUAL 45°/37° FEMALE SWIVEL**

735
690
P990-K
305



29FDS
287
HDF
309

HOSE I.D. X O.D. TUBE

Part #	Size	List Price
30-230	1/4x1/4	1.21
30-231	1/4x5/16	1.74
30-232	5/16x5/16	1.79
30-233	3/8x1/2	2.70
30-234	1/2x1/2	2.22
30-235	1/2x5/8	3.69
30-236	5/8x1/2	3.62
30-237	5/8x5/8	3.86

45° SAE FLARE FEMALE SWIVEL

728
P990-H
29AEPO
307



284
100S-4
KA-MB
HSF
684

HOSE I.D. X O.D. TUBE

Part #	Size	List Price
30-250	1/4x1/4	1.21
30-251	1/4x5/16	1.91
30-253	1/4x3/8	2.46
30-254	5/16x5/16	3.91
30-260	5/16x3/8	2.51
30-252	3/8x3/8	1.76
30-257	3/8x1/2	3.96
30-261	1/2x3/8	4.23
30-255	1/2x1/2	2.79
30-262	1/2x5/8	6.38
30-258	5/8x5/8	5.07
30-259	3/4x3/4	5.86

FEMALE 37° JIC FLARE SWIVEL

29JICPO
HJF
688



738
288
100B-6
308
P990-F

HOSE I.D. X O.D. TUBE

Part #	Size	List Price
30-265	1/4x1/4	1.25
30-264	1/4x3/8	1.90
30-266	3/8x3/8	1.61
30-267	1/2x1/2	2.81
30-268	5/8x5/8	3.73
30-269	3/4x3/4	4.83

INVERTED FLARE MALE SWIVEL



290
100B-B
KA-MF
1MS

HOSE I.D. X O.D. TUBE THREAD

Part #	Size	List Price
30-275	1/4x3/16	2.36
30-276	1/4x1/4	2.05
30-277	1/4x5/16	2.21
30-278	5/16x1/4	3.02
30-280	5/16x5/16	2.81
30-283	5/16x3/8	4.59
30-284	3/8x5/16	2.68
30-279	3/8x3/8	2.51
30-285	3/8x1/2	6.26
30-281	1/2x3/8	6.62
30-282	1/2x1/2	4.38
30-286	5/8x5/8	7.18

**INVERTED FLARE FEMALE
ADAPTER**



306
100B-A
KA-NG
292
P990-J
736
692

HOSE I.D. X O.D. TUBE

Part #	Size	List Price
30-310	1/4x3/16	1.92
30-311	1/4x1/4	1.89
30-312	1/4x5/16	1.81
30-316	5/16x5/16	5.59
30-313	3/8x5/16	2.84
30-314	3/8x3/8	2.22
30-315	1/2x1/2	5.24

FEMALE BALLSEAT SWIVEL




628
278
29SPO
731
NPSM

HOSE I.D. X BALLSEAT NPSM

Part #	Size	List Price
30-340	1/4x1/8	4.19
30-341	1/4x1/4	3.10
30-343	3/8x1/4	4.37
30-344	3/8x3/8	4.42
30-346	1/2x1/2	5.20
30-349	3/4x3/4	9.95

Garden Hose Fittings



See page 155 for Plastic garden hose fittings.

Temperature and Working Pressure Ranges

From +35°F to +100°F at 75 PSI maximum or the recommended working pressure of the garden hose. (Not to exceed 150 PSI.)


Note: All female connector ends should have a rubber washer inserted prior to usage.

FGH = Female Garden Hose threads
 MGH = Male Garden Hose threads



Male Garden Hose Profile

Male garden hose threads are all 3/4" with an outside diameter of 1.0625 and 11-1/2" threads per inch.



Actual size of Garden Hose Barbs

•WASHER INCLUDED



**SWIVEL
 MGH X FGH**

Part #	Size	List Price
30-000	3/4x3/4	2.53

•WASHER INCLUDED

HUS
 91
 203W



**SWIVEL
 FGH X FGH**

Part #	Size	List Price
30-011	3/4x3/4	2.59
30-012	no swivel	2.04

GSU
 101GHSV
 22AS
 506
 FS66

•WASHER INCLUDED

HSU11
 91Z
 197S



**SWIVEL
 FGH x FEMALE PIPE**

Part #	Size	List Price
30-001	3/4x1/2	2.10
30-006	3/4x3/4	2.39

98GHSV
 5AS
 21517
 502
 F565

•WASHER INCLUDED



**RIGID
 FGH x FEMALE PIPE**

Part #	Size	List Price
30-016	3/4x1/8	1.93
30-017	3/4x1/4	3.17
30-018	3/4x3/8	3.62

95GH
 501

FS67
198
HU11
21507



502
99GH
5A
H15PP

**RIGID
FGH X FEMALE PIPE**

Part #	Size	List Price
30-078	3/4x1/2	2.22
30-083	3/4x3/4	2.73

•WASHER INCLUDED



504
89GH
W1
62H4
88GH
W1

**SWIVEL
FGH x MALE PIPE**

Part #	Size	List
30-047	3/4x1/4	2.43
30-048	3/4x3/8	2.79
30-049	3/4x1/2	2.79

•WASHER INCLUDED

WITH FILTER



**SWIVEL
FGH X MALE PIPE**

Part #	Size	List Price
30-183	3/4x1/2	4.26



21505
503
83GH
20A
HU21
199
H7

**RIGID
FGH X MALE PIPE**

Part #	Size	List Price
30-088	3/4x1/2(1/2SWT)**	1.61
30-093	3/4x3/4	1.96
30-094	3/4x3/4(1/2TAP)	2.48
30-093L*	3/4x3/4	5.54

*long pattern

** 1/2 Swt = 5/8 O.D.

197
18R
HU12
H11PP



18A
507
18H
81GH
21503
MF67

**RIGID
MGH x FEMALE PIPE**

Part #	Size	List Price
30-066	3/4X1/4	2.58
30-067	3/4X3/8	2.58
30-068	3/4X1/2	2.10
30-073	3/4X3/4	2.38

19R
196
H530



21501
508
HU22
71GH
19A

**RIGID
MGH x MALE PIPE**

Part #	Size	List Price
30-053	3/4x3/8	2.30
30-058**	3/4x1/2	2.37
30-063*	3/4x3/4x1/2	1.84
30-063BE***	3/4x3/4	2.12
30-063L	long pattern1-1/2"	2.36
30-063S	3/4x3/4Short	2.02

No Tap

*(TAPPED 1/2 FEMALE)

** (1/2SWT=5/8 O.D.)

*** (TAPPED 1/2 FIP BOTH ENDS)



21500
509
75GH
23A
H8
19R

**RIGID
MGH x MGH**

Part #	Size	List Price
30-098	3/4	2.19
30-099	3/4X3/4 (1/2 TAP)	2.52

GARDEN HOSE NUT



30-021



30-022

94GH
GHN1
HNR
21514

Part #	Size	List Price
30-021	knurled	1.27
30-022	hexnut	1.98

GARDEN HOSE WASHERS



30-149



30-150

GHW
901GH

Part #	Size	List Price
30-150	black*	0.10
30-150R	red	0.10
30-149	recessed washer	0.20

*plasticized rubber

FILTER WASHER

•SCREEN: 30 MESH

LA662



Part #	Size	List Price
30-180	rough mesh	0.50
30-180F	fine mesh	0.50

HOSE CAP



513
96GH
GHN5
HC1
LA215
21518
200-W

Part #	Size	List Price
30-103	die cast (cut thread)	0.58

HOSE CAP WITH CHAIN



(FEMALE HOSE)

Part #	Size	List Price
30-142	3/4w/8" Chain	4.58

GARDEN HOSE PLUG



Part #	Size	List Price
30-026	3/4	4.33

CAST BRASS HOSE

"Y" CONNECTOR

•WASHER INCLUDED

21A



Part #	Size	List Price
30-140	3/4x3/4x3/4	3.55

QUICK DISCONNECT COUPLERS

•WASHER INCLUDED

LA73C



Part #	Size	List Price
30-450	complete	5.36
30-451	female end	3.60
30-452	male end	2.25

Brass



190
46WH
HFU21

MALE FLARE X FEMALE HOSE RIGID

Part #	Size	List Price
30-123	3/8x3/4	2.42
30-128	1/2x3/4	2.57
30-133	5/8x3/4	3.76

WASHER INCLUDED



50GHSV
51GHSV
W1
68H
191

SWIVEL

MALE FLARE X FEMALE HOSE

Part #	Size	List Price
30-052	1/4x3/4	2.01
30-138	3/8x3/4	3.97
30-139	1/2x3/4	3.02

WASHER INCLUDED



COMPRESSION X FGH

Part #	Size	List Price
30-050	1/4x3/4	3.20
30-051	3/8x3/4	3.75

Never trust a stock broker who is married to a travel agent.

BARSTOCK BRASS GARDEN HOSE COUPLINGS GARDEN HOSE COUPLING



GHS
92GH
936H
202GHS
22R
592

COMPLETE ROD BRASS - 1.19" SHANK

Part #	Size	List Price
30-025	3/8	3.71
30-027	1/2	3.54
30-028	5/8	3.54
30-029	3/4	3.54
30-030	1	11.64

FEMALE SWIVEL ONLY

WASHER INCLUDED



22RF
591
GHF
KF-RY
HU126
195

BARB X FGH

Part #	Size	List Price
30-031	3/8	1.95
30-032	1/2	1.89
30-033	5/8	1.89
30-034	3/4	1.89
30-035	1	5.08

MALE END ONLY



22RM
590
GHM
KF-PY
201GH
193
HU125

BARB X MGH

Part #	Size	List Price
30-039	3/8	1.95
30-040	1/2	1.89
30-041	5/8	1.89
30-042	3/4	1.89
30-043	1	6.40

**GARDEN HOSE COUPLING
SHORT SHANK (1"), ROUND NUT**



FEMALE SWIVEL ONLY

Part #	Size	List Price
30-466	1/2	1.76
30-467	5/8	1.76
30-468	3/4	1.76

**GARDEN HOSE COUPLING
SHORT SHANK (1"), ROUND NUT**



MALE END ONLY

Part #	Size	List Price
30-471	1/2	1.76
30-472	5/8	1.76
30-473	3/4	1.76

ROD BRASS - 2"SHANK

WASHER INCLUDED

GHFL
594



FEMALE END

Part #	Size	List Price
30-505	1/2	3.37
30-506	5/8	3.37
30-507	3/4	3.37

ROD BRASS - 2"SHANK

GHML
593



MALE END

Part #	Size	List Price
30-510	1/2	3.37
30-511	5/8	3.37
30-512	3/4	3.37

WROUGHT BRASS

WROUGHT BRASS COUPLINGS

•WASHER INCLUDED

85L



FEMALE END ONLY

Part #	Size	List Price
30-526	5/8	1.50
30-527	3/4	1.50

WROUGHT BRASS COUPLINGS

85M



MALE END ONLY

Part #	Size	List Price
30-530	1/2	1.50
30-531	5/8	1.50

GARDEN HOSE VALVES

ONE WAY BRASS BALL VALVE

Brass



MGH X FGH

30-161	3/4 X 3/4	20.56
--------	-----------	-------

Brass



MGH X 3/4 FEMALE PIPE

30-162	3/4 X 3/4	18.41
--------	-----------	-------

Brass

PLASTIC GARDEN HOSE VALVE

LA450C



**CYCOLAC BODY & BALL
MGH X FGH**

30-163 3/4 X 3/4 Yellow 2.25

**PLASTIC, NON-CORROSIVE, 2-WAY
HOSE SHUT-OFF "Y"**



30-160 3/4 1.95

Individually
Bagged



30-624 Y shape Zinc Alloy connector 1.60

Individually
Bagged



30-626 Y shape Zinc Alloy connector 4.00
with two levers



30-629 Zinc Alloy swivel hose connector 2.20



30-631 Zinc Alloy hose shut-off 1.80
with one lever



30-637 2.5" Striped pattern brass nozzle 3.00



30-640 3" Crossed pattern brass nozzle 3.50



30-638 4" Crossed pattern brass nozzle 5.15



Lead Free

30-600 .. 5-1/2" Zinc Alloy spray nozzle with 6.15
insulated handle soft grip and front thread protector.



Lead Free

30-609 ... Zinc Alloy spray nozzle with easy 8.00
adjustable brass head and plastic grip.



Lead Free


30-620 4-1/2" Zinc Alloy spray nozzle 3.00



30-630 4-1/2" Plastic spray nozzle 1.60

Brass

SAE 45° Flare



Tube O.D.	1/8	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4
Thread Size-B	5/16-24	3/8-24	7/16-20	1/2-20	5/8-18	11/16-16	3/4-16	7/8-14	1-1/16-14

•Typical Application

LP and natural gas, flammable liquids, instrumentation, refrigeration, power steering, hydraulic and pneumatic systems.

•Working Pressure Ranges

Temperature and type of tubing used are important factors. However, the following table is a good guide for proper selection.

PSI	Tube O.D. (in.)	Tube Wall (in.)
2800	1/8	.030
1900	3/16	.030
1400	1/4	.030
1200	5/16	.032
1000	3/8	.032
750	1/2	.032
650	5/8	.035
550	3/4	.035
450	7/8	.035

Temperature 73°F with copper tubing:

•Vibration

Good resistance - use long nut when greater vibration resistance is required.

•Temperature Range

-65°F to +250°F (-53°C to +121°C) range at maximum operating pressures.

•Material

CA360 Brass for Barstock fittings.
CA377 Brass for forged fittings.

•Used With

Copper, brass, aluminum and steel hydraulic tubing that can be flared

•Conformance

Meets specifications and standards of ASA, ASME, SAE and MS (Military standards).

Assembly Instructions

- 1- Cut tubing to desired length. Make sure all burrs are removed and ends are cut square.
- 2- Slide nut on tube. Threaded and "A" of nut must face out.
- 3- Flare end of tube with a 45° flaring tool.
 - a- Measure flare diameter
 - b- Examine flare for excessive thin out.
- 4- Lubricate threads and assemble to fitting body. Nut should be turned hand tight.
- 5- Tighten assembly with wrench until a solid feeling is encountered. From that point, apply a one-sixth turn.

Note: Do not over-torque as it may damage the fitting or split the tubing at the flare.


Actual O.D. of Flare Fittings



SAE #	SHORT ROD NUT	
010110		20910 41FS 1110 N1 41FX 441S 'L'

Part #	Size	List
10-013	1/8	0.50
10-014	3/16	0.37
10-015L	1/4	0.44
10-015	1/4	0.50
10-016	5/16	0.79
10-017L	3/8	0.62
10-017	3/8	1.03
10-018	7/16	2.92
10-019L	1/2	0.88
10-019	1/2	1.47
10-020L	5/8	1.29
10-020	5/8	2.32
10-021	3/4	3.39
10-022	7/8	7.17
10-026	1	9.96

REDUCING SHORT ROD NUT

		
Part #	Size	List
10-023	3/8x1/4	2.13
10-024	1/2x3/8	2.80
10-025	5/8x1/2	4.59

LONG ROD NUT

SAE #		
010111		14FL N2 241 441 41

Part #	Size	List
10-001	1/8	1.38
10-002	3/16	0.85
10-003	1/4	0.68
10-004	5/16	1.05
10-005	3/8	1.32
10-006	1/2	2.12
10-007	5/8	3.33
10-008	3/4	8.97


SAE #	LONG FORGED NUT	
010167		N4 14FL 641 41FF 39

Part #	Size	List
10-028	1/4	1.74
10-030	3/8	2.54
10-031	1/2	2.73
10-032	5/8	4.67
10-033	3/4	5.63

SAE #	SHORT FORGED NUT	
010166		14FS 41FFS 40 641-S 1116 NS4

Part #	Size	List
10-038	3/16	2.14
10-039	1/4	0.72
10-040	5/16	1.13
10-041	3/8	0.81
10-042	1/2	1.03
10-043	5/8	1.48
10-044	3/4	4.33
10-045	7/8	5.30

EXTRA HEAVY SHORT FORGED NUT

		NSA
Part #	Size	List
10-046	1/4	1.30
10-047	3/8	1.49
10-048	1/2	1.88
10-049	5/8	2.49

• "L" at the end of a part# means Light Pattern
-These fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.

FORGED REDUCING NUT



NSR4
14FS
41FRS
40R
662-S

Part #	Size	List
10-051	5/16x1/4	4.77
10-052	3/8x1/4	1.80
10-053	3/8x5/16	1.91
10-054	1/2x3/8	1.97
10-055	5/8x3/8	5.39
10-056	5/8x1/2	2.87
10-058	3/4x5/8	7.07

FLARED PLUG



58
639F
PF
57
P2
2229
439

Part #	Size	List
10-063	3/16	2.31
10-064	1/4	0.52
10-065	5/16	1.80
10-066	3/8	0.79
10-067	1/2	1.22
10-068	5/8	1.72

FLARED CAP



640F
41FC
56
N5
2129
54
440

Part #	Size	List
10-074	3/16	1.49
10-075	1/4	0.32
10-076	5/16	1.49
10-077	3/8	0.53
10-078	1/2	0.82
10-079	5/8	1.24
10-080	3/4	6.75

GOLF

*"The reason the pro tells you to keep your head down is so you can't see him laughing."
- Phyllis Diller*

FINGER TIGHTENING CAP

NFT5



Part #	Size	List
10-081	1/4	0.81

COPPER GASKET

SAE #
010113



B2
2GF
6251
FG
157
59
463

Part #	Size	List
10-084	3/16	0.45
10-085	1/4	0.18
10-086	5/16	0.35
10-087	3/8	0.25
10-088	1/2	0.35
10-089	5/8	0.45
10-090	3/4	0.64

SAE #
010113 **COPPER BONNET**




B1
3GF
64C
57
156
FB
695
464

Part #	Size	List
10-094	3/16	1.03
10-095	1/4	0.92
10-097	3/8	0.55
10-098	1/2	0.67
10-099	5/8	0.86
10-100	3/4	1.88

MALE BALL CHECK CONNECTOR

43A



Part #	Size	List
10-131	1/4x1/8	4.99
10-132	5/16x1/8	6.92
10-133	3/8x1/4	5.99

Note: Ball & Spring position may be reversed to change flow/check position. Max. pressure 3 PSI

SAE #
010101

UNION

42F
U2



Part #	Size	List
10-104	1/8	1.99
10-105	3/16	1.53
10-106L	1/4	0.56
10-106	1/4	0.73
10-107	5/16	1.28
10-108L	3/8	1.00
10-108	3/8	1.38
10-109L	1/2	1.52
10-109	1/2	2.13
10-110L	5/8	2.54
10-110	5/8	4.74
10-111	3/4	8.95
10-112	7/8	12.66

REDUCING UNION

656F
UR2
42-R



Flare x Flare

Part #	Size	List
10-117	5/16x1/4	1.31
10-118	3/8x1/4	1.25
10-119	3/8x5/16	3.33
10-120	1/2x1/4	2.68
10-121	1/2x3/8	1.83
10-122	5/8x3/8	2.88
10-123	5/8x1/2	2.85
10-125	3/4x5/8	4.48

• “L” at the end of a part# means **Light Pattern** - These fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.

SAE #
010401

UNION TEE

244F
T2
144F



FORGED TEE

BARSTOCK TEE

Part #	Size	List
10-157	1/8	3.50
10-158	3/16	3.44
10-159	1/4	2.21
10-159B <small>Barstock</small>	1/4	2.21
10-160	5/16	3.10
10-161	3/8	2.52
10-162	1/2	3.32
10-163	5/8	5.86
10-164	3/4	12.43
10-165	7/8	22.50

REDUCING TEE 1X2X3

144F
TR2
659F
684F
44R




3

1 x 2 x 3

Part #	Size	List
10-170	1/4x1/4x3/8	3.21
10-171	5/16x5/16x1/4	4.80
10-172	3/8x1/4x1/4	3.83
10-173	3/8x1/4x3/8	3.60
10-174	3/8x3/8x1/4	3.67
10-175	3/8x3/8x1/2	4.25
10-176	3/8x3/8x5/8	9.26
10-178	1/2x3/8x3/8	4.16
10-179	1/2x3/8x1/2	4.44
10-180	1/2x1/2x1/4	5.43
10-181	1/2x1/2x3/8	4.51
10-182	1/2x1/2x5/8	5.45
10-187	5/8x1/2x5/8	8.62
10-188	5/8x5/8x3/8	7.89
10-189	5/8x5/8x1/2	7.06
10-197	3/4x3/4x5/8	16.74

It is easier to go down a hill then up, but the view is better from the top.

SAE # **MALE BRANCH TEE** T1
145F
45
010425



FORGED TEE **BARSTOCK TEE**

FLARE X MALE PIPE

Part #	(1 & 2) x 3 Size	List
	Size	
10-203	3/16x1/8	2.47
10-204	1/4x1/8	2.47
10-204B	<small>Barstock</small> 1/4x1/8	2.81
10-205	1/4x1/4	2.59
10-205B	<small>Barstock</small> 1/4x1/4	4.81
10-206	1/4x3/8	4.08
10-207	5/16x1/8	2.82
10-208	5/16x1/4	3.41
10-209	3/8x1/8	3.04
10-210	3/8x1/4	3.33
10-211	3/8x3/8	4.02
10-212	3/8x1/2	5.86
10-213	1/2x1/4	5.86
10-214	1/2x3/8	5.86
10-215	1/2x1/2	5.99
10-216	1/2x3/4	10.19
10-217	5/8x3/8	7.44
10-218	5/8x1/2	7.37
10-219	5/8x3/4	10.41
10-220	3/4x1/2	14.85
10-221	3/4x3/4	13.98

A married couple was celebrating their 60th wedding anniversary. At the party everybody wanted to know how they managed to stay married so long in this day and age. The husband responded "When we were first married we came to an agreement. I would make all the major decisions and my wife would make all the minor decisions. And in 60 years of marriage we have never needed to make a major decision."

SAE # **FEMALE ADAPTER** 46
U3
010103



FLARE X FEMALE PIPE

Part #	Size	List
10-226	1/8x1/8	2.21
10-227	3/16x1/8	1.67
10-228L	1/4x1/8	0.71
10-228	1/4x1/8	0.92
10-229L	1/4x1/4	1.08
10-229	1/4x1/4	1.98
10-230	1/4x3/8	1.84
10-231	1/4x1/2	2.93
10-232	5/16x1/8	1.54
10-233	5/16x1/4	2.65
10-224	5/16x3/8	3.81
10-234	3/8x1/8	1.74
10-235L	3/8x1/4	0.95
10-235	3/8x1/4	1.87
10-236L	3/8x3/8	1.28
10-236	3/8x3/8	2.43
10-237L	3/8x1/2	1.54
10-237	3/8x1/2	4.50
10-238	3/8x3/4	3.07
10-239	1/2x1/4	1.69
10-240L	1/2x3/8	1.44
10-240	1/2x3/8	2.92
10-241L	1/2x1/2	1.84
10-241	1/2x1/2	3.40
10-242	1/2x3/4	2.47
10-243	5/8x3/8	3.27
10-244	5/8x1/2	2.15
10-245	5/8x3/4	2.89
10-246	3/4x1/2	9.77
10-247	3/4x3/4	8.20
10-248	7/8x3/4	9.51

• “L” at the end of a part# means **Light Pattern** - These fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.

Brass

SAE #
010102

MALE ADAPTER

U1
48



FLARE X MALE PIPE

Part #	Size	List
10-253	1/8x1/8	1.57
10-254	3/16x1/8	0.64
10-255L	1/4x1/8	0.41
10-255	1/4x1/8	0.60
10-256L	1/4x1/4	0.56
10-256	1/4X1/4	0.77
10-257	1/4X3/8	1.15
10-258	1/4X1/2	1.87
10-259L	5/16x1/8	0.82
10-259	5/16X1/8	0.89
10-260L	5/16x1/4	0.95
10-260	5/16X1/4	1.10
10-261	5/16X3/8	1.54
10-262	3/8X1/8	0.98
10-263L	3/8x1/4	0.86
10-263	3/8X1/4	1.20
10-264L	3/8x3/8	1.00
10-264	3/8x3/8	1.34
10-265L	3/8x1/2	1.32
10-265	3/8x1/2	2.90
10-266	3/8x3/4	2.59
10-267	1/2x1/4	1.95
10-268L	1/2x3/8	1.27
10-268	1/2x3/8	1.69
10-269L	1/2x1/2	1.45
10-269	1/2x1/2	2.38
10-270	1/2x3/4	2.50
10-271	5/8x1/4	4.77
10-272L	5/8x3/8	2.25
10-272	5/8x3/8	3.91
10-273L	5/8x1/2	1.84
10-273	5/8x1/2	4.53
10-274	5/8x3/4	2.54
10-275	3/4x1/2	4.81
10-276	3/4x3/4	3.47
10-277	7/8x1/2	14.03
10-278	7/8x3/4	10.64
10-279	1x3/4	12.63
10-280	1x1	15.66

SAE #
010202

90° MALE ELBOW

249F
49
E1
149F




FORGED ELBOW SQUARE BARSTOCK

Flare x Male Pipe

Part #	Size	List
10-283	1/8x1/8	2.92
10-283B	Barstock 1/8x1/8	3.00
10-284	3/16x1/8	3.63
10-284B	Barstock 3/16x1/8	1.37
10-285	3/16x1/4	2.78
10-286	1/4x1/8	1.46
10-286B	Barstock 1/4x1/8	1.13
10-287	1/4x1/4	1.72
10-287B	Barstock 1/4x1/4	1.67
10-288	1/4x3/8	2.84
10-289	1/4x1/2	3.23
10-290	5/16x1/8	2.49
10-290B	Barstock 5/16x1/8	1.74
10-291	5/16x1/4	2.54
10-291B	Barstock 5/16x1/4	2.20
10-292	5/16x3/8	2.81
10-293	3/8x1/8	2.87
10-293B	Barstock 3/8x1/8	4.40
10-294	3/8x1/4	1.84
10-294B	Barstock 3/8x1/4	2.20
10-295	3/8x3/8	1.86
10-295B	Barstock 3/8x3/8	2.53
10-296	3/8x1/2	2.52
10-297	3/8x3/4	6.32
10-282B	Barstock 7/16x1/4	5.63
10-298	1/2x1/4	3.02
10-298B	Barstock 1/2x1/4	3.31
10-299	1/2x3/8	2.52
10-299B	Barstock 1/2x3/8	3.16
10-300	1/2x1/2	2.72
10-300B	Barstock 1/2x1/2	4.15
10-301	1/2x3/4	5.30
10-311	5/8x1/4	5.17
10-302	5/8x3/8	4.81
10-302B	Barstock 5/8x3/8	5.04
10-303	5/8x1/2	3.39
10-303B	Barstock 5/8x1/2	4.91
10-304	5/8x3/4	5.51
10-305	3/4x1/2	7.96
10-306	3/4x3/4	6.82
10-306B	Barstock 3/4x3/4	11.83
10-307	7/8x3/4	14.33
10-308	1x3/4	20.15
10-309	1x1	20.38

The will to win is not nearly as important as the will to prepare to win.
-Bobby Knight

SAE # 90° FEMALE ELBOW E3
010203 50
 150F



FORGED ELBOW SQUARE BARSTOCK

FLARE X FEMALE PIPE

Part #	Size	List
10-312	3/16X1/8	3.12
10-313	1/4X1/8	1.92
10-313B	Barstock 1/4X1/8	1.78
10-314	1/4X1/4	2.76
10-315	1/4X3/8	3.60
10-333	1/4X1/2	4.62
10-316	5/16X1/8	2.56
10-316B	Barstock 5/16X1/8	3.29
10-317	5/16X1/4	3.23
10-318	3/8X1/8	3.36
10-319	3/8X1/4	2.32
10-319B	Barstock 3/8X1/4	2.85
10-320	3/8X3/8	2.49
10-321	3/8X1/2	3.33
10-322	3/8X3/4	4.73
10-323	1/2X1/4	4.47
10-324	1/2X3/8	3.43
10-324B	Barstock 1/2X3/8	3.76
10-325	1/2X1/2	3.74
10-326	1/2X3/4	4.48
10-327	5/8X3/8	5.98
10-328	5/8X1/2	5.58
10-329	5/8X3/4	5.46
10-330	3/4X1/2	10.67
10-331	3/4X3/4	16.46

FORGED MALE RUN TEE T3
 151F
 51



**FLARE X MALE PIPE
 1 & 3 X 2**

Part #	Size	List
10-343	3/16X1/8	3.19
10-344	1/4X1/8	2.79
10-345	1/4X1/4	3.36
10-347	5/16X1/8	2.87
10-348	5/16X1/4	4.15
10-350	3/8X1/4	4.56
10-351	3/8X3/8	5.95
10-340	3/8X1/2X3/8	5.52
10-352	3/8X1/2	7.17
10-353	1/2X3/8X1/2	5.76
10-354	1/2X3/8	7.05
10-355	1/2X1/2	7.57
10-357	5/8X1/2	8.38
10-359	3/4X1/2	16.57
10-360	3/4X3/4	14.55
10-361	3/16X1/8X5/16	2.27

More sizes available

The Future

The future is not a result of choices among alternative paths offered by the present, but a place that is created - created first in mind and will, created next in activity. The future is not some place we are going to, but one we are creating. The paths to it are not found but made, and the activity of making them changes both the maker and the destination.

- John Schaar

FORGED CROSS FLARE

SAE #
010501



455
C1
147F
52

Part #	Size	List
10-373	1/4	6.03
10-374	5/16	6.19
10-375	3/8	5.63
10-376	1/2	7.11

FORGED ADAPTER TEE

Service Tee



T17
53

MALE PIPE X FEMALE PIPE X FLARE

Part #	1 x 2 x 3 Size	List
10-382	1/8X1/8X1/4	3.33
10-383	1/4X1/4X1/4	4.06

FORGED 90° FLARE ELBOW



E2
155F

Part #	Size	List
10-404	1/8	4.50
10-405	3/16	4.70
10-406	1/4	1.72
10-407	5/16	2.77
10-408	3/8	2.53
10-409	1/2	3.58
10-410	5/8	5.01
10-411	3/4	10.92
10-412	7/8	20.06

FORGED REDUCING ELBOW

ER2
657F
55R



FLARE X FLARE

Part #	Size	List
10-416	3/8X1/4	2.87
10-417	3/8X5/16	3.62
10-419	1/2X3/8	3.41
10-421	5/8X1/2	5.83

FORGED FEMALE BRANCH TEE



TF1
136
T4
36
58FP

FLARE X FEMALE PIPE

Part #	1 & 2 x 3 Size	List
10-429	1/4X1/4	4.32
10-430	3/8X1/4	4.58
10-431	3/8X3/8	6.86
10-432	3/8X1/2	6.21
10-434	1/2X1/2	8.01
10-435	5/8X1/2	9.18

More sizes available

Anyone can become angry, that's easy. But to be angry with the right person, to the right degree, at the right time, for the right purpose, and in the right way - this is not easy.

- Aristotle

- The Nicomachean Ethics

45° ELBOW

SAE #
010302



Forged



Barstock

E145
54
159F
654F
59FF
254
47
4945

FLARE X MALE PIPE

Part #	Size	List
10-448	1/4X1/8	1.67
10-448B	Barstock 1/4X1/8	2.59
10-449	1/4X1/4	2.75
10-450	5/16X1/8	3.02
10-451	5/16X1/4	3.17
10-452	3/8X1/4	2.69
10-452B	Barstock 3/8X1/4	3.50
10-453	3/8X3/8	2.92
10-454	3/8X1/2	4.19
10-455	1/2X3/8	3.21
10-455B	Barstock 1/2X3/8	5.50
10-456	1/2X1/2	4.68
10-460	5/8X3/8	6.53
10-457	5/8X1/2	4.81
10-458	3/4X1/2	8.39
10-459	3/4X3/4	8.33

BRASS GAS RANGE FITTINGS

BRASS MALE ADAPTERS



FLARE X MALE PIPE

Part #	Size	List
35-132	1/2X1/2 (3/8FIPTAP)	2.65
35-134	5/16x1/2	3.53

DRUM ADAPTERS

SAE #
010165



• straight thread

RD
IF
K1

FLARE X FIP

Part #	Size	List
50-011	1/4X1/2	8.25
50-001	1/4X3/4	6.51

FEMALE 45° FLARE FITTINGS

•Use with Copper Gasket

UNION

SAE #
010107



2310
U4
660HD
32

FEMALE FLARE X FEMALE FLARE

Part #	Size	List
10-135	1/4	3.89
10-136	3/8	4.43
10-137	1/2	6.77

FEMALE FLARE ADAPTER

SAE #
010106



U5
664FHD
33
48-FF

FEMALE FLARE X MALE PIPE

Part #	Size	List
10-440	1/4X1/8	2.95
10-441	1/4X1/4	3.42
10-442	3/8X1/4	4.21
10-443	1/2X3/8	5.77
10-444	1/2X1/2	5.34

FLARE REDUCER

SAE #
010105



UR3
661FHD
227
46-FF

MALE FLARE X FEMALE FLARE

Part #	Size	List
10-462	1/4X3/8	2.45
10-461	1/4X1/2	5.52
10-463	3/8X1/4	2.29
10-464	3/8X1/2	2.82
10-473	3/8X5/8	7.76
10-467	1/2X3/8	2.87
10-468	1/2X5/8	4.02
10-469	5/8X1/2	4.02
10-470	5/8X3/4	9.61
10-471	3/4X5/8	10.35

FEMALE 45° FLARE FITTINGS

Use with Copper Gasket

90° ELBOW

E4
669F



MALE FLARE X FEMALE FLARE

Part #	Size	List
10-500	1/4X1/4	3.62
10-495	1/2X1/2	6.76

BRASS FLARE SWIVEL FITTINGS

FORGED SWIVEL

SAE #
010108

1350
US4
14FSV
34



Part #	Size	List
10-481	1/4	2.23
10-482	5/16	3.22
10-483	3/8	2.71
10-484	1/2	3.03
10-485	5/8	4.19
10-486	3/4	12.61

REDUCING SWIVELS



Part #	Size	List
10-487	3/8X1/4	4.86
10-488	1/2X3/8	5.68
10-489	5/8X1/2	7.08

FORGED SWIVEL ELBOWS

ES4



MALE FLARE X FEMALE FLARE SWIVEL

Part #	Size	List
10-493	1/4	4.55
10-494	3/8	14.59
10-495*	1/2	6.76

*No swivel

BRASS SOLDER FITTINGS

SAE # FLARE TO SWT UNION

4085
US3
672FS
46FS
277



FLARE X SWT

Part #	Size	List
10-600	1/4X1/4	1.13
10-602	1/4X3/8	1.87
10-610	1/2X1/2	2.90
10-611	1/2X5/8	6.74
10-615	3/4X3/4	7.57

FORGED 90° SOLDER ELBOWS

ES2
SOLE1



FLARE X SOLDER

Part #	Size	List
10-620	1/4X1/4	2.25

Many, Many More Sizes availableJust Ask!

See 37° flare brass fittings on page 192

Christmas Present

"Hello, is this the FBI?"

"Yes, what do you want?"

"I'm calling to report my neighbor Billy Bob Smith! He is hiding drugs inside his firewood."

"Thank you very much for the call, sir."

The next day, the FBI agents descend on Billy Bob's house. They search the shed where the firewood is kept. Using axes, they bust open every piece of wood, but find no drugs. They swore at Billy Bob and left. The phone rings at Billy Bob's house.

"Hey, Billy Bob! Did the FBI come?"


"Yeah!"

"Did they chop your firewood?"

"Yep."

"Merry Christmas Buddy"

Inverted Flare



Tube O.D.	1/8	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1
Thread Size-B	5/16-28	3/8-24	7/16-24	1/2-20	5/8-18	11/16-18	3/4-18	7/8-18	1-1/16-16	1-3/16-16	1-5/16-16

•Typical Application

Hydraulic brake, power steering, fuel lines and transmission cooler lines, LP and natural gas.

•Working Pressure Ranges

Temperature and type of tubing used are important factors. However, the following table is a good guide for proper selection. Temperature 73°F with copper tubing:

PSI	Tube O.D. (in.)	Tube Wall (in.)
2800	1/8	.030
1900	3/16	.030
1400	1/4	.030
1200	5/16	.032
1000	3/8	.032
750	1/2	.032
650	5/8	.035
550	3/4	.035

•Vibration

Excellent resistance.

•Temperature Range

-65°F to +250°F (-53°C to +121°C) range at maximum operating pressures.

•Material

CA360 Brass.

•Used With

Copper, brass, aluminum and steel hydraulic tubing that can be flared.

•Advantages

Very low cost and reusable. Seats and threads are internal and protected. Compact, excellent vibration life. Short nut affords very close tube bends. Steel or brass tube nut.

•Conformance

Meets specifications and standards of ASA, ASME, SAE and MS (Military Standards).

•Assembly Instructions

- 1-Cut tubing to desired length. Make sure all burrs are removed and the ends are cut square.
- 2- Slide nut on tube. Threaded end "A" of nut must face out.
- 3- Flare end of tube with a 45° flaring tool.
 - a- Measure flare diameter.
 - b- Examine flare for excessive thin out.
 - c- On thin wall, welded or brazed tubing, use double flare to prevent pinch-off and cracked flares.
- 4- Lubricate threads and assemble to fitting body. Nut should be turned hand tight.
- 5- Tighten assembly with wrench until a solid feeling is encountered. From that point, apply a one-sixth turn.

Note: Do not over-torque as it may damage the fitting or split the tubing at the flare.

Actual O.D. of male inverted flare threads

5/16"-28 2800 PSI	3/8"-24 1900 PSI	7/16"-24 1400 PSI	1/2"-20 1200 PSI	5/8"-18 1000 PSI	3/4"-18 750 PSI	7/8"-18 650 PSI	1-1/16"-16 550 PSI
----------------------	---------------------	----------------------	---------------------	---------------------	--------------------	--------------------	-----------------------



Brass

ZINC CHROMATE STEEL NUT


SAE #
040110



2105
41IFS
105
41W

Part #	Size	List
12-001	1/8	0.56
12-002	3/16	0.22
12-003	1/4	0.24
12-004	5/16	0.26
12-005	3/8	0.39
12-000	7/16	0.62
12-011	3/8(11/16-18)	2.84
12-006	1/2	0.63
12-007	5/8	1.75
12-008	3/4	2.59

LONG STEEL NUT



7896

Part #	Size	List
12-009	3/16	0.63
12-010	1/4	0.75

BRASS NUT

SAE #
040110



2100
41IF
100
41IB

Part #	Size	List
12-012	1/8	0.86
12-013	3/16	0.41
12-014	1/4	0.37
12-015	5/16	0.41
12-016	3/8	0.66
12-017	1/2	0.82

**"Character is what you do on the third and fourth tries."
- James A. Michener**

SPECIAL FORD NUT


43IF



Part #	Size	List
12-020	1/4	0.54

UNION INTERNAL

SAE #
040101



2300
42IFHD

INVERTED FLARE X INVERTED FLARE

Part #	Size	List
12-022	1/8	1.00
12-023	3/16	0.76
12-024	1/4	0.82
12-025	5/16	1.02
12-026	3/8	1.75
12-027	1/2	2.45
12-028	5/8	6.24

FEMALE ADAPTER

SAE #
040103



46IFHD
252
46W

INVERTED FLARE x FEMALE PIPE

Part #	Size	List
12-032	3/16X1/8	1.11
12-033	1/4X1/8	1.27
12-034	5/16X1/8	1.27
12-035	3/8X1/4	2.20
12-036	1/2X3/8	4.68
12-030	5/8X1/2	7.66
12-031	3/4X3/4	14.34

**"Maybe, just once, someone will call me 'sir' without adding, 'you're making a scene'.
- Homer Simpson**

Inverted Flare

Brass Fittings

Inverted Flare

SAE #
040102

MALE ADAPTER

2200
48IFHD
202
48W



INVERTED FLARE X NPTF

Part #	Size	List
12-041	1/8X1/8	0.54
12-042	3/16X1/8	0.65
12-043	1/4X1/8	0.67
12-044	1/4X1/4	0.80
12-045	5/16X1/8	0.75
12-046	5/16X1/4	0.95
12-047	3/8X1/8	1.40
12-048	3/8X1/4	1.00
12-049	3/8X3/8	1.46
12-038	1/2X1/4	2.95
12-050	1/2X3/8	1.52
12-051	1/2X1/2	2.39
12-052	5/8X1/2	3.12
12-039	3/4X1/2	5.98
12-040	3/4X3/4	5.89
12-053	1X1	16.14

ELBOW

SAE #
040202

400
2400
249IFHD
402
249IF
49W



INVERTED FLARE X NPTF

Part #	Size	List
12-057	1/8X1/8	1.32
12-058	3/16X1/8	0.81
12-059	1/4X1/8	0.88
12-054*	1/4X1/8	1.97
12-060	1/4X1/4	1.20
12-061	5/16X1/8	1.11
12-062	5/16X1/4	1.86
12-063	3/8X1/8	2.34
12-064	3/8X1/4	2.29
12-065	3/8X3/8	3.05
12-066	1/2X3/8	3.10
12-067	1/2X1/2	4.77
12-056	5/8X3/8	8.22
12-068	5/8X1/2	6.71
12-069	3/4X1/2	16.21
12-080	7/8X3/4	19.06
12-081	1X1	22.00

*Restricted pipe end

SAE #
040302

45° ELBOW

154
2352
259IFHD
352
94W



INVERTED FLARE X MALE PIPE

Part #	Size	List
12-071	1/8X1/8	1.49
12-072	3/16X1/8	1.49
12-073	1/4X1/8	1.53
12-074	5/16X1/8	3.26
12-075	5/16X1/4	4.19
12-078	3/8X1/8	4.34
12-076	3/8X1/4	2.94
12-077	1/2X3/8	3.72
12-079	5/8X1/2	9.44

UNION TEE

SAE #
040401

244IFHD
702
441



Part #	Size	List
12-085	1/8	2.78
12-086	3/16	2.31
12-087	1/4	2.65
12-088	5/16	2.95
12-089	3/8	4.34
12-090	1/2	7.02

SAE #
040109

STEEL PLUG

106
411P
131
2131

• Cored



Part #	Size	List
12-091	3/16	0.25
12-092	1/4	0.42
12-093	5/16	0.37
12-094	3/8	1.17

DID YOU KNOW... THERE ARE MORE CHICKENS IN THE WORLD THAN PEOPLE.

Brass

SAE # MALE BRANCH TEE 145
040427 245IFHD 602
 2600
 600



3
IN FL X IN FL X MALE PIPE
(1&2)x3

Part #	Size	List
12-100	3/16X1/8	2.45
12-101	1/4X1/8	2.20
12-102	5/16X1/8	3.20
12-103	3/8X1/4	5.30

FEMALE ELBOW 450



INVERTED FLARE X FEMALE PIPE

Part #	Size	List
12-109	3/16X1/8	2.85
12-110	1/4X1/8	2.67
12-111	5/16X1/8	3.01
12-112	3/8X1/4	3.92
12-113	1/2X3/8	11.16

MALE RUN TEE 251IFHD

SAE # 752
040424 550
 151



3
IN FL X MIP X IN FL
(1&3)x2

Part #	Size	List
12-118	3/16X1/8	5.94
12-119	1/4X1/8	2.50
12-120	5/16X1/8	5.50
12-121	3/8X1/4	7.34
12-122	1/2X3/8	8.25

DID YOU KNOW...IT IS IMPOSSIBLE TO LICK YOUR OWN ELBOW.

SAE # FEMALE BRANCH TEE 252IFHD
040427 652
 136



3
INVERTED FLARE X INVERTED FLARE X
FEMALE PIPE
(1&2)x3

Part #	Size	List
12-127	3/16X1/8	7.60
12-128	1/4X1/8	3.10
12-129	5/16X1/8	5.75
12-130	3/8X1/4	5.99
12-131	1/2X3/8	7.80

90° UNION ELBOW 255IFHD


SAE # 652
040201 136



INVERTED FLARE X INVERTED FLARE

Part #	Size	List
12-135	1/4	1.75
12-136	5/16	1.99
12-137	3/8	2.85

TOWED TRAILER BRAKE TEE



TUBE AND THREAD SIZE

Part #	A	B	C	List
12-144	3/16	3/16	3/16	7905 4.99
	(9/16-20)	(3/8-24)	(9/16-20)	
12-145	3/16	3/16	3/16	7906 4.99
	(1/2-20)	(3/8-24)	(1/2-20)	
12-146	3/16	3/16	1/4	7914 4.00
	(7/16-24)	(3/8-24)	(7/16-24)	
12-147	3/16	3/16	3/16	7900 3.95
12-148	3/16	1/4	3/16	7899 5.05
12-149	1/4	3/16	1/4	7904 5.05
	(9/16-18)	(3/8-24)	(9/16-18)	
12-150	1/4	3/16	1/4	7901 3.56
12-151	1/4	1/4	1/4	7898 5.35

.....DID YOU JUST TRY IT?.....

INVERTED FLARE AUTO FITTINGS

DUAL MASTER CYLINDER ADAPTER



MALE FLARE X FEMALE

(INVERTED FLARE THREADS)

Part #	Male	Female	List
12-200	3/16	3/16	1441 0.99
12-202	5/16	3/16	7897 2.30

DUAL MASTER CYLINDER ADAPTER



47W

MALE INVERTED FLARE X FEMALE INVERTED FLARE

(INVERTED FLARE THREADS)*

Part #	Male	Female	List
12-210	3/16	1/4	7828 1.58
12-212	1/4	3/16	7818 1.61
12-214*	7/16-20	1/4	7732 2.70
12-216	5/16	3/16	7909 1.60
12-218*	5/16	1/4	7727 1.67
12-220	5/16	1/4	7829 1.80
12-222*	5/16	5/16	1074 2.60
12-224	3/8 MPT	5/16	7771 4.00

**Seals on hex face*

CARBURETOR TO FUEL LINE ADAPTER - FORD 1513



Part #	Size	Size	List
12-230	1/4(1/2-20)	1/8MPT	4.75

RESTRICTION PIPE ADAPTER



1510

(.0625 ORIFICE)

Part #	Size	List
12-310	1/8	2.10

CARBURETOR TO FUEL LINE ADAPTER - PLYMOUTH 1514

Part #	Size	List
12-236	1/2-20 X 1/8MPT	1.60

SAE FLARE X INVERTED FLARE 4205



Part #	Size	Size	List
12-250	1/4	3/16	3.10
12-252	1/4	1/4	2.85
12-254	3/8	5/16	6.80
12-256	3/8	3/8	6.50
12-257	3/8	7/16	5.45


METRIC HYDRAULIC BRAKE FITTINGS

METRIC ADAPTER



Part #	Male	OD	List
12-335	M10X1.0	3/16"(3/8-24)	1.10
12-326	M11X1.5	3/16"(M10X1.0)	5.55
12-327	M12X1.0	3/16"(M10X1.0)	5.55
12-328	M13X1.5	3/16"(M10X1.0)	5.55

METRIC TOWED TRAILER BRAKE TEE B



Part #	A	B	C	List
12-330	3/16 (M10 x 1.0)	3/16 (3/8-24)	3/16 (M10 x 1.0)	11.20
12-331	3/16 (M10 X 1.0)ISO	3/16 (3/8-24)	3/16 (M10 X 1.0)ISO	10.80
12-332	3/16 (M11 X 1.5)	3/16 (3/8-24)	3/16 (M11 X 1.5)	10.75
12-333	3/16 (M12 X 1.0)	3/16 (3/8-24)	3/16 (M12 X 1.0)	11.80
12-334*	3/16 (M13 X 1.5)	1/4 (3/8-24)	3/16 (M13 X 1.5)	11.10

**Bubble flare type*

ADAPTER STANDARD TO METRIC BUBBLE



Part #	Size	Size	List
12-337	3/16 (3/8-24)	4.762 (3/16) (10 x 1.25)	7970.....4.50
12-338	3/16 (3/8-24)	1/4 (3/16 x 20)	7971.....6.92
12-339	3/16 (3/8-24)	13 x 1.5	7972.....5.70
12-340	3/16 (3/8-24)	11 x 1.5	7973.....7.35
12-341	3/16 (3/8-24)	12 x 1.0	7974.....5.60

METRIC UNION



Part #	Size	List
12-343	3/16.....10.0MM	7975.....5.45

ADAPTER STANDARD TO METRIC STANDARD



Part #	Size	List	
12-345	3/16 (3/8-24)	4.762 (3/16) (10 X 1.25)	7996.....6.04

Job Interview ‘Killer Question’

You are driving along in your car on a wild, stormy night. You pass by a bus stop, and you see three people waiting for the bus:

1. An old lady who looks as if she is about to die.
2. An old friend who once saved your life.
3. The perfect man (or) woman you have been dreaming about.

Which one would you choose to offer a ride to, knowing that there could only be one passenger in your car. Think before you continue reading. This is a moral/ethical dilemma that was once actually used as part of a job application. You could pick up the old lady, because she is going to die, and thus you should save her first; or you could take the old friend because he once saved your life, and this would be the perfect chance to pay him back. However, you may never be able to find your perfect dream lover again. The candidate who was hired (out of 200 applicants) had no trouble coming up with his answer.

WHAT DID HE SAY?

He simply answered: “I would give the car keys to my old friend, and let him take the lady to the hospital. I would stay behind and wait for the bus with the woman of my dreams.”

 "The concept is interesting and well-formed, but in order to earn better than a "C", the idea must be feasible."

-A Yale University management professor in response to student Fred Smith's paper proposing reliable overnight delivery service (Smith went on to found Fed Ex.)

**POL BRASS FITTINGS
(BOTTLE GAS)**

POL Thread 880 - 14LH
Note: All bottle fittings are UL listed.

TEE CHECK



POL-T1
2000
1000

Part #	Size	List
34-001	M2000	8.37

TAILPIECE WITH FLATS

1001AUL
21605



POL-LTPH
POL-LPT

Part #	Size	List
34-011	M.2001-A	3.80
34-012	HEX HEAD	2.25

STANDARD NUT



1001BUL
POL-N
21601

Part #	Size	List
34-016	M-2001-B	1.62

LARGE HEX NUT



1001ABUL
POL-LN

Part #	Size	List
34-021	M-2001-BL	2.44

TAILPIECE & NUT ASSEMBLY



2002AB

Part #	Size	List
34-022	1/4	3.61

POL CAP

POL-N5
2004
1004A



Part #	Size	List
34-031	M-2004	4.28

POL PLUG

1014A
POL-P2
2014



Part #	Size	List
34-036	M-2014	2.79

ADAPTERS

21607
POL-U2
1015



Part #	Size	List
34-041	3/8FLAREXPOL 2005	4.19
34-046	1/2FLAREXPOL 2006	4.37
34-051	5/8FLAREXPOL 2007	5.99

POL X 1/4 FIP

2008
POL-U3B



Part #	Size	List
34-056	POLX1/4FIP	7.38

TAILPIECE & NUT ASSEMBLY



Part #	Size	List
34-025	POLX1/4BARB	5.71

CAP ORIFICE


GF6
OH



Part #	Size	List
34-032	.72	0.99
34-033	.80	1.71

Compression Fittings

Brass



Tube O.D.	1/8	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	1
Thread Size-B	5/16-24	3/8-24	7/16-24	1/2-24	9/16-24	5/8-24	11/16-20	13/16-18	1-18	1-1/4-18

•Typical Application

Instrumentation, hydraulic and pneumatic systems.

•Pressure

Working pressure up to 2000 PSI with a 4:1 safety factor depending on tube size. When using plastic tubing, use the working pressure for type used.

•Vibration

Fair resistance - use long nut when greater vibration resistance is needed.

•Temperature Range

-65°F to +250°F (-53°C to +121°C) range at maximum operating pressures. (Refer to tubing temperature range.)

•Material

CA360 Brass for barstock fitting.
CA377 Brass for forged fittings.

•Used With

Aluminum, copper, brass and plastic tubing. Plastic tubing requires insert. Not recommended for steel tubing.

•Conformance

Meets specifications and standards of ASA, ASME and SAE.


•Assembly Instructions

- 1- Cut tubing to desired length.
- 2- Slide nut and then sleeve on tube. Threaded end "A" of nut must face toward fitting.
- 3- Insert tubing into fitting body. Be sure tubing is bottomed on fitting shoulder.
- 4- Lubricate threads and assemble nut to fitting body.
- 5- Tighten nut hand tight. From that point, tighten with a wrench the number of turns indicated in the chart below.

Tube Size	Additional Turns From Hand Tight
1/8" thru 1/4"	1-1/4
5/16"	1-3/4
3/8" thru 1"	2-1/4

• "L" at the end of a Part# means Light Pattern - Means that these fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.

Actual Profile of Compression Threads



BRASS SLEEVE

SAE#
060115



•Ferrules
60
260

Part #	Size	List Price
18-001	1/8	0.08
18-002	3/16	0.09
18-003	1/4	0.09
18-004	5/16	0.10
18-005	3/8	0.10
18-006	7/16	0.30
18-007	1/2	0.20
18-008	5/8	0.24
18-009	3/4	0.54
18-010	7/8	0.46

DERLIN SLEEVE

60-P



Part #	Size	List Price
18-015	1/4	0.08
18-016	5/16	0.34
18-017	3/8	0.13
18-018	1/2	0.18
18-019	5/8	0.20
18-020	3/4	1.24

SELF-ALIGN SLEEVE

Note: To buy comp. fittings with self-align sleeve, simply delete the 18- prefix on the same size compression fitting and substitute a 27- prefix. Pricing available upon request.



601

Part #	Size	List Price
27-001	1/8	0.17
27-002	3/16	0.36
27-003	1/4	0.20
27-005	3/8	0.25
27-006	1/2	0.48

BRASS INSERT

•Sleeve



63-BI
60AE
2030
63PT

Part #	Size			List
	Tube OD	Insert OD	Length	
22-008	1/8	.080	0.46	0.20
22-009	3/16	.135	0.45	0.21
22-009A	3/16	0.095	0.52	0.21
22-010	1/4	0.163	0.50	0.08
22-010A	1/4	0.125	0.59	0.30
22-010B	1/4	0.172	0.53	0.49
22-011A	5/16	0.232	0.50	0.46
22-011	5/16	0.187	0.53	0.22
22-012	3/8	0.250	0.56	0.15
22-013	1/2	0.372	0.72	0.23
22-014	5/8	0.483	0.72	0.69
22-015	3/4	0.563	1.03	1.37

BRASS NUT

SAE#
060110



61
261

Part #	Size	List Price
18-033	1/8	0.21
18-034	3/16	0.23
18-035L	1/4	0.20
18-035	1/4	0.27
18-036	5/16	0.34
18-037L	3/8	0.31
18-037	3/8	0.35
18-038	7/16	0.76
18-039L	1/2	0.56
18-039	1/2	0.83
18-040L	5/8	0.64
18-040	5/8	0.95
18-041	3/4	1.63
18-042	7/8	1.72

CHROME PLATED NUT



Part #	Size	List Price
18-054	1/4	0.28
18-055	3/8	0.35
18-056	1/2	0.72
18-057	5/8	0.93

LONG NUT COMPRESSION

Note: To buy comp. fittings with long nut, simply delete the 18- prefix on the same size compression fitting and substitute a 24-prefix. Pricing available upon request

LONG NUT

161



Part #	Size	List
24-003	1/4	0.54
24-004	5/16	0.73
24-005	3/8	0.76
24-006	1/2	1.40

CAPTIVE SLEEVE NUT

Note: To buy comp. fittings with captive sleeve, simply delete the 18- prefix on the same size compression fitting and substitute a 26- prefix. Pricing available upon request.



Part #	Size	List
26-001	1/8	0.98
26-002	3/16	1.08
26-003	1/4	0.68
26-004	5/16	0.96
26-005	3/8	0.89
26-007	1/2	1.14
26-008	5/8	3.78

CAP

61-CC
N5CT



Part #	Size	List Price
18-047	1/4	0.59
18-048	3/8	0.63
18-049	1/2	0.94
18-050	5/8	1.35

COMPRESSION PLUG



CSP

Part #	Size	List
18-029	3/8	0.55
18-030	1/2	1.08

UNION

SAE#
060101BA



M-62

Part #	Size	List Price
18-062	1/8	1.07
18-063	3/16	1.00
18-064L	1/4	0.99
18-064	1/4	1.35
18-065	5/16	1.34
18-066L	3/8	1.27
18-066	3/8	1.57
18-067	7/16	4.28
18-068L	1/2	2.13
18-068	1/2	3.15
18-069L	5/8	2.76
18-069	5/8	4.51
18-070	3/4	7.37
18-071L	7/8	5.35
18-071	7/8	6.89

REDUCING UNION

62-R

Part #	Size	List Price
18-076	1/4X1/8	1.72
18-077	1/4X3/16	1.72
18-078	5/16X1/4	1.72
18-079	3/8X1/4	1.25
18-080	3/8X5/16	1.60
18-081	1/2X3/8	1.90
18-082	5/8X3/8	2.80
18-083	5/8X1/2	2.94
18-084	7/8X5/8	15.95

DRILLED THRU COMP. UNION

Part #	Size	List Price
18-066D	3/8	2.60
18-069D	5/8	5.01
18-071D	7/8	6.34

• "L" at the end of a Part# means Light Pattern - See section header for description.

BULKHEAD UNIONS

SAE# 62BH
060101 75
 274



Part #	Size	List Price
18-088	1/4	2.92
18-090	3/8	8.91
18-091	1/2	13.74


BULKHEAD NUTS



20102

Part #	Size	List Price
18-097	1/4	1.13
18-099	3/8	1.74
18-100	1/2	2.32

BALL CHECK VALVE



63
 263
 63A

TUBE O.D. X MALE PIPE


Part #	Size	List Price
18-092	1/8X1/8	5.92
18-094	1/4X1/8	4.94
18-095	5/16X1/8	6.73
18-096	3/8X1/4	5.78

"Laughter is to life what shock absorbers are to automobiles. It won't take the potholes out of the road, but it sure makes the ride smoother."

- Barbara Johnson

TEE

SAE# 64
060401 264C



3 FORGED

3 SQUARE BAR-

STOCK

Part #	Size	List Price
18-101	1/8	5.44
18-101B	Barstock 1/8	4.45
18-102	3/16	2.94
18-102B	Barstock 3/16	3.91
18-103	1/4	2.75
18-103B	Barstock 1/4	3.28
18-104	5/16	3.79
18-104B	Barstock 5/16	5.19
18-105	3/8	3.28
18-105B	Barstock 3/8	4.14
18-106	1/2	5.73
18-106B	Barstock 1/2	6.54
18-107	5/8	6.66
18-108	3/4	25.56
18-109	7/8	16.34

FORGED REDUCING TEE

64-R

Part #	Size	List
1 x 2 x 3		
18-114	1/4X1/4X1/8	3.56
18-110	1/4X1/4X3/8	4.50
18-111	3/8X1/4X1/4	4.60
18-115	3/8X3/8X1/4	3.53
18-116	1/2X1/2X1/4	6.82
18-117	1/2X1/2X3/8	7.22
18-118	5/8X5/8X3/8	8.75
18-119	5/8X5/8X1/2	9.20

A truly happy person is one who can enjoy the scenery on a detour.

UNION ELBOW

SAE#
060201

65
BSE2
165C
265C



FORGED

BARSTOCK

Part #	Size	List Price
18-122	1/8	2.53
18-122B	Barstock 1/8	2.53
18-123	3/16	2.31
18-123B	Barstock 3/16	2.64
18-124	1/4	2.32
18-124B	Barstock 1/4	2.22
18-125	5/16	3.71
18-125B	Barstock 5/16	3.02
18-126	3/8	2.45
18-127	1/2	4.35
18-127B	Barstock 1/2	4.94
18-128	5/8	4.63
18-129	3/4	12.11
18-130	7/8	12.33

65-R

REDUCING ELBOW

Part #	Size	List Price
18-135	3/8X1/4	4.65
18-136	1/2X3/8	5.27
18-137	5/8X3/8	3.55

Riddle

You and your neighbor, who aren't necessarily friends, are planning tag sales for the same day. You're both selling the exact same used TV. You feel the TV will sell for \$100. He insists on selling it at \$40. What do you do?

Answer: Buy his for \$40 and sell each for \$100.

FEMALE ADAPTER

SAE#
060103

66



COMP X FEMALE PIPE

Part #	Size	List Price
18-142	1/8X1/8	0.98
18-143	3/16X1/8	1.18
18-144	3/16X1/4	3.95
18-145L	1/4X1/8	0.94
18-145	1/4X1/8	1.02
18-146L	1/4X1/4	1.29
18-146	1/4X1/4	1.95
18-147	1/4X3/8	2.29
18-148	1/4X1/2	2.08
18-149	5/16X1/8	1.59
18-150	5/16X1/4	1.94
18-151	5/16X3/8	2.32
18-152	3/8X1/8	1.33
18-153L	3/8X1/4	1.49
18-153	3/8X1/4	2.00
18-154L	3/8X3/8	1.31
18-154	3/8X3/8	2.70
18-155	3/8X1/2	1.44
18-156	3/8X3/4	7.92
18-157	1/2X1/4	4.65
18-158L	1/2X3/8	1.80
18-158	1/2X3/8	3.36
18-159L	1/2X1/2	2.02
18-159	1/2X1/2	4.75
18-160	1/2X3/4	7.52
18-161	5/8X3/8	2.77
18-162L	5/8X1/2	2.58
18-162	5/8X1/2	4.79
18-163	5/8X3/4	3.96
18-164	3/4X1/2	7.83
18-165	3/4X3/4	10.43
18-167	7/8X1/2	8.95
18-166	7/8X3/4	4.48

• "L" at the end of a Part# means Light Pattern - See section header for description.

MALE ADAPTER

SAE#
060102



68

COMP X MALE PIPE

Part #	Size	List Price
18-175	1/8X1/16	3.16
18-176	1/8X1/8	0.88
18-177	3/16X1/8	0.81
18-178	3/16X1/4	1.10
18-179L	1/4X1/8	0.77
18-179	1/4X1/8	0.81
18-180L	1/4X1/4	0.82
18-180	1/4X1/4	1.08
18-181	1/4X3/8	1.35
18-182	1/4X1/2	2.15
18-183	5/16X1/8	1.18
18-184L	5/16X1/4	1.24
18-184	5/16X1/4	1.44
18-185	5/16X3/8	1.67
18-186	5/16X1/2	4.36
18-187L	3/8X1/8	1.13
18-187	3/8X1/8	1.46
18-188L	3/8X1/4	0.99
18-188	3/8X1/4	1.92
18-189L	3/8X3/8	1.27
18-189	3/8X3/8	2.07
18-190L	3/8X1/2	1.42
18-190	3/8X1/2	2.37
18-191	3/8X3/4	3.16
18-192	7/16X1/4	3.75
18-204	7/16X3/8	3.02
18-193L	1/2X1/4	1.94
18-193	1/2X1/4	2.81
18-194L	1/2X3/8	1.63
18-194	1/2X3/8	2.36
18-195L	1/2X1/2	1.75
18-195	1/2X1/2	2.95
18-196	1/2X3/4	3.66
18-197	5/8X3/8	2.21
18-198	5/8X1/2	2.07
18-199	5/8X3/4	3.47
18-200	3/4X1/2	4.89
18-201	3/4X3/4	4.61
18-202	7/8X1/2	8.85
18-203	7/8X3/4	3.41
18-205	7/8X1	11.22

**TANK ADAPTER
DRILLED THRU (NO STOP)**



68-T
682C
80F

COMP X MALE PIPE

Part #	Size	List Price
18-208	1/4X1/8	1.00
18-209	1/4X1/4	1.21
18-210	3/8X1/4	1.33
18-211	3/8X3/8	1.48
18-212	3/8X1/2	1.93
18-213	1/2X3/8	1.93
18-214	1/2X1/2	2.59
18-215	5/8X1/2	2.59

COMP X SWEAT ADAPTER



66-S

Part #	Size	List Price
18-171	3/8X1/2nom.swt.	3.40

More sizes available

Values

Success does not necessarily mean that we must earn a great deal of money and live in the biggest house in town. It means only that we are daily engaged in striving toward a goal that we have independently chosen and feel is worthy of us as persons.

A goal, whatever it might be, is what gives us meaning to our existence. It is the carrot on the end of the stick that keeps us striving - that keeps us interested- that gives us a reason for getting out of bed in the morning.

-Earl Nightingale

Brass

MALE ELBOW

SAE#
060202



69
269C
BSE1
169C

**FORGED BARSTOCK
COMP X MALE PIPE**

Part #	Size	List Price
18-220	1/8X1/8	2.32
18-220B	Barstock 1/8X1/8	1.48
18-221	3/16X1/8	2.18
18-221B	Barstock 3/16X1/8	1.33
18-223	3/16X1/4	2.43
18-224	1/4X1/8	1.68
18-224B	Barstock 1/4X1/8	1.29
18-225	1/4X1/4	1.98
18-225B	Barstock 1/4X1/4	1.76
18-226	1/4X3/8	2.47
18-227	1/4X1/2	3.76
18-228	5/16X1/8	1.93
18-228B	Barstock 5/16X1/8	1.63
18-229	5/16X1/4	2.37
18-229B	Barstock 5/16X1/4	2.07
18-230	5/16X3/8	2.87
18-231	5/16X1/2	4.15
18-232	3/8X1/8	2.16
18-232B	Barstock 3/8X1/8	1.90
18-233	3/8X1/4	2.12
18-233B	Barstock 3/8X1/4	1.99
18-234	3/8X3/8	2.98
18-234B	Barstock 3/8X3/8	4.60
18-235	3/8X1/2	5.59
18-235B	Barstock 3/8X1/2	4.10
18-248	3/8X3/4	5.69
18-247	7/16X1/4	2.92
18-236	1/2X1/4	4.00
18-237	1/2X3/8	3.66
18-237B	Barstock 1/2X3/8	4.00
18-238	1/2X1/2	3.66
18-238B	Barstock 1/2X1/2	5.20
18-239	1/2X3/4	6.38
18-240	5/8X3/8	4.44
18-241	5/8X1/2	4.56
18-241B	Barstock 5/8X1/2	5.69
18-242	5/8X3/4	7.27
18-243	3/4X1/2	7.66
18-245	3/4X3/4	9.35
18-246	7/8X3/4	12.71

FEMALE ELBOW

SAE#
060203



70
270C
BSE3
170C

FORGED BARSTOCK

COMP X FEMALE PIPE

Part #	Size	List Price
18-251	1/8X1/8	3.20
18-252	3/16X1/8	2.14
18-253	1/4X1/8	2.47
18-253B	Barstock 1/4X1/8	2.00
18-254	1/4X1/4	2.72
18-254B	Barstock 1/4X1/4	3.31
18-267	1/4X3/8	3.51
18-268	1/4X1/2	4.65
18-255	5/16X1/8	2.90
18-256	5/16X1/4	3.37
18-257	3/8X1/8	2.67
18-258	3/8X1/4	2.77
18-259	3/8X3/8	3.22
18-260	3/8X1/2	3.86
18-250	3/8X3/4	5.89
18-261	1/2X1/4	5.39
18-262	1/2X3/8	4.45
18-263	1/2X1/2	4.70
18-270	1/2X3/4	6.77
18-269	5/8X3/8	6.88
18-264	5/8X1/2	5.19
18-265	5/8X3/4	6.92
18-266	3/4X1/2	11.72


FORGED DROP-EAR ELBOW

BSE3-DE



Part #	Size	List
18-271	5/8X1/2	10.04

FORGED TEE



71
171C
BST3


COMP X FEMALE PIPE X MALE PIPE

Part #	Size	List
18-307	1/4X1/8	3.72




FORGED TEE
COMP X MALE PIPE
(1 & 3) x 2

Part #	Size	List Price
18-272	1/8X1/8	2.77
18-273	3/16X1/8	3.12
18-274	1/4X1/8	2.67
18-275	1/4X1/4	3.27
18-276	5/16X1/8	4.15
18-277	5/16X1/4	3.86
18-278	3/8X1/8	4.20
18-279	3/8X1/4	3.71
18-280	3/8X3/8	4.54
18-281	1/2X3/8	6.04
18-282	1/2X1/2	7.96
18-283	5/8X1/2	8.03
18-284	3/4X1/2	18.89



MALE BRANCH TEE
COMP X MALE PIPE
(1 & 2) x 3

Part #	Size	List Price
18-289B	Barstock 1/8X1/8	3.18
18-290	3/16X1/8	4.06
18-290B	Barstock 3/16X1/8	3.65
18-291	1/4X1/8	2.99
18-291B	Barstock 1/4X1/8	3.05
18-292	1/4X1/4	3.46
18-293	5/16X1/8	3.46
18-294	5/16X1/4	3.87
18-295	3/8X1/8	4.31
18-296	3/8X1/4	3.56
18-296B	Barstock 3/8X1/4	4.32
18-297	3/8X3/8	5.37
18-298	3/8X1/2	7.79
18-304	1/2X1/4	6.19
18-299B	Barstock 1/2X3/8	9.90
18-299	1/2X3/8	6.32
18-300	1/2X1/2	8.19
18-301	5/8X1/2	9.11
18-302	3/4X1/2	19.52
18-303	3/4X3/4	20.83



ADAPTER TEE
BARSTOCK
MALE PIPE X FEMALE PIPE X COMP

Part #	Size 3X(1&2)	List Price
18-312	1/8X1/8	4.65
18-313	3/16X1/8	5.21
18-314	1/4X1/8	4.13
18-316	3/8X1/4	4.64



FORGED TEE
COMP X FEMALE PIPE

Part #	Size (1&2)X3	List Price
18-321	1/4X1/8	3.46
18-328	1/4X1/4	5.40
18-325	3/8X1/8	4.25
18-322	3/8X1/4	5.27
18-323	3/8X3/8	7.62
18-326	1/2X1/8	7.14
18-324	1/2X3/8	11.00
18-327	5/8X1/8	9.05

45° ELBOW



COMP X MALE PIPE

Part #	Size	List Price
18-329	3/16X1/8	2.76
18-330	1/4X1/8	2.54
18-336	1/4X1/4	3.62
18-331	5/16X1/8	3.94
18-332	5/16X1/4	4.16
18-333	3/8X1/4	3.33
18-338	3/8X3/8	6.86
18-334	1/2X3/8	4.00
18-339	1/2X1/2	7.57
18-335	5/8X1/2	8.25

GARDEN HOSE SWIVEL

- WASHER INCLUDED



COMPRESSION X FEMALE

Part #	Size	List Price
30-050	1/4x3/4	2.88
30-051	3/8x3/4	3.38

**DOUBLE COMPRESSION
THREADED SLEEVE FITTINGS**

- Use with aluminum and copper tubing or plastic tubing with internal tube support. Not recommended for steel tubing.
- Easy to assemble, no flaring, two piece construction.
- For use on oil, air, water and grease lubrication systems.
- When design makes a dimension critical, contact us for information

Tube OD	1/8	3/16	1/4	5/16	3/8
Thread	5/16-24	3/8-24	7/16-24	1/2-20	9/16-20
Working Pressure	500	500	500	250	250

NUT



Part #	Size	List
16-001	1/8	0.34
16-002	3/16	0.53
16-003	1/4	0.64
16-004	5/16	0.67
16-005	3/8	1.48

"If you think you're too small to make a difference, you haven't been in bed with a mosquito."
-Anita Roddick

BREAK-AWAY NUT



181-BA
21604
99LB
81LB

Part #	Size	List
16-010	1/4	0.58
16-090	3/16	2.63

THRD SLEEVE UNION



Part #	Size	List
16-013	1/4	2.64

MALE ADAPTER



188
6200
12

THRD SLEEVE X MALE PIPE

Part #	Size	List
16-117	1/8 x *	1.56
16-118	1/8 x 1/8	0.66
16-119	3/16 x 1/8	0.83
16-121	1/4 x 1/8	0.68
16-122	5/16 x 1/8	0.96
16-123	3/8 x 1/4	2.02

* 1/4-28 Male Thread Tapered

90° ELBOW



189
6400
15

FORGED

BARSTOCK

THRD SLEEVE X MALE PIPE


Part #	Size	List
16-127	1/8 x *	3.17
16-128	1/8 x 1/8	3.79
16-129	3/16 x 1/8	4.96
16-130	1/4 x 1/8	3.41
16-130B	1/4 x 1/8 Barstock	3.91
16-131	5/16 x 1/8	4.56
16-132	3/8 x 1/4	5.25

* 1/4-28 Male Thread Tapered

Did you know...it is physically impossible for pigs to look up into the sky.

Flareless

Flareless Brass Tube Fittings are Interchangeable with
Poly-Flo®, Poly-Tite® and Poly-Line®



Tube O.D.	1/8	3/16	1/4	1/4	5/16	3/8	1/2
Thread Size-B	5/16-24	3/8-24	3/8-24	3/8-24	7/16-24	1/2-24	11/16-20

•Typical Application

Pneumatic instrumentation circuits, lubricant and cooling lines.

•Working Pressure and Temperature Ranges

Up to 150 PSI from 0° to + 150°F with thermoplastic tubing. Up to 300 PSI from 0° to + 175°F with soft metal tubing

•Maximum allowable metal tube wall thickness for use with Poly-Tite fittings:

1/8", 3/16" O.D. --no limitation,
1/4" O.D.--.035 5/16", 3/8", 1/2" O.D.--.049

•Vibration

Excellent Resistance.

•Temperature Range

Depends on tubing used. -65°F to +250°F (-53°C to +121°C) with brass sleeve, -40°F to +150°F (-40°C to +66°C) with plastic sleeve. (Refer to tubing temperature range.)

•Material

CA360 Brass body, plastic sleeve.

•Used With

Aluminum, copper and hard plastic tubing requires brass sleeve. Not recommended for steel tubing.

•Advantages

No flaring of tubing required. Easy installation, captive sleeve, pre-assembled for installation and can be reassembled.

•Assembly Instructions

- 1- Cut tubing to desired length.
- 2- Slide nut/sleeve assembly on tube. Threaded end "A" of nut must face toward fitting.
- 3- Bottom tubing into fitting.
- 4- Plastic sleeve - Tighten nut hand tight.
Brass Sleeve - Tighten nut hand tight, then additional 3/4 turn.

PLASTIC CAP



59P
1229
59P
259P

Part #	Tube OD	List Price
20-201	1/4	0.99
20-203	3/8	0.82
20-204	1/2	1.17

PLASTIC SLEEVE



60P
260FF
1260
60P
260P

Part #	Tube OD	List Price
20-205	1/4	0.15
20-206	5/16	0.21
20-207	3/8	0.28
20-208	1/2	0.14

BRASS SLEEVE



260FB

Part #	Tube OD	List Price
20-380	1/8	0.72
20-381	3/16	0.38
20-382	1/4	0.50
20-383	5/16	0.58
20-384	3/8	0.52
20-385	1/2	0.68

NUT AND PLASTIC SLEEVE ASSEMBLY



261PF
1261
61PN
261U

Part #	Tube OD	List Price
20-211	1/4	0.72
20-212	5/16	0.77
20-213	3/8	0.85
20-214	1/2	1.56

NUT ONLY



61PN
1229
59P
259P
261FPN

Part #	Tube OD	Thread	List
20-218	1/8	5/16-24	0.61
20-219	3/16	3/8-24	0.61
20-220	1/4	3/8-24	0.61
20-221	5/16	7/16-24	0.61
20-222	3/8	1/2-24	0.71
20-223	1/2	11/16-20	1.07

UNIVERSAL NUT AND BRASS SLEEVE ASSEMBLY



261PFB
1261B
61PB
261UB

Part #	Tube OD	List
20-227	1/8	0.94
20-228	3/16	0.77
20-229	1/4	0.85
20-230	5/16	0.95
20-231	3/8	1.06
20-232	1/2	1.62

UNION TUBE #M62C



262S
62PCA
262PC

Part #	Tube OD	List
20-235	1/4	3.24
20-237	3/8	4.13

UNION



262PF
1262
62P
262P

Part #	Tube OD	List Price
20-240	1/8	3.50
20-241	3/16	3.91
20-242	1/4	3.70
20-243	5/16	4.27
20-244	3/8	4.43
20-200	3/8 X 1/4	4.64
20-245	1/2	5.55

UNION TEE



1264
164P
264P

Part #	Tube OD	List Price
20-248	1/8	5.81
20-249	3/16	6.20
20-250	1/4	5.16
20-251	5/16	6.17
20-252	3/8	6.11
20-330	3/8 X 1/4	10.99
20-253	1/2	14.82

FEMALE CONNECTOR



1266
66P
266P

Part #	Tube OD	Female Pipe		List
		Thread	Thread	
20-256	1/8	1/8	1/8	3.70
20-257	3/16	1/8	1/8	3.70
20-258	3/16	1/4	1/4	7.76
20-259	1/4	1/8	1/8	3.70
20-260	1/4	1/4	1/4	3.70
20-261	5/16	1/8	1/8	3.87
20-264	5/16	1/4	1/4	4.63
20-265	3/8	1/8	1/8	6.62
20-262	3/8	1/4	1/4	4.09
20-263	1/2	3/8	3/8	5.55

MALE CONNECTOR



1268
68P
268P

Part #	Tube OD	Male pipe		List
		Thread	Thread	
20-266	1/8	1/16	1/16	3.55
20-267	1/8	10-32*	10-32*	4.04
20-268	1/8	1/8	1/8	1.76
20-269	3/16	1/8	1/8	1.66
20-280	1/4	1/16	1/16	4.76
20-270	1/4	10-32*	10-32*	4.23
20-271	1/4	1/8	1/8	1.86
20-272	1/4	1/4	1/4	2.25
20-273	1/4	3/8	3/8	3.96
20-274	5/16	1/8	1/8	2.28
20-275	5/16	1/4	1/4	2.70
20-276	3/8	1/8	1/8	2.41
20-277	3/8	1/4	1/4	2.45
20-278	3/8	3/8	3/8	2.90
20-281	1/2	1/4	1/4	6.57
20-279	1/2	3/8	3/8	4.37
20-282	1/2	1/2	1/2	7.36
20-282A**	1/2	1/2	1/2	7.36

* Furnished with gaskets
** for .062 wall tubing

MALE ELBOW



1269
169P
269P

Part #	Tube OD	Male		List
		Pipe Thread	Thread	
20-284	1/8	1/16	1/16	5.65
20-287	1/8	1/8	1/8	2.32
20-288	3/16	1/8	1/8	2.46
20-285	1/4	1/16	1/16	5.00
20-289	1/4	1/8	1/8	2.25
20-290	1/4	1/4	1/4	2.53
20-291	1/4	3/8	3/8	6.02
20-292	5/16	1/8	1/8	2.99
20-293	3/8	1/8	1/8	3.10
20-294	3/8	1/4	1/4	2.88
20-295	3/8	3/8	3/8	3.89
20-296	1/2	3/8	3/8	4.64

Fitting Pictures are for reference only. Please contact us if specific style is needed.

Brass

UNION ELBOW



Part #	Tube OD	List
20-299	1/4 *	6.77

** For .062 wall tubing*

FEMALE ELBOW



Part #	Tube OD	Pipe Thread	List
20-300	1/8	1/8	12.40
20-301	3/16	1/8	4.64
20-302	1/4	1/8	2.92
20-303	1/4	1/4	4.85
20-304	3/8	1/4	4.09
20-305	1/2	3/8	5.81

MALE RUN TEE



Part #	Tube OD	Pipe Thread	List
20-308	1/8	1/8	15.28
20-309	3/16	1/8	5.81
20-310	1/4	1/8	4.86
20-311	1/4	1/4	5.94
20-312	5/16	1/8	5.81
20-313	3/8	1/4	6.59
20-314	1/2	3/8	8.93

A people that values its privileges above its principles soon loses both

MALE BRANCH TEE



Part #	Tube OD	Pipe Thread	List
20-317	1/8	1/8	8.15
20-318	3/16	1/8	5.42
20-319	1/4	1/8	4.47
20-319A	1/4*	1/8	6.63
20-320	1/4	1/4	6.38
20-321	5/16	1/8	5.81
20-322	3/8	1/8	8.51
20-323	3/8	1/4	5.81
20-324	1/2	3/8	9.70

** for .062 wall tubing*

FEMALE BRANCH TEE



Part #	Tube OD	Pipe Thread	List
20-327	1/4	1/8	7.37
20-328	1/4	1/4	9.30

BULKHEAD UNION



Part #	Tube OD	List Price
20-333	1/4	5.06
20-334	3/8	7.76

BULKHEAD NUT



Part #	Tube OD	List Price
20-370	1/8	41
20-371	1/4	1.26
20-372	5/16	1.46
20-373	3/8	1.48
20-374	1/2	1.60

Fitting Pictures are for reference only. Please contact us if specific style is needed.

BULKHEAD UNION

62PBH
329P
282P



Part #	Tube O.D.	List Price
20-337	1/4	5.90
20-338	5/16	7.17
20-339	3/8	8.15

QUICK DISCONNECT FITTING

292P



when tube is disconnected, flow shuts off automatically

Part #	Tube OD	Pipe Thread	List
20-344	1/4	1/8	13.53

QUICK DISCONNECT COUPLERS

**CHROME PLATED BRASS
SINGLE END SHUT-OFF TYPE**

TUBE X TUBE

349P



Part #	Tube O.D.	List Price
20-401	1/4	37.20
20-403	3/8	45.91

TUBE TO MALE THREAD

398P



Part #	Tube OD	Pipe Thread	List
20-409	1/4	1/8	28.31
20-411	1/4	1/4	33.66
20-413	3/8	1/4	38.17

INSERT ONLY

393P



Part #	Tube O.D.	List Price
20-417	1/4	12.96
20-419	3/8	15.30

DOUBLE END SHUT-OFF TYPE

TUBE TO TUBE

394P



Part #	Tube O.D.	List Price
20-425	1/4	46.25
20-427	3/8	55.98

TUBE X MALE PIPE

398PD



Part #	Tube OD	Pipe Thread	List
20-435	1/4	1/8	37.71
20-437	1/4	1/4	43.15
20-439	3/8	1/4	43.98

INSERT ONLY



Part #	Size	List Price
20-445	1/4	22.37

**CHROME PLATED NUT
AND PLASTIC SLEEVE**



Part #	Tube O.D.	List Price
20-451	1/4	1.00
20-453	3/8	1.22

TUBE CONNECTION

SINGLE END OR DOUBLE END
SHUT-OFF TYPE BODY ONLY

392P



PART #	Tube O.D.	List Price
20-455	1/4	23.85
20-457	3/8	30.33

MALE PIPE CONECTION

391P



PART#	Tube OD	Pipe Thread	List
20-461	1/4	1/8	15.30
20-463	1/4	1/4	20.22
20-465	3/8	1/4	22.86

Plain Brass

2 Types
Now Available!

Nickel Plated Brass

GLOBAL THREAD

Works With Inch or Metric Threads

Brass

ENGINEERING AND DESIGN


- **QUICK CONNECT**, simply push tubing in, no tools. Saves up to 75% of assembly time of standard compression fittings.
- **QUICK DISCONNECT**, hold two fingers on insert and pull tubing out, no tools required.
- **REUSEABLE**, connect and disconnect numerous times.
- **FULL FLOW DESIGN**, provides up to 60% more flow area than conventional fittings with internal tube supports.
- **POSITIVE SEAL**, no leaks. After tubing is inserted, seal is made.
- **VERSATILE**. BunaN "O" rings standard. Other materials of "O" rings available.
- **SECURE TUBE RETENTION**. Pulling on tubing only serves to tighten the connection.
- **SELF CONTAINED ASSEMBLY**, no loose parts, brass body and insert.
- **BRASS CONSTRUCTION**, Elbows and tees are forged brass.
- **CHOICE** of convenient swivel of economical stationary elbows and tees.
- **STRAIGHT CONNECTORS** have interior hex for Allen key tightening where space is limited...no need to use a wrench.
- **PRE-APPLIED TEFLON**® based pipe sealant on all male pipe threads, saving customer additional labor.
- **METRIC SIZES AVAILABLE**: Metric tube sizes from 2mm through 12mm in both standard NPT and metric pipe sizes are available on a special order basis.
- **WORKING PRESSURE**:

The fitting is suitable for use up to the maximum working pressure of the plastic tubing used. For soft copper tube, a maximum working pressure of 750 PSI is recommended. Also suitable for vacuum service.

• **WORKING TEMPERATURE:**

-10°F to 200°F (other ranges available on request).

- **PIPE THREAD**: NPTF with Teflon® based sealant pre-applied.




When tubing (1) is inserted into the fitting, it first passes through the gripping teeth (2). Just beyond the gripping teeth is the o-ring (3) which provides the leak proof seal against the OD of the tube. The gripping teeth grab the tube, which

expands the insert. Pulling back on the tube only tightens the grip as the insert moves onto the camming surface (4). Pressure through the tube also serves to tighten the grip. The tube bottoms against a positive tube stop (5) in a cavity providing tube support to prevent leakage.



Look for this
Logo



"Global Thread" fittings can be assembled with female threads produced to the following standards:

Tapered NPTF

Parallel (BSPP, BSP, ISO 7)

Tapered (BSPT, PT, ISO 7, ISO 228)

1.	BODY	BRASS - NICKEL PLATED
2.	THRUST RING	PLASTIC
3.	SLEEVE	BRASS - NICKEL PLATED
4.	GRIPPER COLLET	STAINLESS STEEL
5.	SAFETY RING	PAGE
6.	LIPSEAL (1/8 O-RING SEAL)	NBR 70
7.	THREAD SEAL	NBR 70

COMPONENT PARTS AND MATERIALS

PRESSURES RATING

0-250 PSI Vacuum Compatible

TUBING

Nylon, Polyethylene, Polyurethane 95 Durometer or higher.

TEMPERATURE RATING

0-160 F -18-70 C

MEDIA

Compressed air, water.

Global Thread Features:

- No Need To Stock both Inch and Metric fittings
Reduce Inventory by stocking Global Thread
- Stainless Steel gripper collet ensures superior gripping on all types of tubing
- Global Thread fitting can endure applications of high impact and vibration.
- Lip seal has exceptional sealing capability in both pressure and vacuum.
- All Global Thread fittings have reusable thread seal for ease of installation

**Reduce Inventory
Stock GLOBAL THREAD**

DOUBLE MALE UNION AQ34



PLAIN BRASS

Part#	Size	List
20-004	1/8	2.25
20-005	5/32	6.12
20-006	1/4	2.48
20-007	5/16	2.84
20-008	3/8	3.33
20-000	1/2	5.58

(For polyurethane or other soft plastic tubing)

PLASTIC PLUG 284PP



Part#	Size	List
20-009	5/32	0.77
20-010	1/4	0.99
20-014	5/16	2.25
20-011	3/8	1.76
20-013	1/2	2.36

UNION CONECTOR AQ62

12-020		6580
50-562		3106
262-OF		63PL
1162		KQH
262PP		



PLAIN BRASS **NICKEL PLATED**

Part #	List	Size	Part #	List
20-017	3.78	1/8	20-017N	3.56
20-018	3.87	5/32	20-018N	3.60
20-019	4.20	1/4	20-019N	3.78
20-022	4.91	3/8X1/4		
20-020	5.81	3/8	20-020N	5.31
20-021	8.01	1/2	20-021N	7.11

REDUCER 67PPL



NICKEL PLATED 286PP

Part #	Tube 1	Tube 2	List
20-510	1/4	1/8	4.59
20-511	1/4	5/32	4.95
20-512	3/8	1/4	6.26

UNION TEE 264PP



PLAIN BRASS **NICKEL PLATED**

Part #	List	Tube O.D.	Part #	List
20-025	5.43	1/8	20-025N	5.22
20-026	5.27	5/32	20-026N	5.73
20-027	5.76	3/16		
20-028	5.85	1/4	20-028N	5.54
20-031	7.74	5/16	20-031N	7.65
20-029	8.10	3/8	20-029N	7.65
20-030	11.30	1/2	20-030N	10.58

FEMALE CONECTOR 266PP



PLAIN BRASS **NICKEL PLATED**

Part #	List	Tube O.D.	Pipe Thread	Part #	List
20-032	5.63	1/8	1/8	20-032N	5.49
20-038	8.15	1/8	1/4	20-038N	5.49
20-034	4.91	1/4	1/8	20-034N	4.68
20-035	6.49	1/4	1/4	20-035N	5.13
20-036	9.45	3/8	1/4	20-036N	8.33
20-037	11.34	3/8	3/8	20-037N	8.60

FIXED MALE ELBOW 12-445

269PP		
AQ69-P		1169
6500		
169PLNS		



PLAIN BRASS **NICKEL PLATED**

Part #	List	Tube O.D.	Pipe Thread	Part #	List
20-065	3.38	1/8	1/8		
20-066	3.42	5/32	1/8		
20-067	3.56	3/16	1/8		
20-068	3.15	1/4	1/8	20-068N	2.97
20-069	3.38	1/4	1/4	20-069N	3.24
20-070	6.08	1/4	3/8		
20-071	4.73	3/8	1/8		
20-072	4.59	3/8	1/4	20-072N	4.73
20-073	5.54	3/8	3/8	20-073N	5.54
20-074	6.80	1/2	1/4		
20-075	6.62	1/2	3/8		
20-064	7.70	1/2	1/2		

Brass

Push-In Fittings

Push-In Fittings

Push-In Fittings

Brass

268PP
AQ68
6510
3115
68PL

MALE CONNECTOR



KQH
12-425
50-568
268-OF
1168

PLAIN BRASS				NICKEL PLATED	
Part #	List	Tube O.D.	Pipe Thread	Part #	List
20-047	3.38	1/8	10-32*	20-047N	2.84
20-048	2.34	1/8	1/8	20-048N	2.48
20-023	2.93	1/8	1/4	20-023N	2.52
20-049	2.80	5/32	10-32*	20-049N	2.61
20-050	2.39	5/32	1/8	20-050N	2.16
20-046	3.60	5/32	1/4	20-046N	3.15
20-051	4.73	3/16	10-32*		
20-052	3.02	3/16	1/8		
20-053	4.37	1/4	10-32*	20-053N	3.11
20-054	2.66	1/4	1/8	20-054N	2.43
20-055	2.93	1/4	1/4	20-055N	2.70
20-056	3.94	1/4	3/8	20-056N	3.24
20-530	5.36	5/16	1/8	20-530N	3.51
20-531	5.58	5/16	1/4	20-531N	3.69
20-532	6.39	5/16	3/8	20-532N	4.50
20-057	4.01	3/8	1/8	20-057N	3.69
20-058	3.87	3/8	1/4	20-058N	3.65
20-059	4.20	3/8	3/8	20-059N	4.05
20-062	7.20	3/8	1/2	20-062N	6.53
20-060	5.22	1/2	1/4	20-060N	4.95
20-061	6.53	1/2	3/8	20-061N	6.12
20-063	8.01	1/2	1/2	20-063N	7.85

*Furnished with gaskets

AQ69-PS
56520
3109
169PL
KQL

SWIVEL MALE ELBOW



12-447
50-579
269-OFS
11695

PLAIN BRASS				NICKEL PLATED	
Part #	List	Tube O.D.	Pipe Thread	Part #	List
20-079	4.06	1/8	1/8	20-079N	3.74
20-535	6.48	1/8	1/4	20-535N	4.73
20-080	4.32	5/32	1/8	20-080N	4.00
20-076	7.16	5/32	10-32	20-076N	4.32
20-077	6.21	5/32	1/4		
20-081	4.10	1/4	1/8	20-081N	4.01
20-078	5.99	1/4	10-32		
20-082	4.55	1/4	1/4	20-082N	4.36
20-086	8.91	1/4	3/8	20-086N	6.48
20-538	7.92	5/16	1/4	20-538N	5.31
20-539	10.58	5/16	3/8	20-539N	6.44
20-087	7.47	3/8	1/8	20-087N	6.30
20-083	6.03	3/8	1/4	20-083N	5.85
20-084	6.62	3/8	3/8	20-084N	6.62
20-088	10.44	3/8	1/2	20-088N	9.00
20-085	8.33	1/2	3/8	20-085N	8.37
20-092	9.99	1/2	1/2	20-092N	9.41

AQ65
6550
3102
165pl

UNION ELBOW



KQL
12-040
50-565
265-of

PLAIN BRASS			NICKEL PLATED	
Part #	List	Tube O.D.	Part #	List
20-150	4.86	1/8	20-150N	4.82
20-151	5.31	5/32	20-151N	4.01
20-152	4.5	1/4	20-152N	4.14
20-155	7.83	5/16	20-155N	5.09
20-153	7.11	3/8	20-153N	6.17
20-154	10.04	1/2	20-154N	8.91

FEMALE ELBOW



AQ70-P
3009

PLAIN BRASS

Part #	Tube OD	Pipe Thread	List
20-094	5/32	1/8	4.73
20-089	1/4	1/8	5.49
20-090	1/4	1/4	6.62
20-091	3/8	1/4	8.33

UNION "Y"



PLAIN BRASS			NICKEL PLATED		
Part #	List	Tube 1 O.D.	Tube 2 O.D.	Part #	List
20-552	12.60	1/4	1/8		
20-553	14.00	1/4	1/4	20-553N	11.75

MALE Y



12-445
50-569
1169

PLAIN BRASS

Part #	Tube OD	Pipe Thread	List
20-557	1/4	1/4	15.48

QUICK DISCONNECT

AQ92-P
6500
169PLNS



PLAIN BRASS

Part #	Tube O.D.	Pipe Thread	List
20-133	1/4	1/8	9.81
20-134	1/4	1/4	10.22

FIXED MALE RUN TEE AQ71-P



PLAIN BRASS			
Part #	Tube O.D.	Pipe Thread	List
20-095	1/8	1/8	4.82
20-097	3/16	1/8	5.90
20-098	1/4	1/8	5.63
20-093	1/4	1/4	6.08
20-099	3/8	1/8	7.61
20-100	3/8	1/4	8.42
20-101	3/8	3/8	9.00
20-102	1/2	3/8	10.17

AQ70-PS 12-468
 56440 50-571
 3103 271-OFS
 171PL 11715
 KQY

SWIVEL MALE RUN TEE



PLAIN BRASS			NICKEL PLATED		
Part #	List	Tube O.D.	Pipe Thread	Part #	List
20-162	6.81	1/4	1/8	20-162N	6.12
20-163	7.38	1/4	1/4	20-163N	6.12
20-165	11.84	3/8	3/8	20-165N	10.62
20-174	17.91	1/2	1/4	20-174N	12.60
20-166	13.59	1/2	3/8	20-166N	11.97

KQT AQ64
 12-060 6540
 50-564 3140
 264OF 64PL

SWIVEL MALE BRANCH TEE



PLAIN BRASS			NICKEL PLATED		
Part #	List	Tube O.D.	Pipe Thread	Part #	List
20-103	8.60	1/8	1/8	20-103N	5.58
20-104	8.42	5/32	10/32	20-104N	5.58
20-109	8.42	5/32	1/8	20-109N	5.49
20-105	7.02	1/4	1/8	20-105N	6.12
20-106	6.62	1/4	1/4	20-106N	6.12
20-107	8.60	3/8	1/4	20-107N	8.42
20-108	10.35	3/8	3/8	20-108N	9.54
20-110	12.60	1/2	3/8	20-110N	11.97
20-111	14.72	1/2	1/2	20-111N	13.41

FIXED MALE BRANCH TEE AQ72-P



PLAIN BRASS			
Part #	Tube O.D.	Pipe Thread	List
20-112	1/8	1/8	5.22
20-113	5/32	1/8	5.90
20-114	3/16	1/8	6.57
20-115	1/4	1/8	6.17
20-116	1/4	1/4	6.62
20-117	3/8	1/8	7.83
20-118	3/8	1/4	8.61
20-119	3/8	3/8	9.50
20-120	1/2	3/8	11.43

FEMALE BRANCH TEE AQ77-P
 3008
 177PL



PLAIN BRASS			
Part #	Tube O.D.	Pipe Thread	List Price
20-130	1/4	1/8	9.90
20-131	1/4	1/4	12.38
20-132	3/8	1/4	13.46

AQ82-P 12-029
 6590 50-582
 62PLBH 282-OF
 KQE 1174

BULKHEAD UNION



PLAIN BRASS			NICKEL PLATED		
Part #	List	Tube O.D.	Pipe Thread	Part #	List
20-126	8.06	3/16	1/2-20		
20-127	7.02	1/4	1/2-20	20-127N	6.35
20-123	8.10	5/16		20-123N	7.56
20-128	9.41	3/8	5/8-18	20-128N	9.09
20-129	13.01	1/2	3/4-16	20-129N	11.61


FEMALE BULKHEAD UNION AQ86-P



PLAIN BRASS			
Part #	Tube O.D.	Pipe Thread	List
20-170	1/4	1/8	8.19
20-171	1/4	1/4	9.45
20-172	3/8	1/4	9.90

Brass

Technical Characteristics



PART 1	BODY	COMPOSITE
PART 2	BODY	NICKEL PLATED BRASS
PART 3	TUBE RELEASE	ACETAL RESIN
PART 4	RETAINER	NICKEL PLATED BRASS
PART 5	GRIPPER RING	STAINLESS STEEL
PART 6	SPACER	COMPOSITE
PART 7	THREAD PACKING	NBR 70
PART 8	O-RING	NBR 70
PART 9	THREAD SEAL	NBR70

Operating Range

Pressure: 0 to 220 PSI (15 bar)

Vacuum: 0 to 29hg (-.99 bar)

Temperature

-5° F to + 175° F (-20° C to + 80° C)

Media

Compressed air.

Non-toxic fluids (water)

Global Threads (See Section Header for details)

Materials

The latest generation of composite material is used in the body construction in addition to nickel-plated brass on threaded components and stainless steel on the tube gripper.

MALE ADAPTER



Nickel Plated
O.D. mm

Part #	Tube	Global Thread	List
20-630	4	1/8	2.21
20-631	4	1/4	2.70
20-632	6	1/8	2.88
20-633	6	1/4	2.66
20-634	8	1/4	2.93
20-635	8	3/8	3.33
20-636	10	1/4	3.87
20-637	10	3/8	3.87
20-801	12	1/4	4.59
20-638	12	3/8	4.91

UNION



Part #	Tube O.D. mm	List
20-600	4	4.14
20-601	6	4.23
20-602	8	4.68
20-603	10	5.36
20-604	12	6.89

SWIVEL MALE 90° ELBOW



O.D. mm

Part #	Tube	Global Thread	List
20-642*	6	1/8	3.60
20-803	6	1/4	4.77
20-805	8	1/4	5.27
20-655	8	3/8	6.80
20-656	10	1/4	6.93
20-657	10	3/8	7.79
20-658	12	3/8	8.77
20-659	12	1/2	9.59

UNION 90° ELBOW



Part #	Tube O.D. mm	List
20-806	4	4.46
20-660	6	4.46
20-661	8	5.22
20-807	10	6.71
20-808	12	8.82

SWIVEL MALE BRANCH TEE



O.D. mm

Part #	Tube	Global Thread	List
20-680	4	1/8	5.94
20-682	6	1/8	5.94
20-683	6	1/4	6.48
20-809	8	1/8	7.25
20-684	8	1/4	7.47
20-685	8	3/8	8.06
20-686	10	1/4	10.17
20-687	10	3/8	10.80
20-810	10	1/2	11.16
20-688	12	3/8	11.57
20-689	12	1/2	12.60

UNION TEE



Part #	Tube O.D. mm	List
20-610	4	5.81
20-611	6	6.17
20-612	8	7.02
20-613	10	10.04
20-614	12	12.38

SWIVEL MALE RUN TEE



O.D. mm

Part #	Tube	Global Thread	List
20-670	4	1/8	5.94
20-672	6	1/8	5.94
20-673	6	1/4	6.48
20-811	8	1/8	7.25
20-674	8	1/4	7.47
20-675	8	3/8	8.06
20-676	10	1/4	10.17
20-677	10	3/8	11.16
20-678	12	3/8	11.57
20-679	12	1/2	12.60

UNION Y CONNECTOR



Part #	Tube O.D. mm	List
20-813	4	8.28
20-814	6	8.77
20-815	8	9.90

MALE Y CONNECTOR



O.D. mm

Part #	Tube	Global Thread	List
20-816	4	1/8	8.28
20-817	6	1/8	8.37
20-818	6	1/4	8.51
20-819	8	1/8	9.72
20-820	8	1/4	9.90

More sizes and shapes available

WATER HEATER CONNECTOR



Part #	Size	List
37-440	1/2" FIP Swivel x PEX Long Turn	4.90

**BRASS PEX INSERT ELBOW
PEX X PEX**



Part #	Size	List
37-460	1/2" X 1/2"	2.00
37-461	3/4" X 3/4"	3.00

PEX INSERT TEE



Part #	Size	List
37-451	1/2"	2.50
37-452	1/2" X 1/2" X 3/4"	3.75
37-453	3/4" X 1/2" X 1/2"	3.75
37-454	3/4" X 1/2" X 3/4"	3.75
37-455	3/4" X 3/4" X 1/2"	3.75
37-456	3/4"	4.50
37-457	1" X 1" X 1/2"	5.00
37-458	1"	5.00

**PEX INSERT COUPLING
PEX X PEX**



Part #	Size	List
37-462	1/2" X 1/2"	1.00
37-463	3/4" X 1/2"	1.75
37-464	3/4" X 3/4"	1.75
37-465	1" X 3/4"	2.25
37-468	1"	3.00

MALE INSERT COUPLING

Male Sweat X PEX



Part #	Size	List
37-472	1/2" X 1/2"	1.50
37-473	3/4" X 3/4"	2.25
37-477	1"	4.50

Female Sweat X PEX

37-474	1/2" X 1/2"	1.25
37-475	3/4" X 3/4"	2.25

ADAPTER POLY X PEX



Part #	Size	List
37-442	1/2"	1.50
37-443	3/4"	1.85

TEST PLUGS



Part #	Size	List
37-444	1/2"	0.75
37-445	3/4"	1.07

FEMALE ADAPTER



Part #	Size	List
37-466	1/2" Barb x 1/2" FPT	3.75
37-467	3/4" Barb x 3/4" FPT	3.75


INSERT MALE ADAPTER PEX X MPT



Part #	Size	List
37-470	1/2" X 1/2"	2.25
37-471	3/4" X 3/4"	3.75

Meets SAE #J-534C

Many other types available on special order


PIPE THREAD		#610
BALL CHECK		1610
5/8" Long		2800
Part #	Size	List
36-110	1/8-27 NPT	0.43
36-111	Thread Forming	0.60

PIPE THREAD		#607
BALL CHECK		1607
		2800
PART#	Size	List
36-112	1/8-27 NPT(1-1/4 Long)	1.15
36-113	1/8-27 NPT(1-3/4Long)	1.18


PIPE THREAD		#611
30° ANGLE BALL CHECK		1611
		2830
Part #	Size	List Price
36-114	1/8-27 NPT	0.73

PIPE THREAD		#688
45° ANGLE BALL CHECK		1688
		2845
Part #	Size	List Price
36-116	1/8-27 NPT	0.72

PIPE THREAD		#612
65° ANGLE BALL CHECK		1612
		2865
Part #	Size	List Price
36-118	1/8-27 NPT	0.66

PIPE THREAD		#613
90° ANGLE BALL CHECK		1613
		2890
Part #	Size	List Price
36-120	1/8-27 NPT	0.66
36-121	1-3/16 Long	2.26

PIPE THREAD		#627
BALL CHECK		1627
		2900K
Part #	Size	List Price
36-130	1/4-18 NPT	0.77

65° ANGLE BALL CHECK	PIPE THREAD	#629
		1629
		2965
Part #	Size	List Price
36-132	1/4-18 NPT	1.10

1/4-28 TAPER THREAD		#641
SHORT BALL CHECK		1641
		2400
Part #	List Price	
36-140		0.25
36-141	Thread Forming	0.28

1/4-28 TAPER THREAD		#652
LONG BALL CHECK		1652
		2400
Part #	List Price	
36-142		0.32


1/4-28 TAPER THREAD		#680
EXTRA LONG BALL CHECK		1680
		2400
Part #	List Price	
36-144		0.48

1/4-28 TAPER THREAD		#637
SHORT 45° BALL CHECK		1637
		2445
		1665
		2465
		3010
Part #	List Price	
36-146		0.59
36-147	65°	0.67


1/4-28 TAPER THREAD		#636
LONG 45° BALL CHECK		1630
		2445
Part #	List Price	
36-148		0.89

1/4-28 TAPER THREAD		#911
90° ANGLE BALL CHECK		1911
		2490
		3054
Part #	List Price	
36-150		0.52
36-152	90° THREAD FORMING	0.94


Brass


BALL CHECK	DRIVE TYPE	#608
		1608
Part #	List	
36-160	5/16	0.36

BALL CHECK	DRIVE TYPE	#728
		1728 2316
Part #	List	
36-164	3/16	0.32

BALL CHECK	DRIVE TYPE	#743
		1743 214
Part #	List	
36-166	1/4	0.29

	METRIC	#711
		6000 2106 2M6
Part #	List	
36-168	6MMx1	0.42

45° ANGLE	METRIC	#712
		6045 2107
Part #	List	
36-170	6MMx1	0.62


90° ANGLE	METRIC	#713
		6090 2108 ZM906
Part #	List	
36-172	6MMx1	0.62

	METRIC	#811
		8000 2103 ZM58
Part #	List	
36-174	8MMx1	0.36

45° ANGLE	METRIC	#812
		8045 2104 ZM458
Part #	List	
36-176	8MMx1	0.61

90° ANGLE	METRIC	#813
		8090 2105 ZM908
Part #	List	
36-178	8MMx1	0.61

	METRIC	#911
		9000 2109 ZM510
Part #	List	
36-180	10MMx1	0.49


45° ANGLE	METRIC	#912
		9045 2110 ZM4510
Part #	List	
36-182	10MMx1	0.76

90° ANGLE	METRIC	#913
		9090 2111 ZM9010
Part #	List	
36-184	10MMx1	0.72

		#711-B
		1711 2500
Part #	List	
36-186	5/16-24	0.46


		#710-B
		1710 2600
Part #	List	
36-188	3/8-24	0.65

	BUTTON HEAD	
		1184 1186
Part #	List	
36-200	1/8PTF	184
36-205	1/4NPTF	186

	WHIP HOSE	
	Fits any hand gun 1/8 MIP End 10,000 LB Burst Pressure	
		
Part #	List	
36-210	12" RUBBER	14.79
36-212	18" RUBBER	10.25
36-214	24" RUBBER	12.42
36-216	36" RUBBER	15.35

	4 JAW GREASE GUN COUPLER	
		
Part #	List Price	
36-220		4.34

D.O.T. Air Brake - Nylon Tubing



Brass

Tube O.D	1/4	3/8	1/2	5/8	3/4
Thread Size-B	7/16-24	17/32-24	11/16-20	13/16-18	1-18

•Typical Application

Air brake systems except where temperatures exceed +200°F or where battery acid can drip on tubing.

•Pressure

Maximum operating pressure of 150 PSI.

•Vibration

Fair resistance.

•Temperature Range

-40°F to +200°F (-40°C to +93°C).

•Material

CA360 Brass

•Used With

NT Nylon Tubing - SAE J844 Type A and B.

•Advantages

Easy to assemble (no tube preparation or flaring required.) Built in tube support. May be used with copper tubing by replacing nut, sleeve and insert with long nut and spherical sleeve. Insert should be removed for copper tubing use.

•Conformance

Meets specifications and standards of SAE and DOT FMVSS 571,106.

•Assembly Instructions

- 1- Cut tubing to desired length.
- 2-Slide nut and then sleeve on tubing. Threaded end of nut "A" must face toward fitting body.
- 3-Insert tubing into the preassembled fitting. Be sure tubing is bottomed in fitting.
- 4- Tighten nut to required torque as indicated on chart.

Tube Size	Additional Number of Turns from Hand-Tight
1/4	3
3/8, 1/2	4
5/8, 3/4	3-1/2

Disassembly: Remove nut and pull tubing out of fitting body. Insert will remain in tubing.

Reassembly: Push tubing and insert into fitting body until it bottoms. Thread nut onto fitting body and torque as in step 4.

SLEEVE

**SAE#
100115**



60NAB
60NTA
1460

Part #	Tube O.D.	List Price
38-001	1/4	0.18
38-002	3/8	0.21
38-003	1/2	0.27
38-004	5/8	0.66
38-005	3/4	1.17

NUT

**SAE#
100110**



61NAB
61NTA
1461

Part #	Tube O.D.	List Price
38-010	1/4	0.49
38-011	3/8	0.54
38-012	1/2	1.02
38-013	5/8	1.39
38-014	3/4	2.84

UNION

**SAE#
100101BA**



62NAB
62NTA
1462

Part #	Tube O.D.	List Price
38-019	1/4	2.25
38-020	3/8	3.78
38-021	1/2	5.13
38-022	5/8	8.92
38-023	3/4	15.93

BULKHEAD UNION



62NBH
1474
475

Part #	Tube O.D.	List Price
38-028	1/4	7.20
38-029	3/8	8.82
38-030	1/2	15.3

STAINLESS STEEL INSERT

• For SAE #
J844 Tubing

59A
63NTA



Part #	Tube O.D.	List Price
38-035	1/4	0.36
38-036	3/8	0.45
38-037	1/2	0.63
38-038	5/8	1.71
38-039	3/4	2.07

BRASS INSERT

1484
463




Part #	Tube O.D.	List Price
38-040	1/4	0.21
38-041	3/8	0.26
38-042	1/2	0.70
38-043	5/8	0.40
38-048	3/4	0.94

TEE

**SAE#
100401BA**

64NAB
264NTA
1464



Part #	Tube O.D.	List Price
38-044	1/4	6.25
38-045	3/8	6.45
38-046	1/2	10.60
38-047	5/8	26.82

REDUCING TEE

Part #	1	2	3	List Price
38-049	3/8	3/8	1/4	17.84
38-050	3/8	3/8	1/2	17.52
38-057	1/2	1/2	3/8	18.27

**SAE#
100201BA**

ELBOW



64NAB
265NTA
1465

Part #	Tube O.D.	List Price
38-052	1/4	4.36
38-053	3/8	4.55
38-054	1/2	8.25
38-055	5/8	15.89

BULKHEAD UNION



Part #	Tube O.D.	List Price
38-024	1/4	7.20
38-025	3/8	8.64

FEMALE ADAPTER

**SAE#
100103BA**



66NAB
66NTA
1466
66NBH

TUBE O.D. X FEMALE PIPE

Part #	Size	List Price
38-060	1/4X1/8	3.51
38-061	1/4X1/4	3.49
38-062	3/8X1/8	2.92
38-063	3/8X1/4	3.25
38-064	3/8X3/8	3.99
38-065	1/2X3/8	6.33
38-066	1/2X1/2	6.25
38-067	5/8X3/8	9.86
38-068	5/8X1/2	10.55

**SAE#
100102BA**

MALE ADAPTER



68NAB
68NTA
1468

TUBE O.D. X MALE PIPE

Part #	Size	List Price
38-072	1/4X1/16	3.93
38-073	1/4X1/8	1.94
38-074	1/4X1/4	1.96
38-075	1/4X3/8	3.51
38-076	3/8X1/8	2.19
38-077	3/8X1/4	1.85
38-078	3/8X3/8	2.66
38-079	3/8X1/2	3.48
38-080	1/2X1/4	3.46
38-081	1/2X3/8	3.42
38-082	1/2X1/2	4.39
38-087	1/2X3/4	8.75
38-083	5/8X3/8	7.83
38-084	5/8X1/2	5.38
38-088	5/8X3/4	10.46
38-085	3/4X1/2	9.63
38-086	3/4X3/4	11.07

MALE ELBOW

**SAE#
100202BA**



1469

TUBE O.D. X MALE PIPE

Part #	Size	List Price
38-091	1/4X1/8	2.22
38-092	1/4X1/4	2.47
38-093	1/4X3/8	4.26
38-094	3/8X1/8	2.87
38-095	3/8X1/4	3.24
38-090	3/8X1/4LONG	6.68
38-101	3/8X3/8	3.17
38-102	3/8X1/2	5.00
38-103	1/2X1/4	4.96
38-104	1/2X3/8	4.62
38-109	1/2X3/8LONG	9.00
38-105	1/2X1/2	5.67
38-106	5/8X3/8	9.76
38-107	5/8X1/2	7.47
38-110	5/8X3/4	21.63
38-111	3/4X3/8	15.46
38-108	3/4X1/2	15.84

FEMALE ELBOW

**SAE#
100203BA**



70NAB
1470
270NTA

TUBE O.D. X FEMALE PIPE

Part #	Size	List Price
38-113	1/4X1/8	3.65
38-114	1/4X1/4	9.58
38-115	3/8X1/8	6.45
38-116	3/8X1/4	4.12
38-117	3/8X3/8	4.61
38-118	1/2X3/8	6.52
38-119	1/2X1/2	7.93
38-120	5/8X1/2	15.57

**SAE#
100424BA**

MALE RUN TEE



71NAB
271NTA
1471

Part #	1	2	3	List Price
38-125	1/4	x 1/8	x 1/4	6.39
38-126	1/4	x 1/4	x 1/4	8.86
38-124	3/8	x 1/4	x 1/4	8.82
38-127	3/8	x 1/4	x 3/8	6.95
38-128	3/8	x 3/8	x 3/8	7.99
38-129	1/2	x 3/8	x 1/2	10.97

Aim High

It must be borne in mind that the tragedy of life
Doesn't lie in not reaching your goal.

The tragedy lies in having no goals to reach.

It isn't a calamity to die with dreams unfulfilled,
But it is a calamity not to dream.

It is not a disaster to be unable to capture your ideal,
But it is a disaster to have no ideal to capture.

It is not a disgrace not to reach the stars,
But it is a disgrace to have no stars to reach for.

Not failure, but low aim is sin.

-Dr. Benjamin Elijah Mays

MALE BRANCH TEE

**SAE#
100425BA**



72NAB
272NTA
1472

Part #	1	2	3	List Price
38-136	1/4X1	4X1	8	6.75
38-137	1/4X1	4X1	4	7.99
38-138	3/8X3	8X1	8	6.54
38-132	3/8X1	4X1	4	11.63
38-139	3/8X3	8X1	4	5.81
38-133	1/2X1	2X1	4	13.32
38-140	3/8X3	8X3	8	6.09
38-134	1/2X3	8X3	8	11.35
38-141	1/2X1	2X3	8	8.02
38-142	1/2X1	2X1	2	11.88
38-135	5/8X5	8X1	4	15.27
38-143	5/8X5	8X1	2	23.40

SPECIAL TEES

Part #	1	2	3	List Price
38-144	3/8X3	8X1	4FIP	11.68
38-145	1/2X1	2X1	4FIP	13.03
38-146	5/8X5	8X1	4FIP	18.12

45° ELBOW

**SAE#
100302BA**




6945NAB
279NTA
1480

TUBE O.D. X MALE PIPE

Part #	Size	List Price
38-148	1/4X1/8	4.50
38-149	1/4X1/4	8.56
38-150	3/8X1/8	6.80
38-151	3/8X1/4	4.07
38-152	3/8X3/8	4.97
38-153	3/8X1/2	8.55
38-157	1/2X1/4	7.97
38-154	1/2X3/8	6.66
38-155	1/2X1/2	8.93
38-156	5/8X1/2	11.07
38-158	3/4X1/2	20.52

D.O.T. Air Brake - Copper Tubing

Brass



Tube O.D.	1/4	3/8	1/2	5/8	3/4
Thread Size-B	7/16-24	17/32-24	11/16-20	13/16-18	1-18

•Typical Application

Air brake systems.

•Pressure

Maximum operating pressure of 150 PSI.

•Vibration

Fair resistance.

•Temperature Range

-65°F to +250°F (-53°C to +121°C) with copper tubing.

•Material

CA360 Brass.

•Used With

Copper tubing in air brake systems.

•Advantages

Easy to assemble (no flaring). May be used with nylon tubing by replacing long nut and spherical sleeve with insert, rigid sleeve and nut.

•Conformance

Meets specifications and standards of SAE and DOT.

•Assembly Instructions

- 1- Cut tubing to desired length. Make sure all burrs are removed and the ends are cut square.
- 2- Slide nut and then sleeve on tubing. Threaded end "A" must face toward fitting body.
- 3- Insert tubing into fitting. Be sure tubing is bottomed on fitting shoulder.
- 4- Thread nut onto fitting body until it is hand tight.
- 5- From that point, tighten with a wrench the number of turns indicated in the chart below:

Tube Size	Additional Number of Turns from Hand Tight
1/4, 3/8	1-3/4
1/2, 5/8, 3/4	3-1/4

SLEEVE

**SAE #
120115BA**



60AB
1360

Part #	Tube OD	List Price
38-161	1/4	0.11
38-162	3/8	0.16
38-163	1/2	0.24
38-164	5/8	0.45
38-165	3/4	0.80

NUT

**SAE #
120111BA**



20961
61AB
1361

Part #	Tube OD	List Price
38-170	1/4	0.50
38-171	3/8	0.62
38-172	1/2	1.14
38-173	5/8	1.85
38-174	3/4	2.96

**SAE #
120101BA**

UNION



62AB
1362

Part #	Tube OD	List Price
38-179	1/4	1.89
38-180	3/8	3.10
38-181	1/2	5.02
38-182	5/8	9.50
38-183	3/4	15.3

TEE

**SAE #
120401BA**



264AB
1364

Part #	Tube OD	List Price
38-188	1/4	4.94
38-189	3/8	5.27
38-190	1/2	9.32
38-191	5/8	18.59

ELBOW

**SAE #
120201BA**



265AB
1365

Part #	Tube OD	List Price
38-196	1/4	3.65
38-197	3/8	4.21
38-198	1/2	6.99
38-199	5/8	11.01

FEMALE ADAPTER

**SAE #
120103BA**



66AB
1366

TUBE O.D. X FEMALE PIPE

Part #	Size	List Price
38-204	1/4X1/8	2.43
38-205	1/4X1/4	2.44
38-206	3/8X1/8	2.16
38-207	3/8X1/4	2.35
38-208	3/8X3/8	3.00
38-209	1/2X3/8	3.79
38-210	1/2X1/2	4.89
38-211	5/8X3/8	6.89
38-212	5/8X1/2	7.29

MALE ADAPTER

**SAE #
120102BA**



68AB
1368

TUBE O.D. X MALE PIPE

Part #	Size	List Price
38-217	1/4X1/8	1.89
38-218	1/4X1/4	1.81
38-219	1/4X3/8	3.20
38-220	3/8X1/8	1.87
38-221	3/8X1/4	1.87
38-222	3/8X3/8	2.06
38-223	3/8X1/2	2.88
38-224	1/2X1/4	3.02
38-225	1/2X3/8	2.85
38-226	1/2X1/2	3.81
38-227	5/8X3/8	6.12
38-228	5/8X1/2	5.18
38-229	3/4X1/2	9.23
38-230	3/4X3/4	10.44

90° MALE ELBOW

**SAE #
120202BA**



269AB
1369

TUBE O.D. X MALE PIPE

Part #	Size	List Price
38-235	1/4X1/8	2.11
38-236	1/4X1/4	2.33
38-237	1/4X3/8	5.05
38-238	3/8X1/8	2.35
38-239	3/8X1/4	2.36
38-240	3/8X3/8	2.86
38-241	3/8X1/2	4.34
38-242	1/2X1/4	3.40
38-243	1/2X3/8	3.45
38-244	1/2X1/2	4.10
38-245	5/8X3/8	8.69
38-246	5/8X1/2	7.10
38-247	3/4X1/2	13.86

LONG PATTERN ELBOW



TUBE O.D. X MALE PIPE

Part #	Size	List Price
38-249	3/8X1/4	5.33

90° FEMALE ELBOW

**SAE #
120203BA**



270AB
1370

TUBE O.D. X FEMALE PIPE

Part #	Size	List Price
38-252	1/4X1/8	4.23
38-253	1/4X1/4	5.58
38-255	3/8X1/4	3.53
38-256	3/8X3/8	3.95
38-257	1/2X3/8	5.02
38-258	1/2X1/2	6.30
38-259	5/8X1/2	9.50

**SAE #
120424BA**

RUN TEE



271AB
1371

**TUBE O.D. X MALE PIPE
(1&3)X2**

Part #	Size	List Price
38-264	1/4X1/8	6.17
38-265	1/4X1/4	5.60
38-266	3/8X1/4	5.40
38-267	3/8X3/8	6.25
38-269	1/2X1/2	8.60
38-270	5/8X1/2	15.30

**SAE #
120425BA**

BRANCH TEE



272AB
1372

**TUBE O.D. X MALE PIPE
(1&2) X 3**

Part #	Size	List Price
38-276	1/4X1/4	6.35
38-278	3/8X1/4	4.40
38-279	3/8X3/8	4.75
38-280	1/2X3/8	6.70
38-281	1/2X1/2	7.94
38-282	5/8X1/2	15.17

45° MALE ELBOW

**SAE #
120302BA**




279AB
1380

TUBE O.D. X MALE PIPE

Part #	Size	List
38-287	1/4X1/8	3.42
38-288	1/4X1/4	3.56
38-290	3/8X1/4	4.16
38-291	3/8X3/8	5.81
38-292	3/8X1/2	5.81
38-293	1/2X3/8	4.76
38-294	1/2X1/2	7.92

**D.O.T.
Air Brake Hoses/Ends**



•Typical Application

Air Brake hose connections.

Meets SAE & DOT specifications (FMVCS 10 GAL)

•Pressure

Determined by maximum working pressure for hose size. Up to 125 psi

•Material

CA360 Brass.

Temperature: -40° to + 120° F

•Advantages

Can be used for nearly any brake line. Easy to assemble with a good selection of hose end configurations. Brass material offers excellent resistance against corrosion.

•Assembly Instructions

- 1- Slide nut and sleeve onto hose. Make sure bevel edge of sleeve faces out toward fitting.
- 2- Push hose into fitting until it bottoms.
- 3- Screw nut until contact is made with body hex.

NOTE: When reassembling fitting, body and nut should be inspected. Only reuse if in proper condition. Sleeves should never be reused.

SLEEVE



#60HC
3380-A
0903610
367

HOSE I.D.

Part #	SIZE	List Price
38-300	3/8	1.10
38-301	1/2	1.89

NUT



#61HC
369
3380-B
0903624

HOSE I.D.

Part #	Size	List Price
38-306	3/8	1.22
38-307	1/2	1.99

NUT



#61HCS
0903613
3380-D
31RBSG

HOSE I.D.

Part #	Size	Thread	List Price
38-312	3/8	31/31-20	1.27
38-313	1/2	1-3/32-20	2.19

NUT AND SPRING ASSEMBLY



379
67RBSG
0999999

Part #	Size	List Price
38-015	3/8 ID	2.69
38-016	1/2 ID	4.99

ADAPTER BODY



#68B
W1391Z

HOSE I.D. X MIP

Part #	Size	List Price
38-324	3/8X1/4	1.89
38-325	3/8X3/8	1.89
38-326	3/8X1/2	1.89
38-327	1/2X3/8	6.93
38-328	1/2X1/2	6.35

MALE ADAPTER



#68HC
368
3380B-Y2
68RB

HOSE I.D. X MIP

Part #	Size	List Price
38-333	3/8X1/4	4.71
38-334	3/8X3/8	4.76
38-335	3/8X1/2	5.18
38-336	1/2X3/8	7.15
38-337	1/2X1/2	7.58

MALE ADAPTER




#68HCS
3380B-Y3
68RBGS
378

HOSE I.D. x MIP

Part #	Size	Thread	List Price
38-342	3/8X1/4	31/32	6.09
38-343	3/8X3/8	31/32	6.22
38-344	3/8X1/2	31/32	6.84
38-345	1/2X3/8	1-1/8-20	9.43
38-346	1/2X1/2	1-1/8-20	12.20

SPRING



#60SG
0901045
3380-C
377

HOSE I.D.

Part #	Size	List Price
38-351	3/8	0.71
38-352	1/2	1.46

UNION



#62HC
3380B-Y0
362

Part #	Size	Thread	List Price
38-318	3/8	31/32-30	13.84
38-319	1/2	1-1/8-20	25.18

FEMALE CONNECTOR HOSE



#66ABS
66RBSV
3380B-Y7
386

HOSE I.D. x FEMALE PIPE

Part #	Size	List Price
38-357	3/8 X 3/4-20	11.08
38-358	1/2 X 7/8-20	13.64

MALE CONNECTOR



#68ABS
09155
3380B-Y8
387

ABS x PIPE

Part #	Size	List Price
38-363	3/8X1/4	11.00
38-364	1/2X3/8	20.97

ADAPTER



#68ABS
1390
76RB
388

ABS x PIPE

Part #	Size	Thread	List Price
38-369	3/8X1/4	3/4-20	1.15
38-368	3/8X3/8	3/4-20	1.20
38-372	3/8X1/2	3/4-20	6.91
38-370	1/2X3/8	7/8-20	1.55
38-371	1/2X1/2	7/8-20	3.38

There are two types of people- those who come in the room and say, "Well, here I am," and those who come in and say "Ah, there you are."

-Frederick Collins

D.O.T. PUSH-IN TUBE FITTINGS

Meets D.O.T. FMVSS 571.106
SAE J1131 Air Brake System
Requirements

Benefits for Cost Savings & Engineering Project

- **Fast assembly:** No tools required. Simply push tubing in. Saves up to 75% of assembly time compared to standard air compression fittings. No loose parts to handle.
- **Fast disconnect:** Hold the collet collar with two fingers and pull out tube. No tools required.
- **Reusable:** Can be connected and disconnected several times.
- **Reliable sealing:** Using recommended tubing, full sealing is guaranteed.
- **Versatility:** Buna N O'ring standard. Viton and others available per request. Secure Tube Retention. Pulling on tubing only serves to tighten the connection.
- **Pre-Applied Teflon®** based pipe sealant on all male pipe threads, saving customer additional labor.
- **Full Flow Design,** provides more flow area than conventional fittings with internal tube supports even in the swivels.

DOT Fittings are constructed with an all brass captive eyelet which allows for maximum flow. The brass captive eyelet with extended length is floating and has a machined top end radius for easy installation of tubing. All male threads have a pre-applied Teflon* based pipe sealant to provide for easy assembly and leak proof seal.

- **Materials:**
CA360 Brass
"O" Ring: Buna - Nitrile (90 Durometer)
EP (Ethylene Propylene)
- **Working Pressures & Temperature Ranges**
Vacuum to 750 PSI
-40° to 200° Fahrenheit
- **Ordering Options**
The following options are **available only by customer request** and may be subject to minimum run quantities for ordering.
 - *Viton "O" Ring seals
 - Electroless Nickel Plating
 - Metric DQ Dot "One-Push" tube fittings with BSPT threads
 - Manifolds with DQ DOT One Push Cartridges.

MALE 45° ELBOW



AQ54DOT
279 PTMS
1880
DQ54DOT

Part #	Tube O.D.	Pipe Thread	List
540402	1/4	1/8	6.28
540404	1/4	1/4	7.11
540602	3/8	1/8	6.73
540604	3/8	1/4	7.95
540606	3/8	3/8	8.93
540608	3/8	1/2	7.43
540804	1/2	1/4	11.00
540806	1/2	3/8	9.88
540808	1/2	1/2	11.24
541008	5/8	1/2	14.15
541006	5/8	3/8	8.35
541208	3/4	1/2	19.08
541212	3/4	3/4	19.08

MALE 45° SWIVEL ELBOW



AQ54DOTS
279 PMT
1880
DQ54DOTS

Part #	Tube O.D.	Pipe Thread	List
540402S	1/4	1/8	9.43
540404S	1/4	1/4	9.59
540602S	3/8	1/8	8.82
540604S	3/8	1/4	8.86
540606S	3/8	3/8	9.31
540804S	1/2	1/4	11.00
540806S	1/2	3/8	7.69
540808S	1/2	1/2	11.24
541008S	5/8	1/2	17.32

PLUG



1829
DQ59DOT

Part #	A Tube	Net Price
595320	5/32	0.63
590400	1/4	0.26
590600	3/8	0.38
590800	1/2	0.54

Fitting Pictures are for reference only. Please contact us if specific style is needed.

Brass

Brass Fittings

D.O.T. Push-In

D.O.T. Push-In

Brass

UNION



AQ62DOT
162 PL
1862
DQ62DOT

Part #	Tube O.D.	List
620532	5/32	4.86
620400	1/4	3.83
620600	3/8	5.75
620800	1/2	5.63
621000	5/8	13.05
621200	3/4	21.62

UNION TEE



AQ64DOT
164 PL
1864
DQ64DOT

Part #	Tube O.D.	Net Price
645320	5/32	7.79
640400	1/4	8.29
640600	3/8	10.34
640800	1/2	13.29
641200	3/4	38.83

UNION ELBOW



AQ65DOT
165 PL
1865
DQ65DOT

Part #	Tube O.D.	Net Price
655320	5/32	8.82
650400	1/4	5.92
650600	3/8	7.24
650800	1/2	10.00

Spec sheets available upon request

FEMALE CONNECTOR



AQ66DOT
166 PL
1866
DQ66DOT

Part #	Tube O.D.	Pipe Thread	List
665322	5/32	1/8	4.69
660402	1/4	1/8	3.96
660404	1/4	1/4	5.38
660502	5/16	1/8	6.76
660602	3/8	1/8	15.24
660604	3/8	1/4	6.66
660606	3/8	3/8	7.79
660804	1/2	1/4	12.25
660806	1/2	3/8	14.73
660808	1/2	1/2	16.44

MALE CONNECTOR



AQ68DOT
168 PL
1868
DQ68DOT

Part #	Tube O.D.	Pipe Thread	List
685320	5/32	10/32	2.65
685321	5/32	1/16	3.17
685322	5/32	1/8	2.44
680302	3/16	1/8	5.40
680400	1/4	10/32	3.56
680402	1/4	1/8	2.57
680404	1/4	1/4	3.06
680406	1/4	3/8	4.58
680602	3/8	1/8	3.70
680604	3/8	1/4	3.66
680606	3/8	3/8	4.58
680608	3/8	1/2	6.59
680804	1/2	1/4	5.86
680806	1/2	3/8	5.60
680808	1/2	1/2	5.81
681006	5/8	3/8	9.15
681008	5/8	1/2	9.91
681208	3/4	1/2	9.02
681212	3/4	3/4	12.19

MALE ELBOW



AQ69DOT
169 PLNS
1869
DQ69DOT

Part #	Tube O.D.	Pipe Thread	List
695302	5/32	1/16	6.48
695322	5/32	1/8	4.00
690302	3/16	1/8	7.69
690402	1/4	1/8	4.16
690404	1/4	1/4	4.65
690406	1/4	3/8	6.16
690602	3/8	1/8	6.69
690604	3/8	1/4	5.59
690606	3/8	3/8	5.65
690608	3/8	1/2	11.26
690804	1/2	1/4	8.25
690806	1/2	3/8	7.85
690808	1/2	1/2	11.58
691006	5/8	3/8	12.69
691008	5/8	1/2	13.29
691208	3/4	1/2	16.79
691212	3/4	3/4	21.08

MALE SWIVEL ELBOW



AQ69DOTS
169 PL
1869
DQ69DOTS

Part #	Tube O.D.	Pipe Thread	List
695320S	5/32	10/32	6.51
690400S	1/4	10/32	6.51
690402S	1/4	1/8	5.00
690404S	1/4	1/4	5.60
690406S	1/4	3/8	7.74
690602S	3/8	1/8	6.69
690604S	3/8	1/4	8.13
690606S	3/8	3/8	6.86
690608S	3/8	1/2	11.65
690804S	1/2	1/4	20.49
690806S	1/2	3/8	10.26
690808S	1/2	1/2	12.81
691006S	5/8	3/8	13.41
691008S	5/8	1/2	15.38
691208S	3/4	1/2	26.22
691212S	3/4	3/4	27.59

FEMALE ELBOW



AQ70DOTS
1870
DQ70DOTS

Part #	Tube O.D.	Pipe Thread	List
705322	5/32	1/8	4.79
700402	1/4	1/8	4.57
700404	1/4	1/4	5.24
700406	1/4	3/8	8.41
700602	3/8	1/8	5.71
700604	3/8	1/4	6.08
700606	3/8	3/8	8.91
700804	1/2	1/4	7.14
700806	1/2	3/8	6.64
700808	1/2	1/2	10.00

FEMALE SWIVEL ELBOW




AQ70DOTS
DQ70DOTS

Part #	Tube O.D.	Pipe Thread	List
705322S	5/32	1/8	4.54
700402S	1/4	1/8	5.98
700404S	1/4	1/4	7.76
700604S	3/8	1/4	8.48
700606S	3/8	3/8	11.43

*Fitting Pictures are for reference only.
Please contact us if specific style is needed.*

MALE RUN TEE



AQ71DOTS
171 PL
1871
DQ71DOTS

Part #	Tube O.D.	Pipe Thread	List
715322	5/32	1/8	6.64
710402	1/4	1/8	6.43
710404	1/4	1/4	6.51
710602	3/8	1/8	8.59
710604	3/8	1/4	9.13
710606	3/8	3/8	8.80
710608	3/8	1/2	10.59
710806	1/2	3/8	11.92

MALE SWIVEL RUN TEE



AQ71DOTS
171PL
1871
DQ71DOTS

Part #	Tube O.D.	Pipe Thread	List
715322S	5/32	1/8	6.79
710402S	1/4	1/8	8.00
710404S	1/4	1/4	9.19
710604S	3/8	1/4	11.28
710606S	3/8	3/8	11.82
710804S	1/2	1/4	14.64
710806S	1/2	3/8	13.82
710808S	1/2	1/2	16.75

MALE BRANCH TEE



AQ72DOT
172 PL
1872
DQ72DOT

Part #	Tube O.D.	Pipe Thread	List
725322	5/32	1/8	6.64
720302	3/16	1/8	7.14
720402	1/4	1/8	6.73
720404	1/4	1/4	7.24
720406	1/4	3/8	8.89
720602	3/8	1/8	8.64
720604	3/8	1/4	9.12
720606	3/8	3/8	9.65
720804	1/2	1/4	9.85
720806	1/2	3/8	11.92
720808	1/2	1/2	12.00

MALE SWIVEL BRANCH TEE



AQ72DOTS
172 PL
1872
DQ72DOTS

Part #	Tube O.D.	Pipe Thread	List
725320S	5/32	10/32	7.93
725322S	5/32	1/8	8.79
720400S	1/4	10/32	10.57
720402S	1/4	1/8	8.11
720404S	1/4	1/4	8.98
720406S	1/4	3/8	7.33
720602S	3/8	1/8	9.63
720604S	3/8	1/4	10.88
720606S	3/8	3/8	11.85
720804S	1/2	1/4	13.68
720806S	1/2	3/8	13.71
720808S	1/2	1/2	16.28

BULKHEAD UNION



AQ82DOT
62PLBH
1874
DQ82DOT

Part #	Tube O.D.	List
820400	1/4	7.90
820600	3/8	12.01
820800	1/2	13.58
821000	5/8	18.22

FEMALE BULKHEAD UNION



AQ86DOT
1873
DQ86DOT

Part #	Tube O.D.	F-Pipe Thread	List
860402	1/4	1/8	5.92
860404	1/4	1/4	6.80
860604	3/8	1/4	6.54
860606	3/8	3/8	6.73
860808	1/2	1/2	12.00

Fitting Pictures are for reference only. Please contact us if specific style is needed.

How to call the Police

George Phillips of Meridian Mississippi was going to bed when his wife told him that he'd left the light on in the garden shed, which she could see from the bedroom window. George opened the back door to go turn off the light but saw that there were people in the shed stealing things. He phoned the police, who asked "Is someone in your house?" and he said no. Then they said that all patrols were busy, and that he should simply lock his door and an officer would be along when available. George said "Okay," hung up, counted to 30, and phoned the police again. "Hello, I just called you a few seconds ago because there were people in my shed. Well, you don't have to worry about them now cause I've just shot them all." Then he hung up. Within five minutes three police cars an Armed Response unit, and an ambulance showed up at the phillips residence. Of course, the police caught the burglars red-handed. One of the policemen said to George: "I thought you said that you'd shot them! George said, "I thought you said there was nobody available!"

(True Story)

**BRASS SPLIT SLEEVE DOT
FITTINGS (5/32 O.D.)**

COLLET



Part#	Tube O.D.	List Price
38-711	5/32	0.67

NUT



Part#	Tube O.D.	List Price
38-732	5/32	0.90

DOUBLE END UNION



Part#	Tube O.D.	List Price
38-761	5/32	7.63

CONNECTOR



Part#	Tube O.D.	Pipe Thread	List
38-769	5/32	1/16	4.70
38-770	5/32	1/8	4.73

ELBOW



Part#	Tube	Pipe Thread	List Price
38-718	5/32	1/8	3.56

AIR BRAKE TUBING



- SAE J844, Type 3 A & B & DOT FMVSS 106
- Nylon inner tube with open ply nylon fiber reinforcement and nylon cover.
- 40° F to +200° F temperature range.
- 150 P.S.I. max. working pressure

Part#	Type A	Color	Length	List
38-950	1/8	Black	100'	32.85
38-950-3	1/8	Black	1000'	211.50
38-952	1/4	Black	100'	66.60
38-952G	1/4	Green	100'	66.60
38-952R	1/4	Red	100'	66.60
38-952U	1/4	Blue	100'	66.60
38-952-2	1/4	Black	500'	308.25
38-952-3	1/4	Black	1000'	540.74

AIR BRAKE TUBING

Part#	Type B	Color	Length	List
38-960	3/8	Black	100'	182.70
38-960R	3/8	Red	100'	182.70
38-960U	3/8	Blue	100'	182.70
38-960Y	3/8	Yellow	100'	182.70
38-960B5	3/8	Black	500'	593.08
38-965	1/2	Black	100'	249.30
38-965R	1/2	Red	100'	249.30
38-965B5	1/2	Black	500'	778.15
38-970	5/8	Black	100'	286.30
38-975	3/4	Black	100'	373.50

NOTE: The Synflex, Parker and Eaton tubing must be torqued at 47 in. pounds.

Any other 5/32 DOT tubing used, tubing or fitting manufacturer should be contacted for proper torque requirements.

People may forget how fast you did a job, but they will remember how well you did it.



STEEL BRAKE LINES FOR DOMESTIC VEHICLES

Length	Catalog Number 3/16"		Catalog Number 1/4"		Catalog Number 5/16"		Catalog Number 3/8"	
	O.D.	List	O.D.	List	O.D.	List	O.D.	List
6"	38-930	2.61	—	—	—	—	—	—
8"	38-931	2.52	—	—	—	—	—	—
10"	38-932	2.90	—	—	—	—	—	—
12"	38-933	2.93	—	—	—	—	38-985	3.85
20"	38-934	3.38	—	—	—	—	38-986	4.59
30"	38-935	4.14	38-943	4.34	—	—	—	—
40"	38-936	4.70	38-944	5.02	—	—	38-988	6.80
51"	38-937	5.47	38-945	5.76	38-984	6.50	38-989	8.03
60"	38-938	7.00	38-946	6.48	—	—	38-990	8.53
72"	38-939	6.82	—	—	—	—	—	—

NOTE: 3/16" and 1/4" tube assemblies have one long and one short inverted nut.

**AIR BRAKE ACCESSORIES
GLADHAND COUPLINGS**

- Die Cast Aluminum Body
- Conforms to SAE J318
- Connects to 1/2" pipe



SERVICE (Signal) Blue
connects only to Service
Part# 38-712 List Price 8.42

EMERGENCY (Supply Line) Red
connects only to emergency
38-714 8.42

UNIVERSAL - Gold
connects to all three styles
38-716 8.42

GLADHAND SEAL



Part# 38-720 Full Face List Price 0.92

HEX BALL FOOT CHUCK



Part # 46-600 1/4fpt live air List Price 2.11

**BALL FOOT CHUCK WITH
1/4 I.D. HOSE BARB**



Part # 46-607 1/4 I.D. Live air List Price 1.97

DUAL FOOT CHUCKS

6999 99941
693 50-065
108 6569
DFG-1



Standard straight-on chuck with 30° reverse angle chuck,
1/4" NPT female thread

Part # 320-000 List Price 9.25

ANGLE CHUCK



For inner dual wheels with tilted valves.
Has 6" extension and 1/4" NPT female thread

Part # 320-005 List Price 6.34

Brass

AIR BRAKE HOSES

AIR BRAKE HOSE



- Spiral synthetic cord reinforcement with neoprene cover.
- 40° F TO +200° F temperature range.
- Max operating pressure 255 psi
- Max burst pressure 900 psi

Part#	I.D.	O.D.	Length	Price
38-910	3/8	3/4	50'	70.70
38-915	1/2	7/8	50'	74.70

FUEL LINE AND VAPOR EMISSION



- SAE 30R7
- Nitrile tube w/ spiral synthetic cord, hypalon cover.
- 50 p.s.i. working pressure. 1/2 -35 PSI
- 40° F to + 257° F temperature range.
- Low pressure/ high temperature fuel for cars, light trucks, and small engines.

Part#	I.D.	O.D.	Length	Price
38-920	3/16	13/32	25'	68.09
38-926	5/16	9/16	25'	79.65
38-923	1/4	.50	25'	71.89
38-927	3/8	.63	50'	61.09


Procrastination

A painfully shy man fell in love with a young woman. He sensed she felt the same way, but he couldn't find the courage to ask her out.


Finally he decided he would mail her a love letter every day for one year, and then ask her for a date.

Faithfully, he followed his plan, and at year's end he was courageous enough to call her - only to discover she'd married the letter carrier.

**COILED AIRBRAKE
TUBE ASSEMBLIES**



RED



Blue

- Conforms to SAE J844 Type B and SAE J1131.
- Conforms to DOT FMVSS 571. 106.
- Maximum Working Pressure 150 PSI,
- Minimum Burst 950 PSI.
- Temperature Range -40° F to 200° F.
- Brass end with spring guards and 1/2" male pipe connectons.
- Spring guards zinc plated for maximum corrosion resistance.
- Color coding, red for emergency and blue for service, provides you with error free installation.
- Preassembled for immediate installation.
- 1/2" O.D. with 1/2" fitting.

Each contains 1 red, 1 blue.

Part#	Working Length	Pigtail Length	List Price
38-700	12'	6"	77.16
38-705	12'	12"	115.26
38-710	15'	12"	84.60

If opportunity doesn't knock,
build a door.

BRASS FUEL HOSE FITTINGS

Typical Application: Low pressure air, fuel and oil applications. Generally used for automotive, light truck, and small engine fuel lines. Use with fuel hose SAE 30R7 & SAE 30R9.

Advantages: Easy to assembly, just push the fitting into the hose clamp. Good selection of configurations at reasonable cost.

MALE CONNECTOR



HOSE BARB X MALE PIPE

Part #	I.D.	Size	List Price
38-800	3/16	1/8	15411.00
38-802	1/4	1/8	15370.69
32-377	1/4	1/4	15810.89
38-806	5/16	1/8	15510.60
38-808	5/16	1/4	15551.16
38-810	3/8	1/8	15650.93
32-381	3/8	1/4	15641.16
32-382	3/8	3/8	15661.99
32-383	1/2	3/81.44
32-384	1/2	1/22.09
32-182	5/8	3/8	14113.09
32-385	5/8	1/2	14312.14
32-387	3/4	1/2	14302.22
32-388	3/4	3/43.04
32-185	1	3/46.71

**INVERTED FLARE
MALE CONNECTOR**



HOSE BARB X INVERTED FLARE

Part #	Hose ID	INV FLARE	List
38-828	5/16	1/4	15981.49
38-830	5/16	5/16	15600.98
38-832	5/16	3/8	15611.78
38-834	3/8	5/16	15681.80
38-836	3/8	3/8	15702.21

See Hose Clamps Starting on Page 160

90° MALE ELBOW



HOSE BARB X MALE PIPE

Part	ID	Size	List
38-860	1/4	1/8	15821.99
38-862	5/16	1/8	15561.80
38-864	5/16	1/4	15572.21
38-866	3/8	1/8	15722.03
38-868	3/8	1/4	15711.99
32-186	3/8	3/84.62
32-187	1/2	3/86.19
32-191	1/2	1/26.99
32-188	5/8	3/85.69
32-189	5/8	1/27.05
32-190	3/4	1/27.43

**INVERTED FLARE MALE SWIVEL
90° ELBOW**



HOSE BARB X TUBE O.D.

Part	ID	Tube	List
38-873	15/16	15/16	14056.65
38-874	3/8	3/8	14074.25

LONG STREET ELLS



Part #	Size	Length	List Price
28-440	1/8	1-3/16"4.55
28-441	1/8	1-7/16"4.50
28-442	1/8	1-11/16"4.70
28-443	1/8	1-7/8"5.60
28-328	1/4	1-3/16"8.00
28-329	1/4	1-7/16"6.40
28-330	1/4	1-11/16"6.40
28-331	1/4	1-7/8"8.95
28-332	1/4	2-1/4"8.85

EXTENSION ADAPTERS D.O.T.



Part #	Size	Length	List Price
28-335	1/8	1-1/4"3.97
28-336	1/8	1-3/4"4.19
28-337	1/8	3"4.95
28-338	1/4	1-9/16"3.11
28-339	1/4	1-13/16"3.24
28-340	1/4	2-1/16"3.87

DRAIN COCKS

- For use with low pressure air, water and fluids.
- Designed for a working pressure of 150 PSI.
- Hand-tightening provides a metal-to-metal seal.
- Not intended for natural gas, LPG, nuclear or aircraft applications.

GASOLINE SHUT OFF 827
w/ SCREEN FILTER



Part #	Size	List Price
46-064	1/4X1/8	15.97

AIR TANK DRAIN VALVE



150 p.s.i.

Self-sealing w/ 5ft. remote cable

Part #	Size	List Price
46-065	1/4	19.23

DRAIN COCK 150 PSI

Trunk Air Tank DCR601-4



Part#	Size	List
46-066	1/4	13.97

TRUCK DRAIN



125 P.S.I.G.

Part #	Size	List Price
46-067	1/8	37D 8.27
46-068	W15310 1/4	38D 8.27

SHUT OFF

150 p.s.i. max.



MALE PIPE X FEMALE PIPE

Part #	Size	List Price
46-069	W20332 1/4	13.07

LEVER HANDLE



840
41D
DC601
• 30 p.s.i.g.

Part #	Size	List Price
46-070	#M-41-P 1/8	7.22
46-071	#M-42-P 1/4	6.91
46-072	#M-43-P 3/8	8.88
46-073	#M-44-P 1/2	12.87

INTERNAL SEAT



DC602
808
400A
1800A

Part #	Size	List Price
46-079	6783 1/8	4.61

INTERNAL SEAT





HB - 5/16
803
305A

Part#	Size	List
46-074	130 1/8	200PA 2.48
46-075	140 1/4	201PA 2.95
46-077	230 3/8	202PA 4.15

LONG INTERNAL SEAT

809


	
46-078	46-076
Part #	Size
46-078 185 1/8
46-076 3/8 Hose I.D.
	List Price
	46-078 7.29
	46-076 7.14

Internal Seat		DC603 802
---------------	---	--------------


TEE HANDLE


Part #	Size	List Price
	#M-200-P	
46-080 1/8	6.81
	#M-201-P	
46-081 1/4	5.70
	#M-202-P	
46-082 3/8	5.65

EXTERNAL SEAT W/ SPOUT

	200A 239 DC606 807
Part#	List
46-084* 6788 1/4 1.50
*Replaces GM #511771 & Chrysler #836015	

BIBB NEEDLE VALVE

.38 Hose ID		804 DC607 2019 201DH
Part #	Size	List Price
46-088 150 302P 1/8 MIP	3.88

	
Part #	Size
46-089 120 ... 303P 1/4 MIP
	List Price
	46-089 4.83



Part #	Size	List
46-089A 6660 3/8HOSE X 1/4MIP 4.41

External Seat		320D 240 DC604 801
---------------	---	-----------------------------

RADIATOR TYPE

Part #	Size	List Price
	#M-320-P	
46-085 1/8 300A 1.29
	#M-321-P	
46-086 1/4 100A 1.26
	#M-322-P	
46-087 3/8 2000A 4.18
46-083 1/2 9.86
* 7/16" hex, for 9/16" hex order 46085A		
** 1-3/8" wide handle, 1" available 46086A		

REMOTE CONTROL DRAIN VALVES

REMOTE CONTROL DRAIN VALVES



- Brass Body and stainless steel spring
- Steel cable, nylon coated, certified to 200lbs pull test.
- Low profile to minimize accidental hits and damages.
- Pipe thread 1/4" NPTF.
- To order pre-coated pipe threads, add prefix "P" to the part number.

Part#	List
46-492 Standard 48" 12.49
46-493 Standard 60" 13.46

Brass

Brass Fittings

BRASS TRUCK VALVES



404V

HOSE TO MALE PIPE

Part #	Size	List
46-450	3/8X3/8	10.19
46-451	5/8X3/8	11.03



404V

HOSE TO MALE PIPE

Part #	Size	List Price
46-455	5/8X1/2	22.05
46-457	3/4X3/8	20.37
46-456	3/4X1/2	21.85



405V

FEMALE TO MALE PIPE

Part #	Size	List Price
46-465	3/8X3/8	12.78
46-466	3/8X1/2	18.32
46-467	1/2X1/2	17.06



409V

FLARE TO MALE PIPE

Part #	Size	List Price
46-475	1/2 x 1/2	21.96
46-476	5/8 x 1/2	17.41



412V

FLARE TO MALE PIPE

Part #	Size	List Price
46-485	5/8X1/2	18.93

Anniversaries

1. Clocks
2. China
3. Crystal
4. Electrical Appliances
5. Silverware
6. Wood
7. Desk Sets/Pens/Pencils
8. Linens and Laces
9. Leather
10. Diamond Jewelry
11. Fashion Jewelry
12. Pearls and/or Colored Gems
13. Textiles and Furs
14. Gold Jewelry
15. Watches
16. Holloware
17. Furniture
18. Porcelain
19. Bronze, Figurines
20. Platinum
25. Sterling Silver
30. Diamond
35. Jade
40. Ruby
45. Sapphire
50. Golden
55. Emerald
60. Diamond

SOLID BOTTOM FUEL VALVES

- Approved for use on Motorcraft fuel lines
- Pointer lever.
- 90° turn stop mechanism to assure positive location of the on and off positions.
- Corrosion proofed internal construction assures maximum salt atmosphere protection.
- Port hole is 1/4 (.250) diameter.
- UL listed for use in fuel oils no. 1 & no. 2, LP gas and utility gas.



8980

PIPE

FEMALE X MALE

Part #	Size	List
46-400M	1/8X1/8	24.31
46-401M	1/4X1/4	20.17
46-402M	3/8X3/8	25.02

SOLID BOTTOM VALVES

- Designed for instantaneous on-off operation.
- 360° rotation standard.
- 30 PSI
- Packed with grease.



1035D
M-70-SBV

O-RING SEALED


FIP X MIP

Part #	Size	List
46-400	1/8	15.75
46-401	1/4	14.99
46-402	3/8	17.55

**THREE AND FOUR-WAY
SELECTOR VALVES**


NON-LUBRICATED PLUG VALVES are designed to operate in systems where INSTANTANEOUS PORT SELECTION is desired. Since LUBRICANTS ARE NOT USED, relubrication is not required. There is no lubricant to freeze and lock the valve or to contaminate fine fluids. The O-RING SEALED CAP and STEM eliminate leakage to atmosphere. The mating BRASS BODY and CELCON PLUG produce a fine seal that WILL NOT SEIZE OR GALL.

Designed for PANEL or BRACKET MOUNTING. They are generally recommended for operation in GASOLINE, OIL, AIR, WATER and DETERGENT systems from minus 40° to 180°F, at a maximum operating pressure of 30 p.s.i.g. The fluid port size is 9/32 (.281) diameter for 1/8 and 1/4 sizes, 5/16 (.312) diameter for the 3/8 size. (Consult factory for applications requiring a higher pressure).



Type 1 (Standard)


A pronounced "click" may be felt at each position. Handle travel is not restricted.



PANEL MOUNTING AVAILABLE

To change and change for the better are two separate things

**THREE-WAY VALVES
(Side Outlet)**



V406P

LESS CLICK

Part #	A-B-C Female of Pipe Thread	Length of Stem	List
46-247	1/4	1-3/8"	21.60
46-248	3/8	1-3/8"	23.81


M-108-MID WITH CLICK 360°

Part #	A-B-C Female of Pipe Thread	Length of Stem	List
46-250+	1/8	1-3/8"	22.00
46-251	1/4	1-3/8"	21.92
46-252	3/8	1-3/8"	25.38

Openings:

- Handle Pointer over A Valve Open A-C
- Handle Pointer over C Valve Open B-C
- Handle Pointer over B Valve "OFF"
- Handle Pointer over Bracket ... Valve "OFF"

**THREE-WAY VALVES
(Bottom Outlet)**



LESS CLICK

Part #	A-B-C Female of Pipe Thread	Thread of Stem	List
46-241	1/4	1-3/8"	21.69


WITH CLICK 360°

Part #	A-B-C Female of Pipe Thread	Length of Stem	List
46-243	1/8	1-3/8"	23.13
46-244	1/4	1-3/8"	23.13

Openings:

- Handle Pointer over A Valve Open A-C
- Handle Pointer over C Valve Open B-C
- Handle Pointer over B Valve "OFF"

FOUR-WAY VALVES



V407P

LESS CLICK

Part #	A-B-C-D Female of Pipe Thread	Length of Stem	List
46-257	1/4	1-3/8"	20.88

**M-114-MID WITH CLICK
(360°)**

Part #	A-B-C	Length	List
46-255	1/4	1-3/8"	23.40
46-256	3/8	1-3/8"	25.70

WITH 2-3/8" LONG STEM

M-115-MID

Part #	A-B-C	Length	List
46-260	1/4	2-3/8"	22.91

Direction of Flow on four way valves pointer at:

- a) A, D open
- b) C, D open
- c) B, D open
- bracket open

Openings:

- Handle Pointer over A Valve Open A-D
- Handle Pointer over C Valve Open C-D
- Handle Pointer over B Valve Open B-D
- Handle Pointer over Bracket ... Valve "OFF"

No one ever says "It's only a game," when their team is winning.

SHUT-OFF COCKS

- Designed for automotive or industrial use. AGA approved shut-off cocks approved for LPG and natural gas applications. Lubricant may wash out at higher pressures or with some exotic fluids.
- Designed for working pressure of 15 PSI.
- Forged brass bodies and brass handles.
- Instantaneous off-on operation with 360° rotation.

FLARE X MALE PIPE



V402F
848

Part #		List Price
46-100	1/4X1/8 27SAE.....	8.20
46-101	1/4X1/4 227SAE.....	9.80
46-102	5/16X1/8 29SAE.....	8.20
46-103	5/16X1/4 229SAE.....	10.85
46-104	3/8X1/4 57SAE.....	9.47
46-106	3/8X1/2 577SAE.....	17.93
46-107	1/2X3/8 67SAE.....	12.80

FLARE X FLARE



842
V203F
136C
Please
request
AGA values

Part #		List Price
46-115	1/4 28SAE.....	8.03
46-116	5/16 30SAE.....	11.31
46-117	3/8 58SAE.....	9.26
46-118	1/2 68SAE.....	11.26
46-119	5/8 1010SAE.....	15.44

**DID YOU KNOW.....
A DUCK'S QUACK DOES NOT ECHO,
AND NO ONE KNOWS WHY.**

FLARE X FEMALE PIPE



138C
2046

Part #		List
46-127	3/8X3/8 163SAE.....	20.16
46-125	3/8X1/2 161SAE.....	16.95
46-126*	3/8X1/2 161SAE.....	17.55
46-128	1/2X1/2 164SAE.....	21.15
46-123	5/8X1/2 164SAE.....	22.08

**Heater valve*

COMP X MALE PIPE



868
V304C
2068
133C
VC206

See page 45 to order
NUT and SLEEVE
seperately.

Part #		List Price
46-130	1/4X1/8 27-C.....	7.79
46-131	1/4X1/4 227-C.....	9.05
46-132	5/16X1/8 29-C.....	8.95
46-134	3/8X1/4 57-C.....	8.98
46-135	3/8X3/8 557-C.....	15.50

COMP X COMP



V3030F
2062
134C

See page 45 to order
NUT and SLEEVE
seperately.

Part #		List Price
46-140	1/4 28-C.....	10.03
46-141	5/16 30-C.....	8.98
46-142	3/8 58-C.....	8.98
46-143	1/2 68-C.....	13.78

FEMALE X FEMALE PIPE



V403P
132C
875

Part#		List
46-151	1/8 7.55	
46-152	1/4 7.89	
46-152T*	1/4 10.88	
46-153	3/8 12.68	
46-154	1/2 17.10	

**125 PSI*

FEMALE X MALE PIPE

880
V402P
130C



Part #	List Price
46-160 1/8 48-P	7.70
46-161 1/4 49-P	7.89
46-161T* 1/4	10.88
46-162 3/8 50-P	12.68

* 125 PSI

MALE PIPE X MALE PIPE 1V401P
890



Part #	List Price
46-165 1/8 76-P	8.13
46-166 1/4 77-P	8.55
46-166T* 1/4	11.16
46-167 3/8 78-P	12.68

* 125 PSI

**COMPRESSION X MALE PIPE
LEFT TO RIGHT ANGLE**



Part#	List Price
46-168 LEFT 1/4X1/8 79C	28.94
46-169 ... RIGHT 1/4X1/8 89C	14.12

How long a minute is depends on what side of the bathroom door you're on.

Instructions for Life in the new millennium from the Dalai Lama:

1. Take into account that great love and great achievements involve great risk.
2. When you lose, don't lose the lesson.
3. Follow the three R's: Respect for self, respect for others, responsibility for all your actions.
4. Remember that not getting what you want is sometimes a wonderful stroke of luck.
5. Learn the rules so you know how to break them properly.
6. Don't let a little dispute injure a great friendship.
7. When you realize you've made a mistake, take immediate steps to correct it.
8. Spend some time alone everyday.
9. Open your arms to change, but don't let go of your values.
10. Remember that silence is sometimes the best answer.
11. Live a good, honorable life. Then, when you get older and think back, you'll be able to enjoy it a second time.
12. A loving atmosphere in your home is the foundation for your life.
13. In disagreements with loved ones, deal only with the current situation.
14. Don't bring up the past.
15. Share your knowledge. It's a way to achieve immortality.
16. Be gentle with earth.
17. Once a year, go someplace you've never been before.
18. Remember that the best relationship is one in which your love for each other exceeds your need for each other.
19. Judge your success by what you had to give up in order to get it.
20. Approach love and cooking with reckless abandon.

BRASS AIR COCKS

- For use on low pressure air systems.
- Designed for working pressure of 80 PSI at moderate temperatures.
- Spring-key type cocks of all brass construction with stainless steel springs.
- Machine finish is standard. Polished or plated finish available at extra cost.

MIP X BIBB • tee handle
• no hex



Part #		List Price
	#6	
46-300	1/8	8.31
	#7	
46-301	1/4	12.47

MIP X BIBB

- lever handle
- no hex



Part #		List Price
	#12	
46-305	1/8	8.55
	#13	
46-306	1/4	13.28

MIP X BIBB

- tee handle
- hex



Part #		List Price
	#63	
46-310	1/8	11.38
	#64	
46-311	1/4	9.03
	#8	
46-312	3/8	10.31

MIP X BIBB

- lever handle
- hex



Part #		List Price
	#65	
46-315	1/8	9.50
	#66	
46-316	1/4	13.84
	#14	
46-317	3/8	9.98
	#15	
46-318	1/2	14.28

MIP X MIP

- tee handle
- hex



Part #		List Price
	#18	
46-320	1/8	12.37
	#19	
46-321	1/4	16.65
	#20	
46-322	3/8	11.40
	#21	
46-323	1/2	13.60

MIP X MIP

- lever handle
- hex



Part #		List Price
	#22	
46-324	1/8	11.78
	#23	
46-325	1/4	12.26
	#24	
46-326	3/8	13.82
	#25	
46-327	1/2	15.87

MIP X BIBB NOSE

- tee handle
- hex



Part #		List Price
	#26	
46-330	1/8	15.00
	#27	
46-331	1/4	17.62
	#33	
46-333	1/2	16.15

MIP X BIBB NOSE

- lever handle
- hex



Part #		List Price
	#29	
46-335	1/8	13.06
	#30	
46-336	1/4	17.90
	#31	
46-337	3/8	16.01
	#32	
46-338	1/2	18.58

FIP X FIP



- tee handle
- no hex

Part #		List Price
	#37	
46-340	1/8	10.51
	#38	
46-341	1/4	10.04
	#39	
46-342	3/8	11.92

FIPXFIP



- lever handle
- no hex

Part #		List Price
	#43	
46-345	1/8	13.84
	#44	
46-346	1/4	13.28
	#45	
46-347	3/8	13.54

FIP X FIP



- tee handle
- hex

Part #		List Price
	#55	
46-350	1/8	13.14
	#56	
46-351	1/4	10.98
	#57	
46-352	3/8	13.16

FIP X FIP



- lever handle
- hex

Part #		List Price
	#58	
46-355	1/8	12.59
	#59	
46-356	1/4	14.85
	#60	
46-357	3/8	14.49
	#60A	
46-358	1/2	15.91



- tee handle
- no hex

MIP X FIP

Part #		List Price
	#40	
46-360	1/8	9.50
	#41	
46-361	1/4	13.86
	#42	
46-362	3/8	13.41

MIP X FIP



- lever handle
- no hex

Part #		List Price
	#46	
46-365	1/8	9.26
	#47	
46-366	1/4	11.25
	#48	
46-367	3/8	16.02
	#48A	
46-368	1/2	15.64

MIP X FIP



- tee handle
- hex

Part #		List Price
	#49	
46-370	1/8	9.27
	#50	
46-371	1/4	13.86
	#51	
46-372	3/8	16.88
	#51A	
46-373	1/2	16.96

FIP X MIP



- lever handle
- hex

Part #		List Price
	#52	
46-375	1/8	9.98
	#53	
46-376	1/4	9.98
	#54	
46-377	3/8	14.01
	#54A	
46-378	1/2	15.20

Brass

NEEDLE VALVES

Made with either pin handle or pressed on handle.
Please specify if you have a preference.

- Used on instrumentation, hydraulic, and pneumatic systems.
- Designed for a maximum working pressure of 150 PSI.
- Provided with steel handles and metal-to-metal seats with fine-thread screwdown.
- Not designed for natural gas, LPG, nuclear or aircraft applications.
- Always install with pressure against the seat.


COMP X MALE PIPE



NV106C
2205
820
3068

Part #	Handle	List
	#M-133-C	
46-001	3/16X1/8	13.44
	#M-101-C	
46-002	1/4X1/8	3.00
46-002X	HEAVY PATTERN	7.30
	#M-101-C	
46-003	1/4X1/4	3.65
	#M-102-C	
46-004	5/16X1/8	5.75
	#M-143-C	
46-005	3/8X1/4	7.05

COMP X MALE PIPE-ANGLE




NV104C
2203
821
3069

Part #	Handle	List
	#M-33-C	
46-010	B 3/16X1/8	9.30
	#M-103-C	
46-011	A 1/4X1/8	2.90
46-011X	B HEAVY PATTERN	5.97
	#M-104-C	
46-012	B 1/4X1/4	8.25
46-013	B 5/16X1/8	9.50
46-014	B 5/16X1/4	16.30
	#M-303-C	
46-016	A 3/8X1/4	4.55


COMP X COMP

NV105C
3062
2201
822



Part #	Handle	List
	#M-105-C	
46-020	B 3/16	11.25
	#M-106-C	
46-021	A 1/4	3.00
	#M-107-C	
46-022	B 5/16	6.10
	#M-113-C	
46-023	A 3/8	4.40


FLARE X MALE PIPE



NV103F
2405
823
3048

Part #	Handle	List
	#M-104-SAE	
46-028	A 1/4 X 1/8	6.95
	#M-1040-SAE	
46-029	B 1/4 X 1/4	6.15
	#M-108-SAE	
46-031	B 3/8 X 1/4	8.75

FLARE X MALE PIPE



NV101F
2403
824
3049

Part #	Handle	List
	#M-103-SAE	
46-036	B 1/4X1/8	5.24
	#M-203-SAE	
46-038	B 5/16X1/8	8.50
	#M-204-SAE	
46-039	B 5/16X1/4	6.80
	#M-303-SAE	
46-040	B 3/8X1/4	6.63

FLARE X FLARE

NV102F
3042
825
2401



Part #	Handle	List
#M-110-SAE		
46-045	1/4 M-11	2.97
#M-115-SAE		
46-046	3/8 M-11	6.93

MULTI-PURPOSE AIR VENT

705



Part #	Handle	List
46-048	1/8	1.81

MALE PIPE TO MALE PIPE

NV107P
2301
826
3122



Part #	Handle	List
#M-108-P		
46-050	A 1/8	4.77
46-050X	B 1/8	5.70
#M-110-P		
46-051	A 1/4	6.75

FEMALE TO FE PIPE

NV109P
2304
817
3103



Part #	Handle	List
#M-304-P		
46-055	1/8	4.00
#M-3044-P		
46-056	1/4	5.67
46-056P	1/4 HEAVY	7.70

MALE X FEMALE PIPE

NV108P
2305
818
3120



Part #	Handle	List
#M-305-P		
46-060	A 1/8	3.87
#M-3055-P		
46-061	A 1/4	5.66
46-061L	B 1/4 LIGHT PATTERN	5.97

FLOW CONTROL NEEDLE & CHECK VALVES

- Precision calibrated, dial to determine and allow a return to required flow settings
- Safe positive stop for needle travel
- positive no-leak stem seal
- 2PSI check cracking pressure
- 1000 PSI maximum operating pressure
- One piece forged housing
- Nickel Plated available
- Suitable for natural gas

CHECK VALVE



Part#	Thread	List
20-473	1/4	47.09

FLOW CONTROL



Part#	Thread	List
20-485	1/8	52.55
20-487	1/4	62.95
20-489	3/8	83.85

NEEDLE VALVE



Part#	Thread	List
20-501	1/8	44.81
20-503	1/4	56.59
20-505	3/8	77.53
20-507	1/2	107.72

Brass Fittings

SCREW STEM SHUT-OFF VALVES NEEDLE VALVES

NEEDLE VALVES are constructed to meter fluids and gases. They are **O-RING SEALED** to eliminate valve maintenance. The O-ring is positioned between the actuating threads and the seat, and seals the closely fitted cylinder to give the lowest possible internal volume and protect threads from contamination.

NEEDLE VALVES have a medium tipped stem (37°) to offer RAPID SHUT OFF, FULL FLOW and a SEMI-METERING FUNCTION.

The standard construction is a forged brass body, brass stem, thrust washer, cap and a BUNA "N" 'O' - RING seal. This valve is rated for 1,000 p.s.i.g. service from -40° to 250° F.

FACTORY MUST BE CONSULTED WHEN VALVES ARE TO BE USED WITH FLAMMABLE FLUIDS IN ORDER TO DETERMINE WORKING PRESSURE AND O-RING COMPATIBILITY.

COMPRESSION AND FLARE ENDS CAN BE SUBSTITUTED FOR PIPE ENDS IN MOST CASES
(Price on application)



MIP X FIP STRAIGHT

Part#	Pipe Thread Inlet Outlet	Style	Maximum Orifice	List
46-768	1/8MaleX1/8Female	Regular	.141	24.93
46-769	1/8MaleX1/8Female	Panel Mntg.	.141	33.35
46-770	1/4MaleX1/4Female	Regular	.188	25.52
46-771	1/4MaleX1/4Female	Panel Mntg.	.188	34.02

MIP X MIP STRAIGHT

Part#	Thread	Straight Style	Maximum Orifice	List
46-774	1/8MaleX1/8Male	Regular	.141	24.93
46-775	1/8MaleX1/8Male	Panel	.141	33.35
47-776	1/4MaleX1/4Male	Regular	.188	25.52
46-777	1/4MaleX1/4Male	Panel	.188	34.02

FIP X FIP STRAIGHT

Part#	Thread	Straight Style	Maximum Orifice	List
46-780	1/8FemaleX1/8Female	Regular	.172	24.93
46-781	1/8FemaleX1/8Female	Panel	.172	33.35
46-782	1/4FemaleX1/4Female	Regular	.188	25.52
46-783	1/4FemaleX1/4Female	Panel	.188	34.02



MIP X FIP ANGLE

Part#	Thread Orifice	Style	Maximum	List
46-786	1/8MaleX1/8Female	Regular	0.188	24.08
46-787	1/8MaleX1/8Female	Panel Mntg.	0.188	32.40
46-788	1/4MaleX1/4Female	Regular	0.281	24.66
46-789	1/4MaleX1/4Female	Panel Mntg.	0.281	33.03

MIP X MIP ANGLE

Part#	Thread	Style	Maximum Orifice	List
46-792	1/8MaleX1/8Male	Regular	.188	24.08
46-793	1/8MaleX1/8Male	Panel	.188	32.40
46-794	1/4MaleX1/4Male	Regular	.281	24.66
46-795	1/4MaleX1/4Male	Panel	.281	33.03

FIP X FIP ANGLE

Part#	Thread	Style	Maximum Orifice	List
46-798	1/8FemaleX1/8Female	Regular	.188	24.08
46-799	1/8FemaleX1/8Female	Panel	.188	32.40
46-800	1/4FemaleX1/4Female	Regular	.281	24.66
46-801	1/4FemaleX1/4Female	Panel	.281	33.03

SPECIAL VERSIONS

Many special versions of these valves have been produced for other services. If your application is not described here or covered by our recommendations, please contact us. It is quite possible that one of these valve types can be economically adapted to your requirements.

*We could learn a lot from crayons:
some are sharp, some are pretty,
some are dull, some have weird
names, and all are different colors...
but they all exist very nicely in the
same box*

Brass Fittings

MICRO-METERING VALVES

VALVES offer PRECISE FLUID CONTROL through a full metering tip (5°) and lubricated micrometer threads. Our O-ring seal arrangement eliminates contamination of system media by the thread lubricant.

The standard construction is forged brass body, brass stem and cap, a CELCON* thrust bearing and a BUNA "N" 'O'-RING seal. It is rated for 3,500 p.s.i.g. service from -40° to 150° F.

Many variations and modifications have been made in these valves to accommodate customer applications. It is quite possible they can be economically adapted to your requirements.



MIP X FIP STRAIGHT

Part #	Pipe thread		Style	Maximum Orifice	List
	Inlet	Outlet			
46-741	1/8Male	X1/8Female	Regular	.102	29.84
46-742	1/8Male	X1/8Female	Panel Mntg.	.102	37.98
46-743	1/4Male	X1/4Female	Regular	.172	33.03
46-744	1/4Male	X1/4Female	Panel Mntg.	.175	38.66

MIP X MIP STRAIGHT

Part #	Pipe thread		Style	Maximum Orifice	List
	Inlet	Outlet			
46-745	1/8Male	X1/8Male	Regular	.102	29.83
46-746	1/8Male	X1/8Male	Panel Mntg.	.102	37.98
46-747	1/4Male	X1/4Male	Regular	.172	33.03
46-748	1/4Male	X1/4Male	Panel Mntg.	.172	38.66

FIP X FIP STRAIGHT

Part #	Pipe thread		Style	Maximum Orifice	List
	Inlet	Outlet			
46-752	1/8Female	X1/8Female	Regular	.141	29.84
46-753	1/8Female	X1/8Female	Panel	.141	37.98
46-754	1/4Female	X1/4Female	Regular	.172	33.03
46-755	1/4Female	X1/4Female	Panel	.172	38.66

Don't tell me how hard you work. Tell me how much you get done.

-James Ling in Newsweek



MIP X FIP ANGLE

Part #	Pipe thread		Style	Maximum Orifice	List
	Inlet	Outlet			
46-756	1/8Male	X1/8Female	Regular	.182	28.84
46-757	1/8Male	X1/8Female	Panel	.182	36.99
46-758	1/4Male	X1/4Female	Regular	.182	29.57
46-759	1/4Male	X1/4Female	Panel	.182	37.67

MIP X MIP ANGLE

Part #	Pipe thread		Style	Maximum Orifice	List
	Inlet	Outlet			
46-760	1/8Male	X1/8Male	Regular	.182	28.94
46-761	1/8Male	X1/8Male	Panel	.182	36.99
46-762	1/4Male	X1/4Male	Regular	.182	29.57
46-763	1/4Male	X1/4Male	Panel	.182	37.67

FIP X FIP ANGLE

Part #	Pipe thread		Style	Maximum Orifice	List
	Inlet	Outlet			
46-764	1/8Female	X1/8Female	Regular	.182	28.94
46-765	1/8Female	X1/8Female	Panel	.182	36.99
46-766	1/4Female	X1/4Female	Regular	.182	29.57
46-767	1/4Female	X1/4Female	Panel	.182	37.76

COMPRESSION AND FLARE ENDS CAN BE SUBSTITUTED FOR PIPE ENDS IN MOST CASES

Some valves only available on made-to-order basis.

Creative Thinking

An elderly man, harassed by the taunts of the neighborhood children, devised a scheme. He offered to pay them a dollar each if they would return on Tuesday and yell their insults again.

The children did so eagerly and received the money. Then he told them he would pay only 25 cents on Wednesday. When they returned, insulted him again and collected their quarters, he informed them that Thursday's rate would be just a penny. "Forget it," they said- and never taunted him again

-Alfie Kohn in *The Boston Globe*

Brass Fittings

TOGGLE VALVES

TOGGLE SHUT OFF VALVES are constructed to INSTANTANEOUSLY OPEN and CLOSE the flow of fluids and gases. It is ideally suited for use in gas sampling and analysis systems as well as test equipment.

This valve is O-RING SEALED to eliminate leakage and maintenance. The O-ring is positioned between the operating mechanism and the seat, and seals the closely fitted cylinder to give the lowest possible internal volume and protect the mechanism from contamination.

The standard construction is forged brass body, brass cylinder, cap and lever, Viton seat, BUNA "N" 'O' RING seal, steel spring, and stainless steel lever pin.

This valve is rated for 200 p.s.i.g. service from -40° to 250° F and is available in the angle and straight pattern, both of which are available for panel or bracket mounting.



MIP X FIP STRAIGHT

Part #	Pipe thread		Style	Maximum Orifice	List
	Inlet	Outlet			
46-804	1/8Male	X1/8Female	Regular	.102	24.93
46-805	1/8Male	X1/8Female	Panel Mntg.	.102	33.35
46-806	1/4Male	X1/4Female	Regular	.172	25.52
46-807	1/4Male	X1/4Female	Panel Mntg.	.175	34.02

MIP X MIP STRAIGHT

Part #	Pipe thread		Style	Maximum Orifice	List
	Inlet	Outlet			
46-808	1/8Male	X1/8Male	Regular	.102	24.93
46-809	1/8Male	X1/8Male	Panel Mntg.	.102	33.35
46-810	1/4Male	X1/4Male	Regular	.172	25.52
46-811	1/4Male	X1/4Male	Panel Mntg.	.172	34.02

FIP X FIP STRAIGHT

Part #	Pipe thread		Style	Maximum Orifice	List
	Inlet	Outlet			
46-812	1/8Female	X1/8Female	Regular	.141	24.93
46-813	1/8Female	X1/8Female	Panel	.141	33.75
46-814	1/4Female	X1/4Female	Regular	.172	25.52
46-815	1/4Female	X1/4Female	Panel	.172	34.02



MIP X FIP ANGLE

Part #	Pipe thread		Style	Maximum Orifice	List
	Inlet	Outlet			
46-816	1/8Male	X1/8Female	Regular	.182	24.08
46-817	1/8Male	X1/8Female	Panel	.182	32.40
46-818	1/4Male	X1/4Female	Regular	.182	24.66
46-819	1/4Male	X1/4Female	Panel	.182	33.03

MIP X MIP ANGLE

Part #	Pipe thread		Style	Maximum Orifice	List
	Inlet	Outlet			
46-820	1/8Male	X1/8Male	Regular	.182	24.08
46-821	1/8Male	X1/8Male	Panel	.182	32.40
46-822	1/4Male	X1/4Male	Regular	.182	24.66
46-823	1/4Male	X1/4Male	Panel	.182	33.03

FIP X FIP ANGLE

Part #	Pipe thread		Style	Maximum Orifice	List
	Inlet	Outlet			
46-824	1/8Female	X1/8Female	Regular	.182	24.08
46-825	1/8Female	X1/8Female	Panel	.182	32.40
46-826	1/4Female	X1/4Female	Regular	.182	24.66
46-827	1/4Female	X1/4Female	Panel	.182	33.03

COMPRESSION AND FLARE ENDS CAN BE SUBSTITUTED FOR PIPE ENDS IN MOST CASES

Some valves only available on made-to-order basis

How to decide who to marry?

You got to find somebody who likes the same stuff. Like, if you like sports, she should like it that you like sports, and she should keep the chips and dip coming.

Alan, age 10

Brass Fittings

INDUSTRIAL INSTRUMENTATION BALL VALVES

- With Double O-RING STEM SEALS provide 20,000 leak-free performance cycles without leakage. Valves also have an exclusive stem seal design that never needs tightening and can be panel mounted for instrumentation applications. For systems with working pressures up to 1,500 p.s.i.g.
- TEFLON * Ball Seats
- Blow Out Proof Stem Seal
- Double O-Ring
- Up to 1,500 P.S.I.

FEMALE X FEMALE



Part #	Size	List
46-830	1/8 x 1/8	46.77
46-832	1/4 x 1/4	46.81
46-833	3/8 x 3/8	98.94
46-834	1/2 x 1/2	112.52

FEMALE X MALE

Part #	Size	List
46-835	1/8 x 1/8	49.12
46-838	1/4 x 1/4	49.21
46-839	3/8 x 3/8	98.94
46-840	1/2 x 1/2	112.52

MALE X MALE

Part #	Size	List
46-841	1/8 x 1/8	51.47
46-843	1/4 x 1/4	51.94
46-845	3/8 x 3/8	104.11
46-846	1/2 x 1/2	117.69

HOSE BARB X MALE PIPE THREAD

Part #	Size	List
46-849	1/4 x 1/4	60.77
46-850	3/8 x 1/4	61.01

INDUSTRIAL INSTRUMENTATION ANGLE BALL VALVES

FEMALE X FEMALE ANGLE



Part #	Size	List
46-875	1/8X1/8	46.01
46-876	1/8X1/4	46.20
46-877	1/4X1/8	46.30
46-878	1/4X1/4	46.30

FEMALE X MALE

Part #	Size	List
46-880	1/8X1/8	48.36
46-881	1/8X1/4	48.55
46-882	1/4X1/8	48.55
46-883	1/4X1/4	48.65
46-884	1/4X3/8	55.86
46-885	3/8X1/2	59.48


MALE X MALE MALE PIPE THREADS

Part #	Size	List
46-886	1/8X1/8	50.71
46-887	1/8X1/4	50.95
46-888	1/4X1/8	50.95
46-889	1/4X1/4	50.71
46-891	3/8X1/4	51.65

HOSE BIB X MALE PIPE THREAD

Part #	Size	List
46-893	1/4X1/8	55.41
46-894	1/4X1/4	55.65
46-895	3/8X1/8	55.98
46-896	3/8X1/4	55.17

INDUSTRIAL INSTRUMENTATION 3-WAY BALL VALVES



Part #	Port A	Port B	Port C	List
46-951	1/8 FPT	1/8 FPT	1/8 FPT	49.02
46-956	1/4 FPT	1/4 FPT	1/4 FPT	49.07
46-959	3/8 FPT	3/8 FPT	3/8 FPT	110.92
46-960	1/2 FPT	1/2 FPT	1/2 FPT	118.21

Any size and Any combination of male pipe, female pipe, hose barb, compression or flare connections are available...just ask!

Some valves only available on made-to-order basis

A new computer that was practically running the business in one office had suddenly stopped working. No one could locate the trouble, let alone correct it, so they were forced to call in a consultant. When he arrived, he opened his briefcase, took out a small hammer and tapped the side of the computer. It started working immediately. When he submitted his bill for \$500, the office manager was outraged. He said, "All you did was tap it with a hammer. I want an itemized bill."

The consultant took back the bill and wrote on the bottom: "Tapping computer-\$1. Knowing where to tap- \$499."

Brass Fittings

Brass Fittings

Brass Fittings

BRASS DOMESTIC MINIATURE BALL VALVES

- Working Pressure up to 1000 P.S.I.G.
 - ASTM B-16 Corrosion Resistant Brass Body.
 - Non-Adjusting Viton O-Ring Stem Seal Design Never Needs Tightening.
 - Highly Inert Teflon Seats.
 - Long Life Nickel Plated Brass Ball.
 - Blow-Out Proof Stem for Safety.
 - Temperature: -40°F to 300°F
 - 1/4 Turn Instantaneous On-Off Operation.
 - Quarter Turn Handle Design.
 - Water, Oil, and Air Pressure Systems.
 - Ideal for tight, confined areas, or when routing aesthetics are desired.
- Applications include instrumentation, gas sampling systems, high pressure gauges, test stands, hydraulic and pneumatic service lines on capital equipment.



MALE X FEMALE

Part #	Size	List
46-900	1/8 x 1/8	13.34
46-903	1/4 x 1/4	14.43



MALE X MALE

Part #	Size	List
46-910	1/8 x 1/8	13.35
46-912	1/4 x 1/4	14.34



HOSE BARB X MALE PIPE

Part #	Size	List
47-042	1/4 x 1/8	16.73
47-043	3/8 x 1/8	16.73
46-980	1/4 x 1/4	14.43
46-981	3/8 x 1/4	14.19

46-920
46-921
46-922



46-922A
46-923



46-924



46-925



FEMALE X FEMALE

Part #	Size	List
46-920	1/8 x 1/8	13.58
46-921	1/8 x 1/4	14.34
46-922	1/4 x 1/4	13.54
46-922A	1/4 x 1/4	8.42
46-923	3/8 x 3/8	11.48
46-924	1/2 x 1/2	18.32
46-925	3/4 x 3/4	20.48

U.L. TWO WAY VALVES

- Buna-N Seal, Teflon Seat
- Plated metal handle, plated brass ball.
- 250 PSI Working Pressure



U.L. TWO WAY VALVES FNPT X FNPT

Part #	Size	List
46-440	1/4 x 1/4	13.77



U.L. TWO WAY VALVES FNPT X MNPT

Part #	Size	List
46-443	1/4 x 1/4	13.77

BRASS CHECK VALVES

MAX. 2500 PSI

Cracking Pressure 1/3-3 PSI

- Bubble tight operation
- O-Ring poppet seal
- 180° max operating temp.



•SS ball and spring

MNPT X MNPT

Part#	Size	Opening Dia.	List
46-500	1/4 X 1/4	.0.187	12.47

MAX. 2500 PSI

- O-Ring poppet seal
- 180° max operating temp.



•SS ball and spring

MNPT X FNPT

Part #	Size	Opening Dia.	List
46-505	1/4 X 1/4	.0.187	12.47

MAX. 2500 PSI

- Bubble tight operation
- O-Ring poppet seal
- 180° max operating temp.



FNPT X FNPT

Part #	Size	Opening Dia.	List
46-510	1/4 X 1/4	.0.25	14.50
46-511	3/8 X 3/8	.0.375	17.00
46-512	1/2 X 1/2	.0.437	19.00


PNEUMATIC CHECK VALVES

- Max Operating Pressure: 220 psi
- Working Pressure: 14.5-145 psi
- Cracking Pressure: 2.8 psi
- Maximum Temperatures: 140° F



Materials

Body	Chrome plated Brass
Spring	Steel
O-Ring	NBR Rubber



Part#	Size	Dimensions (In.)		List
		A	B	
46-200	1/4	1.97	.67	5.31
46-201	3/8	1.97	.83	6.86
46-202	1/2	2.48	.98	8.51

FULL PORT 600WOG FORGED BRASS BALL VALVE

1/4" - 2" Gas Approved



5 PSIG
CSA AGA 3.88 5 PSIG

**ISO 9002 Manufacturer
FEATURES**

600 PSI non-shock cold water, gas, oil
- 150 PSI saturated steam


- Optional SS parts or Nickle Plated body
- Many options available
- Suitable for full range of liquids and gasses
- Minimal pressure drop due to large full size ports
- Bottom loaded, pressure retaining stem
- Pressure rated at 600psi (42 bars) WOG (non-shock) and 150psi (10.34 bars) saturated steam. Virgin TFE stem packing seal, thrust washer and seats
- Vinyl insulator on heavy duty plated carbon steel handles
- Fast 1/4 turn open or close operation

- Low operating torque
- Adjustable stem packing gland
- Maximum operating temperature: 248°F (120° C)
- Minimum operating temperature: -20°F (-40°C)
- KV: Pressure drop m³/h
- Each valve individually tested
- Forged Brass - for more strength
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem
- Deeper threads - for better connections




Female x Female

Made in Italy



Part#	Size	Dimension Inches							KV	Box	Case	List
	G	DN	A	B	C	E	CH					
943-200	1/4"	.31	1.96	1.57	3.43	.43	.74	.21	24	240	6.25	
943-201	3/8"	.39	1.96	1.57	3.43	.43	.86	.23	24	240	6.25	
943-202	1/2"	.59	2.28	1.49	3.27	.60	.94	.64	14	140	6.25	
943-203	3/4"	.78	2.44	1.57	3.27	.64	1.22	1.16	121	120	9.50	
943-204	1"	.98	2.95	1.93	3.74	.75	1.50	1.69	6	60	14.71	
943-205	1-1/4"	1.26	3.46	2.36	4.61	.84	1.89	3.50	4	40	23.04	
943-206	1-1/2"	1.57	3.94	3.00	4.61	.84	2.12	9.05	2	20	34.07	
943-207	2"	1.97	4.44	2.95	4.61	1.01	2.63	1.04	1	10	49.96	
943-208	2-1/2"	2.56	5.75	4.05	7.48	1.06	3.30	21.2	1	12	109.61	
943-209	3"	3.15	6.69	5.45	9.84	1.14	3.89	34.3	1	6	168.54	
943-210	4"	3.94	7.87	6.16	9.84	1.22	4.88	54.7	1	3	275.57	

See additional handle options on page 280



POS	Components	Materials	N
1	Body	Forged Brass	1
2	End Connection	Forged Brass	1
3	Ball	CP Brass	1
4	Ball Stems	P.T.F.E.	2
5	Stem Antif. Seat	P.T.F.E.	1
6	Stem Seat	P.T.F.E.	1
7	Brass Ring	Brass	1
8	Stem	Brass	1
9	O-Ring	NBR 80	1
10	Handle	Steel	1
11	Nut	Steel	1
12	Nut	Brass	1

FULL PORT 600WOG FORGED BRASS BALL VALUE

Gas Approved

ISO 9002 Manufacturer



Made in Italy

FEATURES

- Suitable for full range of liquids and gasses.
- Minimal pressure drop due to large full size ports.
- Bottom loaded, pressure retaining stem.
- Pressure rated at 600psi (42 bars) WOG (non-shock) and 150psi (10.34 bars) saturated steam. Virgin TFE stem packing seal, thrust washer and seats.
- Vinyl insulator on heavy duty plated carbon steel handles.
- Fast 1/4 turn open or close operation.

- Low operating torque.
- Adjustable stem packing gland.
- Maximum operating temperature: 248°F (120°C)
- Minimum operating temperature: -20°F (-40°C)
- KV: Pressure drop m³/h.
- Each valve individually tested.
- Forged Brass - for more strength.
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem.
- Deeper threads - for better connections.

Valves



MIP X FIP


Part#	Size	Box	Case	List
948-101	1/4	10	180	6.80
948-102	3/8	10	180	6.80
948-103	1/2	10	120	7.50
948-104	3/4	10	90	10.25
948-105	1	6	60	15.50
948-106	1-1/4	4	36	22.95
948-107	1-1/2	4	24	31.85
948-108	2	2	16	48.90



MIP X MIP

Part #	Size	Box	Case	List
948-111	1/4	10	180	8.50
948-112	3/8	10	180	8.50
948-113	1/2	10	120	8.50
948-114	3/4	10	90	12.90
948-115	1	6	60	19.10
948-116	1 1/4	4	36	31.00
948-117	1 1/2	4	24	42.00
948-118	2	2	16	71.00

See additional handle options on Page 280




POS	Components	Materials	N
1	Body	CW617N Forged Brass	1
2	End Connection	CW617N Forged Brass	1
3	Ball	CW617N CP Brass	1
4	Ball Stems	P.T.F.E.	2
5	Stem Antif. Seat	P.T.F.E.	1
6	Stem Seat	P.T.F.E.	1
7	Brass Ring	CW617N Brass	1
8	Stem	CW617N Brass	1
9	O-Ring	NBR 80	1
10	Handle	UNI EN 10025 Steel	1
11	Nut	UN 5771 Steel	1
12	Nut	CW617N Brass	1

**FULL PORT 600WOG FORGED
BRASS BALL VALVE
ISO 9002 Manufacturer**

600 PSI non-shock cold water,
gas, oil - 150 PSI saturated steam

FEATURES

- Many options available.
- Minimal pressure drop due to large full size ports.
- Bottom loaded, pressure retaining stem.
- Pressure rated at 600psi (42 bars) WOG (non-shock) and 150psi (10.34 bars) saturated steam. Virgin TFE stem packing seal, thrust washer and seats.
- Vinyl insulator on heavy duty plated carbon steel handles.
- Fast 1/4 turn open or close operation
- Low operating torque
- Adjustable stem packing gland.
- Maximum operating temperature: 248°F (120° C)
- Minimum operating temperature: -20°F (-40°C)
- KV: Pressure drop m³.h.
- Each valve individually tested.
- Forged Brass - for more strength.
- Tube ends to ANSI B16.22.
- Hard chromium plated solid ball.
- Bottom entry, blow-out proof stem.



Part #	Size	Box	Case	List
940-212	1/2	14	140	8.50
940-213	3/4	12	120	10.95
940-214	1	6	60	15.75
940-215	1 1/4	4	40	20.95
940-216	1 1/2	2	20	31.10
940-217	2	1	10	48.80

More sizes available on request.

See handle options on page 280

POS	Components	Materials	N
1	Body	Forged Brass	1
2	End Connection	Forged Brass	1
3	Ball	CP Brass	1
4	Ball Seats	P.T.F.E.	2
5	Stem	Brass	1
6	O-Ring	NBR 80	1
7	Handle	Steel	1
8	Nut	UNI 5771 Steel	1
9	Stem Seat	P.T.F.E.	1
10	Brass Ring	Brass	1
11	Stem Seat	P.T.F.E.	1
12	Nut	Brass	1

**Forged Brass Ball Valve
Standard Port
ISO 9002 Manufacturer**

400 PSI Non-Shock Cold Water, Oil, Gas
125 PSI Saturated Steam

1/2" - 2" Gas Approved



- Threaded ends to ANSI B1.20.1
- Each Valve individually tested
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem
- Double stem packing, Teflon seats.

Mfg. in Italy,
Yellow Handle



**FORGED BRASS BALL VALVE IPS
SCREWED ENDS**

Part #	Size	Box	Case	List
940-241	1/2	16	192	7.12
940-242	3/4	10	120	9.95
940-243	1	8	96	14.75
940-244	1-1/4	6	48	22.95
940-245	1-1/2	4	32	31.10
940-246	2	2	16	48.66

See handle options on page 280

POS	Components	Materials	N
1	Body	Forged Brass	1
2	End Connection	Forged Brass	1
3	Ball	CP Brass	1
4	Ball Stems	P.T.F.E.	2
5	Stem Antif. Seat	P.T.F.E.	1
6	Stem Seat	P.T.F.E.	1
7	Brass Ring	Brass	1
8	Stem	Brass	1
9	O-Ring	NBR 80	1
10	Handle	Steel	1
11	Nut	Steel	1
12	Nut	Brass	1

**Gas Ball Valves
ISO 9002 Manufacturer**

Manual Valve
UL LISTED
Threaded NPT

 American Gas Association

 Canadian Gas Association

Made in Italy

- Bottom entry
- Blow out proof design.
- Double viton o-rings stem seals
- Teflon seats for durability.
- Forged construction for greater strength
- Larger ports for increased flow capacity.
- For use with natural, manufactured, mixed Liquefied. petroleum and LP gas-air mixtures.
- Deeper thread connections. Smooth quarter-turn.
- Manufactured to ANSI Z21.15, C.G.A. 9.1-M81, 9.2-M88, 1/2 psig. 372 also to A.G.A. 3-8, C.G.A. CR91-002, 2 psig.
- Reversible handle.
- May be used with water 400 WOG.



GAS BALL VALVES

Part #	Size	List
943-212	1/2	6.20
943-213	3/4	7.85



**APPLIANCE CONNECTOR VALVES
FIP x FLARE**

Part #	Size	List
935-122	3/8 x 1/2	8.00
935-123	1/2 x 1/2	7.40
935-124	5/8 x 3/4	9.65

MATERIALS	
Handle Nut	Steel
Handle	Epoxy Coated Aluminum
Stem	Brass ASTM B16
Stem Seals	Viton
Seats	Teflon PTFE
Ball	Chromium Plated Brass
Body	Forged Brass
Connector	Forged Brass



**FLARE x FLARE GAS BALL VALVES
AGA/UL GAS BALL VALVES**

Part #	Size	List
935-129	3/8 x 3/8	7.40
935-130	1/2 x 1/2	8.00

FULL PORT 600WOG FORGED BRASS BALL VALUE

Made in Italy


ISO 9002 Manufacturer

FEATURES

- longer body style for longer, deeper thread connections
- One piece drawn sand blasted body.
- Finest brass according to UNI 5705-65 spec.
- Each valve is seal tested for maximum safety.
- Double seal system allows valve to be operated in both directions making installation easier.
- Aluminum handles available upon request
- Chrome plated brass ball for longer life.
- No maintenance ever required.
- Blowout-proof brass stem.
- NPT taper ANSI B1.20.1 threads.
- -4°F to +200°F temperature.
- 1/4 Turn handle with mechanical stop.



Female x Female




Part#	Size		Dimension Inches								
	G	DN	A	B	C	E	CH	KV	BOX	CASE	LIST
46-920 I	1/8"	0.24	1.51	1.2	0.9	0.31	0.83	0.9	50	500	5.00
46-922 I	1/4"	0.31	1.88	1.2	0.9	0.51	0.83	0.9	50	500	5.00
46-923 I	3/8"	0.31	1.88	1.2	0.9	0.51	0.83	0.9	50	400	5.00
46-924 I	1/2"	0.39	2.18	1.28	0.9	0.61	0.96	2.3	40	400	5.89




Made in Italy


Male x Female



Part#	Size		Dimension Inches								
	G	DN	A	B	C	E	CH	KV	BOX	CASE	LIST
46-900 I	1/8"	0.24	1.5	1.2	0.9	0.34	0.83	0.9	50	500	5.00
46-902 I	1/4"	0.31	1.77	1.2	0.9	0.48	0.83	0.9	50	500	5.00
46-903 I	3/8"	0.31	1.81	1.2	0.9	0.49	0.83	0.9	50	500	5.00
46-904 I	1/2"	0.39	2.15	1.28	0.9	0.65	0.96	2.3	40	400	5.89



POS	Components	Materials	N
1	Body	CW517n Forged Brass	1
2	Ball Seats	P.T.F.E	2
3	Ball	CW517N CP Brass	1
4	Ring Unit	CW614N Brass	1
5	Stem	CW614N Brass	1
6	Screw	UNI 5771 Steel	1
7	Handle	Nylon	1
8	O-Ring	NBR 80	1



Forged brass Mini-Ball Valves

180° operational handle, blow out proof stem. Stem with double "O" Rings

- 200 WOG
- 125SWP

FEMALE X FEMALE



Part #	Size	List
944-114	1/8X1/8	3.63
944-115	1/8X1/4	3.63
944-116	1/4X1/4	3.63
944-117	3/8X3/8	5.20
944-118	1/4X1/2	5.20
944-140	1/2X1/2	6.75

MALE X FEMALE



Part #	Size	List
944-106	1/8X1/8	3.63
944-100	1/8X1/4	3.63
944-101	1/4X1/4	3.63
944-102	1/4X3/8	5.20
944-103	3/8X3/8	5.20
944-104	1/2X1/2	6.75

MALE X MALE



Part #	Size	List
944-108	1/8X1/4	3.63
944-109	1/4X1/4	3.63
944-110	3/8X3/8	5.20
944-111	1/4X1/2	5.20
944-112	1/2X1/2	6.75

Private label handle available on volume purchases

MALE X HOSE BARB



Part #	Size	List
944-137	1/8X1/8	4.15
944-126	1/8X3/8	4.15
944-138	1/4X1/4	4.15
944-128	1/4X3/8	4.15
944-132	1/2X3/8	6.15
944-139	1/2X1/2	7.15

HOSE BARB X HOSE BARB



Part #	Size	List
944-142	1/4X1/4	6.00
944-133	5/16X5/16	8.00
944-134	3/8X3/8	6.00

FEMALE X HOSE BARB




Part #	Size	List
944-135	1/8X1/8	5.50
944-120	1/8X3/8	5.50
944-136	1/4X1/4	5.50
944-122	1/4X3/8	5.50
944-123	3/8X3/8	5.50

NO	Part Name	Material	QTY
1	Nut	Steel	1
2	Handle	Steel	1
3	Cover	PVC	1
4	O-Ring	NBR	2
5	Stem	Brass	1
6	Body	Brass	1
7	Seat	Teflon	2
8	Ball Disc	Brass	1
9	End Plug	Brass	1


3 Way Ball Valve

- Side outlet
- 200 WOG
- 125 WSP
- 180° Turn handle
- Cast Brass



Part#	Size	I	H	D	L	A	Box	Case	List
940-464	1/4"	2.16	1.73	.51	3.35	.37	15	60	18.40
940-465	3/8"	2.16	1.73	.51	3.35	.37	15	60	18.40
940-461	1/2"	2.16	1.73	.51	3.35	.55	15	60	16.00
940-462	3/4"	2.44	2.01	.75	4.72	.55	10	40	23.90
940-463	1"	3.07	3.07	.94	4.72	.67	6	24	43.50

More sizes available on a special order basis.




Nomenclature & Materials

NO	Part Name	Material	Qty
1	Nut	Steel	1
2	Spring Washer	Steel	1
3	Handle	Steel	1
4	COver	PVC	1
5	O-Ring	NBR	2
6	Stem	Brass	1
7	Body	Brass	1
8	Seat	Teflon	2
9	Ball Disc	Brass	1
10	End Plug	Brass	1
11	O-Ring	NBR	3
12	Socket	Brass	3

3 Way Ball Valve

- Bottom Outlet, Forged Brass
- 400 WOG From Bottom Port
- Side Ports 100 PSI



Part#	Size	D	G	H	L	Cv	List
940-121	1/4"	.44	1.50	2.78	1.68	5.2	31.00
940-122	3/8"	.50	1.50	2.78	1.68	5.2	31.00
940-123	1/2"	.50	1.50	2.78	1.68	5.2	34.92

Brass Gate Valves

- 200 WOG (Cold water, oil, gas)
- 125 WSP (Saturated Steam)

- Full port
- Brass pressure die cast body/bonnet- stronger than sand castings.
- Higher copper content alloy - 67% Cu
- Teflon packing with gland follower.
- Superior quality and finish.
- Each valve individually tested.
- Threaded ends to ANSI B1.20.1, Solder ends to ANSI B16.18
- Non rising stem.
- Cast iron handle.



BRASS GATE VALVES IPS


Part #	Size	Box	Case	List
940-130	1/4	10	120	5.50
940-131	3/8	10	120	5.50
940-132	1/2	10	120	5.50
940-133	3/4	10	120	7.00
940-134	1	5	60	8.50
940-135	1-1/4	4	40	14.00
940-136	1-1/2	2	30	18.00
940-137	2	1	20	26.00
940-138	2-1/2	1	8	45.00
940-139	3	1	8	74.25
940-140	4	1	4	126.50

MATERIALS

Nut	Brass
Name Plate	Aluminum
Hand	Cast Iron
Stem	Brass ASTM B16
Packing Nut	Brass ASTM B16
Packing Gland	Brass ASTM B16
Packing	Teflon Pipe
Locknut	Brass ASTM B16
Gasket	Teflon PTFE
Bonnet	Brass 67% CU
Wedge	Brass 67% CU
Body	Brass 67% CU

**CLASS 150 BRONZE
Y-PATTERN STRAINER**

- Protects regulators, pumps, meters and other controls from damage due to sediment scale, metal chips or other foreign materials
- Threaded ends
- 300 psi WOG non-shock
- 150 psi SATURATED STEAM
- Screwed cap is threaded & gasketed
- Tapped drain plug opening in cap
- 304 stainless steel screen #20 mesh
- Self cleaning
- Self cleaning can be accomplished by opening the valve or plug connected to the blow-off outlet
- Hydrostatic test pressures shell 450 P.S.I.



Part#	Size	A	B	C	D	Plug Size	Box	Case	List
940-521	1/4"	2.60	1.89	.09	.41	1/4"	10	80	13.29
940-522	3/8"	2.60	1.89	.09	.41	1/4"	10	80	13.29
940-523	1/2"	3.13	2.28	.10	.39	1/4"	10	80	14.53
940-524	3/4"	3.43	2.36	.11	.55	1/4"	8	64	19.62
940-525	1"	4.09	2.83	.12	.63	3/8"	8	48	37.02
940-526	1-1/4"	4.90	3.23	.14	.79	3/8"	1	24	48.28
940-527	1-1/2"	5.59	3.74	.15	.80	1/2"	1	16	66.00
940-528	2"	6.69	4.72	.2	1.10	1/2"	1	12	77.14
940-529	2-1/2"	8.39	5.83	.21	.93	3/4"	1	6	126.98
940-530	3"	9.06	6.69	.22	1.12	3/4"	1	4	199.69

MATERIALS	
Body	Bronze
Cap	Bronze
Screen	Type 304 S.S #20 Mesh
Gasket	Non-Asbestos
Plug	Brass

**REPLACEMENT SCREENS
304 S.S. #20 Mesh**

Part #	Size	List Price
940-523S	1/2	2.16
940-524S	3/4	2.25
940-525S	1	3.48
940-526S	1-1/4	4.20
940-527S	1-1/2	5.64
940-528S	2	7.95
940-529S	2-1/2	28.85
940-530S	3	36.80


**Cast Brass Swing
Check Valves**

- Working pressure non-shock: 200 psi W.O.G. (cold water, oil, gas) 125 psi S.W.P. (saturated steam)
- Swing type disc.
- Screwed Cap.
- Hard Seat.
- 90° Straight Pattern.
- Used to prevent reverse flow in commercial and industrial applications.
- Threaded ends to ANSI B1.20.1
- Integral seat.



**CAST BRASS SWING CHECK VALVES
IPS SCREWED ENDS**

Part #	Size	Box	Case	List
940-352	1/2	10	30	8.00
940-353	3/4	10	120	9.75
940-354	1	10	100	13.50
940-355	1-1/4	5	50	17.50
940-356	1-1/2	5	30	27.30
940-357	2	5	25	42.00
940-358	2-1/2	2	12	84.05
940-359	3	1	8	125.00
940-360	4	1	6	187.50



NO	Part	Material
1	Cap	Brass
2	Body	Brass
4	Disc	Forged Brass
5	Hinge Pin	Brass
6	Screw	Brass

IN-LINE CHECK VALVES

Brass Valves

IN-LINE CHECK VALVES

BRASS

S.S. SPRING LOADED BRONZE POPPET

For positive sealing & self-cleaning.



Insures against leakage.

- 200 WOG
- Corrosion resistant material
- Cast Red Brass body
- S.S. Spring
- Neoprene O-Ring Seal
- Can be used vertically or horizontally
- Individually boxed
- Hydraulic Burst test result: 232 Kg/cm²



Brass Check Valve (Inches)								
Part#	Size	Enters Pipe Side	A NPT	B	C	Box	Case	List
944-428	1/4"	-	1/4"	1.26	2.28	24	192	6.48
944-429	3/8"	-	3/8"	1.50	2.28	21	168	6.75
944-430	1/2"	1-1/4"	1/2"	1.77	2.43	10	100	8.35
944-431	3/4"	1-1/4"	3/4"	2.13	2.72	10	80	9.60
944-432	1"	2"	1"	2.36	3.23	10	60	16.59
944-433	1-1/4"	2-1/2"	1-1/4"	3.03	3.62	5	40	22.06
944-434	1-1/2"	3"	1-1/2"	4.21	4.04	5	30	26.46
944-435	2"	3-1/2"	2"	5.51	5.04	5	20	39.60

NO	Part	Material
1	Body	Brass
2	Stopper	Brass
3	O-Ring	NBR
4	Washer	PE
5	Spring	S.S.
6	Cap	S.S.
7	Nut	S.S.



BRASS CHECK VALVES

MAX. 2500 PSI

Cracking Pressure 1/3-3 PSI



- Bubble tight operation
- O-Ring poppet seal
- 180° max operating temp.
- SS ball and spring

MNPT X MNPT

Part#	Size	Opening Dia.	List
46-500	1/4 X 1/4	0.187	12.47

MAX. 2500 PSI



- O-Ring poppet seal
- 180° max operating temp.
- SS ball and spring

MNPT X FNPT

Part#	Size	Opening Dia.	List
46-505	1/4 X 1/4	0.187	12.47

MAX. 2500 PSI



- Bubble tight operation
- O-Ring poppet seal
- 180° max operating temp.

FNPT X FNPT


Part#	Size	Opening Dia.	List
46-510	1/4 X 1/4	0.25	14.50
46-511	3/8 X 3/8	0.375	17.00
46-512	1/2 X 1/2	0.437	19.00

PNEUMATIC CHECK VALVES

- Max Operating Pressure: 220 psi
- Working Pressure: 14.5-145 psi
- Cracking Pressure: 2.8 psi
- Maximum Temperatures: 140° F

Materials

Body	Chrome plated Brass
Spring	Steel
O-Ring	NBR Rubber



Part#	Size	Dimensions (In.)		List
		A	B	
46-200	1/4	1.97	.67	5.31
46-201	3/8	1.97	.83	6.86
46-202	1/2	2.48	.98	8.51

Valves

One Piece Standard Port Ball Valve 316 Stainless Steel 1000 PSI

•order with or without yellow locking handle.




Without Locking Handle dimensions (inches)

Part#	Size	D	L	H	W	List
949-101	1/4"	.18	2.24	1.54	3.15	16.60
949-102	3/8"	.27	2.24	1.73	3.15	16.60
949-103	1/2"	.36	2.48	2.20	3.62	18.85
949-104	3/4"	.49	2.95	2.32	3.62	22.30
949-105	1"	.59	3.50	2.80	4.13	28.35
949-106	1-1/4"	.79	4.13	3.07	4.13	42.90
949-107	1-1/2"	.98	4.65	3.27	5.08	51.90
949-108	2"	1.26	5.35	3.94	5.08	67.80

Larger sizes available on special order basis

With Locking Handle

Part#	Size	List
949-101L	1/4"	18.90
949-102L	3/8"	19.15
949-103L	1/2"	20.90
949-104L	3/4"	25.05
949-105L	1"	31.85
949-106L	1-1/4"	46.50
949-107L	1-1/2"	55.95
949-108L	2"	71.85



Item	Parts	Material
1	Plastic Cover	Plastic
2	Handle	AISI 304 SS
3	Thrust Washer	PTFE
4	Packing Ring	AISI 304 SS
5	Stem Packing	PTFE
6	Seat	PTFE
7	Seat	AISI 316 SS
8	Stem Nut	AISI 304 SS
9	Ball	316SS ASTM-A351 CF8M
10	Cap	316SS ASTM-A351 CF8M
11	Body	316SS ASTM-A351 CF8M

SS = Stainless Steel

Two Piece Full Port Ball Valve 316 Stainless Steel 1000 PSI

•order with or without yellow locking handle.




Without Locking Handle dimensions (inches)

Part#	Size	D	L	H	W	List
949-161	1/4"	.46	2.24	1.93	4.13	28.00
949-162	3/8"	.50	2.24	1.93	4.13	28.00
949-163	1/2"	.59	2.48	2.01	4.13	29.50
949-164	3/4"	.78	2.95	2.28	5.12	35.67
949-165	1"	.98	3.50	2.76	5.71	46.03
949-166	1-1/4"	1.26	4.13	2.87	5.71	66.67
949-167	1-1/2"	1.50	4.65	3.29	7.48	90.69
949-168	2"	2	5.35	3.62	7.48	131.35

Larger sizes available on special order basis

With Locking Handle

Part#	Size	List
949-161L	1/4"	31.55
949-162L	3/8"	31.55
949-163L	1/2"	33.05
949-164L	3/4"	39.52
949-165L	1"	50.88
949-166L	1-1/4"	72.52
949-167L	1-1/2"	98.54
949-168L	2"	139.30



Item	Parts	Material
1	Body	316SS ASTM-A351 CF8M
2	Body Cap	316SS ASTM-A351 CF8M
3	Ball	316SS ASTM-A351 CF8M
4	Seat	Reinforced PTFE
5	Stem	AISI 316 SS
6	Seal	Reinforced PTFE
7	Thrust Washer	Reinforced PTFE
8	Packing	Reinforced PTFE
9	Gland Nut	AISI 304SS
10/11	Nut & Washer	AISI 304SS
12	Handle	AISI 304SS
13	Plastic Cover	Plastic

SS = Stainless Steel

Private Label handles available.

See Page 280 for details

Carbon Barstock Steel Ball Valve

- For chemical and industrial applications.
- Blow-out proof stem design.
- 100% air tested under water, at 100 psi, open and closed positions.

SPECIFICATIONS

- Working Pressure: 1/4" ~ 1" 2000 psi WOG,
1-1/4" ~ 2" 1500 psi WOG,
- Temperature Range: -60° to 450°F
- End types: Threaded
- 1 piece ball valve reducing bore
- Reinforced PTFE seat



2000 PSI STANDARD PORT

Part #	Size	Box	Case	List
949-121	1/4	10	100	34.61
949-122	3/8	10	100	34.61
949-123	1/2	5	75	35.46
949-124	3/4	5	60	41.09
949-125	1	6	36	50.00
949-126	1-1/4	4	20	74.79
949-127	1-1/2	3	15	90.00
949-128	2	3	12	115.00

MATERIALS	
Body	Carbon Steel
Inscrewed Seat Retainer	Carbon Steel
Stem	S.S. 304
Ball	S.S. 304
Ball Seat	PTFE
Thrust Washer	PTFE
Cap Seat	PTFE
Packing	PTFE
Gland	Carbon Steel
Washer	Carbon Steel
Handle Nut	Carbon Steel
Handle	Carbon Steel
Handle Sleeve	Carbon Steel
Gland Nut	Carbon Steel

**STAINLESS STEEL
Check Valve**



- No Lead
- Water wells need a check valve installed above the pumps between lengths of drop pipes



Brass Check Valve (Inches)							
Part#	Size	A NPT	B	C	Box	Case	List
949-430	1/2"	1/2"	1.26	2.43	10	100	19.82
949-431	3/4"	3/4"	1.50	2.72	10	80	22.58
949-432	1"	1"	1.77	3.23	10	60	29.58

More sizes available on a special order basis.

NO	Part	Material
1	Body	S.S 304
2	Stopper	S.S 304
3	O-Ring	Viton
4	Washer	PE
5	Spring	S.S 304
6	Cap	S.S 304
7	Nut	S.S 304



WHITE PVC BALL VALVES

- Quarter turn
- Solvent ends comply with ASTM D2466
- Designed for use in residential, commercial & industrial system as well as waste water, chemical, agricultural applications, marine, food processing, swimming pools
- Corrosion resistant
- EPDM seal
- EPDM O-ring
- Fits both Sch. 40 & 80 pipe
- NSF approved
- Rated for 150 PSI at 730
- Threaded ends comply with ANSI B1.20.1

**MOULDED IN PLACE
WHITE PIPE THREADS**



Part#	Size	Box	Case	List
940-284	1/2	10	100	2.60
940-285	3/4	5	60	3.45
940-286	1	5	40	4.90
940-287	1-1/4	5	30	7.50
940-288	1-1/2	4	24	10.10
940-289	2	4	16	13.50
940-290	2-1/2	3	12	48.00
940-291	3	3	12	63.00
940-292	4	2	8	98.25

**WHITE SOCKET
SLIP X SLIP**



Part #	Size	Box	Case	List
940-294	1/2	10	100	2.60
940-295	3/4	5	60	3.45
940-296	1	5	40	4.90
940-297	1 1/4	5	30	7.50
940-298	1 1/2	4	24	10.10
940-299	2	4	16	13.50

Grey also available in some sizes. Just change prefix to 941 instead of 940. Same Price.

Hose Bibbs

3/4" Hose Thread Outlet



Garden Hose Thread Male pipe thread

Hose Bibbs

Male Pipe


Part #	Size	Box	Case	List
942-170	1/2(1/2")	12	72	4.00
942-171	3/4	12	72	4.55

FULL PORT

AUTOMATIC DRAIN & LATCH LOCK HANDLE



Valve - open position.
Drain vent shut off.



CLOSED

Valve - closed and draining occurs. Upstream seat prevents air flow. Downstream system is vented to atmosphere.

Part#	Size	Box	Case	List
948-131	1/4"			18.28
948-132	3/8"			18.28
948-133	1/2"	10	120	18.28
948-134	3/4"	10	90	26.55
948-135	1"	6	60	37.60

Do more than exist - live
 Do more than touch - feel.
 Do more than look - observe.
 Do more than read - absorb.
 Do more than hear - listen.
 Do more than listen - understand.

-John H. Rhoades

- Pipe threads to ANSI B1.20.1
- Hose threads to ANSI B 1.20.7

PLASTIC DRUM FAUCETS



The FLO-RITE faucet has been engineered to meet the demand for greater chemical resistance, using linear polyethylene for the stem.

SPECIFICATION DATA

- Body made of high-density polyethylene for greater strength and more positive thread engagement. Stem made of low density for more positive seal
- Not affected by most acids, caustics or oils. Will eliminate chemical reaction and contamination of products in drums.
- Lightweight yet strong and rugged two-piece construction. Eliminates mechanical difficulty.

“FLOW-RITE” DRUM FAUCET

Part#	Size	List
46-277	3/4	4.52



The FLO-KING faucet made of virgin polyethylene easily handles viscous materials. The faucet shoulder and gasket - made of EPDM material - provide a leakproof seal.

SPECIFICATION DATA

- Constructed of highest quality virgin polyethylene.
- Molded of attractive metallic gold plastic.
- Not affected by most acids, caustics or petroleum products.

“FLOW-KING” DRUM FAUCET

Part #	Size	List
46-278	2	37.06

CAUTION: Never use this product in temperatures exceeding 125° F or with a heated container. Failure to follow these instructions can lead to a hazardous condition

BRONZE DRUM & BARREL FAUCET VALVE

- Quarter turn operation
- 3/4” MIP inlet
- Lockable handle



MIP X FIP

Part#	Size	List
46-271	3/4 Hose Outlet	25.00

- Die cast body w/ nylon seat and steel spring
 - For use with all petroleum products except trichlorethylene
 - Lockable handle
- G261N



SELF-CLOSING STEEL DRUM & BARREL FAUCET

Part #	Size	List
46-270	3/4	7.00

BRONZE BARREL FAUCET

- Individually boxed
- Screen inlet
- Fine thread outlet
- Screen protected by plastic cap
- 3/4” MIP



SELF CLOSING BRONZE BARREL FAUCET

Part #	Size	List
46-275	3/4IPS INLET	30.92

Valves

Brass Nipples

We hereby certify that to the best of our knowledge and belief the CDA 230 alloy Red Brass Pipe from which our nipples are produced meet the requirements of ASTM Specifications B43-91 and is free of mercury contamination. The chemical analysis is 85% copper, 15% Zinc and conforms to federal Specifications WWN-35LA.

Our brass nipples meet ASTM B687-88 and MS51846 for standard brass and copper nipples, and MS51872 for extra heavy brass nipples and extra heavy copper nipples.

Threads: Nipples are threaded with American Standard taper pipe threads (NPT) in accordance with screw-thread standard for Federal Services Handbook H-28.

**RED BRASS 85%
Pipe With Threaded Ends Specifications:**

Pipe Size in Inches	Dimension in Inches		
	O.D.	I.D.	Wall Thickness
1/8"	.405	.281	.062
1/4"	.540	.376	.082
3/8"	.675	.495	.090
1/2"	.840	.626	.107
3/4"	1.050	.822	.114
1"	1.315	1.063	.126
1-1/4"	1.660	1.368	1.46
1-1/2"	1.900	1.600	.150
2"	2.375	2.063	.156
2-1/2"	2.875	2.501	.187
3"	3.500	3.062	.219
3-1/2"	4.000	3.500	.250
4"	4.500	4.000	.250
4-1/2"	5.000	4.500	.250
5"	5.563	5.063	.250
6"	6.625	6.125	.250

Standard Size (Inches)	Allowable Pressure POUNDS PER SQUARE INCH			
	@ 100° F	@ 200° F	@ 300° F	@ 400° F
1/8"	370	370	320	140
1/4"	870	870	760	330
3/8"	890	890	780	340
1/2"	900	900	790	340
3/4"	810	810	710	310
1"	630	630	560	240
1-1/4"	690	690	610	260
1-1/2"	630	630	560	240
2"	540	540	480	210
2-1/2"	450	450	390	170
3"	510	510	450	190
3-1/2"	570	570	500	220
4"	510	510	440	190
5"	410	410	360	160
6"	340	340	300	130

Nipples & Fittings

Nipple Weight Chart

Diameter	Length of Close	Close	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"
1/8"	3/4"	1.4	3.0	3.8	5.2	6.2	7.2	8.4	9.2	11.0	12.2	13.2
1/4"	7/8"	2.4	4.8	6.4	8.2	10.4	12.2	14.0	16.0	18.0	20.2	22.0
3/8"	1"	3.8	6.2	8.6	11.0	13.4	16.2	18.4	20.4	23.4	25.6	28.0
1/2"	1-1/8"	5.6	8.6	11.6	16.2	19.4	22.4	27.4	29.6	33.0	37.4	40.4
3/4"	1-3/8"	10.2	11.8	16.2	21.4	22.6	31.0	35.6	40.2	45.6	50.0	55.0
1"	1-1/2"	15.6		23.4	29.6	37.0	44.2	52.6	59.2	68.4	74.8	76.8
1-1/4"	1-5/8"	26.5		36.0	45.0	56.5	68.0	81.0	92.0	98.5	110.5	125.0
1-1/2"	1-3/4"	35.0		42.0	55.5	67.0	81.0	95.5	108.0	121.5	131.0	144.0
2"	2"	54.5			72.0	88.5	107.0	125.0	143.5	155.0	179.0	190.0
2-1/2"	2-1/2"	90.0				116.5	148.5	168.5	180.0	218.5	239.5	262.0
3"	2-5/8"	134.5				170.0	210.0	239.0	268.5	314.0	349.0	390.0
4"	2-7/8"	226.3				253.1	307.0	357.5	422.5	450.0	516.3	563.8

Approximate weight per 100 pieces. Standard Brass Nipples.

For Extra Heavy Brass multiply above weight by 1.37

Pipe Threads

1/8"-27

1/4"-18 3/8"-18 1/2"-14 3/4"-14 1"-11 1/2 1-1/4"-11 1/2

1 1/2"- 11 1/2 2"-11 1/2 2 1/2"-8

3"-8 4"-8

1/8" Diameter



Part #	Length	List
40-001	Close (3/4)	0.95
40-002	x 1-1/2"	1.07
40-003	x 2"	1.15
40-004	x 2-1/2"	1.31
40-005	x 3"	1.41
40-006	x 3-1/2"	1.52
40-007	x 4"	1.71
40-008	x 4-1/2"	1.93
40-009	x 5"	2.09
40-010	x 5-1/2"	2.26
40-011	x 6"	2.42
40-012	x 7"	2.88
40-013	x 8"	3.17
40-014	x 9"	3.63
40-015	x 10"	3.97
40-016	x 11"	4.31
40-017	x 12"	4.58
40-018	x 14"	7.00
40-019	x 16"	8.35
40-217	x 6ft.	36.03
40-218	x 12ft.	53.49

1/4" Diameter



Part #	Length	List
40-020	Close (7/8)	1.07
40-021	x 1-1/2"	1.24
40-022	x 2"	1.54
40-023	x 2-1/2"	1.51
40-024	x 3"	1.77
40-025	x 3-1/2"	2.01
40-026	x 4"	2.27
40-027	x 4-1/2"	2.57
40-028	x 5"	2.80
40-029	x 5-1/2"	3.04
40-030	x 6"	3.27
40-031	x 7"	3.89
40-032	x 8"	4.27
40-033	x 9"	4.73
40-034	x 10"	5.20
40-035	x 11"	5.68
40-036	x 12"	6.14
40-227	x 6ft.	45.84
40-228	x 12ft.	74.74

3/8" Diameter



Part #	Length	List
40-040	Close (1)	1.15
40-041	x 1-1/2"	1.29
40-042	x 2"	1.54
40-043	x 2-1/2"	1.79
40-044	x 3"	2.06
40-045	x 3-1/2"	2.66
40-046	x 4"	2.66
40-047	x 4-1/2"	3.00
40-048	x 5"	3.29
40-049	x 5-1/2"	3.50
40-050	x 6"	3.79
40-051	x 7"	4.60
40-052	x 8"	5.16
40-053	x 9"	5.79
40-054	x 10"	6.14
40-055	x 11"	6.71
40-056	x 12"	7.28
40-237	x 6ft.	61.06
40-238	x 12ft.	100.11

1/2" Diameter



Part #	Length	List
40-060	Close (1-1/8)	1.43
40-061	x 1-1/2"	1.65
40-062	x 2"	1.94
40-063	x 2-1/2"	2.30
40-064	x 3"	2.70
40-065	x 3-1/2"	3.15
40-066	x 4"	3.54
40-067	x 4-1/2"	3.91
40-068	x 5"	4.30
40-069	x 5-1/2"	4.73
40-070	x 6"	5.16
40-071	x 7"	6.07
40-072	x 8"	6.79
40-073	x 9"	7.55
40-074	x 10"	8.32
40-075	x 11"	9.11
40-076	x 12"	9.89
40-247	x 6ft.	83.21
40-248	x 12ft.	135.77

3/4" Diameter



Part #	Length	List
40-080	Close (1- 3/8)	2.05
40-081	x 1-1/2"	2.19
40-082	x 2"	2.61
40-083	x 2-1/2"	3.01
40-084	x 3"	3.47
40-085	x 3-1/2"	3.99
40-086	x 4"	4.52
40-087	x 4-1/2"	5.04
40-088	x 5"	5.55
40-089	x 5-1/2"	6.06
40-090	x 6"	6.60
40-091	x 7"	7.93
40-092	x 8"	8.91
40-093	x 9"	9.89
40-094	x 10"	10.86
40-095	x 11"	11.87
40-096	x12"	12.90
40-257	x 6ft.	113.74
40-258	x 12ft.	185.83

1" Diameter



Part #	Length	List
40-100	Close (1- 1/2)	3.03
40-101	x 2"	3.74
40-102	x 2-1/2"	4.37
40-103	x 3"	5.03
40-104	x 3-1/2"	5.82
40-105	x 4"	6.45
40-106	x 4-1/2"	7.30
40-107	x 5"	8.07
40-108	x 5-1/2"	8.84
40-109	x 6"	9.64
40-110	x 7"	11.26
40-111	x 8"	12.85
40-112	x 9"	14.94
40-113	x 10"	15.97
40-114	x 11"	17.16
40-115	x12"	18.97
40-267	x 6ft.	159.49
40-268	x 12ft.	274.00

1-1/4" Diameter



Part #	Length	List
40-120	Close (1-5/8)	4.61
40-121	x 2"	5.17
40-122	x 2-1/2"	6.08
40-123	x 3"	7.17
40-124	x 3-1/2"	8.40
40-125	x 4"	9.43
40-126	x 4-1/2"	10.47
40-127	x 5"	11.50
40-128	x 5-1/2"	12.62
40-129	x 6"	13.71
40-130	x 7"	16.25
40-131	x 8"	18.35
40-132	x 9"	21.30
40-133	x 10"	22.71
40-134	x 11"	25.42
40-135	x12"	27.07
40-277	x 6ft.	235.04
40-278	x 12ft.	364.8

1-1/2" Diameter



Part #	Length	List
40-140	Close(1-3/4)	5.95
40-141	x 2"	6.40
40-142	x 2-1/2"	7.67
40-143	x 3"	8.81
40-144	x 3-1/2"	10.12
40-145	x 4"	11.48
40-146	x 4-1/2"	12.90
40-147	x 5"	14.27
40-148	x 5-1/2"	15.62
40-149	x 6"	16.46
40-150	x 7"	19.83
40-151	x 8"	22.52
40-152	x 9"	25.21
40-153	x 10"	27.90
40-154	x 11"	30.60
40-155	x12"	33.28
40-287	x 6ft.	278.73
40-288	x 12ft.	456.00

2" Diameter



Part #	Length	List
40-160	Close (2)	9.06
40-161	x 2-1/2"	9.78
40-162	x 3"	11.29
40-163	x 3-1/2"	12.99
40-164	x 4"	14.77
40-165	x 4-1/2"	16.47
40-166	x 5"	18.26
40-167	x 5-1/2"	20.03
40-168	x 6"	21.81
40-169	x 7"	25.57
40-170	x 8"	29.09
40-171	x 9"	32.43
40-172	x 10"	36.03
40-173	x 11"	38.95
40-174	x 12"	42.91
40-175	x 18"	79.46
40-176	x 24"	105.95
40-177	x 30"	132.44
40-178	x 36"	158.93
40-279	x 6ft	307.15
40-298	x 12ft	600.00

2-1/2" Diameter



Part #	Length	List
40-180	x Close (2-1/2)	23.92
40-181	x 3"	25.00
40-182	x 3-1/2"	28.53
40-183	x 4"	31.49
40-184	x 4-1/2"	33.79
40-185	x 5"	37.17
40-186	x 5-1/2"	40.03
40-187	x 6"	43.83
40-188	x 7"	49.93
40-189	x 8"	57.34
40-190	x 9"	63.65
40-191	x 10"	70.33
40-192	x 11"	75.78
40-193	x 12"	83.14

3" Diameter



Part #	Length	List
40-200	Close (2-5/8)	32.52
40-201	x 3"	33.80
40-202	x 3-1/2"	38.23
40-203	x 4"	43.00
40-204	x 4-1/2"	47.34
40-205	x 5"	52.08
40-206	x 5-1/2"	56.59
40-207	x 6"	61.52
40-208	x 7"	71.78
40-209	x 8"	81.78
40-210	x 9"	89.55
40-211	x 10"	99.34
40-212	x 11"	108.03
40-213	x 12"	118.99

Extra Heavy Schedule 80 Red Brass Nipples and Chrome Plated Brass Available upon request

4" Diameter



Part #	Length	List
40-220	Close (2-7/8)	48.93
40-221	x 3"	49.70
40-222	x 3-1/2"	55.80
40-223	x 4"	63.64
40-224	x 4-1/2"	68.74
40-225	x 5"	75.92
40-226	x 5-1/2"	80.96
40-234	x 6"	89.40
40-229	x 8"	102.63
40-233	x 12"	169.87

Things come to those who wait, but only the things left by those who hustle.

-Abraham Lincoln

Class 125 (150) For steam, water, gas, oil and air service

Standard specifications

Materials - ASTM B62-82 (85,5,5,5)

Dimensions - ANSI B 16.15

Threads - ANSI B2.1 or BA 21 and Fed. WW-P-460

Bronze threaded fittings are manufactured from smooth-cored castings, designed to provide full flow with minimum restriction. All threads are accurately machined and gauged to ensure a perfect fit with the pipe. All fittings are individually tested under water to ensure quality.

Nipples & Fittings

90° ELBOWS



Part#	Size	List
44-100	1/8	1.33
44-101	1/4	1.33
44-102	3/8	1.33
44-103	1/2	2.00
44-104	3/4	2.72
44-105	1	4.17
44-106	1-1/4	6.65
44-107	1-1/2	8.32
44-108	2	13.51
44-109	2-1/2	25.76
44-110	3	43.43
44-112	4	100.55

90° REDUCING ELBOWS

Part#	Size	List
44-120	1/4 X 1/8	3.39
44-123	1/2 X 1/4	3.60
44-124	1/2 X 3/8	2.17
44-127	3/4 X 1/2	2.96
44-131	1 X 3/4	5.20
44-134	1-1/4 X 1	13.50
44-137	1-1/2 X 1	17.06
44-140	2 X 1	31.47

More sizes available

90° STREET ELLS



Part#	Size	List
44-160	1/8	2.00
44-161	1/4	2.00
44-162	3/8	2.00
44-163	1/2	2.51
44-164	3/4	3.54
44-165	1	5.83
44-166	1-1/4	8.95
44-167	1-1/2	11.64
44-168	2	19.74
44-169	2-1/2	29.09
44-170	3	43.63

45° ELBOWS



Part#	Size	List
44-180	1/8	1.46
44-181	1/4	1.46
44-182	3/8	1.46
44-183	1/2	1.84
44-184	3/4	2.72
44-185	1	4.59
44-186	1-1/4	7.32
44-187	1-1/2	9.16
44-188	2	14.88

More sizes available

45° STREET ELLS



Part#	Size	List
44-200	1/8	2.00
44-201	1/4	2.00
44-202	3/8	2.00
44-203	1/2	2.51
44-204	3/4	3.54
44-205	1	5.83
44-206	1-1/4	8.95
44-207	1-1/2	11.64
44-208	2	19.74

TEES



Part#	Size	List
44-250	1/8	1.84
44-251	1/4	1.84
44-252	3/8	1.84
44-253	1/2	2.33
44-254	3/4	3.33
44-255	1	5.94
44-256	1-1/4	8.33
44-257	1-1/2	11.43
44-258	2	18.71
44-259	2-1/2	35.32
44-260	3	66.35

REDUCING TEES (REDUCING ON THE BRANCH)



Part#	Size (1&2)x3	List
44-276	1/2 X 1/4	2.79
44-282	3/4 X 1/4	6.63
44-283	3/4 X 3/8	6.63
44-286	3/4 X 1/2	3.99
44-291	1 X 1/2	12.10
44-298	1 X 3/4	7.07
44-301	1-1/4 X 1/2	17.06
44-303	1-1/4 X 3/4	17.06
44-306	1-1/4 X 1	17.06

More sizes available

BULLHEAD TEES (LARGER BRANCH)



Part#	Size 1x2x3	List
44-280	1/2 X 1/2 X 3/4	4.56

REDUCING TEES (REDUCING ON THE RUN)



Part#	Size 1x2x3	List
44-287	3/4 X 1/2 X 1/2	7.28
44-296	1 X 3/4 X 3/4	12.10

CROSSES



Part#	Size	List
44-391	1/4	3.00
44-392	3/8	3.00
44-393	1/2	3.75
44-394	3/4	5.41
44-395	1	8.32
44-396	1-1/4	12.48
44-397	1-1/2	16.63
44-398	2	59.26

COUPLINGS



Part#	Size	List
44-410	1/8	1.33
44-411	1/4	1.33
44-412	3/8	1.33
44-413	1/2	1.67
44-414	3/4	2.21
44-415	1	3.33
44-416	1-1/4	5.20
44-417	1-1/2	7.07
44-418	2	11.69
44-420	3	44.42

REDUCING COUPLINGS



Part#	Size	List
44-430	1/4 X 1/8	1.42
44-431	3/8 X 1/8	1.42
44-432	3/8 X 1/4	1.42
44-433	1/2 X 1/8	2.00
44-434	1/2 X 1/4	1.79
44-435	1/2 X 3/8	1.79
44-436	3/4 X 1/4	3.03
44-437	3/4 X 3/8	2.80
44-438	3/4 X 1/2	2.80
44-440	1 X 3/8	4.78
44-441	1 X 1/2	4.38
44-442	1 X 3/4	4.38
44-444	1-1/4 X 1/2	7.83
44-445	1-1/4 X 3/4	7.07
44-446	1-1/4 X 1	7.07
44-447	1-1/2 X 1/2	16.71
44-448	1-1/2 X 3/4	9.77
44-449	1-1/2 X 1	8.95
44-450	1-1/2 X 1-1/4	8.95
44-458	2 X 1/2	14.55
44-451	2 X 3/4	14.55
44-452	2 X 1	14.55
44-453	2 X 1-1/4	13.30
44-454	2 X 1-1/2	13.30
44-461	2-1/2 X 1-1/2	39.09
44-462	2-1/2 X 2	22.86
44-456	3 X 2	51.80
44-463	3 X 2-1/2	51.80

More sizes available

CAPS



Part#	Size	List
44-470	1/8	1.00
44-471	1/4	1.00
44-472	3/8	1.00
44-473	1/2	1.32
44-474	3/4	1.75
44-475	1	2.75
44-476	1-1/4	4.17
44-477	1-1/2	5.62
44-478	2	9.56
44-480	3	30.20

UNIONS



Part#	Size	List
44-600	1/8	4.52
44-601	1/4	4.52
44-602	3/8	4.52
44-603	1/2	5.11
44-604	3/4	7.07
44-605	1	9.37
44-606	1-1/4	13.72
44-607	1-1/2	16.19
44-608	2	24.94
44-609	2-1/2	45.71
44-610	3	125.86

Domestic Bronze Fittings available on request.

Nipples & Fittings

The galleries are full of critics. They play no ball. They fight no fights. They make no mistakes because they attempt nothing. Down in the arena are the doers. They make many mistakes because they attempt many things.

Ford forgot to put a reverse gear on his first automobile and then went on to revolutionize the automobile industry with his Model T.

The man who makes no mistakes lacks boldness and the spirit of adventure. He never tries anything new. He is a brake on the wheels of progress.

-Grahm, Texas Rotary "Scandal Sheet"

HEX BUSHINGS



Part#	Size	List
44-500	1/4 X 1/8	0.84
44-501	3/8 X 1/8	0.84
44-502	3/8 X 1/4	0.84
44-503	1/2 X 1/8	1.26
44-504	1/2 X 1/4	1.05
44-505	1/2 X 3/8	1.05
44-506	3/4 X 1/8	1.26
44-507	3/4 X 1/4	1.26
44-508	3/4 X 3/8	1.46
44-509	3/4 X 1/2	1.46
44-510	1 X 1/4	2.66
44-511	1 X 3/8	2.66
44-512	1 X 1/2	2.21
44-513	1 X 3/4	2.21
44-514	1-1/4 X 1/4	4.50
44-515	1-1/4 X 3/8	4.50
44-516	1-1/4 X 1/2	4.50
44-517	1-1/4 X 3/4	3.75
44-518	1-1/4 X 1	3.75
44-519	1-1/2 X 1/4	5.83
44-520	1-1/2 X 3/8	9.70
44-521	1-1/2 X 1/2	5.83
44-522	1-1/2 X 3/4	5.83
44-523	1-1/2 X 1	4.78
44-524	1-1/2 X 1-1/4	4.78
44-525	2 X 1/4	8.53
44-527	2 X 1/2	8.53
44-528	2 X 3/4	8.53
44-529	2 X 1	8.53
44-530	2 X 1-1/4	7.07
44-531	2 X 1-1/2	7.07
44-532	2-1/2 X 1	29.15
44-534	2-1/2 X 1-1/2	14.14
44-535	2-1/2 X 2	14.14
44-537	3 X 1-1/2	24.94
44-538	3 X 2	20.78
44-539	3 X 2-1/2	20.78

More sizes available

BRONZE COUNTERSUNK PLUGS



Part#	Size	List
44-633	1/2	1.19
44-634	3/4	1.37
44-635	1	2.56
44-636	1-1/4	4.26
44-637	1-1/2	6.39
44-638	2	10.40
44-639	2-1/2	21.27
44-640	3	28.86

CORED SQUARE HEAD PLUGS



Part#	Size	List
44-650	1/8	0.88
44-651	1/4	1.01
44-652	3/8	1.12
44-653	1/2	1.39
44-654	3/4	1.60
44-655	1	2.09
44-656	1-1/4	3.12
44-657	1-1/2	3.96
44-658	2	6.25
44-659	2-1/2	17.79
44-660	3	28.43
44-662	4	55.53

SOLID SQUARE HEAD PLUGS



Part#	Size	List
44-670	1/8	0.94
44-671	1/4	1.01
44-672	3/8	1.11
44-673	1/2	1.67
44-674	3/4	2.17
44-675	1	3.70
44-676	1-1/4	6.67
44-677	1-1/2	8.65
44-678	2	13.72

HEX LOCKNUTS



Part#	Size	List
44-700	1/8	0.63
44-701	1/4	0.63
44-702	3/8	0.63
44-703	1/2	1.05
44-704	3/4	1.26
44-705	1	1.88
44-706	1-1/4	2.84
44-707	1-1/2	3.66
44-708	2	7.16

HEX NIPPLES



Part#	Size	List
44-720	1/8	2.40
44-721	1/4	2.20
44-723	1/2	3.65
44-724	3/4	4.20
44-725	1	5.45
44-726	1-1/4	8.20
44-727	1-1/2	10.40
44-728	2	16.40
44-729	2-1/2	26.15

BRONZE REDUCING NIPPLES



Part#	Size	List
44-740	1/4 X 1/8	2.40
44-741	3/8 X 1/4	2.40
44-742	1/2 X 3/8	3.65
44-743	3/4 X 1/2	4.60
44-744	1 X 1/2	5.45
44-745	1 X 3/4	6.55
44-748	1-1/4 X 1	9.02
44-750	1-1/2 X 1	11.46
44-753	1-1/2 X 1-1/4	11.46
44-760	2 X 1-1/2	17.95

More sizes available

Moral Of The Day

One day a farmer's donkey fell down into a well. The animal cried piteously for hours as the farmer tried to figure out what to do. Finally he decided the animal was old and the well needed to be covered up anyway, it just wasn't worth it to retrieve the donkey.

He invited all his neighbors to come over and help him. They all grabbed a shovel and began to shovel dirt into the well. At first, the donkey realized what was happening and cried horribly. Then, to everyone's amazement, he quieted down.

A few shovel loads later, the farmer finally looked down the well and was astonished at what he saw. With every shovel of dirt that hit his back, the donkey was doing something amazing. He would shake it off and take a step up.

As the farmer's neighbors continued to shovel dirt on top of the animal, he would shake it off and take a step up. Pretty soon, everyone was amazed as the donkey stepped up over the edge of the well and trotted off!

Life is going to shovel dirt on you, all kinds of dirt. The trick to getting out of the well is to shake it off and take a step up.

Each of our troubles is a stepping stone. We can get out of the deepest wells just by not stopping, never giving up! Shake it off and take a step up!

Remember the five simple rules to be happy:

1. Free your heart from hatred.
2. Free your mind from worries.
3. Live simply.
4. Give more.
5. Expect less.

P.S.: The donkey later came back and kicked THE CRAP out of the farmer that tried burying him.

Moral: When you try to cover your ass, it always comes back to get you.

Schedule 40 Welded
NPT threaded both ends

See Brass Nipple Section header
for detailed specifications
(They are the same)



1/8" Diameter

304 STAINLESS			316 STAINLESS	
Part#	List	Length	Part#	List
48-001	1.08	x Close (3/4")	49-001	1.25
48-002	1.41	x 1-1/2"	49-002	1.75
48-003	1.68	x 2"	49-003	2.13
48-004	1.95	x 2-1/2"	49-004	2.50
48-005	2.22	x 3"	49-005	2.88
48-006	2.49	x 3-1/2"	49-006	3.27
48-007	2.76	x 4"	49-007	3.65
48-008	3.03	x 4-1/2"	49-008	4.03
48-009	3.30	x 5"	49-009	4.41
48-010	3.57	x 5-1/2"	49-010	4.80
48-011	3.85	x 6"	49-011	5.18
48-015	6.09	x 10"		



1/4" Diameter

304 STAINLESS			316 STAINLESS	
Part#	List	Length	Part#	List
48-020	1.22	x Close (7/8")	49-020	1.40
48-021	1.51	x 1-1/2"	49-021	1.79
48-022	1.81	x 2"	49-022	2.19
48-023	2.14	x 2-1/2"	49-023	2.61
48-024	2.48	x 3"	49-024	3.03
48-025	2.81	x 3-1/2"	49-025	3.45
48-026	3.17	x 4"	49-026	3.91
48-027	3.51	x 4-1/2"	49-027	4.33
48-028	3.84	x 5"	49-028	4.75
48-029	4.17	x 5-1/2"	49-029	5.17
48-030	4.51	x 6"	49-030	5.59
48-032	5.93	x 8"		
48-034	7.27	x 10"		
48-036	8.60	x 12"		



3/8" Diameter

304 STAINLESS			316 STAINLESS	
Part#	List	Length	Part#	List
48-040	1.46	x Close (1")	49-040	1.73
48-041	1.77	x 1-1/2"	49-041	2.16
48-042	2.15	x 2"	49-042	2.65
48-043	2.56	x 2-1/2"	49-043	3.18
48-044	2.96	x 3"	49-044	3.71
48-045	3.37	x 3-1/2"	49-045	4.24
48-046	3.78	x 4"	49-046	4.77
48-047	4.19	x 4-1/2"	49-047	5.30
48-048	4.60	x 5"	49-048	5.82
48-049	5.00	x 5-1/2"	49-049	6.35
48-050	5.41	x 6"	49-050	6.88
48-052	7.18	x 8"		
48-054	8.81	x 10"		



1/2" Diameter

304 STAINLESS			316 STAINLESS	
Part#	List	Length	Part#	List
48-060	1.88	x Close (1-1/8")	49-060	2.30
48-061	2.27	x 1-1/2"	49-061	2.85
48-062	2.72	x 2"	49-062	3.47
48-063	3.26	x 2-1/2"	49-063	4.19
48-064	3.80	x 3"	49-064	4.91
48-065	4.34	x 3-1/2"	49-065	5.64
48-066	4.90	x 4"	49-066	6.38
48-067	5.44	x 4-1/2"	49-067	7.11
48-068	5.97	x 5"	49-068	7.75
48-069	6.51	x 5-1/2"	49-069	8.56
48-070	7.05	x 6"	49-070	9.28
48-071	8.22	x 7"		
48-072	9.30	x 8"		
48-073	10.38	x 9"		
48-074	11.46	x 10"		
48-075	12.53	x 11"		
48-076	13.61	x 12"		



3/4" Diameter

304 STAINLESS			316 STAINLESS	
Part#	List	Length	Part#	List
48-080	2.54	x Close (1-3/8")	49-080	3.01
48-081	2.70	x 1-1/2"	49-081	3.21
48-082	3.24	x 2"	49-082	3.91
48-083	3.89	x 2-1/2"	49-083	4.74
48-084	4.54	x 3"	49-084	5.56
48-085	5.20	x 3-1/2"	49-085	6.38
48-086	5.85	x 4"	49-086	7.20
48-087	6.50	x 4-1/2"	49-087	8.02
48-088	7.15	x 5"	49-088	8.84
48-089	7.80	x 5-1/2"	49-089	9.66
48-090	8.46	x 6"	49-090	10.48
48-091	9.82	x 7"		
48-092	11.13	x 8"		
48-094	13.73	x 10"	49-094	17.11
48-096	16.34	x 12"		



1" Diameter

304 STAINLESS			316 STAINLESS	
Part#	List	Length	Part#	List
48-100	3.34	x Close (1-1/2")	49-100	4.17
48-101	4.18	x 2"	49-101	5.28
48-102	4.96	x 2-1/2"	49-102	6.34
48-103	5.80	x 3"	49-103	7.46
48-104	6.64	x 3-1/2"	49-104	8.57
48-105	7.48	x 4"	49-105	9.69
48-106	8.32	x 4-1/2"	49-106	10.80
48-107	9.16	x 5"	49-107	11.92
48-108	10.00	x 5-1/2"	49-108	13.04
48-109	10.84	x 6"	49-109	14.15
48-110	12.70	x 7"		
48-111	14.38	x 8"		
48-113	17.73	x 10"		



1-1/4" Diameter

304 STAINLESS			316 STAINLESS	
Part#	List	Length	Part#	List
48-120	4.49	x Close (1-5/8")	49-120	5.70
48-121	5.28	x 2"	49-121	6.78
48-122	6.26	x 2-1/2"	49-122	8.13
48-123	7.33	x 3"	49-123	9.57
48-124	8.39	x 3-1/2"	49-124	11.01
48-125	9.45	x 4"	49-125	12.45
48-126	10.52	x 4-1/2"	49-126	13.88
48-127	11.58	x 5"	49-127	15.32
48-128	12.64	x 5-1/2"	49-128	16.76
48-129	13.71	x 6"	49-129	18.20
48-131	17.99	x 8"		
48-135	26.54	x 12"		



1-1/2" Diameter

304 STAINLESS			316 STAINLESS	
Part#	List	Length	Part#	List
48-140	5.49	x Close (2")	49-140	7.04
48-141	6.02	x 2"	49-141	7.79
48-142	7.28	x 2-1/2"	49-142	9.49
48-143	8.53	x 3"	49-143	11.19
48-144	9.79	x 3-1/2"	49-144	12.89
48-145	11.05	x 4"	49-145	14.59
48-146	12.3	x 4-1/2"	49-146	16.29
48-147	13.56	x 5"	49-147	17.98
48-148	14.82	x 5-1/2"	49-148	19.68
48-149	16.07	x 6"	49-149	21.38
48-151	21.24	x 8"		
48-152	23.75	x 9"		

**Nipples &
Fittings**



2" Diameter

304 STAINLESS			316 STAINLESS	
Part#	List	Length	Part#	List
48-160	8.53	x Close (2")	49-160	10.94
48-161	9.5	x 2-1/2"	49-161	12.51
48-162	11.21	x 3"	49-162	14.61
48-163	12.63	x 3-1/2"	49-163	16.85
48-164	14.27	x 4"	49-164	19.09
48-165	15.91	x 4-1/2"	49-165	21.33
48-166	17.54	x 5"	49-166	23.57
48-167	19.18	x 5-1/2"	49-167	25.81
48-168	20.82	x 6"	49-168	28.05
48-169	24.41	x 7"	49-169	32.84
48-170	27.68	x 8"		
48-171	30.96	x 9"		
48-172	34.23	x 10"		



2-1/2" Diameter

304 STAINLESS			316 STAINLESS	
Part#	List	Length	Part#	List
48-180	17.29	x Close (2-1/2)		
48-193	66.38	x 12"		
		x 5-1/2"	49-186	40.09



3" Diameter

304 STAINLESS			316 STAINLESS	
Part#	List	Length	Part#	List
48-200	24.32	x Close (2-5/8)		
48-201	26.86	x 3"		
48-203	33.63	x 4"	49-203	41.44
48-205	38.52	x 5"		
48-207	45.28	x 6"		
		x 7"	49-208	67.87
48-209	60.96	x 8"		
48-213	88.02	x 12"		



4" Diameter

304 STAINLESS			316 STAINLESS	
Part#	List	Length	Part#	List
48-220	31.09	x Close (2-7/8)		
		x 5"	49-225	64.45
48-227	58.11	x 6"		

More sizes available

Other Stainless Steel Nipples Available

- Schedule 80 welded
- Schedule 80 & 40 seamless

Nipples & Fittings

Count the "F's" in the following text:

FINISHED FILES ARE THE RESULT OF YEARS OF SCIENTIFIC STUDY COMBINED WITH THE EXPERIENCE OF YEARS

How many? 3?

Wrong, there are 6 !!!

The brain cannot process "OF".

Anyone who counts all 6 "F's" on the first go is a genius. Three is normal, four is quite rare.

90° ELBOWS



304 STAINLESS			316 STAINLESS	
Part#	List	Size	Part#	List
62-100	2.61	1/8"	63-100	2.83
62-101	2.61	1/4"	63-101	2.83
62-102	2.88	3/8"	63-102	3.12
62-103	3.37	1/2"	63-103	3.76
62-104	4.81	3/4"	63-104	5.38
62-105	7.05	1"	63-105	7.89
62-106	10.07	1-1/4"	63-106	13.51
62-107	13.4	1-1/2"	63-107	15.00
62-108	21.48	2"	63-108	23.30
62-109	65.36	2-1/2"	63-109	45.12
62-110	58.16	3"	63-110	63.08
62-112	101.78	4"	63-112	110.39

90° STREET ELLS



304 STAINLESS			316 STAINLESS	
Part#	List	Size	Part#	List
62-160	3.56	1/8"	63-160	3.98
62-161	3.56	1/4"	63-161	3.98
62-162	4.01	3/8"	63-162	4.48
62-163	4.72	1/2"	63-163	5.27
62-164	6.83	3/4"	63-164	7.64
62-165	9.43	1"	63-165	10.54
62-166	13.15	1-1/4"	63-166	14.70
62-167	16.51	1-1/2"	63-167	18.46
62-168	25.93	2"	63-168	29.00

45° ELBOWS



304 STAINLESS			316 STAINLESS	
Part#	List	Size	Part#	List
62-180	3.27	1/8"	63-180	3.55
62-181	3.27	1/4"	63-181	3.55
62-182	3.7	3/8"	63-182	4.02
62-183	4.3	1/2"	63-183	4.73
62-184	6.31	3/4"	63-184	6.85
62-185	8.73	1"	63-185	9.47
62-186	12.7	1-1/4"	63-186	14.19
62-187	16.92	1-1/2"	63-187	18.93
62-188	26.17	2"	63-188	28.39

TEES



304 STAINLESS			316 STAINLESS	
Part#	List	Size	Part#	List
62-250	3.53	1/8"	63-250	3.95
62-251	3.53	1/4"	63-251	3.95
62-252	3.98	3/8"	63-252	4.45
62-253	4.68	1/2"	63-253	5.24
62-254	6.74	3/4"	63-254	7.53
62-255	9.46	1"	63-255	10.58
62-256	14.01	1-1/4"	63-256	15.66
62-257	17.63	1-1/2"	63-257	19.72
62-258	29.17	2"	63-258	32.62
62-260	78.86	3"		

CROSSES



304 STAINLESS			316 STAINLESS	
Part#	List	Size	Part#	List
		1/8"	63-390	6.49
62-391	5.81	1/4"	63-391	6.49
62-392	6.61	3/8"	63-392	8.86
62-393	7.76	1/2"	63-393	9.54
62-394	11.25	3/4"	63-394	13.84
62-395	14.46	1"	63-395	16.17
62-396	23.27	1-1/4"	63-396	26.02
62-397	27.15	1-1/2"	63-397	30.36
62-398	44.94	2"	63-398	50.25

**STAINLESS STEEL OD MACHINED
COUPLINGS**



304 STAINLESS			316 STAINLESS	
Part#	List	Size	Part#	List
62-410B	2.05	1/8"	63-410B	2.30
62-411B	2.05	1/4"	63-411B	2.30
62-412B	2.41	3/8"	63-412B	2.51
62-413B	2.92	1/2"	63-413B	3.53
62-414B	3.69	3/4"	63-414B	4.95
62-415B	7.69	1"	63-415B	8.05
62-416B	9.46	1-1/4"	63-416B	10.58
62-417B	12.62	1-1/2"	63-417B	14.11
62-418B	18.92	2"	63-418B	21.16

COUPLINGS



304 STAINLESS

Part#	List	Size
62-413	3.21	1/2"
62-414	4.49	3/4"
62-415	6.41	1"
62-416	10.45	1-1/4"
62-417	12.53	1-1/2"
62-418	20.29	2"
62-419	32.06	2-1/2"
62-420	44.88	3"
62-421	76.93	4"

316 STAINLESS

Part#	List
63-413	3.59
63-414	5.02
63-415	7.17
63-416	11.69
63-417	14.02
63-418	22.69
63-419	35.84
63-420	55.19
63-421	86.02

REDUCING COUPLINGS



304 STAINLESS

Part#	List	Size
62-430	2.66	1/4 x 1/8
62-431	3.02	3/8 x 1/8
62-432	3.02	3/8 x 1/4
62-433	3.02	1/2 x 1/8
62-434	3.53	1/2 x 1/4
62-435	3.53	1/2 x 3/8
62-455	4.94	3/4 x 1/8
62-436	4.94	3/4 x 1/4
62-437	4.94	3/4 x 3/8
62-438	4.94	3/4 x 1/2
62-440	7.98	1 x 3/8
62-441	7.98	1 x 1/2
62-442	7.98	1 x 3/4
62-445	12.54	1-1/4 x 3/4
62-446	12.54	1-1/4 x 1
		1-1/2 x 1/2
62-448	15.04	1-1/2 x 3/4
62-449	15.04	1-1/2 x 1
62-450	15.04	1-1/2 x 1-1/4
62-452	22.32	2 x 1
62-453	22.32	2 x 1-1/4
62-454	22.32	2 x 1-1/2

316 STAINLESS

Part#	List
63-430	2.98
63-432	3.37
63-434	3.95
63-435	3.95
63-436	5.52
63-437	5.52
63-438	5.52
63-441	8.60
63-442	8.60
63-445	14.02
63-446	14.02
63-447	16.82
63-448	16.82
63-449	16.82
63-450	16.82
63-452	24.95
63-453	24.95
63-454	24.95

**In the race for quality,
there is no finish line**

CAPS



304 STAINLESS

Part#	List	Size
62-470	1.99	1/8"
62-471	1.99	1/4"
62-472	2.21	3/8"
62-473	2.63	1/2"
62-474	3.69	3/4"
62-475	5	1"
62-476	9.2	1-1/4"
62-477	12	1-1/2"
62-478	17.35	2"
62-480	40.47	3"

316 STAINLESS

Part#	List
63-470	2.28
63-471	2.28
63-472	2.53
63-473	3.01
63-474	4.22
63-475	5.73
63-476	10.54
63-477	11.46
63-478	17.63

HEX BUSHINGS



304 STAINLESS

Part#	List	Size
62-500	1.80	1/4 x 1/8
		3/8 x 1/8
62-502	2.02	3/8 x 1/4
62-503	3.33	1/2 x 1/8
62-504	2.37	1/2 x 1/4
62-505	2.37	1/2 x 3/8
		3/4 x 1/4
62-508	3.30	3/4 x 3/8
62-509	3.30	3/4 x 1/2
62-512	4.62	1 x 1/2
62-513	4.62	1 x 3/4
		1-1/4 x 1/2
62-517	7.05	1-1/4 x 3/4
62-518	7.05	1-1/4 x 1
62-521	10.73	1-1/2 x 1/2
62-522	10.73	1-1/2 x 3/4
62-532	10.73	1-1/2 x 1
62-524	10.73	1-1/2 x 1-1/4
62-527	15.58	2 x 1/2
62-528	15.58	2 x 3/4
62-529	15.58	2 x 1
62-530	15.58	2 x 1-1/4
62-531	15.58	2 x 1-1/2
62-534	26.93	2-1/2 x 1-1/2
62-535	26.93	2-1/2 x 2
62-538	35.43	3 x 2
62-539	35.43	3 x 2-1/2
62-543	56.74	4 x 3

316 STAINLESS

Part#	List
63-500	2.01
63-501	2.26
63-502	2.26
63-504	2.65
63-505	2.65
63-507	3.69
63-508	3.69
63-509	3.69
63-512	5.17
63-513	5.17
63-516	9.47
63-517	9.47
63-518	9.47
63-521	12.00
63-522	12.00
63-523	12.00
63-524	12.00
63-528	17.42
63-529	17.42
63-530	17.42
63-531	17.42
63-534	27.60
63-535	27.60
63-538	39.61

**Nipples &
Fittings**

UNIONS



304 STAINLESS

Part#	List	Size
62-600	8.27	1/8"
62-601	8.27	1/4"
62-602	8.85	3/8"
62-603	10.73	1/2"
62-604	11.83	3/4"
62-605	17.63	1"
62-606	24.55	1-1/4"
62-607	31.45	1-1/2"
62-608	43.40	2"
62-610	124.62	3"

316 STAINLESS

Part#	List
63-600	9.25
63-601	9.25
63-602	9.89
63-603	10.00
63-604	13.23
63-605	19.71
63-606	27.45
63-607	38.36
63-608	48.53
63-610	139.32

HEX HEAD PLUGS



304 STAINLESS

Part#	List	Size
62-630	2.08	1/8"
62-631	2.08	1/4"
62-632	2.34	3/8"
62-633	2.76	1/2"
62-634	3.69	3/4"
62-635	5.96	1"
62-636	9.23	1-1/4"
62-637	11.62	1-1/2"
62-638	18.27	2"

316 STAINLESS

Part#	List
63-630	2.33
63-631	2.33
63-632	2.62
63-633	3.09
63-634	4.13
63-635	5.56
63-636	10.32
63-637	12.98
63-638	20.42

HEX NIPPLES



304 STAINLESS

Part#	List	Size
62-720	2.31	1/8"
62-721	2.31	1/4"
62-722	2.57	3/8"
62-723	3.05	1/2"
62-724	3.98	3/4"
62-725	5.48	1"
62-726	8.39	1-1/4"
62-727	10.61	1-1/2"
62-728	24.21	2"

316 STAINLESS

Part#	List
63-720	2.58
63-721	2.58
63-722	2.87
63-723	3.41
63-724	4.45
63-725	6.13
63-726	9.38
63-727	11.87
63-728	17.03

SQUARE HEAD PLUGS



304 STAINLESS

Part#	List	Size
62-670	1.64	1/8"
62-671	1.64	1/4"
62-672	1.86	3/8"
62-653	2.18	1/2"
62-654	2.73	3/4"
62-655	3.91	1"
62-656	6.73	1-1/4"
62-657	8.23	1-1/2"
62-658	14.12	2"
62-660	32.70	3"

316 STAINLESS

Part#	List
63-670	1.83
63-671	1.83
63-672	2.08
63-653	2.44
63-654	3.05
63-655	4.37
63-656	6.27
63-657	9.20
63-658	14.47

HEX LOCKNUTS



304 STAINLESS

Part#	List	Size
62-700	1.80	1/8"
62-701	1.80	1/4"
62-702	2.18	3/8"
62-703	2.41	1/2"
62-704	2.89	3/4"
62-705	3.43	1"
62-706	4.14	1-1/4"
62-707	4.90	1-1/2"
62-708	7.25	2"

316 STAINLESS

Part#	List
63-700	2.01
63-701	2.01
63-702	2.44
63-703	2.69
63-704	3.23
63-705	3.84
63-706	4.63
63-707	5.48
63-708	8.10

STAINLESS STEEL HALF COUPLINGS



304 STAINLESS

Part#	List	Size
62-771	1.86	1/4"
62-772	2.15	3/8"
62-773	2.66	1/2"
62-774	3.30	3/4"
62-775	4.62	1"
62-776	8.82	1-1/4"
62-777	10.00	1-1/2"
62-778	13.46	2"

316 STAINLESS

Part#	List
63-771	2.08
63-772	2.40
63-773	2.97
63-774	3.69
63-775	5.16
63-776	9.86
63-777	11.18
63-778	15.05

HOSE NIPPLES



Part #	Hose I.D. x Male Pipe	List Price
73-951	1/4"	4.24
73-952	3/8"	6.40
73-953	1/2"	6.41
73-954	3/4"	8.33
73-955	1"	10.29
73-956	1-1/4"	17.86
73-957	1-1/2"	18.63
73-958	2"	28.53
73-959	2-1/2"	47.55
73-960	3"	62.84
73-961	4"	150

REDUCING HOSE NIPPLES

304 STAINLESS

Part #	Hose ID x Male Pipe	List
73-970	1/4 x 1/8	4.18
73-971	3/8 x 1/4	5.00
73-972	1/2 x 3/8	7.46
73-973	1/2 x 1/4	7.46
73-974	3/4 x 1/2	9.53
73-975	1 X 3/4	10.76



**316 STAINLESS STEEL
HOSE NIPPLES**

Part #	Hose ID x Male Pipe	List
973-951	1/4"	4.60
973-952	3/8"	5.90
973-953	1/2"	9.90
973-954	3/4"	9.35
973-955	1"	12.47
973-956	1-1/4"	16.95
973-957	1-1/2"	29.46
973-958	2"	31.38
973-959	2-1/2"	87.50
973-990	3"	107.80
973-991	4"	246.75

More sizes available

ENLIGHTENED PERSPECTIVE

I've learned....

- That the best classroom in the world is at the feet of an elderly person.
- That when you're in love, it shows.
- That just one person saying to me, "You've made my day!" makes my day.
- That having a child fall asleep in your arms is one of the most peaceful feelings in the world.
- That being kind is more important than being right.
- That you should never say no to a gift from a child.
- That I can always pray for someone when I don't have the strength to help him in some other way.
- That no matter how serious your life requires you to be, everyone needs a friend to act goofy with.
- That sometimes all a person needs is a hand to hold and a heart to understand.
- That simple walks with my father around the block on summer nights when I was a child did wonders for me as an adult.
- That life is like a roll of toilet paper. The closer it gets to the end, the faster it goes.
- That we should be glad God doesn't give us everything we ask for.
- That money doesn't buy class.
- That it's those small daily happenings that make life so spectacular.
- That under everyone's hard shell is someone who wants to be appreciated and loved.
- That the Lord didn't do it all in one day. What makes me think I can?
- That to ignore the facts does not change the facts.
- That when you plan to get even with someone, you are only letting that person continue to hurt you.
- That love, not time, heals all wounds.
- That the easiest way for me to grow as a person is to surround myself with people smarter than I am.
- That everyone you meet deserves to be greeted with a smile.
- That there's nothing sweeter than sleeping with your babies and feeling their breath on your cheeks.
- That no one is perfect until you fall in love with them.
- That life is tough, but I'm tougher.
- That opportunities are never lost; someone will take the ones you miss.
- That when you harbor bitterness, happiness will dock elsewhere.
- That I wish I could have told my Dad that I love him one more time before he passed away.
- That one should keep his words both soft and tender, because tomorrow he may have to eat them.
- That a smile is an inexpensive way to improve your looks.
- That I can't choose how I feel, but I can choose what I do about it.
- That when your newly born grandchild holds your little finger in his little fist, that you're hooked for life.
- That everyone wants to live on top of the mountain, but all the happiness and growth occurs while you're climbing it.
- That it is best to give advice in only two circumstances; when it is requested and when it is a life threatening situation.
- That the less time I have to work with, the more things I get done.

- Andy Rooney

**Nipples &
Fittings**

Black and Galvanized Steel Nipples

Product Specifications

Welded steel pipe nipples both galvanized and black in diameters ranging from 1/8” up to 4” in lengths from close to 12” and cut-pipe up to 120”.

Technical Specifications

Standards: Product complies with ASTM A-53, A-733 and ANSI B1.20.1 for threading, dimensions and pipe specifications.

Pipe: Complies with ASTM A-53 mill tested schedule 40 and 80. Meets ANSI B36.1. All pipe is hydrostatic tested.

Galvanized: Zinc coating applied by hot dipped. Galvanized complying with ASTM A-123.

Black: Protected against oxidation with varnish coating.

Cutting Procedure:

All pipe is roller cut. A visual inspection of seams, excessive galvanizing, mid-welds, poor galvanizing, bends, our of roundness, under and over weight of the pipe is made at the time it is cut. This is done for every length of pipe. Pipe lengths are cut to a tolerance of + or - 1/16” of the actual length.

Threading Procedure:

All pipe is chaser thread cut to American Standard Tapered Pipe Thread standards. This is 3/4” taper per foot. Pipe is visually inspected for roundness of threads and other visual faults as it is removed from the threading machine.

Steel and Wrought Iron Welded

Nominal Size	Outside Diameter	Schedule 40 Standard			Schedule 80 Extra Heavy		
		Wall Thickness	Inside Diameter	Weight per Foot P.E.	Wall Thickness	Inside Diameter	Weight per Foot P.E.
1/8"	.405	.068	.269	.24	.095	.215	.31
1/4"	.540	.088	.364	.42	.119	.302	.54
3/8"	.675	.091	.493	.57	.126	.423	.74
1/2"	.840	.109	.622	.85	.147	.546	1.09
3/4"	1.050	.113	.824	1.13	.154	.742	1.47
1"	1.315	.133	1.049	1.68	.179	.957	2.17
1-1/4"	1.660	.140	1.380	2.27	.191	1.278	3.00
1-1/2"	1.900	.145	1.610	2.72	.200	1.500	3.63
2"	2.375	.154	2.067	3.65	.218	1.939	5.02
2-1/2"	2.875	.203	2.469	5.79	.276	2.323	7.66
3"	3.500	.216	3.068	7.58	.300	2.900	10.25
3-1/2"	4.000	.226	3.548	9.11	.318	3.364	12.51
4"	4.500	.237	4.026	10.79	.337	3.826	14.98
5"	5.563	.258	5.047	14.62	.375	4.813	20.78
6"	6.625	.280	6.065	18.97	.432	5.761	28.57

Chemical Composition

Maximum%
C 0.25
Mn 0.95

Tensile Requirements

	Kg/ Mm2	PSI	MPA
Tensile Strength Min.	33.7	48000	331
Tensile Strength Min.	20.0	28500	196

Pounds per 100 pcs. approximate

Diam	Length close/RC	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"	7"	8"	9"	10"	11"	12"
1/8"	1.3	2.4	3.5	4.4	5.4	6.8	7.4	8.5	9.5	11.2	11.4	13.4	15.4	17.4	19.1	20.8	23.1
1/4"	2.4	4.3	6.1	8.3	9.0	11.8	13.5	16.1	16.8	19.1	19.9	24.7	28.7	32.0	35.1	38.1	41.4
3/8"	3.6	6.0	7.8	9.9	13.4	15.4	17.8	20.3	22.7	24.9	28.4	32.6	36.6	40.8	44.8	48.7	52.9
1/2"	6.1	8.7	12.7	15.9	19.3	24.2	26.0	31.6	34.5	39.2	43.1	50.0	58.0	66.1	74.5	82.3	89.0
3/4"	11.0	12.2	21.8	23.1	26.1	31.6	37.0	41.6	47.1	52.6	55.9	65.4	79.1	79.6	94.9	111.9	116.9
1"	15.3		22.0	28.4	37.0	44.2	52.1	59.4	66.6	76.5	79.7	94.8	111.6	124.5	136.3	153.6	175.0
1-1/4"	22.7		32.0	41.9	51.3	61.9	68.1	81.9	90.7	98.2	115.1	133.4	149.3	174.8	199.2	219.3	236.6
1-1/2"	29.9		37.9	46.8	80.6	72.6	85.8	99.1	112.7	120.3	134.5	162.1	184.9	208.5	219.4	247.5	277.8
2"	51.8			63.1	82.1	97.1	110.0	128.4	142.0	165.0	166.9	208.5	246.7	276.9	303.2	334.4	369.2
2-1/2"	82.6				109.0	133.5	156.2	172.9	209.9	232.8	253.4	318.9	337.3	408.1	457.6	514.2	554.4
3"	116.5				147.2	181.6	210.4	247.7	274.1	213.6	338.0	389.2	469.4	555.1	599.2	649.4	747.1
4"	172.7						265.3	326.2	344.4	405.7	451.7	547.3	632.2	721.8	832.7	927.1	1057.0
6"																	

Available Upon Request

Nipples & Fittings

1/8" DIAMETER



Galvanized List	Length	Black	List
56-001	.67 xClose(3/4)	57-001	0.45
56-002	.71 x 1-1/2"	57-002	0.51
56-003	.74 x 2"	57-003	0.57
56-004	.86 x 2-1/2"	57-004	0.61
56-005	.98 x 3"	57-005	0.68
56-006	1.05 x 3-1/2"	57-006	0.74
56-007	1.16 x 4"	57-007	0.87
56-008	1.49 x 4-1/2"	57-008	1.21
56-009	1.96 x 5"	57-009	1.40
56-010	2.11 x 5-1/2"	57-010	1.50
56-011	2.20 x 6"	57-011	1.54
56-012	2.75 x 7"	57-012	2.01
56-013	2.90 x 8"	57-013	2.12
56-014	3.05 x 9"	57-014	2.21
56-015	3.30 x 10"	57-015	2.34
56-016	3.50 x 11"	57-016	2.46
56-017	3.70 x 12"	57-017	2.48

1/4" Diameter



Galvanized List	Length	Black	List
56-020	.72 xClose(7/8)	57-020	0.54
56-021	.80 x 1-1/2"	57-021	0.58
56-022	.95 x 2"	57-022	0.67
56-023	1.02 x 2-1/2"	57-023	0.79
56-024	1.15 x 3"	57-024	0.87
56-025	1.25 x 3-1/2"	57-025	0.91
56-026	1.30 x 4"	57-026	1.15
56-027	1.50 x 4-1/2"	57-027	1.21
56-028	1.81 x 5"	57-028	1.39
56-029	2.15 x 5-1/2"	57-029	1.67
56-030	2.25 x 6"	57-030	1.74
56-031	2.54 x 7"	57-031	2.20
56-032	2.77 x 8"	57-032	2.24
56-033	2.90 x 9"	57-033	2.43
56-034	3.10 x 10"	57-034	2.64
56-035	3.30 x 11"	57-035	2.77
56-036	3.45 x 12"	57-036	2.90
56-038	9.00 x 18"		
56-037	10.00 x 24"		

More sizes available

3/8" DIAMETER



Galvanized List	Length	Black	List
56-040	.83 xClose(1)	57-040	0.61
56-041	.94 x 1-1/2"	57-041	0.64
56-042	.98 x 2"	57-042	0.73
56-043	1.10 x 2-1/2"	57-043	0.81
56-044	1.29 x 3"	57-044	0.92
56-045	1.38 x 3-1/2"	57-045	1.01
56-046	1.62 x 4"	57-046	1.08
56-047	1.71 x 4-1/2"	57-047	1.21
56-048	2.15 x 5"	57-048	1.64
56-049	2.41 x 5-1/2"	57-049	1.71
56-050	2.50 x 6"	57-050	1.83
56-051	2.68 x 7"	57-051	2.39
56-052	2.80 x 8"	57-052	2.54
56-053	3.10 x 9"	57-053	2.70
56-054	3.32 x 10"	57-054	2.86
56-055	3.55 x 11"	57-055	3.04
56-056	3.71 x 12"	57-056	3.12
	x 16"	57-059	4.57
56-430	5.52 X18"	57-430	4.60
56-431	6.74 x24"	57-431	5.50
56-432	7.97 x30"	57-432	6.42
56-433	9.18 x36"	57-433	7.33
56-234	20.52 x42"	57-234	14.12
56-235	12.08 x48"	57-235	9.60
56-236	14.51 x60"	57-236	11.42
56-237	16.95 x72"	57-237	19.01

Nipples & Fittings

Steel Nipples

1/2" DIAMETER



Galvanized List	Length	Black List
56-060	0.52 x Close(1-1/8)	57-060 0.46
56-061	0.57 x 1-1/2"	57-061 0.49
56-062	0.62 x 2"	57-062 0.50
56-063	0.67 x 2-1/2"	57-063 0.55
56-064	0.72 x 3"	57-064 0.60
56-065	0.80 x 3-1/2"	57-065 0.66
56-066	0.88 x 4"	57-066 0.72
56-067	0.98 x 4-1/2"	57-067 0.78
56-068	1.06 x 5"	57-068 0.91
56-069	1.13 x 5-1/2"	57-069 1.01
56-070	1.20 x 6"	57-070 1.15
56-071	1.97 x 7"	57-071 1.58
56-072	2.10 x 8"	57-072 1.67
56-073	2.30 x 9"	57-073 1.82
56-074	2.50 x 10"	57-074 2.01
56-075	2.70 x 11"	57-075 2.12
56-076	2.85 x 12"	57-076 2.34
56-240	4.59 x 18"	57-240 3.73
56-241	5.52 x 24"	57-241 4.57
56-242	6.80 x 30"	57-242 6.62
56-243	8.07 x 36"	57-243 6.74
56-244	19.20 x 42"	57-244 16.08
56-245	10.36 x 48"	57-245 8.53
56-246	12.76 x 60"	57-246 10.23
56-247	15.06 x 72"	57-247 12.58

3/4" DIAMETER



Galvanized List	Length	Black List
56-080	0.68 x Close(1-3/8)	57-080 0.58
56-081	0.70 x 1-1/2"	57-081 0.64
56-082	0.74 x 2"	57-082 0.67
56-083	0.83 x 2-1/2"	57-083 0.72
56-084	0.92 x 3"	57-084 0.81
56-085	1.01 x 3-1/2"	57-085 0.87
56-086	1.15 x 4"	57-086 0.94
56-087	1.21 x 4-1/2"	57-087 1.07
56-088	1.35 x 5"	57-088 1.21
56-089	1.47 x 5-1/2"	57-089 1.31
56-090	1.55 x 6"	57-090 1.39
56-091	2.40 x 7"	57-091 1.91
56-092	2.69 x 8"	57-092 2.31
56-093	2.80 x 9"	57-093 2.71
56-094	3.00 x 10"	57-094 2.84
56-095	3.27 x 11"	57-095 2.91
56-096	3.35 x 12"	57-096 3.01
56-250	5.47 x 18"	57-250 4.61
56-251	6.55 x 24"	57-251 5.52
56-252	8.39 x 30"	57-252 6.92
56-253	9.89 x 36"	57-253 8.18
56-254	23.82 x 42"	57-254 19.86
56-255	12.92 x 48"	57-255 10.89
56-256	15.83 x 60"	57-256 13.35
56-257	18.70 x 72'	57-257 15.34

Nipples & Fittings

1 - Most Important Lesson

During my second month of college our professor gave us a pop quiz. I was a conscientious student and had breezed through the questions, until I read the last one:

“What is the first name of the woman who cleans the school?”

Surely this was some kind of joke. I had seen the cleaning woman several times. She was tall, dark-haired and in her 50’s but how would I know her name? I handed in my paper, leaving the last question blank.

Just before class ended, one student asked if the last question would count toward our quiz grade.

“Absolutely,” said the professor. “In your careers, you will meet many people. All are significant. They deserve your attention and care even if all you do is smile and say ‘hello’.”

I’ve never forgotten that lesson. I also learned her name was Dorothy.

1" DIAMETER



Galvanized	List	Length	Black	List
56-100	1.01	x Close(1-1/2)	57-100	0.84
56-101	1.05	x 2"	57-101	0.91
56-102	1.14	x 2-1/2"	57-102	0.96
56-103	1.22	x 3"	57-103	1.06
56-104	1.42	x 3-1/2"	57-104	1.13
56-105	1.48	x 4"	57-105	1.29
56-106	1.73	x 4-1/2"	57-106	1.47
56-107	1.80	x 5"	57-107	1.58
56-108	1.99	x 5-1/2"	57-108	1.63
56-109	2.05	x 6"	57-109	1.71
56-110	3.10	x 7"	57-110	2.49
56-111	3.40	x 8"	57-111	2.74
56-112	3.70	x 9"	57-112	2.98
56-113	3.90	x 10"	57-113	3.21
56-114	4.25	x 11"	57-114	3.46
56-115	4.55	x 12"	57-115	3.68
56-260	7.21	x 18"	57-260	6.51
56-261	9.01	x 24"	57-261	7.26
56-262	11.91	x 30"	57-262	10.59
56-263	13.27	x 36"	57-263	10.80
56-264	30.36	x 42"	57-264	26.34
56-265	20.79	x 48"	57-265	14.11
56-266	20.85	x 60"	57-266	17.76
56-267	24.90	x 72"	57-267	26.71

1-1/4" DIAMETER



Galvanized	List	Length	Black	List
56-120	1.31	x Close(1-5/8)	57-120	1.10
56-121	1.40	x 2"	57-121	1.29
56-122	1.48	x 2-1/2"	57-122	1.37
56-123	1.67	x 3"	57-123	1.42
56-124	1.91	x 3-1/2"	57-124	1.63
56-125	2.01	x 4"	57-125	1.81
56-126	2.12	x 4-1/2"	57-126	1.94
56-127	2.34	x 5"	57-127	2.18
56-128	2.44	x 5-1/2"	57-128	2.21
56-129	2.58	x 6"	57-129	2.39
56-130	3.80	x 7"	57-130	3.14
56-131	4.20	x 8"	57-131	3.61
56-132	4.60	x 9"	57-132	3.89
56-133	5.00	x 10"	57-133	4.14
56-134	5.40	x 11"	57-134	4.48
56-135	5.80	x 12"	57-135	4.69
56-270	9.28	x 18"	57-270	7.56
56-271	11.91	x 24"	57-271	10.87
56-272	14.27	x 30"	57-272	14.67
56-273	17.68	x 36"	57-273	15.10
56-274	48.09	x 42"	57-274	22.74
56-275	23.91	x 48"	57-275	20.07
56-276	27.92	x 60"	57-276	25.61
56-277	49.61	x 72"	57-277	27.87

Nipples & Fittings

2 - Second Important Lesson

Always remember those who serve - In the days when an ice cream sundae cost much less, a 10 year old boy entered a hotel coffee shop and sat at a table.

A waitress put a glass of water in front of him.

"How much is an ice cream sundae?" he asked.

"Fifty cents," replied the waitress.

The little boy pulled his hand out of his pocket and studied the coins in it. "Well, how much is a plain dish of ice cream?" he inquired.

By now more people were waiting for a table and the waitress was growing impatient. "Thirty-five cents, she brusquely replied."

The little boy again counted his coins. "I'll have the plain ice cream," he said.

The waitress brought the ice cream, put the bill on the table and walked away. The boy finished the ice cream, paid the cashier and left.

When the waitress came back, she began to cry as she wiped down the table. There, placed neatly beside the empty dish, were two nickels and five pennies. You see, he couldn't have the sundae, because he had to have enough left to leave her a tip.

1-1/2" DIAMETER



Galvanized List	Length	Black List	List
56-140	1.69 xClose(1 3/4)	57-140	1.35
56-141	1.71 x 2"	57-141	1.47
56-142	1.80 x 2-1/2"	57-142	1.52
56-143	1.94 x 3"	57-143	1.71
56-144	2.18 x 3-1/2"	57-144	2.11
56-145	2.42 x 4"	57-145	2.18
56-146	2.55 x 4-1/2"	57-146	2.34
56-147	2.81 x 5"	57-147	2.51
56-148	2.95 x 5-1/2"	57-148	2.67
56-149	3.21 x 6"	57-149	2.79
56-150	4.30 x 7"	57-150	3.55
56-151	5.01 x 8"	57-151	3.96
56-152	5.57 x 9"	57-152	4.41
56-153	5.81 x 10"	57-153	4.91
56-154	6.31 x 11"	57-154	5.43
56-155	6.40 x 12"	57-155	5.61
56-280	11.81 x18"	57-280	10.97
56-281	13.51 x24"	57-281	12.10
56-282	16.52 x30"	57-282	16.57
56-283	20.95 x36"	57-283	22.17
56-284	48.36 x42"	57-284	33.06
56-285	27.45 x48"	57-285	27.18
56-286	38.10 x60"	57-286	36.41
56-287	41.95 x72"	57-287	43.72

2" DIAMETER



Galvanized List	Length	Black List	List
56-160	2.31 xClose(2)	57-160	1.77
56-161	2.49 x 2-1/2"	57-161	2.08
56-162	2.74 x 3"	57-162	2.42
56-163	2.89 x 3-1/2"	57-163	2.61
56-164	3.40 x 4"	57-164	2.78
56-165	3.51 x 4-1/2"	57-165	3.17
56-166	3.70 x 5"	57-166	3.33
56-167	4.08 x 5-1/2"	57-167	3.42
56-168	4.47 x 6"	57-168	3.71
56-169	6.40 x 7"	57-169	5.14
56-170	7.00 x 8"	57-170	5.79
56-171	7.60 x 9"	57-171	6.12
56-172	8.20 x 10"	57-172	6.60
56-173	8.80 x 11"	57-173	7.41
56-174	9.40 x 12"	57-174	7.82
56-290	14.71 x18"	57-290	14.17
56-291	17.77 x24"	57-291	19.08
56-292	25.10 x30"	57-292	22.18
56-293	25.73 x36"	57-293	24.71
56-294	52.35 x42"	57-294	43.87
56-295	37.01 x48"	57-295	41.19
56-296	49.15 x60"	57-296	50.45
56-297	59.93 x72"	57-297	62.25

Nipples & Fittings

3 - Third Important Lesson

The Obstacle in Our Path - In ancient times, a King had a boulder placed on a roadway. Then he hid himself and watched to see if anyone would remove the huge rock. Some of the King's wealthiest merchants and courtiers came by and simply walked around it. Many loudly blamed the King for not keeping the roads clear, but none did anything about getting the stone out of the way.

Then a peasant came along carrying a load of vegetables. Upon approaching the boulder, the peasant laid down his burden and tried to move the stone to the side of the road. After much pushing and straining, he finally succeeded. After the peasant picked up his load of vegetables, he noticed a purse lying in the road where the boulder had been.

The purse contained many gold coins and a note from the King indicating that the gold was for the person who removed the boulder from the roadway. The peasant learned what many of us never understand. Every obstacle presents an opportunity to improve our condition.

2-1/2" DIAMETER



Galvanized	List	Length	Black	List
56-180	6.71	xClose(2 1/2)	57-180	6.01
56-181	6.91	x 3"	57-181	6.24
56-182	7.20	x 3-1/2"	57-182	6.67
56-183	7.61	x 4"	57-183	6.52
56-184	8.04	x 4-1/2"	57-184	7.31
56-185	8.47	x 5"	57-185	7.54
56-186	8.88	x 5-1/2"	57-186	8.07
56-187	9.31	x 6"	57-187	8.31
56-188	11.07	x 7"	57-188	9.55
56-189	12.00	x 8"	57-189	9.84
56-190	12.74	x 9"	57-190	10.82
56-191	13.68	x 10"	57-191	11.67
56-192	14.45	x 11"	57-192	12.45
56-193	15.30	x 12"	57-193	13.11



4" DIAMETER

Galvanized	List	Length	Black	List
56-220	11.67	xClose(2-7/8)	57-220	10.21
56-223	12.01	x 4"	57-223	11.87
56-224	14.40	x 4-1/2"	57-224	12.60
56-225	15.20	x 5"	57-225	12.75
56-226	16.00	x 5-1/2"	57-226	13.90
56-227	16.80	x 6"	57-227	14.15
56-330	18.46	x 7"	57-330	15.65
56-229	20.06	x 8"	57-229	17.97
56-331	21.65	x 9"	57-331	18.14
56-332	23.24	x 10"	57-332	18.60
56-228	26.44	x 12"	57-233	24.11

4 - Fourth Important Lesson

Giving When It Counts - Many years ago, when I worked as a volunteer at a hospital, I got to know a little girl named Liz, who was suffering from a rare and serious disease. Her only chance of recovery appeared to be a blood transfusion from her 5-year old brother, who had miraculously survived the same disease and had developed the antibodies, needed to combat the illness.

3" DIAMETER



Galvanized	List	Length	Black	List
56-200	8.15	xClose(2-5/8)	57-200	7.81
56-201	8.25	x 3"	57-201	7.96
56-202	9.51	x 3-1/2"	57-202	8.02
56-203	9.71	x 4"	57-203	8.34
56-204	10.05	x 4-1/2"	57-204	10.12
56-205	11.00	x 5"	57-205	10.31
56-206	11.40	x 5-1/2"	57-206	10.62
56-207	11.64	x 6"	57-207	10.87
56-208	14.55	x 7"	57-208	12.59
56-209	15.67	x 8"	57-209	12.95
56-210	16.77	x 9"	57-210	15.76
56-211	17.87	x 10"	57-211	14.54
56-212	18.99	x 11"	57-212	17.05
56-213	20.10	x 12"	57-213	17.22
		x24"	57-311	49.05



6" DIAMETER

Galvanized	6" Dia.	List
56-300	49.90	Close.....57-300.....46.80

The doctor explained the situation to her little brother, and asked the little boy if he would be willing to give his blood to his sister. I saw him hesitate for only a moment before taking a deep breath and saying, "Yes, I'll do it, if it will save her." As the transfusion progressed, he lay in bed next to his sister and smiled, as we all did, seeing the color returning to her cheeks. Then his face grew pale and his smile faded. He looked up at the doctor and asked with a trembling voice, "Will I start to die right away?" Being young, the little boy had misunderstood the doctor; he thought he was going to have to give his sister all of his blood in order to save her. You see, after all, understanding and attitude, is everything.

Nipples & Fittings

Product Specifications

Welded steel couplings both galvanized and black in diameters from 1/8" up to 4"


Technical Specifications

Standards: Product complies with ASTM A-53, A-733 and ANSI B1.20.1 for threading, dimensions and pipe specifications.


Pipe: Complies with ASTM A-53 milltested schedule 40 and 80. Meets ANSI B36.1. All pipe is hydrostatic tested.

Galvanized: Zinc coating applied by hot dipping. Galvanized complying with ASTM-A-123.

MERCHANT COUPLINGS



HALF MERCHANT COUPLINGS



Galvanized	List	Size	Black	List
64-770	1.16	1/8	65-770	0.85
64-771	1.45	1/4	65-771	1.30
64-772	1.32	3/8	65-772	1.00
64-773	1.23	1/2	65-773	0.98
64-774	1.64	3/4	65-774	1.38
64-775	2.64	1	65-775	2.15
64-776	2.85	1-1/4	65-776	2.96
64-777	4.01	1-1/2	65-777	3.20
64-778	6.57	2	65-778	4.75
64-779	12.90	2-1/2	65-779	12.50
64-780	28.00	3	65-780	26.50
64-781	35.00	4	65-781	32.00

Galvanized	List	Size	Black	List
		1/4	65-771H	1.30
		3/8	65-772H	1.50
64-773H	.98	1/2	65-773H	0.94
64-774H	1.25	3/4	65-774H	1.31
64-775H	2.70	1	65-775H	2.14
64-776H	2.25	1-1/4	65-776H	2.20
64-777H	3.20	1-1/2	65-777H	3.00
64-778H	4.00	2	65-778H	3.95
		2-1/2	65-779H	12.00
		3	65-780H	15.00
		4	65-781H	25.00

Nipples & Fittings

MERCHANT COUPLINGS SPECIFICATIONS

Size	Outside Diam.	Length	Weight 100 pcs approx.	Quantity per box	Threads per Inch	Threads
		Inches	Pounds			Type
1/2"	1.063"	1-9/16"	13.0	100	14	Straight
3/4"	1.313"	1-5/8"	28.3	50	14	Straight
1"	1.576"	2"	40.1	30	11-1/2	Straight
1-1/4"	1.900"	2-1/16"	49.5	25	11-1/2	Straight
1-1/2"	2.200"	2-1/16"	71.48	25	11-1/2	Straight
2"	2.750"	2-1/3"	112.0	20	11-1/2	Straight
2-1/2"	3.250"	3-1/8"	231.2	8	8	Taper Tapped
3"	4.000"	3-1/4"	353.8	5	8	Taper Tapped
4"	5.000"	3-1/2"	471.8	4	8	Taper Tapped

Standard Specifications

Material: ASTM A 197 Cupola Malleable Iron. ASTM A 153 Zinc Coating. ANSI B16.3 Malleable Iron Fittings

Dimension: ANSI B 16.14 Ferrous Pipe, Plugs, Bushings, Etc. ANSI B 16.39 Malleable Iron Threaded Pipe Unions

Thread: ANSI B 2.1 or BS 21

ISO 9002 Manufacturer

ELBOWS 90°



Galv.	List	Size	Box/Case	Black	List
64-100	1.18	1/8	5/160	65-100	0.87
64-101	1.12	1/4	5/140	65-101	0.83
64-102	1.12	3/8	5/135	65-102	0.83
64-103	.74	1/2	50/200	65-103	0.63
64-104	.85	3/4	35/105	65-104	0.71
64-105	1.67	1	20/60	65-105	1.32
64-106	2.57	1-1/4	20/40	65-106	2.14
64-107	3.39	1-1/2	10/30	65-107	2.82
64-108	5.64	2	8/16	65-108	4.85
64-109	14.08	2-1/2	6/18	65-109	10.53
64-110	23.65	3	1/14	65-110	15.70
64-112	40.94	4	1/6	65-112	33.38
64-114	140.00	6	1/2	65-114	98.00

REDUCING ELBOWS 90°

Galv.	List	Size	Box/Case	Black	List
64-121	2.38	3/8 x 1/8	5/180	65-121	1.89
64-122	1.68	3/8 x 1/4	5/180	65-122	1.20
64-123	1.38	1/2 x 1/4	40/240	65-123	1.16
64-124	1.30	1/2 x 3/8	50/200	65-124	1.13
64-126	1.99	3/4 x 3/8	25/150	65-126	1.56
64-127	1.50	3/4 x 1/2	30/120	65-127	1.18
64-130	2.04	1 x 1/2	30/90	65-130	1.60
64-131	1.92	1 x 3/4	25/75	65-131	1.51
64-133	3.87	1-1/4 x 3/4	15/60	65-133	2.79
64-134	3.22	1-1/4 x 1	10/40	65-134	2.45
64-136	4.96	1-1/2 x 3/4	15/45	65-136	4.03
64-137	4.96	1-1/2 x 1	10/40	65-137	3.52
64-138	4.96	1-1/2 x 1-1/4	15/30	65-138	3.53
64-139	7.03	2 x 3/4	10/30	65-139	5.92
64-140	6.89	2 x 1	14/28	65-140	5.81
64-141	6.89	2 x 1-1/4	10/20	65-141	5.81
64-142	6.02	2 x 1-1/2	10/20	65-142	5.10
64-145	22.04	2-1/2 x 1-1/2	8/24	65-145	14.28
64-146	19.62	2-1/2 x 2	8/24	65-146	14.01
64-148	30.99	3 x 1-1/2	6/18	65-148	22.64
		3 x 2-1/2	8/16	65-151	22.64
		4 x 2	1/12	65-152	58.79
		4 x 2-1/2	1/8	65-153	58.79
		4 x 3	1/9	65-154	58.79

More sizes available

90° STREET ELBOWS



Galv.	List	Size	Box/Case	Black	List
64-160	1.59	1/8	5/160	65-160	1.39
64-161	1.53	1/4	5/140	65-161	1.26
64-162	1.53	3/8	5/120	65-162	1.26
64-163	1.59	1/2	60/180	65-163	1.29
64-164	1.53	3/4	35/105	65-164	1.26
64-165	2.09	1	30/60	65-165	1.82
64-166	3.52	1-1/4	25/75	65-166	2.77
64-167	4.34	1-1/2	9/54	65-167	3.69
64-168	7.52	2	10/30	65-168	5.99
64-169	20.39	2-1/2	9/18	65-169	14.79
64-170	30.78	3	1/14	65-170	22.57
64-171	50.81	4	1/6	65-171	36.76

ELBOWS 45°



Galv.	List	Size	Box/Case	Black	List
64-180	1.69	1/8	5/160	65-180	1.26
64-181	1.50	1/4	5/140	65-181	1.29
64-182	1.50	3/8	5/150	65-182	1.17
64-183	1.15	1/2	50/200	65-183	1.01
64-184	1.61	3/4	40/120	65-184	1.24
64-185	1.85	1	20/60	65-185	1.58
64-186	3.37	1-1/4	20/140	65-186	2.77
64-187	4.02	1-1/2	10/30	65-187	3.42
64-188	6.00	2	12/36	65-188	5.15
64-189	20.32	2-1/2	6/18	65-189	14.53
64-190	29.54	3	10/20	65-190	18.86
64-191	49.52	4	1/6	65-191	36.64
64-192	175.00	6	1/2	65-192	125.00

**Nipples &
Fittings**

Standard Specifications

Material: ASTM A 197 Cupola Malleable Iron. ASTM A 153 Zinc Coating. ANSI B16.3 Malleable Iron Fittings

Dimension: ANSI B 16.14 Ferrous Pipe, Plugs, Bushings, Etc. ANSI B 16.39 Malleable Iron Threaded Pipe Unions

Thread: ANSI B 2.1 or BS 21

ISO 9002 Manufacturer

45 ° STREET ELBOWS



Galv.	List	Size	Box/Case	Black	List
64-200	2.20	1/8	5/160	65-200	1.96
64-201	1.88	1/4	5/160	65-201	1.46
64-202	2.15	3/8	5/150	65-202	1.65
64-203	1.67	1/2	75/225	65-203	1.33
64-204	2.69	3/4	40/120	65-204	2.04
64-205	3.32	1	25/75	65-205	2.37
64-206	4.98	1-1/4	10/40	65-206	4.10
64-207	6.04	1-1/2	10/30	65-207	5.05
64-208	10.37	2	12/36	65-208	8.95
64-209	24.40	2-1/2	12/24	65-209	19.00
64-210	37.00	3	6/18	65-210	28.00
64-211	60.00	4	1/7	65-211	52.00

BULLHEAD TEES



Galv.	List	Size	Box/Case	Black	List
64-280	2.38	1/2 x 1/2 x 3/4	30/90	65-280	2.03
64-733	3.60	1/2 x 1/2 x 1	40/18	65-733	2.94
64-289	3.52	3/4 x 3/4 x 1	20/16	65-289	2.57
64-734	6.02	3/4 x 3/4 x 1-1/4	12/36	65-734	4.72
64-299	5.60	1 x 1 x 1-1/4	15/30	65-299	4.78
64-300	9.53	1 x 1 x 1-1/2	13/26	65-300	7.14
64-317	6.91	1-1/4 x 1-1/4 x 1-1/2	15/45	65-317	5.60
64-319	9.78	1-1/2 x 1-1/2 x 2	8/16	65-319	8.75

More sizes available....just Ask!

TEES



Galv.	List	Size	Box/Case	Black	List
64-250	1.68	1/8	5/200	65-250	1.33
64-251	1.46	1/4	5/150	65-251	1.25
64-252	1.46	3/8	5/90	65-252	1.25
64-253	.90	1/2	40/120	65-253	0.81
64-254	1.51	3/4	35/70	65-254	1.15
64-255	2.47	1	20/40	65-255	2.03
64-256	3.90	1-1/4	14/28	65-256	3.30
64-257	4.86	1-1/2	15/45	65-257	4.10
64-258	8.13	2	10/30	65-258	6.97
64-259	21.83	2-1/2	8/16	65-259	14.35
64-260	25.60	3	1/12	65-260	21.54
64-261	60.53	4	1/6	65-261	50.59
64-262	175.00	6	1/2	65-262	145.00

COUPLINGS



Galv.	List	Size	Box/Case	Black	List
64-410	1.40	1/8	5/200	65-410	1.22
64-411	1.30	1/4	5/160	65-411	1.22
64-412	1.30	3/8	5/150	65-412	1.22
64-413	1.04	1/2	40/240	65-413	1.22
64-414	1.20	3/4	50/150	65-414	0.99
64-415	1.98	1	25/75	65-415	1.51
64-416	2.73	1-1/4	16/64	65-416	1.93
64-417	3.12	1-1/2	18/36	65-417	2.58
64-418	4.54	2	12/24	65-418	3.76
64-419	13.89	2-1/2	8/32	65-419	10.24
64-420	18.56	3	6/18	65-420	13.84
64-421	39.43	4	6/12	65-421	27.61
64-422	103.00	6	1/2	65-422	74.09

Standard Specifications

Material: ASTM A 197 Cupola Malleable Iron. ASTM A 153 Zinc Coating. ANSI B16.3 Malleable Iron Fittings


Dimension: ANSI B 16.14 Ferrous Pipe, Plugs, Bushings, Etc. ANSI B 16.39 Malleable Iron Threaded Pipe Unions

Thread: ANSI B 2.1 or BS 21

ISO 9002 Manufacturer

REDUCING TEES

(Same size on run, reducing on branch)




(1 & 2) x 3

Galv.	List	Size	Box/Case	Black	List
64-273	2.15	3/8 x 1/4	5/120	65-273	1.67
64-276	1.74	1/2 x 1/4	25/150	65-276	1.37
64-279	2.03	1/2 x 3/8	45/135	65-279	1.73
64-282	2.16	3/4 x 1/4	25/100	65-282	1.95
64-283	2.16	3/4 x 3/8	30/90	65-283	2.07
64-286	2.08	3/4 x 1/2	30/90	65-286	1.77
64-268	3.53	1 x 1/4	15/60	65-268	2.47
64-269	3.59	1 x 3/8	15/60	65-269	3.00
64-291	2.92	1 x 1/2	15/60	65-291	2.26
64-298	2.92	1 x 3/4	25/50	65-298	2.26
64-301	4.78	1-1/4 x 1/2	20/40	65-301	4.10
64-303	4.52	1-1/4 x 3/4	12/36	65-303	3.60
64-306	4.52	1-1/4 x 1	16/32	65-306	3.90
64-316	5.60	1-1/2 x 3/4	10/30	65-316	4.55
64-318	5.60	1-1/2 x 1	13/26	65-318	4.55
64-322	6.74	1-1/2 x 1-1/4	15/45	65-322	5.51
		2 x 1/2	10/20	65-327	7.12
64-328	8.16	2 x 3/4	10/20	65-328	7.12
64-330	8.16	2 x 1	12/3	65-330	7.12
64-334	9.61	2 x 1-1/4	8/16	65-334	7.53
64-336	9.61	2 x 1-1/2	8/16	65-336	7.53
64-343	26.06	2-1/2 x 1-1/2	8/16	65-343	18.66
64-351	35.36	3 x 2	6/12	65-351	24.93

REDUCING TEES

(Reducing on run)



Galv.	List	Size	Box/Case	Black	List
64-287	2.38	3/4 x 1/2 x 1/2	30/90	65-287	1.84
64-288	2.38	3/4 x 1/2 x 3/4	40/80	65-288	2.03
		1 x 3/4 x 3/4	25/50	65-296	2.38
		1-1/4 x 1 x 1	18/38	65-309	4.12

LOCKNUTS



Galv.	Box/Case	Size	List
64-703	100/600	1/2	0.89
64-704	60/360	3/4	1.01
64-705	40/240	1	1.91
64-706	30/180	1-1/4	1.75
64-707	30/180	1-1/2	2.27
64-708	25/75	2	4.03

Black available upon request.

MALLEABLE SERVICE TEE



(STREET TEE)

Galv.	List	Size	Box/Case	Black	List
64-363	2.86	1/2	40/240	65-363	2.08
64-364	3.14	3/4	25/150	65-364	2.77

SIDE OUTLET TEES



Galv.	List	Size	Box/Case	Black	List
64-383	4.47	1/2	5/90	65-383	3.59
64-384	5.65	3/4	20/80	65-384	4.58
64-385	8.00	1	15/60	65-385	6.41
64-386	14.27	1-1/4	12/36	65-386	11.51

More sizes available.....just Ask!

Nipples & Fittings

Standard Specifications

Material: ASTM A 197 Cupola Malleable Iron. ASTM A 153 Zinc Coating. ANSI B16.3 Malleable Iron Fittings

Dimension: ANSI B 16.14 Ferrous Pipe, Plugs, Bushings, Etc. ANSI B 16.39 Malleable Iron Threaded Pipe Unions

Thread: ANSI B 2.1 or BS 21

ISO 9002 Manufacturer

HEX BUSHING

REDUCING COUPLINGS



Galv.	List	Size	Box/Case	Black	List
64-430	1.22	1/4 x 1/8	5/200	65-430	1.01
64-431	1.22	3/8 x 1/8	5/200	65-431	1.01
64-432	1.22	3/8 x 1/4	5/120	65-432	1.01
64-433	1.37	1/2 x 1/8	50/300	65-433	1.00
64-434	1.11	1/2 x 1/4	50/300	65-434	0.92
64-435	1.04	1/2 x 3/8	40/240	65-435	0.87
64-439	1.41	3/4 x 1/8	30/180	65-439	1.17
64-436	1.38	3/4 x 1/4	30/180	65-436	1.14
64-437	1.38	3/4 x 3/8	30/180	65-437	1.14
64-438	1.22	3/4 x 1/2	60/180	65-438	0.99
64-459	2.45	1 x 1/4	45/135	65-459	1.77
64-440	2.50	1 x 3/8	30/120	65-440	1.80
64-441	2.03	1 x 1/2	30/120	65-441	1.54
64-442	1.88	1 x 3/4	25/100	65-442	1.54
64-460	3.20	1-1/4 x 3/8	25/75	65-460	2.22
64-444	3.20	1-1/4 x 1/2	25/75	65-444	2.22
64-445	2.58	1-1/4 x 3/4	25/75	65-445	1.93
64-446	2.58	1-1/4 x 1	15/60	65-446	1.93
64-443	4.54	1-1/2 X 3/8	15/60	65-443	2.83
64-447	3.77	1-1/2 x 1/2	20/60	65-447	2.83
64-448	3.33	1-1/2 x 3/4	15/60	65-448	3.19
64-449	3.33	1-1/2 x 1	25/50	65-449	2.83
64-450	3.15	1-1/2 x 1-1/4	12/36	65-450	2.44
64-458	5.44	2 x 1/2	14/42	65-458	4.61
64-451	5.44	2 x 3/4	14/42	65-451	4.06
64-452	4.54	2 x 1	14/42	65-452	3.83
64-453	4.80	2 x 1-1/4	12/36	65-453	4.06
64-454	4.54	2 x 1-1/2	10/30	65-454	3.54
64-461	14.33	2-1/2 x 1-1/2	15/30	65-461	10.55
64-462	14.06	2-1/2 x 2	15/30	65-462	9.05
64-486	18.69	3 x 1-1/2	16/32	65-486	14.11
64-456	18.16	3 x 2	16/32	65-456	11.70
64-463	18.69	3 x 2-1/2	12/24	65-463	14.11
64-464	40.44	4 x 2	6/18	65-464	28.29
		4 x 2-1/2	6/18	65-465	28.29
64-457	40.44	4 x 3	5/15	65-457	28.29
		6 x 4	1/8	65-491	71.00



Galvanized	List	Size	Black	List
		*1/4 x 1/8		
		*3/8 x 1/8		
		*3/8 x 1/4		
64-503	1.68	1/2 x 1/8	65-503	1.15
		*1/2 x 1/4		
64-505	1.68	1/2 x 3/8	65-505	1.15
64-506	1.78	3/4 x 1/8	65-506	1.13
64-507	1.73	3/4 x 1/4	65-507	1.11
64-508	1.93	3/4 x 3/8	65-508	1.13
64-509	1.56	3/4 x 1/2	65-509	1.05
64-510	1.87	1 x 1/4	65-510	1.33
64-511	2.93	1 x 3/8	65-511	1.36
64-512	1.69	1 x 1/2	65-512	1.02
64-513	1.60	1 x 3/4	65-513	1.02
64-514	2.70	1-1/4 x 1/4	65-514	1.71
64-515	2.70	1-1/4 x 3/8	65-515	1.53
64-516	2.37	1-1/4 x 1/2	65-516	1.46
64-517	2.16	1-1/4 x 3/4	65-517	1.31
64-518	2.16	1-1/4 x 1	65-518	1.31
64-519	3.43	1-1/2 x 1/4	65-519	2.02
64-520	3.43	1-1/2 x 3/8	65-520	2.02
64-521	3.14	1-1/2 x 1/2	65-521	1.66
64-522	3.14	1-1/2 x 3/4	65-522	1.66
64-523	2.83	1-1/2 x 1	65-523	1.46
64-524	2.61	1-1/2 x 1-1/4	65-524	1.67
64-525	3.91	2 x 3/8	65-525	2.52
64-527	3.91	2 x 1/2	65-527	2.52
64-528	3.64	2 x 3/4	65-528	2.01
64-529	3.45	2 x 1	65-529	1.89
64-530	3.45	2 x 1-1/4	65-530	1.89
64-531	3.03	2 x 1-1/2	65-531	2.10
64-546	5.67	2-1/2 x 1/2	65-546	3.43
64-547	5.67	2-1/2 x 3/4	65-547	3.43
64-532	5.67	2-1/2 x 1	65-532	3.43
64-533	5.67	2-1/2 x 1-1/4	65-533	3.43
64-534	5.56	2-1/2 x 1-1/2	65-534	3.19
64-535	4.94	2-1/2 x 2	65-535	3.17
64-550	7.48	3 x 1	65-550	4.74
64-549	7.34	3 x 1-1/4	65-549	4.74
64-537	6.66	3 x 1-1/2	65-537	4.65
64-538	7.04	3 x 2	65-538	3.62
64-539	13.41	3 x 2-1/2	65-539	4.44
64-551	15.70	4 x 3/4	65-551	9.63
64-553	15.70	4 x 1	65-553	9.63
64-552	15.70	4 x 1-1/4	65-552	9.63
64-540	15.70	4 x 1-1/2	65-540	9.63
64-541	13.85	4 x 2	65-541	8.39
64-542	15.70	4 x 2-1/2	65-542	9.46
64-543	14.66	4 x 3	65-543	8.39
64-545	30.15	6 x 4	65-545	24.42

**Use Steel fittings for smaller sizes
See page 138 for Galvanized and Black Steel Fittings.*

Standard Specifications

Material: ASTM A 197 Cupola Malleable Iron. ASTM A 153 Zinc Coating. ANSI B16.3 Malleable Iron Fittings
Dimension: ANSI B 16.14 Ferrous Pipe, Plugs, Bushings, Etc. ANSI B 16.39 Malleable Iron Threaded Pipe Unions
Thread: ANSI B 2.1 or BS 21

ISO 9002 Manufacturer

UNIONS



Galv.	List	Size	Box/Case	Black	List
64-600	5.21	1/8	5/150	65-600	4.50
64-601	5.03	1/4	5/120	65-601	4.29
64-602	3.35	3/8	5/60	65-602	3.35
64-603	3.20	1/2	50/100	65-603	2.76
64-604	3.68	3/4	35/70	65-604	3.17
64-605	4.81	1	20/40	65-605	4.14
64-606	6.79	1-1/4	15/30	65-606	5.49
64-607	8.38	1-1/2	10/20	65-607	6.71
64-608	10.87	2	6/12	65-608	9.38
64-609	32.84	2-1/2	1/8	65-609	25.00
64-610	45.96	3	1/7	65-610	30.78
64-611	99.55	4	1/7	65-611	76.12

SQUARE HEAD PLUGS



Galv.	List	Size	Box/Case	Black	List
		1/8*			
		1/4*			
		3/8*			
64-653	.75	1/2	50/300	65-653	0.51
64-654	1.17	3/4	30/180	65-654	0.57
64-655	1.08	1	20/120	65-655	0.76
64-656	1.79	1-1/4	40/120	65-656	0.96
64-657	2.42	1-1/2	30/90	65-657	1.34
64-658	3.00	2	20/60	65-658	1.91
64-659	5.92	2-1/2	1/16	65-659	4.06
64-660	8.14	3	1/8	65-660	6.32
64-661	10.50	4	1/4		

** Use Steel Fittings for smaller sizes
See page 138 For Galvanized & Black Steel Fitting*

CROSSES



Galv.	List	Size	Box/Case	Black	List
64-390	3.60	1/8	5/80	65-390	2.90
64-391	3.73	1/4	5/80	65-391	2.55
64-392	3.73	3/8	5/60	65-392	2.60
64-393	3.73	1/2	30/90	65-393	2.96
64-394	4.55	3/4	20/60	65-394	3.61
64-395	6.28	1	15/30	65-395	4.44
64-396	9.09	1-1/4	20/40	65-396	7.22
64-397	11.04	1-1/2	18/36	65-397	8.94
64-398	21.05	2	10/20	65-398	14.80
64-399	40.19	2-1/2	1/12	65-399	26.10
64-400	54.13	3	1/8	65-400	39.00
64-401	109.35	4	1/4	65-401	129.46

CAPS



Galv.	List	Size	Box/Case	Black	List
			1/8*		
			1/4*		
64-472	1.01	3/8	5/250	65-472	0.68
64-473	.77	1/2	75/450	65-473	0.63
64-474	1.11	3/4	40/240	65-474	0.84
64-475	1.22	1	35/140	65-475	1.02
64-476	1.78	1-1/4	25/100	65-476	1.33
64-477	2.27	1-1/2	25/75	65-477	1.81
64-478	2.87	2	18/54	65-478	2.37
64-479	9.14	2-1/2	1/28	65-479	5.89
64-480	11.07	3	1/21	65-480	8.75
64-481	21.99	4	1/7	65-481	13.66
64-482	80.05	6	1/11	65-482	55.00

** Use Steel Fittings for smaller sizes See page 138 For Galvanized & Black Steel Fitting*

FLOOR FLANGES



Galv.	List	Size	Box/Case	Black	List
64-692	4.71	1/2	25/100	65-692	2.26
64-693	5.26	3/4	20/80	65-693	2.44
64-694	5.79	1	20/60	65-694	3.16
64-695	6.59	1-1/4	15/45	65-695	3.17
64-696	8.23	1-1/2	12/36	65-696	3.50
64-697	10.84	2	8/24	65-697	4.56

Nipples & Fittings

HEX BUSHINGS



Galvanized	List	Size	Black	List
66-500	0.55	1/4 x 1/8	67-500	0.52
66-501	0.65	3/8 x 1/8	67-501	0.62
66-502	0.65	3/8 x 1/4	67-502	0.62
66-503	1.05	1/2 x 1/8	67-503	0.95
66-504	1.05	1/2 x 1/4	67-504	0.95
66-505	1.05	1/2 x 3/8	67-505	0.95
66-506	1.60	3/4 x 1/8	67-506	1.45
66-507	1.60	3/4 x 1/4	67-507	1.45
66-508	1.60	3/4 x 3/8	67-508	1.45
66-509	1.60	3/4 x 1/2	67-509	1.45
66-510	3.00	1 x 1/4	67-510	2.55
66-511	3.00	1 x 3/8	67-511	2.55
66-512	3.00	1 x 1/2	67-512	2.55
66-513	3.00	1 x 3/4	67-513	2.55

CAPS



Galvanized	List	Size	Black	List
66-470	0.50	1/8	67-470	0.45
66-471	0.62	1/4	67-471	0.58
66-472	0.90	3/8	67-472	0.85
66-473	1.50	1/2	67-473	1.30
66-474	2.15	3/4	67-474	1.90
66-475	3.10	1	67-475	2.64

SQUARE HEAD PLUGS



Galvanized	List	Size	Black	List
		1/16	67-669	0.20
66-670	0.23	1/8	67-670	0.20
66-671	0.25	1/4	67-671	0.21
66-672	0.39	3/8	67-672	0.34
66-653	0.51	1/2	67-653	0.60
66-654	0.63	3/4	67-654	0.85

HEX HEAD PLUG



Galvanized	List	Size	Black	List
66-770	0.20	1/8	67-770	0.16
66-771	0.33	1/4	67-771	0.30
66-772	0.60	3/8	67-772	0.54
66-773	1.00	1/2	67-773	0.90
66-774	1.65	3/4	67-774	1.45
66-775	3.30	1	67-775	2.55

COUNTERSUNK PLUG



Square Socket

Galvanized	List	Size	Black	List
66-630	0.16	1/8	67-630	0.15
66-631	0.22	1/4	67-631	0.20
66-632	0.30	3/8	67-632	0.26
66-633	0.46	1/2	67-633	0.40
66-634	0.70	3/4	67-634	0.65
66-635	1.80	1	67-635	1.60
		1-1/4	67-636	2.70

HEX SOCKET PLUG



Galvanized	List	Size	Black	List
66-760	0.22	1/16	67-760	0.20
66-761	0.16	1/8	67-761	0.20
66-762	0.22	1/4	67-762	0.20
66-763	0.30	3/8	67-763	0.26
66-764	0.46	1/2	67-764	0.40
66-765	0.70	3/4	67-765	0.64
66-766	1.80	1		

FACE BUSHING



Galvanized	List	Size	Black	List
66-700	0.51	1/4 x 1/8	67-700	0.50
66-701	0.63	3/8 x 1/8	67-701	0.60
66-702	0.95	3/8 x 1/4	67-702	0.60
		1/2 x 1/8	67-703	0.90
66-704	0.95	1/2 x 1/4	67-704	0.90
66-705	0.95	1/2 x 3/8	67-705	0.90
		3/4 x 1/4	67-707	1.19
66-708	1.37	3/4 x 3/8	67-708	1.19
66-709	1.37	3/4 x 1/2	67-709	1.23
		1 x 3/8	67-711	2.20
66-712	2.45	1 x 1/2	67-712	2.20
66-713	2.45	1 x 3/4	67-713	2.20

Nipples & Fittings

**EXTRA HEAVY WEIGHT NIPPLES
1/8" DIAMETER**



GALVANIZED			BLACK	
Part#	List	Length	Part #	Price
58-001	2.30	Close (3/4)	59-001	1.48
58-002	2.52	1-1/2"	59-002	1.60
58-003	2.80	2"	59-003	1.72
58-004	3.00	2-1/2"	59-004	1.88
58-005	3.28	3"	59-005	2.00
58-006	3.60	3-1/2"	59-006	2.30
58-007	4.00	4"	59-007	2.50
58-008	4.04	4-1/2"	59-008	2.70
58-009	7.40	5"	59-009	4.70
58-010	7.60	5-1/2"	59-010	4.96
58-011	8.00	6"	59-011	5.12
58-012	10.20	7"	59-012	6.40
58-013	10.70	8"	59-013	6.80
58-014	11.20	9"	59-014	7.20
58-015	11.90	10"	59-015	7.60
58-016	12.20	11"	59-016	8.00
58-017	12.50	12"	59-017	8.30

**EXTRA HEAVY WEIGHT NIPPLES
1/4" DIAMETER**



GALVANIZED			BLACK	
Part #	List	Length	Part #	List
58-020	2.48	Close (7/8)	59-020	1.60
58-021	2.60	1-1/2"	59-021	1.68
58-022	2.84	2"	59-022	1.86
58-023	3.40	2-1/2"	59-023	2.20
58-024	3.86	3"	59-024	2.42
58-025	4.20	3-1/2"	59-025	2.56
58-026	4.36	4"	59-026	2.64
58-027	4.92	4-1/2"	59-027	3.24
58-028	6.12	5"	59-028	4.18
58-029	6.78	5-1/2"	59-029	4.46
58-030	6.92	6"	59-030	4.74
58-031	10.96	7"	59-031	7.60
58-032	11.40	8"	59-032	8.00
58-033	12.32	9"	59-033	8.40
58-034	13.36	10"	59-034	8.50
58-035	14.00	11"	59-035	9.00
58-036	14.84	12"	59-036	9.40

**EXTRA HEAVY WEIGHT NIPPLES
3/8" DIAMETER**



GALVANIZED			BLACK	
Part#	List	Length	Part #	Price
58-040	2.66	Close (1)	59-040	1.64
58-041	2.96	1-1/2"	59-041	1.86
58-042	3.20	2"	59-042	2.08
58-043	3.68	2-1/2"	59-043	2.34
58-044	4.12	3"	59-044	2.48
58-045	4.56	3-1/2"	59-045	2.78
58-046	5.50	4"	59-046	2.92
58-047	5.28	4-1/2"	59-047	3.30
58-048	6.48	5"	59-048	4.18
58-049	6.96	5-1/2"	59-049	4.48
58-050	7.40	6"	59-050	4.76
58-051	12.28	7"	59-051	8.40
58-052	13.00	8"	59-052	8.90
58-053	14.00	9"	59-053	9.40
58-054	14.68	10"	59-054	9.70
58-055	15.58	11"	59-055	10.00
58-056	16.08	12"	59-056	10.24

**EXTRA HEAVY WEIGHT NIPPLES
1/2" DIAMETER**



GALVANIZED			BLACK	
Part#	List	Length	Part #	Price
58-060	2.52	Close (1-1/8)	59-060	1.50
58-061	2.64	1-1/2"	59-061	1.56
58-062	2.76	2"	59-062	1.64
58-063	3.04	2-1/2"	59-063	1.80
58-064	3.30	3"	59-064	1.96
58-065	3.52	3-1/2"	59-065	2.16
58-066	3.90	4"	59-066	2.36
58-067	4.20	4-1/2"	59-067	2.60
58-068	4.50	5"	59-068	2.70
58-069	4.80	5-1/2"	59-069	2.86
58-070	5.10	6"	59-070	3.04
58-071	8.24	7"	59-071	5.20
58-072	8.62	8"	59-072	5.60
58-073	9.36	9"	59-073	6.00
58-074	10.34	10"	59-074	6.40
58-075	11.00	11"	59-075	7.00
58-076	11.78	12"	59-076	7.34

Nipples & Fittings

**EXTRA HEAVY WEIGHT NIPPLES
3/4" DIAMETER**



GALVANIZED			BLACK	
Part#	List	Length	Part #	Price
58-080	2.80	Close (1-3/8)	59-080	1.76
58-081	2.92	1-1/2"	59-081	1.84
58-082	3.16	2"	59-082	1.92
58-083	3.44	2-1/2"	59-083	2.06
58-084	3.74	3"	59-084	2.26
58-085	4.12	3-1/2"	59-085	2.50
58-086	4.48	4"	59-086	2.70
58-087	5.22	4-1/2"	59-087	3.16
58-088	5.72	5"	59-088	3.32
58-089	5.96	5-1/2"	59-089	3.70
58-090	6.26	6"	59-090	3.96
58-091	9.96	7"	59-091	6.36
58-092	9.92	8"	59-092	6.84
58-093	11.48	9"	59-093	7.36
58-094	12.14	10"	59-094	7.68
58-095	12.96	11"	59-095	8.40
58-096	13.82	12"	59-096	8.72

**EXTRA HEAVY WEIGHT NIPPLES
1-1/4" DIAMETER**



GALVANIZED			BLACK	
Part#	List	Length	Part #	Price
58-120	5.24	Close (1-5/8)	59-120	3.20
58-121	5.46	2"	59-121	3.30
58-122	5.92	2-1/2"	59-122	3.76
58-123	6.34	3"	59-123	4.02
58-124	6.78	3-1/2"	59-124	4.64
58-125	7.52	4"	59-125	5.04
58-126	8.50	4-1/2"	59-126	5.84
58-127	9.44	5"	59-127	6.20
58-128	10.72	5-1/2"	59-128	6.60
58-129	11.60	6"	59-129	6.96
58-130	16.20	7"	59-130	10.30
58-131	18.08	8"	59-131	11.60
58-132	19.76	9"	59-132	12.60
58-133	11.24	10"	59-133	13.40
58-134	22.86	11"	59-134	14.20
58-135	23.96	12"	59-135	15.42

**EXTRA HEAVY WEIGHT NIPPLES
1" DIAMETER**



GALVANIZED			BLACK	
Part#	List	Length	Part #	Price
58-100	4.20	Close (1-1/2)	59-100	2.60
58-101	4.38	2"	59-101	2.72
58-102	4.62	2-1/2"	59-102	2.96
58-103	5.12	3"	59-103	3.20
58-104	5.70	3-1/2"	59-104	3.60
58-105	6.12	4"	59-105	3.88
58-106	6.96	4-1/2"	59-106	4.52
58-107	7.36	5"	59-107	4.62
58-108	8.18	5-1/2"	59-108	5.16
58-109	8.84	6"	59-109	5.44
58-110	13.20	7"	59-110	8.40
58-111	15.40	8"	59-111	9.20
58-112	15.52	9"	59-112	10.00
58-113	16.50	10"	59-113	10.60
58-114	17.76	11"	59-114	11.40
58-115	19.04	12"	59-115	12.00

**EXTRA HEAVY WEIGHT NIPPLES
1-1/2" DIAMETER**



GALVANIZED			BLACK	
Part#	List	Length	Part #	Price
58-140	6.40	Close (1-3/4)	59-140	4.00
58-141	6.66	2"	59-141	4.20
58-142	7.20	2-1/2"	59-142	4.60
58-143	7.64	3"	59-143	5.00
58-144	8.72	3-1/2"	59-144	5.60
58-145	9.12	4"	59-145	6.00
58-146	10.06	4-1/2"	59-146	6.60
58-147	10.84	5"	59-147	7.00
58-148	11.74	5-1/2"	59-148	7.60
58-149	12.64	6"	59-149	8.00
58-150	18.64	7"	59-150	12.00
58-151	20.92	8"	59-151	13.40
58-152	22.28	9"	59-152	14.00
58-153	24.48	10"	59-153	15.40
58-154	25.90	11"	59-154	17.20
58-155	27.70	12"	59-155	18.60

**Nipples &
Fittings**

**EXTRA HEAVY WEIGHT NIPPLES
2" DIAMETER**



GALVANIZED			BLACK	
Part#	List	Length	Part #	Price
58-160	8.90	Close (2")	59-160	5.50
58-161	9.40	2-1/2"	59-161	5.90
58-162	9.92	3"	59-162	6.60
58-163	11.06	3-1/2"	59-163	7.10
58-164	11.94	4"	59-164	7.60
58-165	13.52	4-1/2"	59-165	8.60
58-166	14.96	5"	59-166	9.40
58-167	16.24	5-1/2"	59-167	10.20
58-168	17.44	6"	59-168	10.80
58-169	26.82	7"	59-169	17.06
58-170	29.64	8"	59-170	18.60
58-171	32.08	9"	59-171	20.00
58-172	34.92	10"	59-172	21.70
58-173	37.22	11"	59-173	23.50
58-174	40.68	12"	59-174	25.00

**EXTRA HEAVY WEIGHT NIPPLES
2-1/2" DIAMETER**



GALVANIZED			BLACK	
Part#	List	Length	Part #	Price
58-180	26.20	Close (2-1/2")	59-180	16.80
58-181	30.84	3"	59-181	18.72
58-182	35.80	3-1/2"	59-182	21.40
58-183	36.60	4"	59-183	21.80
58-184	40.28	4-1/2"	59-184	23.90
58-185	41.20	5"	59-185	24.80
58-186	42.24	5-1/2"	59-186	26.22
58-187	43.20	6"	59-187	27.00
58-188	50.06	7"	59-188	31.60
58-189	51.64	8"	59-189	32.60
58-190	46.24	9"	59-190	36.00
58-191	57.52	10"	59-191	36.80
58-192	62.80	11"	59-192	39.60
58-193	64.28	12"	59-193	40.60

**EXTRA HEAVY WEIGHT NIPPLES
3" DIAMETER**



GALVANIZED			BLACK	
Part#	List	Length	Part #	Price
58-200	32.64	Close (2-5/8")	59-200	20.50
58-201	35.94	3"	59-201	22.80
58-202	40.36	3-1/2"	59-202	24.00
58-203	42.40	4"	59-203	26.60
58-204	44.80	4-1/2"	59-204	28.50
58-205	47.94	5"	59-205	29.20
58-206	49.98	5-1/2"	59-206	30.60
58-207	50.96	6"	59-207	31.90
58-208	64.80	7"	59-208	41.92
58-209	68.20	8"	59-209	43.60
58-210	74.02	9"	59-210	48.00
58-211	75.64	10"	59-211	48.60
58-212	79.76	11"	59-212	50.80
58-213	84.28	12"	59-213	52.60

**EXTRA HEAVY WEIGHT NIPPLES
4" DIAMETER**



GALVANIZED			BLACK	
Part#	List	Length	Part #	Price
58-220	48.30	Close (2-7/8")	59-220	30.90
58-221	60.88	4"	59-221	37.60
58-222	66.32	4-1/2"	59-222	40.20
58-223	67.00	5"	59-223	42.20
58-224	73.50	5-1/2"	59-224	44.60
58-225	74.42	6"	59-225	45.90
58-226	83.32	7"	59-226	52.80
58-227	86.24	8"	59-227	54.00
58-228	95.92	9"	59-228	60.40
58-229	100.00	10"	59-229	62.20
58-230	109.40	11"	59-230	67.80
58-231	110.38	12"	59-231	69.00

**Nipples &
Fittings**

300 LB Fittings ASTM: A197 ANSI: B16.3, B16.4

90° ELBOWS



BLACK

Part #	List	Length
68-101	7.47	1/4
68-102	6.64	3/8
68-103	9.12	1/2
68-104	9.93	3/4
68-105	12.70	1
68-106	18.13	1-1/4
68-107	21.37	1-1/2
68-108	31.42	2

GALVANIZED

Part #	List
69-101	12.65
69-102	12.90
69-103	15.36
69-104	17.25
69-105	22.11
69-106	34.74
69-107	37.65
69-108	63.27

45° ELBOWS



BLACK

Part #	List	Length
68-181	11.12	1/4
68-182	11.12	3/8
68-183	12.38	1/2
68-184	13.76	3/4
68-185	15.26	1
68-186	24.41	1-1/4
68-187	31.83	1-1/2
68-188	48.07	2

GALVANIZED

Part #	List
69-181	19.74
69-182	19.74
69-183	22.84
69-184	26.38
69-185	28.82
69-186	44.75
69-187	57.88
69-188	80.16

90° STREET ELBOWS



BLACK

Part #	List	Length
68-161	8.86	1/4
68-162	9.92	3/8
68-163	11.55	1/2
68-164	16.42	3/4
68-165	19.26	1
68-166	26.47	1-1/4
68-167	32.75	1-1/2
68-168	50.94	2

GALVANIZED

Part #	List
69-161	17.51
69-162	17.52
69-163	26.08
69-164	27.69
69-165	36.22
69-166	47.30
69-167	60.79
69-168	95.04

TEES



BLACK

Part #	List	Length
68-252	9.97	3/8
68-253	12.69	1/2
68-254	13.70	3/4
68-255	16.47	1
68-256	31.04	1-1/4
68-257	33.19	1-1/2
68-258	40.65	2

GALVANIZED

Part #	List
69-252	18.33
69-253	22.95
69-254	25.28
69-255	31.15
69-256	44.47
69-257	46.24
69-258	73.94

More sizes and shapes available!

300 LB Fittings ASTM: A197 ANSI: B16.3, B16.4

COUPLINGS



BLACK

Part #	List	Length
68-411	6.74	1/4
68-412	6.74	3/8
68-413	7.53	1/2
68-414	8.65	3/4
68-415	9.89	1
68-416	11.76	1-1/4
68-417	17.62	1-1/2
68-418	25.37	2

GALVANIZED

Part #	List
69-411	10.92
69-412	11.94
69-413	12.26
69-414	13.84
69-415	18.29
69-416	23.85
69-417	33.66
69-418	40.77

REDUCING COUPLING



BLACK

Part #	List	Length
68-432	8.90	3/8 x 1/4
68-434	10.73	1/2 x 1/4
68-435	10.73	1/2 x 3/8
68-438	10.97	3/4 x 1/2
68-441	13.37	1 x 1/2
68-442	13.10	1 x 3/4

GALVANIZED

Part #	List
69-432	15.74
69-434	17.31
69-435	17.31
69-438	21.01
69-441	25.59
69-442	25.08

CAPS



BLACK

Part #	List	Length
68-471	6.90	1/4
68-472	6.90	3/8
68-473	6.88	1/2
68-474	8.65	3/4
68-475	11.35	1
68-476	12.57	1-1/4
68-477	18.38	1-1/2
68-478	25.52	2

GALVANIZED

Part #	List
69-471	11.15
69-472	11.15
69-473	12.42
69-474	14.84
69-475	20.36
69-476	24.09
69-477	33.79
69-478	46.75

UNIONS



BLACK

Part #	List	Length
68-600	20.00	1/8
68-601	20.00	1/4
68-602	20.00	3/8
68-603	20.00	1/2
68-604	20.00	3/4
68-605	20.00	1
68-606	33.61	1-1/4
68-607	38.71	1-1/2
68-608	40.00	2

GALVANIZED

Part #	List
69-600	30.00
69-601	30.00
69-602	30.00
69-603	30.00
69-604	36.00
69-605	36.75
69-606	37.51
69-607	45.00
69-608	55.00

3000 LB FORGED STEEL THREADED FITTINGS

ASTM: A105 ANSI: B16.11

90° ELBOWS



Part #	Size	List
101-103	1/2"	7.28
101-104	3/4"	8.42
101-105	1"	12.65
101-106	1-1/4"	23.86
101-107	1-1/2"	31.77
101-108	2"	38.61

STREET ELBOWS



Part #	Size	List
101-163	1/2"	13.98
101-164	3/4"	18.03
101-165	1"	23.07
101-166	1-1/4"	36.81
101-167	1-1/2"	49.36
101-168	2"	72.67

45° ELBOWS



Part #	Size	List
101-183	1/2"	5.10
101-184	3/4"	7.25
101-185	1"	11.65
101-186	1-1/4"	17.50
101-187	1-1/2"	25.50
101-188	2"	35.50

TEES



Part #	Size	List
101-253	1/2"	9.69
101-254	3/4"	13.66
101-255	1"	17.37
101-256	1-1/4"	33.45
101-257	1-1/2"	39.59
101-258	2"	52.64

CROSS



Part #	Size	List
101-393	1/2"	26.55
101-394	3/4"	35.07
101-395	1"	51.60
101-396	1-1/4"	71.62
101-397	1-1/2"	96.34
101-398	2"	133.78

HALF COUPLINGS



Part #	Size	List
101-773	1/2"	1.94
101-774	3/4"	2.25
101-775	1"	3.18
101-776	1-1/4"	4.89
101-777	1-1/2"	6.63
101-778	2"	9.29

CAPS



Part #	Size	List
101-473	1/2"	3.58
101-474	3/4"	5.00
101-475	1"	7.67
101-476	1-1/4"	11.52
101-477	1-1/2"	13.28
101-478	2"	20.31

2000 and 6000 lb threaded and socketweld fittings available on special order basis.

Victory is won not in miles but in inches. Win a little now, hold your ground and win a little more later.

-Louis L'Amour

COUPLINGS



Part #	Size	List
101-413	1/2"	2.53
101-414	3/4"	3.46
101-415	1"	5.23
101-416	1-1/4"	9.73
101-417	1-1/2"	13.14
101-418	2"	16.58

REDUCING COUPLINGS

Part #	Size	List
101-435	1/2 x 3/8"	5.78
101-434	1/2 x 1/4"	5.78
101-438	3/4 x 1/2"	6.52
101-437	3/4 x 3/8"	6.52
101-442	1 x 3/4"	8.91
101-441	1 x 1/2"	8.91
101-440	1 x 3/8"	8.91
101-446	1-1/4 x 1"	14.05
101-445	1-1/4 x 3/4"	14.05
101-444	1-1/4 x 1/2"	14.05
101-443	1-1/4 x 3/8"	14.05
101-450	1-1/2 x 1-1/4"	16.06
101-449	1-1/2 x 1"	16.06
101-447	1-1/2 x 1/2"	16.06
101-454	2 x 1-1/2"	23.29
101-453	2 x 1-1/4"	23.29
101-452	2 x 1"	23.29
101-451	2 x 3/4"	23.29
101-458	2 x 1/2"	23.29


UNIONS



Part #	Size	List
101-603	1/2"	11.51
101-604	3/4"	13.85
101-605	1"	18.11
101-606	1-1/4"	30.53
101-607	1-1/2"	34.83
101-608	2"	45.25

*More Sizes Available. Please Call Order Desk for Details!

**Nipples &
Fittings**



Nominal Size	Joint Ends										Metal Thickness T (in)	Inside Diameter O (in)
	Male End					Female End						
	Outside Diameter (A) in	Average Tolerance (mm)	Actual MIN in	O.D. MAX in	Length (Min) H (in)	Inside Diameter F (in)	Average Tolerance (mm)	Actual MIN in	O.D. MAX in	Length (Min) G (in)		
1/8	2/8	0.03	2/8	2/8	3/8	2/8	0.03	2/8	2/8	3/8	0	2/8
1/4	3/8		3/8	3/8	3/8	3/8		3/8	3/8	3/8	0	2/8
3/8	4/8		4/8	4/8	3/8	4/8		4/8	4/8	3/8	0	3/8
1/2	5/8		5/8	5/8	4/8	5/8		5/8	5/8	3/8	0	4/8
5/8	6/8		6/8	6/8	5/8	6/8		6/8	6/8	5/8	0	4/8
3/4	7/8		7/8	7/8	6/8	7/8		7/8	7/8	5/8	0	5/8
1	1-1/8	0.04	1-1/8	1-1/8	7/8	1-1/8	0.04	1-1/8	1-1/8	7/8	0	7/8
1-1/4	1-3/8		1-3/8	1-3/8	1	1-3/8		1-3/8	1-3/8	1	0	1-1/8
1-1/2	1-5/8	0.05	1-5/8	1-5/8	1-1/8	1-5/8	0.05	1-5/8	1-5/8	1-1/8	0	1-3/8
2	2-1/8		2-1/8	2-1/8	1-3/8	2-1/8		2-1/8	2-1/8	1-2/8	0	1-6/8
2-1/2	2-5/8		2-5/8	2-5/8	1-4/8	2-5/8		2-5/8	2-5/8	1-4/8	1/8	2-1/8
3	3-1/8		3-1/8	2-1/8	1-6/8	3-1/8		3-1/8	3-1/8	1-5/8	1/8	2-5/8
4	4-1/8		4-1/8	4-1/8	2-1/8	4-1/8		4-1/8	4-1/8	2-1/8	1/8	3-4/8
5	5-1/8		5-1/8	5-1/8	2-6/8	5-1/8		5-1/8	5-1/8	2-5/8	1/8	4-5/8
6	6-1/8	0.08	6-1/8	6-1/8	3-2/8	6-1/8	0.08	6-1/8	6-1/8	3-1/8	1/8	5-6/8
8	8-1/8		8-1/8	8-1/8	4-1/8	8-1/8		8-1/8	8-1/8	3-7/8	1/8	7-4/8
10	10-1/8	0.35	10-1/8	10-1/8	4-4/8	10-2/8	0.35	10-1/8	10-2/8	4-3/8	2/8	9-2/8

Nipples & Fittings

Symbol of Joint Ends

- C** Solder joint fitting end made to receive copper tube diameter
- Ftg.** Solder joint fitting end made to copper tube diameter
- F** Internal ANSI Standard Taper Pipe Thread-Female
- M** External ANSI Standard Taper Pipe Thread-Male

The above conforms to ASTM B 88 & ASTM B 306


Warranty: Seller warrants that all fittings will be free from defects in materials and construction that will impair their usefulness, provided they are used as recommended. Any fitting that proves to be defective will be replaced or a credit issued but no incidental labor charges, expenses or damages will be allowed.

Dimensions: We have included roughing-in dimensions in this catalog. These dimensions are provided with the latest information available at the time of publication and are for estimating purposes only.

See copper fitting brushes on page 189

Copper Fittings


90° Ell C x C



WE-500-R
607-R
107-C

Part#	Nominal	Approx Net Wt.	A	B	List Price
77-100	1/8"	0.01	1/4	1/4	1.11
77-101	1/4"	0.01	1/4	1/4	1.11
77-102	3/8"	0.03	3/8	3/8	1.47
77-103	3/8" x 1/4"	0.03	5/8	1/2	1.90
77-104	1/2"	0.04	3/8	3/8	0.40
77-105	1/2"x3/8"	-	5/8	1/2	4.04
77-107	5/8"	0.07	3/8	3/8	3.00
77-108	3/4"	0.09	1/2	1/2	1.11
77-109	3/4" x 1/2"	0.12	3/4	3/4	2.68
77-110	1"	0.17	3/4	3/4	2.68
77-111	1"x3/4"	0.23	7/8	7/8	3.93
77-112	1"x1/2"	0.23	1-1/4	3/4	3.79
77-113	1-1/4"	0.27	7/8	7/8	4.08
77-114	1-1/2"	0.41	1-1/8	1-1/8	6.33
77-116	2"	0.73	1-1/4	1-1/4	11.54
77-117	2"x1-1/2"	0.73	1-5/8	1-1/4	23.36
77-118	2-1/2"	1.16	1-5/8	1-5/8	21.97
77-119	3"	1.87	1-7/8	1-7/8	30.79
77-120	4"	3.79	2-3/4	2-3/4	78.83


90° Street Ell Ftg. x C



WE-503
607-2
107-C-2

77-124	1/4"	0.01	3/8	3/4	2.68
77-125	3/8"	0.03	3/8	7/8	1.75
77-126	1/2"	0.05	1/2	1	0.72
77-127	5/8"	0.07	5/8	1-1/4	3.11
77-128	3/4"	0.12	3/4	1-1/2	1.61
77-129	1"	0.22	7/8	1-3/4	4.08
77-130	1-1/4"	0.33	1-1/8	2-1/8	6.18
77-131	1-1/2"	0.45	1-3/8	2-1/2	8.11
77-132	2"	0.87	1-3/4	3-1/8	17.61
77-134	3"	1.93	2-3/8	4	33.97


90° Long Turn Ell C x C



WE-500-L
607-LT
107-L

77-139	1/8"	0.01	1/4	1/4	2.86
77-140	1/4"	0.02	3/8	3/8	2.29
77-141	5/16" 00	0.03	5/8	5/8	1.93
77-142	3/8"	0.04	3/4	3/4	2.75
77-143	1/2"	0.06	7/8	7/8	2.47
77-144	5/8"	0.1	1	1	2.00
77-145	3/4"	0.15	1-1/4	1-1/4	3.36

90° Long Turn Street Ell Ftg. x C



WE-503-L
607-2LT


77-152	1/8"	0.01	1/2	1/2	3.08
77-153	1/4"	0.22	3/8	3/4	2.65
77-154	3/8"	0.04			5.04
77-155	1/2"	0.06	7/8	1-3/8	3.58
77-156	5/8"	0.11	1	1-3/4	4.22
77-157	3/4"	0.15	1-1/4	2	4.25

See copper fitting brushes on page 189

Copper Fittings

45° ELL C x C


WE-504
606
106



Part#	Nominal	Approx Net Wt.	A	B	List Price
77-161	1/8"	0.01	1/4	1/4	3.65
77-162	1/4"	0.01	1/4	1/4	2.86
77-163	3/8"	0.02	1/4	1/4	2.33
77-164	1/2"	0.04	1/4	1/4	0.90
77-165	5/8"	0.06	3/8	3/8	4.47
77-166	3/4"	0.1	3/8	3/8	1.58
77-167	1"	0.19	1/2	1/2	3.93
77-168	1-1/4"	0.27	3/4	3/4	5.33
77-169	1-1/2"	0.39	3/4	3/4	6.40
77-170	2"	0.75	7/8	7/8	10.68
77-171	2-1/2"	1.23	1-1/8	1-1/8	22.79

Street 45° Ftg. x C


WE-505
606-2



77-177	1/4"	0.01	1/8	3/8	4.04
77-178	3/8"	0.02	1/8	1/2	2.75
77-179	1/2"	0.06	1/4	3/4	1.04
77-180	5/8"	0.06	1/4	3/4	6.75
77-181	3/4"	0.1	3/8	1-1/8	1.61
77-182	1"	0.18	1/2	1-1/2	5.22
77-183	1-1/4"	0.27	3/4	1-3/4	6.54
77-184	1-1/2"	0.38	3/4	1-3/4	8.00
77-185	2"	0.75	7/8	2-1/4	12.68

Coupling (Socket) w/Rolled Tube Stop C x C


WC-400
100



77-201	1/8"	0	0		0.29
77-202	1/4"	0.01	0		0.36
77-203	3/8"	0.02	1/8		0.50
77-204	1/2"	0.03	1/8		0.36
77-205	5/8"	0.04	0		1.11
77-206	3/4"	0.06	1/8		0.72
77-207	1"	0.1	1/8		1.50
77-208	1-1/4"	0.15	1/8		2.65
77-209	1-1/2"	0.22	1/8		3.41
77-210	2"	0.39	1/8		4.29
77-211	2-1/2"	0.71	1/8		12.29
77-212	3"	0.98	1/8		14.61
77-214	4"	2.01	1/4		32.54

Coupling (Socket) Less Tube Stop C x C

WC-400NS
601




77-219	1/8"	0	5/8		0.25
77-220	1/4"	-	3/4		0.22
77-222	1/2"	0.03	1-1/8		0.47
77-223	3/4"	0.06	1-5/8		1.04
77-224	1"	0.1	2		2.15
77-225	1-1/4"	0.15	2		3.22
77-226	1-1/2"	0.22	2-3/8		4.36
77-227	2"	0.39	2-3/4		7.36

Nipples & Fittings

Copper Fittings


**Coupling (Socket)
w/Dimpled Tube Stop**



WC-400S

Part#	Nominal	Approx Net Wt.	A	List Price
77-238	1/2"	0.03	1/8	0.36
77-240	3/4"	0.06	1/8	0.72
77-241	1"	0.1	1/8	1.50
77-242	1-1/4"	0.15	1/8	2.00
77-244	2"	0.39	1/8	5.79
77-247	4"	2.01	1/4	28.00


**Reducer Coupling
w/ Stop
C x C**



WC-400R
600-R

77-252	1/4" x 1/8"	0.01	1/4	2.43
77-253	3/8" x 1/4"	0.02	1/8	0.61
77-255	1/2" x 3/8"	0.03	1/4	0.75
77-256	1/2" x 1/4"	0.03	1/4	0.85
77-258	5/8" x 1/2"	0.04	1/8	1.86
77-262	3/4" x 1/2"	0.06	1/4	1.33
77-263	3/4" x 3/8"	0.06	3/8	1.15
77-264	3/4" x 1/4"	0.06	3/8	1.18
77-265	1"x3/4"	0.12	3/8	2.43
77-267	1"x1/2"	0.1	1/2	2.75
77-268	1-1/4" x 1"	0.17	1/4	3.40
77-269	1 -1/4" x 3/4"	0.17	1/2	3.40
77-270	1 -1/4" x 1/2"	0.14	1/2	3.54
77-271	1-1/2" x 1-1/4"	0.24	1/4	5.65
77-272	1-1/2" x1"	0.24	1/2	5.65
77-273	1 -1/2" x 3/4"	0.25	5/8	4.29
77-274	1-1/2" x 1/2"	0.19	7/8	4.58
77-275	2" x 1-1/2"	0.42	5/8	6.65
77-276	2 x1 -1/4"	0.46	5/8	6.65
77-277	2" x 1"	0.48	5/8	8.75
77-280	2-1/2"x2"	0.79	3/4	14.65
77-284	3" x 2-1/2"	1.15	1/2	19.29

**Reducer Coupling
w/ Stop
C x C**




WC-403
600-2

77-291	3/8" x 1/4"	0.02	1/8	0.83
77-292	3/8" x 1/8"	0.01	5/8	0.97
77-294	1/2" x 1/4"	0.03	3/4	0.90
77-295	5/8" X 1/2"	0.03	1/8	1.58
77-296	3/4" x 5/8"	0.08	1/8	1.00
77-297	3/4" x 1/2"	0.06	1/8	1.36
77-298	3/4" x 3/8"	0.05	1-1/8	1.18
77-299	3/4" X 1/4"	0.05	1-1/8	1.18
77-300	1"x3/4"	0.11	1/4	2.15
77-352	1" x 1/2"	0.1	1/4	2.72
77-354	1-1/4" x1"	0.17	1/4	3.40
77-355	1 -1/4" x 3/4"	0.15	1/4	3.40
77-356	1 -1/4" x 1/2"	0.14	1/2	3.54
77-357	1 -1/2" X 1-1/4"	0.21	1/4	5.65
77-358	1-1/2"x1"	0.22	1/4	5.65
77-359	1 -1/2" x 3/4"	0.21	1/2	5.65
77-360	1 -1/2" x 1/2"	0.21	5/8	3.72
77-361	2" x 1-1/2"	0.39	1/2	8.75
77-362	2" x 1 -1/4"	0.38	1/2	6.93
77-363	2" x 1"	0.4	5/8	6.93
77-364	2" x 3/4"	0.39	3/4	6.93
77-365	2" x 1/2"	0.44	7/8	7.40
77-370	3" x 2-1/2"	0.93	1/2	17.72

Nipples & Fittings


Copper Fittings

Flush Bushing
Ftg. x C
WC-106
618



Part#	Nominal	Approx Net Wt.	A	B	List Price
77-382	3/4" x 1/2"	0.08	7/8		1.43
77-383	3/4" x 5/8"	0.04	7/8		1.65
77-385	1" x 3/4"	0.13	1		2.90
77-387	1" x 1/2"	0.22	1		2.36
77-389	1-1/4" x 3/4"	0.3	1		3.93
77-391	1-1/2" x 1-1/4"	0.22	1-1/8		3.58
77-392	2" x 1-1/2"	0.68	1-3/8		13.50


Male Adapter
C x M
WC-401
604



77-393	1/8"	0.02	3/8		5.08
77-394	1/4"	0.03	1/2		3.86
77-395	1/4" x 1/2"	0.09	1		2.04
77-396	1/4"x3/8"	0.06	5/8		4.54
77-397	1/4" x 1/8"	0.02	7/8		3.40
77-398	3/8"	0.06	7/8		1.93
77-401	1/2"	0.08	5/8		0.97
77-303	1/2"x3/4"	0.16	3/4		3.00
77-306	3/4"	0.14	7/8		1.72
77-307	3/4" x 1"	0.29	7/8		6.54
77-309	1"	0.24	7/8		4.43
77-312	1"x3/4"	0.18	1-7/8		6.54
77-314	1-1/4"	0.41	1-1/2		6.54
77-318	1-1/2"	0.5	1-5/8		7.50
77-320	1-1/2" x 1-1/4"	0.44	1-3/4		12.11
77-322	2"	0.87	7/8		12.68

Fitting Male Adapters
Ftg. x M

WC-404
604-2




77-331	1/2"	0.09	1-1/2		4.50
77-332	1/2" x 3/4"	0.15	-		10.40
77-333	3/4"	0.15	1-7/8		4.40
77-335	1-1/4"	0.41	2-1/2		13.18
77-337	2"	0.86	2-7/8		35.15

A 95 -year old man is having his annual checkup. The doctor asks him how he is feeling. "I've got an eighteen-year old bride who's pregnant with my child. What do you think about that?" The Doctor considers this for a moment, and then says, "Well, let me tell you a story. I know of a guy who's an avid hunter. He never misses a season. But one day he's in a bit of a hurry and he accidentally grabs his umbrella instead of his gun. So he's walking in the woods near a creek and suddenly spots a beaver in some brush in front of him! He raises the umbrella, points it at the beaver and squeezed the handle; BAM!!!! The beaver drops dead in front of him. "That's impossible!", says the old man in disbelief, "Someone else must have shot that beaver." The Doctor says, "My point exactly."


Copper Fittings

Female Adapters
C x F
 WC402
 603
 WC402R
 603R




Part#	Nominal	Approx Net Wt.	A/X	List Price
77-338	1/8"	0.03	1/2	2.50
77-339	1/4"	0.04	1/2	2.40
77-340	3/8"	0.06	5/8	3.40
77-341	3/8" x 1/2"	0.1	7/8	3.33
77-343	1/2"	0.1	7/8	1.61
77-345	1/2" x 3/4"	0.15	7/8	3.54
77-346	1/2"x3/8"	,07	5/8	2.50
77-347	1/2" x 1/4"	0.05	5/8	1.93
77-349	3/4"	0.14	3/4	2.22
77-351	3/4" x 1/2"	,11	3/4	3.54
77-402	1"	0.24	1	5.15
77-404	1"x3/4"	0.22	5/8	7.50
77-405	1"x 1/2"	0.29	3/4	5.90
77-406	1-1/4"	0.43	1-1/8	7.50
77-407	1-1/4" x 1-1/2"	0.52	1-1/4	16.04
77-409	1 -1/4" x 3/4"	0.26	1/2	10.04
77-410	1-1/2"	0.58	1-1/8	11.75
77-413	2"	0.74	1-1/4	15.94
77-416	3"	1.83	1-1/2	52.65

Fitting Female Adapt.
Ftg. x F




77-419	3/8"	0.05	1-1/8	3.40
77-420	1/2"	0.11	1-3/8	2.47
77-423	3/4"	0.19	1-3/4	3.18
77-424	1"	0.25	2	7.47
77-426	1-1/2"	0.55	2/1/02	11.93
77-427	2"	0.68	2-5/8	15.90

Cap
 WC-415
 617



77-428	1/8"	0.003	0	0.54
77-429	1/4"	0.01	0	0.36
77-430	3/8"	0.01	0	0.54
77-431	1/2"	0.02	0	0.33
77-432	5/8"	0.03	1/8	0.79
77-433	3/4"	0.04	1/8	0.61
77-434	1"	0.08	1/8	1.50
77-435	1-1/4"	0.11	1/8	2.11
77-436	1-1/2"	0.18	1/8	3.08
77-437	2"	0.3	0	5.65

Unions C x C
 WC-407



77-452	1/8	0.13	3/8	7.08
77-453	1/4	0.11	3/8	7.04
77-454	3/8	0.11	1/2	7.04
77-455	1/2	0.17	1/2	5.04
77-456	3/4	0.37	5/8	6.33
77-457	1	0.51	1/2	11.22

U-Type Strap
 WS-1100




77-458	1/8	0.01		0.18
77-459	1/4	0.02		0.18
77-460	3/8	0.02		0.22
77-461	1/2	0.03		0.37
77-462	3/4	0.03		0.36
77-463	1	0.04		0.40
77-464	1-1/4	0.04		0.47
77-465	1-1/2	0.05		0.54
77-466	2	0.06		0.64

Nipples & Fittings

Copper Fittings

Nipples & Fittings



Part#	Nominal	Approx Net Wt.	A/X	B/Y	Z	List Price
77-467	1/8"	0.02	1/8	1/8		3.25
77-468	1/4"	0.03	1/4	1/4		2.47
77-470	3/8"	0.05	1/4	3/8		2.47
77-473	1/2"	0.08	3/8	3/8		0.83
77-474	1/2x1/2"x1"	-	1-1/4	5/8		3.86
77-481	5/8"	-	3/8	1/2		5.36
77-483	3/4"	0.18	1/2	1/2		2.00
77-485	3/4"x3/4"x1"	0.25	1	7/8		6.75
77-486	3/4" x 3/4" x 1/2"	0.15	3/8	1/2		1.97
77-488	3/4" x 1/2" x 3/4"	0.19	3/8	1/4		2.36
77-489	3/4"x1/2"x1/2"	0.15	3/8	1/2	1-3/8	8.72
77-490	1"	0.35	5/8	5/8		6.22
77-492	1"x1"x 1-1/4"	0.64	1-1/8	1		10.50
77-493	1"x1"x3/4"	0.29	1/2	5/8		6.22
77-496	1"x1"x1/2"	0.24	3/8	5/8		6.22
77-498	1"x3/4"x1"	0.38	3/4	5/8		7.40
77-499	1"x3/4"x3/4"	0.31	1/2	5/8	1-5/8	7.40
77-500	1"x3/4"x1/2"	0.27	1/2	3/4		7.40
77-501	1"x1/2"x1"	0.34	3/4	5/8		7.40
77-502	1"x1/2"x3/4"	0.34	3/8	3/4		7.40
77-504	1-1/4"	0.58	3/4	5/8		9.40
77-506	1 -1/4" x1 -1/4" x 1-1/2"	0.79	1-1/4	1		14.29
77-507	1-1/4"x1-1/4"x1"	0.47	5/8	3/4		9.15
77-508	1-1/4" x 1-1/4" x 3/4"	0.39	3/8	3/4		9.15
77-509	1-1/4"x1-1/4"x1/2"	0.33	3/8	3/4		9.15
77-510	1-1/4" x 1"x 1-1/4"	-	3/4	3/4		9.11
77-511	1-1/4" x 1"x1"	0.5	5/8	7/8		11.75
77-514	1 -1/4" x 3/4" x 1-1/4"	0.63	3/4	7/8		8.90
77-516	1-1/4"x3/4"x3/4"	-	1/2	7/8		11.75
77-518	1 -1/4"x 1/2" x 1-1/4"	-	3/4	7/8		12.00
77-519	1-1/2"	-	1	1		13.08
77-521	1-1/2"x1-1/2"x 1-1/4"	-	3/4	1		9.72
77-522	1-1/2" x 1-1/2" x1"	-				9.72
77-523	1 -1/2" x 1-1/2" x 3/4"	0.51	3/4	1		9.72
77-524	1 -1/2" x 1 -1/2" x 1/2"	0.46	3/8	1		9.72
77-543	2"	1.35	1-1/8	1-1/4		20.36
77-545	2" x 2" x 1-1/2"	1.17	7/8	1-1/4		11.36
77-546	2" x 2" x 1-1/4"	1.01	7/8	1-3/8		15.36
77-547	2"x2"x1"	0.99	7/8	1-1/4		15.36
77-548	2" x 2" x 3/4"	0.9	5/8	1-1/4		15.36
77-549	2"x2"x1/2"	0.77	5/8	1-1/4		15.36
77-554	2" x 1 -1/2" x 3/4"	1.4	5/8	1-1/4		20.04
77-556	2" x 1-1/4" x 1-1/4"	1.14	7/8	1-3/8		20.04
77-559	2"x1"x2"	1.34	1-1/8	1-1/4		20.04
77-560	2"x1"x1"	0.98	1/2	1-1/4		20.04
77-563	2-1/2"	2.21	1-1/2	1-5/8		41.08
77-585	3"x 3" x 2"	2.53	1-1/8	1-3/4		39.93
77-587	3" x 3" x 1-1/4"	2.18	3/4	1-7/8		39.93
77-588	3"x3"x1"	2.14	5/8	1-3/4		39.93

Machined Schedule 80 PVC nipples comply fully with ASTM D2464, threads conform to ASTM F1498, and the pipe is extruded from PVC 1120-1220 meeting ASTM D1784 and meets ASTM D1785, products standard 21-70



1/2" DIAMETER

Part #	Length	List Price
55-060	close(1-1/8)	0.35
55-061	1-1/2"	0.35
55-062	2"	0.39
55-063	2-1/2"	0.39
55-064	3"	0.42
55-065	3-1/2"	0.44
55-066	4"	0.47
55-067	4-1/2"	0.55
55-068	5"	0.59
55-069	5-1/2"	0.62
55-070	6"	0.64
55-072	8"	0.70
55-076	12"	0.97
55-241	24"	1.67
55-243	36"	2.90

3/4" DIAMETER

Part #	Length	List Price
55-080	close(1-3/8)	0.33
55-081	1-1/2"	0.41
55-082	2"	0.41
55-083	2-1/2"	0.41
55-084	3"	0.41
55-085	3-1/2"	0.49
55-086	4"	0.49
55-087	4-1/2"	0.65
55-088	5"	0.60
55-089	5-1/2"	0.66
55-090	6"	0.70
55-253	36"	3.67

1" DIAMETER

Part #	Length	List Price
55-100	close(1-1/2)	0.53
55-101	2"	0.55
55-102	2-1/2"	0.65
55-103	3"	0.65
55-104	3-1/2"	0.66
55-105	4"	0.73
55-106	4-1/2"	0.83
55-107	5"	0.83
55-108	5-1/2"	0.92
55-109	6"	1.00
55-111	8"	1.23
55-115	12"	1.67

1-1/4" DIAMETER

Part #	Length	List Price
55-120	close(1-5/8)	0.80
55-121	2"	0.84
55-122	2-1/2"	0.93
55-123	3"	1.04
55-124	3-1/2"	1.16
55-125	4"	1.20
55-126	4-1/2"	1.33
55-127	5"	1.43
55-128	5-1/2"	1.50
55-129	6"	1.60

1-1/2" DIAMETER

Part #	Length	List Price
55-140	close(1-3/4)	1.00
55-141	2"	1.04
55-142	2-1/2"	1.21
55-143	3"	1.27
55-144	3/1/102	1.40
55-145	4"	1.47
55-146	4-1/2"	1.56
55-147	5"	1.67
55-148	5-1/2"	1.77
55-149	6"	1.90

2" DIAMETER

Part #	Length	List Price
55-160	close (2)	1.33
55-161	2-1/2"	1.47
55-162	3"	1.56
55-163	3-1/2"	1.73
55-164	4"	1.83
55-165	4-1/2"	2.03
55-166	5"	2.17
55-167	5-1/2"	2.27
55-168	6"	2.40
55-174	12"	4.00

More sizes available...just ask!

Perseverance
 Supposing you had tried and failed again and again. You may have a fresh start at any moment you choose, for this thing that we call "failure" is not the falling down, but the staying down.
 -Mary Pickford

Nipples & Fittings

Plastic Fittings

Plastic Pipe

Plastic Pipe

AVAILABLE IN THREE TYPES OF PLASTIC

Add () letter for type of plastic required

(W) White Nylon- made from virgin grade formulated to resist physical stress and abrasion. This material meets F.D.A. requirements of Code of Federal Regulation part 177.1500 and is therefore suitable for food contact surfaces.

Temperature Range: -40°F to 200° F

Working Pressure: 125 PSI maximum.

(B) Black Polyethylene- made from a high molecular weight linear polyethylene formulated for chemical compatibility and high impact resistance at lower temperatures. Polyethylene is NSF approved for potable water.

Temperature Range: -65°F to 190°F

Working Pressure: 125 PSI maximum.

(P) Polypropylene- made from the finest polypropylene resins. Polypropylene is used for its resistance to a wide range of chemicals. Working pressures decrease as temperatures increase.

•NSF-approved materials

•FDA-approved materials

HEX HEAD PLUGS



Part #	Size	List Prices		
		B	P	W
28-601	1/8	0.33	0.41	0.41
28-602	1/4	0.33	0.42	0.41
28-603	3/8	0.35	0.50	0.41
28-604B	1/2	0.41		0.98
28-605B	3/4	0.77		0.56
28-606W	1			0.90
28-607W	1-1/4			1.28
28-608W	1-1/2			1.85
28-609W	2			2.75

PIPE CAP



Part #	Size	W
		List Prices
28-640W	1/4	0.43
28-641W	3/8	0.52
28-642W	1/2	0.52
28-643W	3/4	0.55

"Go often to the house of thy friend, for weeds choke the unused path."
- Ralph Waldo Emerson

HEX NIPPLES



Part #	Size	List Prices		
		B	P	W
28-611	1/8	0.33		0.42
28-612	1/4	0.36	0.45	0.45
28-613	3/8	0.36	0.48	0.45
28-614	1/2	0.42	0.53	0.53
28-615	3/4		0.78	0.66
28-616W	1			1.05
28-617W	1 1/4			1.69
28-618W	1 1/2			2.76

REDUCER NIPPLES



Part #	Size	List Prices		
		B	P	W
28-620W	1/4 x 1/8			0.44
28-621W	3/8 x 1/8			0.47
28-622W	3/8 x 1/4			0.48
28-623	1/2 x 1/4	0.44		0.55
28-624	1/2 x 3/8	0.45		0.57
28-628	3/4 x 3/8	0.47		0.57
28-625	3/4 x 1/2	0.45		0.60
28-629P	1 x 3/4		3.21	
28-631P	1-1/4 x 3/4		3.69	
28-634P	2 x 1-1/4		4.48	
28-635P	3 x 2		16.11	

More shapes and sizes available

HEX BUSHINGS



Part #	Size	List Prices	
		P	W
28-659	1/4 x 1/8	0.58	0.89
28-660	3/8 x 1/8	1.22	0.92
28-661	3/8 x 1/4	1.13	0.89
28-663	1/2 x 1/4	1.26	0.95
28-664	1/2 x 3/8	0.85	0.96
28-665W	3/4 x 1/8		1.18
28-666	3/4 x 1/4	1.34	1.00
28-667W	3/4 x 3/8		1.33
28-668	3/4 x 1/2	1.01	1.08
28-671	1 x 1/2	1.39	1.46
28-672	1 x 3/4	1.59	1.19
28-674W	1-1/4 x 3/4		1.82
28-675W	1-1/4 x 1		1.88
28-678	1-1/2 x 3/4	2.51	2.48
28-679W	1-1/2 x 1		2.75
28-680	1-1/2 x 1-1/4	1.93	2.09
28-682W	2 x 3/4		6.72
28-683W	2 x 1		3.87
28-685W	2 x 1-1/2		2.70

ALL HOSE BARB "Y"



Part #	Size	List Prices	
		P	W
33-300P	1/4	3.00	
33-301	3/8	1.35	1.35
33-302P	1/2	3.15	

Plastic Fittings

Plastic Pipe

Plastic Hose

ELBOW



Part #	Size	List Prices	
		P	W
28-701W	1/4		2.62
28-702	3/8	4.88	
28-703W	1/2		3.20
28-704	3/4	3.38	3.23
28-705W	1		4.56
28-706W	1-1/4		6.87

STREET ELBOW



Part #	Size	List Prices	
		P	W
28-720W	1/4		2.76
28-721W	3/8		3.33
28-723	1/2	2.50	2.37
28-724W	3/4		3.33
28-725W	1		7.11
28-726W	1-1/4		8.75


TEE



Part #	Size	List Prices	
		P	W
28-741	1/4	3.15	3.24
28-742P	3/8	5.60	
28-743	1/2	2.94	3.26
28-744	3/4	3.75	4.28
28-745W	1		8.43
28-746W	1-1/4		10.43
28-747W	1-1/2		11.87

More shapes and sizes available

COUPLING



Part #	Size	List Prices	
		P	W
28-760	1/8	2.63	2.63
28-761	1/4	2.63	2.63
28-762	3/8	2.63	2.63
28-763	1/2	2.63	2.63
28-764	3/4	2.70	2.70
28-765W	1		3.22
28-767W	1-1/2		4.73
28-768W	2		5.86

HOSE BARB ADAPTERS

FEMALE ADAPTERS



Hose ID x FIP

Part #	Size	List Prices		
		B	P	W
33-053	1/4 x 1/4	0.50		0.65
33-058	3/8 x 1/4	0.50		0.81
33-059W	3/8 x 3/8			2.17
33-060W	3/8 x 1/2			2.25
33-062P	1/2 x 3/8		2.15	
33-061W	1/2 x 1/2			0.96
33-063W	5/8 x 3/4			1.21
33-064W	3/4 x 1/2			2.15
33-065W	3/4 x 3/4			1.17

MALE ADAPTERS



Hose ID x MIP

Part #	Size	List Prices		
		B	P	W
33-002	3/16 x 1/8	0.32		0.42
33-003W	3/16 x 1/4			0.44
33-004	1/4 x 1/8	0.32		0.42
33-005	1/4 x 1/4	0.35		0.36
33-006	1/4 x 3/8	0.36		0.47
33-007	1/4 x 1/2	0.44		0.53
33-380W	1/4 x 3/4			0.61
33-008	5/16 x 1/8	0.32		0.42
33-009	5/16 x 1/4	0.35		0.44
33-010W	5/16 x 3/8			0.41
33-011W	3/8 X 1/8			0.42
33-012	3/8 x 1/4	0.36	0.44	0.44
33-013	3/8 x 3/8	0.38		0.47
33-014	3/8 x 1/2	0.44	0.54	0.56
33-026	3/8 x 3/4	0.50		0.64
33-015	1/2 x 1/4	0.36	0.45	0.45
33-016	1/2 x 3/8	0.38	0.50	0.48
33-017	1/2 x 1/2	0.45	0.50	0.55
33-018	1/2 x 3/4	0.53	0.64	0.65
33-019	5/8 x 3/8	0.38		0.48
33-020	5/8 x 1/2	0.45	0.53	0.56
33-021	5/8 x 3/4	0.50		0.66
33-022	3/4 x 1/2	0.45	0.59	0.72
33-023	3/4 x 3/4	0.51	0.65	0.67
33-000W	3/4 x 1			0.90
33-024	1 x 3/4	0.99	0.77	0.86
33-025	1 x 1	1.10	0.85	1.01
33-029W	1 x 1-1/4			1.76
33-028	1-1/4 x 1	1.38		1.38
33-030W	1-1/4 x 1-1/4			1.90
33-033	1-1/2 x 1-1/2	1.98		2.21
33-035W	2 x 2			3.00

Plastic Fittings

Plastic Hose

Plastic Hose

HOSE BARB ADAPTERS -CONTINUED-

ELBOWS



Hose ID x Male Pipe

Part #	Size	List Prices		
		B	P	W
33-308B	3/16 x 1/8	0.61		
33-381W	3/16 x 1/4			0.75
33-038	1/4 x 1/8	0.63		0.64
33-039	1/4 x 1/4	0.64		0.61
33-309W	1/4 x 3/8			0.74
33-040	5/16 x 1/4	0.64		0.85
33-310	5/16 x 3/8	0.66		0.86
33-046	3/8 x 1/8	0.64		0.82
33-041	3/8 x 1/4	0.66		0.70
33-042	3/8 x 3/8	0.67		0.78
33-047	3/8 x 1/2	0.89		0.82
33-384	3/8 x 3/4	1.10		0.95
33-048	1/2 x 1/4		0.83	0.79
33-043	1/2 x 3/8	0.67		0.78
33-311	1/2 x 1/2	0.64	0.87	0.93
33-385	1/2 x 3/4	1.14	1.08	0.99
33-044W	5/8 x 3/8			0.82
33-045	5/8 x 1/2	1.05		1.03
33-312	5/8 x 3/4	1.28		1.18
33-313	3/4 x 1/2	1.18	0.99	1.07
33-314	3/4 x 3/4	1.30	1.15	1.13
33-315W	3/4 x 1			1.25
33-386W	1x3/4			1.40
33-316	1 x 1	1.67	1.35	1.37
33-460W	1 x 1-1/4			2.29
33-461	1-1/4 x 1-1/4		2.32	2.43
33-463	1-1/2 x 1-1/2		3.16	2.72
33-464W	2 x 2			4.02

HOSE BARB X FEMALE ELBOW



Hose ID x Male Pipe

Part #	Size	List Prices	
		B	W
33-402	1/2 x 3/8	1.11	2.41
33-403W	1/2 x 3/4		1.60
33-471W	3/4 x 3/4		2.52

UNION ELBOWS



Part #	Size	List Prices		
		B	P	W
33-390	1/4	0.60		0.72
33-391	3/8	0.63		0.63
33-394	1/2	0.64		0.74
33-395	5/8	0.67	0.72	0.86
33-396	3/4	0.95	0.95	0.95
33-397W	1			1.65
33-398W	1-1/4			3.83
33-399W	1-1/2			6.26
33-389W	2			7.63

REDUCING UNION ELBOWS

Part #	Size	List
		W
33-392W	1/2 X 1/4	0.93

UNIONS/CONNECTORS/ SPLICERS



Part #	Size	List Prices		
		B	P	W
33-091	1/8	0.31		0.38
33-092	1/5	0.30		0.40
33-093	1/4	0.32		0.41
33-094W	5/16			0.45
33-095	3/8	0.33	0.45	0.42
33-096	1/2	0.33	0.48	0.45
33-097	5/8	0.29		0.48
33-098	3/4	0.84	0.68	0.77
33-099	1		0.90	0.98
33-480W	1-1/4			1.80
33-481W	1-1/2			1.94
33-482W	2			5.32

REDUCER CONNECTORS

Part #	Size	List Prices	
		B	W
33-406	3/8 x 1/4	0.32	0.42
33-407W	1/2 x 1/4		0.44
33-408	1/2 x 3/8	0.35	0.45
33-409W	5/8 x 3/8		0.47
33-410	5/8 x 1/2	0.36	0.48

TEES BARBED ON ALL SIDES



Part #	Size	List Prices		
		B	P	W
33-415	1/8	0.61		0.79
33-418*	3/16	0.60		1.45
33-420	3/16	0.62		0.80
33-422	1/4	0.63		0.80
33-426	1/3	1.04		0.85
33-429	3/8	0.68	0.99	0.85
33-433	1/2	0.70		0.93
33-436	5/8	0.79		0.96
33-437	3/4	0.84		1.08
33-438	1	0.99		1.30
33-439W	1-1/4			2.45
33-440	1-1/2		2.33	3.06
33-441W	2			8.86

* single barb

REDUCING TEES

Part #	Size 3 x 1 x 2	List	
		B	W
33-416	1/8 x 5/32 x 5/32		0.81
33-417	5/32 x 5/32 x 5/32		1.35
33-423B	1/4 x 3/8 x 3/8	0.63	
33-424	1/4 x 1/2 x 1/2	0.64	0.92
33-430	3/8 x 1/2 x 1/2	0.73	0.86
33-431W	3/8 x 5/8 x 5/8		0.92
33-432	1/2 x 3/8 x 3/8	0.73	0.93
33-435	1/2 x 3/4 x 3/4	0.95	1.06

TEES



1 & 2 x 3

Part #	Size	List Prices	
		B	W
33-448	1/4 x 1/4	0.66	0.83
33-450W	3/8 x 1/4		0.90
33-451W	3/8 x 3/8		0.92
33-453W	1/2 x 1/4		1.54
33-454W	1/2 x 3/8		0.93
33-456W	3/4 x 3/4		1.21

More sizes available

Nipples & Fittings

PLASTIC GARDEN HOSE FITTINGS
"FITTINGS WITH GARDEN HOSE THREAD"

GARDEN HOSE CAP



• White Nylon

Part #	Size	List
30-103P	3/4	0.64

GARDEN HOSE NUT



• White Nylon

Part #	Size	List
31-022	3/4	0.53

GARDEN HOSE ADAPTER INSERTS



• White Nylon

Part #	Size	List
31-034	3/4	0.39

GARDEN HOSE THREAD ADAPTERS



• White Nylon

Part #	Size	List
31-040	1/2	0.80
31-041	5/8	0.74

More sizes available

MALE GARDEN HOSE X FEMALE PIPE



• White Nylon

Part #	Size	List
31-068	MGH x 1/2 FIP	1.72

FEMALE GARDEN HOSE X MALE PIPE



• White Nylon

Part #	Size	List
31-093	FGH x 3/4 MPT	1.75

FEMALE GARDEN HOSE X FEMALE PIPE



• White Nylon

Part #	Size	List
31-096	FGH x 1/2 FIP	1.75

ADAPTERS GARDEN TO PIPE THREAD



• White Nylon

Part #	Size	List
31-058	GHT x 1/2	0.67
31-063	GHT x 3/4	0.72

PLASTIC COMPRESSION FITTINGS

• Standard nut and sleeve provided

Corrosion resistant thermoresins designed to resist vibration, provide good electrical insulation, low flow resistance, and resistance to scale buildup.

Add letter to the end of part no. to denote the type you prefer.

- N = Nylon
- P = Polypropylene
- C = Celcon

Standard nut and sleeves will be provided (sleeve is integral part of nut). Other sizes available upon request.

FERRULE NUTS



Part #	Size	List Prices	
		P	N
17-035	1/4	0.57	0.58
17-036N	5/16		0.78
17-037	3/8	0.86	0.86
17-039N	1/2		1.20
NUT WITH PLASTIC GRIPPER FERRULE			
17-013N	1/4		1.20
17-015	3/8	1.66	1.27
17-016N	1/2		1.40
NUT WITH STAINLESS STEEL GRIPPER FERRULE			
17-024	1/2	1.77	1.59

INSERTS



Part #	Size	List Prices	
		P	N
17-360	1/4	0.25	0.27
17-362	3/8	0.40	0.40
17-363	1/2	0.51	0.51

Nipples & Fittings

**PLASTIC COMPRESSION
-CONTINUED-**

**UNION & REDUCING UNION
CONNECTORS**



Part #	Size	List Prices	
		P	N
17-064	1/4	2.21	1.98
17-065N	5/16	2.21	2.32
17-078N	5/16 x 1/4		2.12
17-066	3/8	3.84	2.81
17-079	3/8 x 1/4	2.57	4.06
17-068	1/2	3.65	5.05
17-081	1/2 x 3/8	3.24	3.24

BULKHEAD UNIONS



Part #	Size	List
17-088N	1/4	3.24
17-090N	3/8	4.12
17-091N	1/2	5.04

UNION TEES



Part #	Size	List Prices	
		P	N
17-101N	1/8		3.02
17-103	1/4	5.14	3.43
17-105	3/8	6.55	5.25
17-106	1/2	6.33	5.72

UNION ELBOWS



Part #	Size	List Prices	
		P	N
17-124	1/4	2.75	2.75
17-126	3/8	3.74	3.74
17-127	1/2	4.92	4.62

FEMALE CONNECTORS



Part #	Tube x Pipe	List Prices	
		P	N
17-145	1/4 x 1/8	1.80	1.80
17-146N	1/4 x 1/4		2.07
17-153	3/8 x 1/4	2.27	2.25
17-154	3/8 x 3/8	2.35	2.43
17-155N	3/8 x 1/2		2.70
17-158	1/2 x 3/8	2.70	2.70
17-159P	1/2 x 1/2	2.89	

MALE CONNECTORS



Part #	C	Tube x Pipe	P	N
17-176N		1/8 x 1/8		1.17
17-179	1.11	1/4 x 1/8	1.47	1.47
17-180		1/4 x 1/4	1.62	1.62
17-181		1/4 x 3/8	1.68	1.68
17-183		5/16 x 1/8	1.58	1.58
17-184		5/16 x 1/4	2.11	1.58
17-187		3/8 x 1/8	1.73	1.73
17-188		3/8 x 1/4	1.95	1.95
17-189		3/8 x 3/8	1.98	1.98
17-190		3/8 x 1/2	2.67	2.67
17-193N		1/2 x 1/4		3.06
17-194		1/2 x 3/8	3.54	2.70
17-195		1/2 x 1/2	3.54	2.85

MALE ELBOWS



Part #	Tube x Pipe	List Prices	
		P	N
17-224	1/4 x 1/8	2.07	2.07
17-225	1/4 x 1/4	2.27	2.27
17-226N	1/4 x 3/8		2.56
17-229	5/16 x 1/4	2.39	2.39
17-233	3/8 x 1/4	2.93	3.42
17-234	3/8 x 3/8	3.06	5.04
17-237	1/2 x 3/8	3.54	3.21
17-238	1/2 x 1/2	3.57	3.21

FEMALE ELBOWS



Part #	Tube x Pipe	List Prices	
		P	N
17-254	1/4 x 1/4	3.24	3.24
17-258	3/8 x 1/4	3.33	3.63
17-259	3/8 x 3/8	3.78	3.78
17-262P	1/2 x 3/8	4.40	
17-263	1/2 x 1/2	5.13	5.13

MALE RUN TEES



Part #	Tube x Pipe	List
		P
17-279P	3/8 x 1/4	4.05
17-282P	1/2 x 1/2	5.40

MALE BRANCH TEES



Part #	Tube x Pipe	List Prices	
		P	N
17-291	1/4 x 1/8	2.79	2.79
17-292	1/4 x 1/4	3.42	3.42
17-296	3/8 x 1/4	4.05	4.05
17-297P	3/8 x 3/8	4.14	
17-299P	1/2 x 3/8	5.31	

Love begins with a smile,
grows with a kiss and
ends with a tear. The
brightest future will
always be based on a
forgotten past, you can't
go on well in life until
you let go of your past
failures and heartaches.

PLASTIC PUSH-IN TUBE FITTINGS

Fitting Working Specifications

Temperature

Air: -140F to + 167F (-25°C to 75°C)
 Water: 33°F to 140°F (1°C to 60°C)

Pressure

Air: 0 - 150 lbs. psi.
 Liquid: 0 - 150 lbs. psi.
 Suitable for Vacuum

Material Specifications

- Bodies:** Food Grade, Acetal Copolymer or Polypropylene
O'Rings: Food Grade Nitrile Rubber or EPDM
Collet: Food Grade Acetal Copolymer, stainless steel teeth



Fitting Tube Types

Plastic Tube:

Polyethylene, nylon, polyurethane (for soft tubing or thin wall tube, tube supports are recommended).

Braided Tube:

For Braided Tube, the use of Tube to Hose Stems and Elbows is required. To retain braided tube on barbs, the use of clamps is also recommended.

Metal Tube (soft):

Brass, Copper and Mild Steel; Ends must be de-burred, no sharp edges.

Metal Tube (hard):

Supersal fittings are recommended for stainless steel and other hard metal tubes; Ends must be deburred, no sharp edges.

Also available in metric sizes. Call order desk for details

MALE CONNECTOR



Part #	Tube OD	Thread NPTF	List
20-050P	5/32	1/8	1.85
20-046P	5/32	1/4	1.89
20-052P	3/16	1/8	1.99
20-054P	1/4	1/8	1.77
20-055P	1/4	1/4	2.17
20-531P	5/16	1/4	2.99
20-056P	1/4	3/8	2.96
20-532P	5/16	3/8	3.77
20-057P	3/8	1/8	4.50
20-058P	3/8	1/4	3.25
20-059P	3/8	3/8	3.60
20-062P	3/8	1/2	6.03
20-061P	1/2	3/8	5.04
20-063P	1/2	1/2	5.44

More sizes available upon request

UNION CONNECTOR



Part #	Tube OD2	List
20-018P	5/32	2.60
20-702P	3/16	2.52
20-019P	1/4	2.94
20-703P	5/16	2.99
20-020P	3/8	3.88
20-021P	1/2	4.62

CROSS



Part #	Tube OD	List
20-143P	3/8	10.79

REDUCING UNION



Part #	Tube OD	Tube OD	List
20-750P	1/4	3/16	5.10
20-751P	5/16	5/32	5.04
20-752P	5/16	3/16	5.11
20-753P	5/16	1/4	5.10
20-754P	3/8	3/16	6.25
20-755P	3/8	1/4	4.02
20-756P	3/8	5/16	6.42
20-757P	1/2	5/16	8.25
20-758P	1/2	3/8	5.75

UNION ELBOW



Part #	Tube OD	List Price
20-151P	5/32	2.61
20-704P	3/16	3.26
20-152P	1/4	3.10
20-155P	5/16	4.60
20-153P	3/8	4.66
20-154P	1/2	5.54

REDUCING ELBOW



Part #	Tube OD	Tube OD	List
20-730P	5/16	5/32	6.42
20-731P	5/16	3/16	19.04
20-732P	5/16	1/4	4.50
20-733P	3/8	3/16	8.53
20-734P	3/8	1/4	5.31
20-735P	3/8	5/16	5.31
20-736P	1/2	3/8	6.30

FIXED ELBOW



Part #	Tube OD	Thread NPTF	List
20-068P	1/4	1/8	2.70
20-069P	1/4	1/4	3.35
20-070P	1/4	3/8	3.70
20-072P	3/8	1/4	5.04
20-073P	3/8	3/8	5.27

PLUG-IN ELBOW




Part #	Stem OD	Tube OD	List
20-740P	5/32	5/32	3.20
20-741P	3/16	3/16	3.20
20-742P	1/4	1/4	3.99
20-743P	5/16	5/16	4.05
20-744P	3/8	3/16	4.30
20-745P	3/8	1/4	5.36
20-746P	3/8	5/16	4.30
20-747P	3/8	3/8	6.78
20-748P	1/2	1/2	5.85

More sizes available upon request

Adaptability

Products can be coupled together to form new, intergral fittings.



Use to get reducing swivel sizes you need!

STEM ADAPTER



Part #	Stem OD	Thread NPTF	List
20-522P	5/32	1/8	0.95
20-523P	5/32	1/4	0.95
20-700P	3/16	1/8	0.95
20-524P	1/4	1/8	1.22
20-526P	5/16	1/8	0.95
20-525P	1/4	1/4	1.22
20-527P	5/16	1/4	0.95
20-701P	5/16	3/8	1.00
20-528P	3/8	1/4	1.16
20-529P	3/8	3/8	1.48
20-530P	1/2	3/8	2.04
20-533P	1/2	1/2	3.25

REDUCER



Part #	Stem OD	Tube OD	List
20-759P	3/16	5/32	2.55
20-760P	5/16	3/16	2.78
20-761P	5/16	1/4	3.00
20-762P	3/8	3/16	3.45
20-512P	3/8	1/4	3.99
20-763P	3/8	5/16	3.55
20-764P	1/2	5/16	4.20
20-514P	1/2	3/8	7.74

UNION TEE



Part #	Tube OD	List Price
20-026P	5/32	4.50
20-027P	3/16	6.17
20-028P	1/4	4.29
20-031P	5/16	4.29
20-029P	3/8	5.28
20-030P	1/2	6.51

REDUCING BRANCH TEE



Part #	Tube OD Ends	Tube OD Branch	List
20-724P	1/2	3/8	7.11
20-725P	3/8	1/4	8.08

BULKHEAD UNION



Part #	Tube OD	List Price
20-125P	5/32	5.98
20-126P	3/16	6.47
20-127P	1/4	4.91
20-123P	5/16	8.58
20-128P	3/8	6.39
20-129P	1/2	8.05

FEMALE CONNECTOR



Part #	Tube OD	Thread NPTF	List
20-993P	1/4	1/8	5.09
20-035P	1/4	1/4	4.41
20-944P	3/8	1/8	6.02
20-036P	3/8	1/4	5.06

2-WAY DIVIDER



Part #	Tube OD	List Price
20-776P	5/16	6.91
20-777P	3/8	5.32

TUBE TO HOSE STEM



Part #	Stem	Hose	List
20-853P	1/4	3/16	1.90
20-854P	1/4	1/4	2.10
20-855P	5/16	5/16	2.25
20-856P	1/4	5/16	1.80
20-857P	5/16	3/16	2.00
20-858P	5/16	1/4	2.25
20-859P	5/16	3/8	2.85
20-860P	3/8	1/4	2.60
20-861P	3/8	5/16	2.85
20-862P	3/8	3/8	2.90
20-863P	3/8	1/2	3.42
20-864P	1/2	3/8	3.50
20-865P	1/2	1/2	4.33

PLUG



Part #	Stem OD	List Price
20-876P	5/32	0.70
20-877P	3/16	0.73
20-878P	1/4	0.94
20-879P	5/16	1.20
20-880P	3/8	1.50
20-881P	1/2	1.99

TUBE SUPPORT



Part #	Tube OD	Tube ID	List
20-836P	5/16	1/4	0.40
20-837P	3/8	5/16	0.40
20-838P	1/2	3/8	0.40

Polypropylene push-in shut off valves for portable water

Technical Specifications

- Working Pressure: 0 to 150 psi (0 to 10 bar)
- Working Temp. (water): 33° F to 150° F (+1°C to 65°C)

Materials

- Body
- Collet
- Food grade Polypropylene
- Food grade Polypropylene with stainless steel teeth
- O'Ring
- EPDM

Tube Tolerances

- Shut-off Valves are intended for use with potable water.
- The Valves are not for use with compressed air, explosive gases, petroleum spirits and other fuels or for heating systems.

PL X PL



Part #	Size	List
20-900P	1/4	8.00
20-901P	3/8	8.33

CHECK VALVE



Part #	Tube OD	List
20-779P	3/8	16.97

***** Geriatric Golfing *****

"How was your golf game, dear?" asked Jack's wife Tracy.

"Well, I was hitting pretty well, but my eyesight's gotten so bad, I couldn't see where the ball went."

"You're seventy-five years old, Jack!" Admonished his wife. "Why don't you take your brother Scott along?"

"But he's eighty-five and doesn't even play golf anymore," protested Jack.

"Yes but he's got perfect eyesight and can watch your ball for you," Tracy pointed out.

The next day Jack teed off with Scott looking on. Jack swung and the ball disappeared down the middle of the fairway. "Did you see where it went?" asked Jack.

"Yup," Scott answered.

"Well, where is it?" yelled Jack, peering off into the distance.

"I forgot"

Nipples & Fittings

Hose Clamps

1/2" BAND CLAMPS



Applications: A general purpose clamp for automobiles, plumbing, home and garden general clamping applications, with anti-corrosive properties varying with the number of components made from stainless steel.



- 600 Series**
- 5/16" Hex Slotted Carbon Steel Screw
 - 1/2" Wide 201 Stainless Steel Band
 - Carbon Steel Housing

- 611 Series**
- 5/16" Hex Slotted Carbon Steel Screw
 - 1/2" Wide 201 Stainless Steel Band
 - 301 Stainless Steel Housing

#	DIA. RANGE		PART NUMBER	LIST PRICE EACH	PART NUMBER	LIST PRICE EACH	MINIMUM BOX QUANTITY
	MIN.	MAX.					
6	3/8"	7/8"	600-006	.73	611-006	.77	100
8	7/16"	1"	600-008	.73	611-008	.77	100
10	9/16"	1-1/16"	600-010	.73	611-010	.77	100
12	9/16"	1-1/4"	600-012	.74	611-012	.78	100
16	11/16"	1-1/2"	600-016	.74	611-016	.78	100
20	3/4"	1-3/4"	600-020	.77	611-020	.79	100
24	1-1/16"	2"	600-024	.77	611-024	.79	100
28	1-5/16"	2-1/4"	600-028	.78	611-028	.81	100
32	1-9/16"	2-1/2"	600-032	.78	611-032	.81	100
36	1-13/16"	2-3/4"	600-036	.78	611-036	.82	100
40	2-1/16"	3"	600-040	.90	611-040	.93	100
44	2-5/16"	3-1/4"	600-044	.99	611-044	1.05	100
48	2-9/16"	3-1/2"	600-048	.99	611-048	1.05	100
52	2-13/16"	3-3/4"	600-052	1.08	611-052	1.16	100
56	3-1/16"	4"	600-056	1.08	611-056	1.16	100
60	3-5/16"	4-1/4"	600-060	1.11	611-060	1.20	100
64	2-1/2"	4-1/2"	600-064	1.11	611-064	1.20	100
72	3"	5"	600-072	1.19	611-072	1.27	100
80	3-1/2"	5-1/2"	600-080	1.23	611-080	1.55	100
88	4"	6"	600-088	1.35	611-088	1.55	100
96	4-1/2"	6-1/2"	600-096	1.47	611-096	1.56	100
104	5"	7"	600-104	1.47	611-104	1.57	100
116	5-3/4"	7-3/4"			611-116	1.61	100
128	6-1/2"	8-1/2"			611-128	1.75	100
152	2"	10"			611-152	2.00	100
164	1-3/4"	10-3/4"			611-164	2.00	100
176	9-1/4"	11-1/4"			611-176	2.10	100
188	2-1/16"	12-1/4"			611-188	2.10	100
200	11"	13"			611-200	2.10	100
212	11-3/4"	13-3/4"			611-212	2.30	100
224	12-1/2"	14-1/2"			611-224	2.36	100
248	1-3/4"	16"			611-248	2.45	100
270	15-3/8"	17-3/8"			611-270	2.52	100
312	18"	20"			611-312	2.57	100
332	19-1/8"	21-1/4"			611-332	2.72	100
390	22-7/8"	24-7/8"			611-390	2.83	100

Clamps

Hose Clamps

1/2" BAND CLAMPS

•Use for marine, underground and other high corrosive application

- 620 Series**
- 5/16" Hex Slotted 305 Stainless Steel Screw
 - 1/2" Wide 301 Stainless Steel Band
 - 301 Stainless Steel Housing



#	DIA. RANGE		PART NUMBER	LIST PRICE EACH	MINIMUM BOX QUANTITY
	MIN.	MAX.			
6	3/8"	7/8"	620-006	.90	100
8	7/16"	1"	620-008	.90	100
10	9/16"	1-1/16"	620-010	.90	100
12	9/16"	1-1/4"	620-012	.91	100
16	11/16"	1-1/2"	620-016	.91	100
20	3/4"	1-3/4"	620-020	.92	100
24	1-1/16"	2"	620-024	.92	100
28	1-5/16"	2-1/4"	620-028	.93	100
32	1-9/16"	2-1/2"	620-032	.93	100
36	1-13/16"	2-3/4"	620-036	.96	100
40	2-1/16"	3"	620-040	1.09	100
44	2-5/16"	3-1/4"	620-044	1.23	100
48	2-9/16"	3-1/2"	620-048	1.23	100
52	2-13/16"	3-3/4"	620-052	1.34	100
56	3-1/16"	4"	620-056	1.34	100
60	3-5/16"	4-1/4"	620-060	1.41	100
64	2-1/2"	4-1/2"	620-064	1.41	100
72	3"	5"	620-072	1.49	100
80	3-1/2"	5-1/2"	620-080	1.56	100
88	4"	6"	620-088	1.69	100
96	4-1/2"	6-1/2"	620-096	1.82	100
104	5"	7"	620-104	1.84	100
116	5-3/4"	7-3/4"	620-116	1.89	100
128	6-1/2"	8-1/2"	620-128	2.04	100
152	2"	10"	620-152	2.24	100
164	1-3/4"	10-3/4"	620-164	2.33	100
176	9-1/4"	11-1/4"	620-176	2.33	100
188	2-1/16"	12-1/4"	620-188	2.46	100
200	11"	13"	620-200	2.56	100
212	11-3/4"	13-3/4"	620-212	2.66	100
224	12-1/2"	14-1/2"	620-224	2.76	100
248	1-3/4"	16"	620-248	2.87	100
270	15-3/8"	17-3/8"	620-270	2.88	100
312	18"	20"	620-312	2.90	100
332	19-1/8"	21-1/4"	620-332	3.18	100
390	22-7/8"	24-7/8"	620-390	3.32	100

Clamps

Hose Clamps

MINIATURE CLAMPS - 5/16" BAND

Applications: For marine, agricultural, industrial and automotive uses. Corrosion resistance varies with stainless components.

Mechanically interlocked. 3 piece construction for service sealing pressure with out spot welding.

- 300 Series**
- 1/4" Hex Slotted Carbon Steel Screw
 - 5/16" Wide 301 Stainless Steel Band
 - Carbon Steel Housing



DIA. RANGE		PART NUMBER	LIST PRICE EACH	MINIMUM BOX QUANTITY
MIN.	MAX.			
7/32"	5/8"	300-004	.47	100
7/16"	11/16"	300-005	.47	100
5/16"	7/8"	300-0006	.47	100
7/16"	1"	300-0008	.50	100
1/2"	1-1/16"	300-010	.50	100
9/16"	1-1/4"	300-012	.52	100
11/16"	1-1/2"	300-016	.82	100
7/8"	1-3/4"	300-0020	.93	100

- 325 Series**
- 1/4" Hex Slotted Carbon Steel Screw
 - 5/16" Wide 301 Stainless Steel Band
 - 301 Stainless Steel Housing



DIA. RANGE		PART NUMBER	LIST PRICE EACH	MINIMUM BOX QUANTITY
MIN.	MAX.			
7/32"	5/8"	325-004	.51	100
7/16"	11/16"	325-005	.51	100
5/16"	7/8"	325-006	.51	100
7/16"	1"	325-008	.51	100
1/2"	1-1/16"	325-010	.53	100
9/16"	1-1/4"	325-012	.55	100
11/16"	1-1/2"	325-016	.85	100
7/8"	1-3/4"	325-020	1.00	100

- 350 Series**
- 1/4" Hex Slotted 410 Stainless Steel Screw
 - 5/16" Wide 301 Stainless Steel Band
 - 301 stainless Steel Housing



DIA. RANGE		PART NUMBER	LIST PRICE EACH	MINIMUM BOX QUANTITY
MIN.	MAX.			
7/32"	5/8"	350-004	.60	100
7/16"	11/16"	350-005	.60	100
5/16"	7/8"	350-006	.60	100
7/16"	1"	350-008	.60	100
1/2"	1-1/16"	350-010	.64	100
9/16"	1-1/4"	350-012	.67	100
11/16"	1-1/2"	350-016	1.01	100
7/8"	1-3/4"	350-020	1.05	100

Clamps

Hose Clamps

QUICK RELEASE 500/550 SERIES

These clamps feature a unique quick release design between the one piece housing and band allowing for quick and easy installation in restricted or difficult areas.

Applications: Quick release action permits easy installation in applications where clamp must be opened to be applied. Quick release clamps are used extensively in the telecommunications industry on cable enclosures where open air application demands durability.



Open/Close design allows easy installation.



- 500 Series**
- 5/16" Hex Slotted Carbon Steel Screw
 - 1/2" 301 Stainless Steel band
 - 301 Stainless Steel Housing
 - 410 Stainless Steel Bridge

- 550 Series**
- 5/16" Hex Slotted 410 Stainless Steel Screw
 - 1/2" 301 Stainless Steel band
 - 301 Stainless Steel Housing
 - 410 Stainless Steel Bridge


#	DIA. RANGE		PART NUMBER	LIST PRICE EACH	PART NUMBER	LIST PRICE EACH	MINIMUM BOX QUANTITY
	MIN.	MAX.					
12	1/2"	1-1/4"	500-012	.89	550-012	1.18	100
20	3/4"	1-3/4"	500-020	.90	550-020	1.25	100
28	1"	2-1/4"	500-028	.92	550-028	1.34	100
36	1"	2-3/4"	500-036	.93	550-036	1.38	100
48	1-1/2"	3-1/2"	500-048	1.18	550-048	1.64	100
56	1"	4"	500-056	1.34	550-056	1.79	100
72	2"	5"	500-072	1.44	550-072	2.06	100
88	2-1/16"	6"	500-088	1.68	550-088	2.26	100
104	1-3/4"	7"	500-104	1.77	550-104	2.51	100
128	1-3/4"	8-9/16"	500-128	1.99	550-128	2.80	100
152	2"	10"	500-152	2.11	550-152	3.04	100
188	2-1/16"	12-5/16"	500-188	2.28	550-188	3.35	100
216	10-3/16"	14"	500-216	2.53	550-216	3.50	100
248	1-3/4"	16"	500-248	2.66	550-248	3.92	100
280	14-1/4"	18"	500-280	3.16	550-280	4.13	100
312	14"	20"			550-312	4.92	100

Clamps


Some things you keep. Like good teeth. Warm coats. Bald husbands. They're good for you, reliable and practical and so sublime that to throw them away would make the garbage man a thief. So you hang on, because something old is sometimes better than something new, and what you know is often better than a stranger. These are my thoughts, they make me sound old, old and tame, and dull at a time when everybody else is risky and racy and flashing all that's new and improved in their lives. New careers, new thighs, new lips, new cars. The world is dizzy with trade-ins. I could keep track, but I don't think I want to. I grew up in the fifties with practical parents - a mother, God bless her, who washed aluminum foil after she cooked in it, then reused it- and still does. A father who is happier getting old shoes fixed than buying new ones. They weren't poor, my parents, they were just satisfied. Their marriage was good, their dreams focused. Their best friends lived barely a wave away. I can see them now, Dad in trousers and tee shirt and Mom in a house dress, lawn mower in one hand, dishtowel in the other. It was a time for fixing things - a curtain rod, the kitchen radio, screen door, the oven door, the hem in a dress. Things you keep. It was a way of life, and sometimes it made me crazy. All that re-fixing, reheating, renewing, I wanted just once to be wasteful. Waste meant affluence. Throwing things away meant there'd always be more. But then my father died, and on that clear autumn night, in the chill of the hospital room, I was struck with the pain of learning that sometimes there isn't any 'more.' Sometimes what you care about most gets all used up and goes away, never to return. So, while you have it, it's best to love it and care for it and fix it when it's broken and heal it when it's sick. That's true for marriage and old cars and children with bad report cards and dogs with bad hips and aging parents. You keep them because they're worth it, because you're worth it. Some things you keep. Like a best friend that moved away or a classmate you grew up with, there's just some things that make life important...people you know are special...and you KEEP them close!

- Author Unknown


**WORM GEAR HOSE CLAMPS
830 Series**




MINI CLAMP
Screw: 1/4" hex-head
Band: 5/16" wide



Interlock Construction
no welds, no bumps, which strengthens under tension to ensure maximum torque application



REGULAR CLAMP
Screw: 5/16" hex-head
Band: 1/2" wide



Clamps

No.	Diameter Range		Min. Pcs.	Use for General Industrial Application			
	Inch	MM		All Galvanized Steel		400 Series Stainless Steel Band, Housing and Screw	
	Min-Max	Min-Max		Part #	List	Part #	List
Mini Clamp with 8 mm wide Band (5/16")							
4	7/32"-5/8"	6-16	100	830-185	.20	830-185S	.43
6	7/16"-3/4"	11-20	100	830-184	.20	830-184S	.43
8	1/2"-7/8"	13-23	100	830-183	.20	830-183S	.45
Regular Clamp with 12.7 mm (1/2") wide Band							
10	9/16"-1 1/16"	14-27	100	830-188	.27	830-188S	.60
12	11/16"-1 1/4"	18-32	100	830-189	.30	830-189S	.60
16	13/16"-1 1/2"	21-38	100	830-190	.30	830-190S	.65
20	13/16"-1 3/4"	21-44	100	830-192	.31	830-192S	.67
24	1 1/16"-2"	27-51	100	830-193	.35	830-193S	.70
28	1 5/16"-2 1/4"	33-57	100	830-194	.35	830-194S	.70
32	1 9/16"-2 1/2"	40-63	100	830-132	.35	830-132S	.70
36	1 13/16"-2 3/4"	46-70	100	830-195	.35	830-195S	.75
40	2 1/16"-3"	52-76	100	830-182	.42	830-182S	.75
44	2 5/16"-3 1/4"	59-82	100	830-196	.42	830-196S	.80
48	2 9/16"-3 3/4"	65-89	100	830-197	.45	830-197S	.88
52	2 3/16"-3 3/4"	72-95	100	830-152	.45	830-152S	.88
56	3 1/16"-4"	78-101	100	830-198	.45	830-198S	.90
60	3 5/16"-4 1/4"	84-108	100	830-060	.50	830-060S	.90
64	3 9/16"-4 1/2"	91-114	100	830-064	.50	830-064S	.98
72	4 1/8"-5"	105-127	100	830-072	.56	830-072S	1.00
80	4 5/8"-5 1/2"	118-140	100	830-080	.60	830-080S	1.02
88	5 1/8"-6"	130-152	100	830-288	.70	830-288S	1.15
96	5 5/8"-6 1/2"	143-165	100	830-096	.70	830-096S	1.25
104	6 1/8"-7"	155-178	100	830-009	.80	830-009S	1.35

T-Bolt Clamps

- All designs meet SAE J1508 specifications.
- .025” Band Thickness
- 3/4” Wide Band
- Band Material: 300 Series Stainless Steel
- Bolt Material: 300 Series Stainless Steel
- Nut Material: 300 Series Stainless Steel
- Nuts are Self-locking
- Torque Rating 75 in/lb



Purpose: To provide a quick, yet effective means of clamping a variety of fittings to a wide range of hose. T-Bolts can be applied with a standard 7/16” socket wrench. They provide 360° sealing surface by using a shoe or formed bridge.

Services: The T-Bolt clamp is a high strength, reliable clamp with numerous applications in both the commercial and industrial markets including hose and ductwork connections for air, oil, water and other types of low pressure fluid lines.

Nominal Size	O.D. Range		Part#	List Price
	From:	To:		
1-1/4	1-5/32"	1-15/32"	840-131	2.66
1-1/2	1-3/8"	1-9/16"	840-150	2.72
1-3/4	1-5/8"	1-13/16"	840-175	2.75
1-7/8	1-3/4"	1-15/16"	840-188	2.80
2	1-7/8"	2-1/16"	840-200	2.87
2-1/4	2-1/8"	2-5/16"	840-225	2.91
2-3/8	2-1/4"	2-7/16"	840-238	2.93
2-1/2	2-3/8"	2-9/16"	840-250	2.96
2-9/16	2-11/32"	2-5/8"	840-256	3.98
2-5/8	2-13/32"	2-11/16"	840-263	3.01
2-3/4	2-17/32"	2-13/16"	840-275	3.03
2-7/8	2-21/32"	2-15/16"	840-288	3.05
3	2-25/32"	3-1/16"	840-300	3.11
3-1/8	2-29/32"	3-3/16"	840-312	3.14
3-1/4	3-1/32"	3-5/16"	840-325	3.20
3-1/2	3-9/32"	3-9/16"	840-350	3.26
3-3/4	3-17/32"	3-13/16"	840-375	3.30
3-53/64	3-19/32"	3-7/8"	840-382	3.35
4	3-25/32"	4-1/16"	840-400	3.41
4-1/4	4-1/32"	4-5/16"	840-425	3.45
4-1/2	4-9/32"	4-9/16"	840-450	3.55
4-3/4	4-17/32"	4-13/16"	840-475	3.61
5	4-25/32"	5-1/16"	840-500	3.69
5-1/4	5-1/32"	5-5/16"	840-525	3.74
5-1/2	5-9/32"	5-9/16"	840-550	3.81
5-3/4	5-17/32"	5-13/16"	840-575	3.87
6	5-25/32"	6-1/16"	840-600	3.94
6-1/4	6-1/32"	6-5/16"	840-625	3.99
6-1/2	6-9/32"	6-9/16"	840-650	4.08
6-3/4	6-17/32"	6-13/16"	840-675	4.13
7	6-25/32"	7-1/16"	840-700	4.26
7-1/2	7-9/32"	7-9/16"	840-750	4.38
8	7-25/32"	8-1/16"	840-800	4.59
8-1/4	8-9/32"	9-9/16"	840-850	4.70
8-7/8	8-21/32"	8-15/16"	840-888	4.73
10-7/8	10-21/32"	10-15/16"	840-1088	5.20
12-7/8	12-15/16"	12-15/16"	840-1288	5.69

Clamps

CARBON STEEL 1-EAR CLAMPS

1-Ear Clamps are intended for low pressures applications such as automotive (not fuel lines), appliances, industrial machinery, underground irrigation systems and beverage dispensing equipment. They are specifically designed for mass production applications where inexpensive clamps are needed.

PRESSURE:

As a guideline, 1-Ear Clamps have held 30 bar - 441 psi. This was done using a static water pressure test.

MATERIAL:

Hot dipped galvanized carbon steel band - G90



Part#	Ref#	Nominal Size	Inches Close	Inches Open	List Price ea.
1050000	105	3/8"	0.350	0.414	0.27
1050001	113	7/16"	0.381	0.444	0.29
1050002	123	15/32"	0.394	0.486	0.29
1050003	133	1/2"	0.453	0.524	0.29
1050006	140	35/64"	0.472	0.551	0.29
1050007	145	9/16"	0.496	0.571	0.29
1050008	157	5/8"	0.543	0.618	0.29
1050009	170	11/16"	0.549	0.669	0.29
1050010	185	23/32"	0.618	0.728	0.29
1050011	198	3/4"	0.669	0.779	0.29
1050012	210	13/16"	0.716	0.827	0.30
1050013	226	7/8"	0.779	0.890	0.30
1050014	241	15/16"	0.839	0.949	0.32
1050015	256	1"	0.898	1.008	0.32
1050016	271	1 1/16"	0.945	1.067	0.33
1050017	286	1 1/8"	1.004	1.126	0.33
1050018	301	1 3/16"	1.063	1.185	0.35
1050020	331	1 5/16"	1.181	1.303	0.35
1050021	346	1 3/8"	1.240	1.362	0.37
1050023	376	1 15/32"	1.358	1.480	0.39
1050025	396	1 9/16"	1.437	1.559	0.40
1050026	410	1 5/8"	1.492	1.614	0.41
1050027	425	1 11/16"	1.551	1.673	0.42
1050028	440	1 23/32"	1.610	1.732	0.44
1050029	455	1 3/4"	1.669	1.791	0.44
1050030	470	1 16/16"	1.728	1.850	0.45
1050031	485	1 7/8"	1.787	1.909	0.47
1050032	500	1 15/16"	1.846	1.968	0.48
1050033	515	2"	1.905	1.028	0.50

100 pc. minimum per clamp

2-EAR CLAMPS

2-Ear Clamps are especially suited for industrial use and with heavily vibrating equipment.

This is a medium pressure clamp and is widely used for maintenance and OEM applications. Rubber hose, plastic tubing, coaxial and electrical cable, rope, etc. are all easily clamped. These clamps are installed on air, fluid, gas and steam lines. The one piece design offers a positive, tamper-proof seal without damaging the hose.

PRESSURE:

As a guideline, 2-Ear Clamps successfully seal at 54 bar - 800 psi with 35 pulsating strokes a minute.

MATERIAL:

Zinc plated carbon steel
SAE 1008/1010 or DIN 1.0338
Stainless steel tubing
UNS S30400 or DIN 1.4301



Note: When ordering your 2-Ear Clamps select nominal clamp size nearest to, but always larger than, O.D. of material to be clamped after insert has been fitted.

ZINC PLATED CARBON STEEL

Part#	Nominal Size	Inches Close	Inches Open	List Price ea.
1010002	3/16"	0.134	0.197	0.55
1010004	1/4"	0.197	0.276	0.57
1010008	5/16"	0.276	0.354	0.57
1010011	3/8"	0.319	0.433	0.57
1010016	1/2"	0.425	0.512	0.59
1010019	9/16"	0.492	0.591	0.63
1010022	19/32"	0.551	0.669	0.63
1010024	5/8"	0.591	0.709	0.63
1010027	3/4"	0.638	0.787	0.70

STAINLESS STEEL

Part#	Nominal Size	Inches Close	Inches Open	List Price ea.
1510003	1/4"	0.197	0.276	0.74
1510004	5/16"	0.276	0.354	0.77
1510023	3/8"	0.319	0.433	0.77
1510006	1/2"	0.425	0.512	0.83
1510007	9/16"	0.492	0.591	0.88
1510008	19/32"	0.551	0.669	0.95
1510009	5/8"	0.591	0.709	1.01
1510010	3/4"	0.638	0.787	1.13
1510011	13/16"	0.709	0.866	1.15
1510012	7/8"	0.748	0.906	1.25
1510013	15/16"	0.827	0.984	1.30
1510014	1"	0.886	1.063	1.39
1510016	1 1/8"	1.035	1.221	1.57
1510019	1 9/16"	1.260	1.457	1.85
1510020	1 1/2"	1.378	1.575	1.95

100 pc. minimum per clamp

STEPLESS® EAR CLAMPS

Features:

- Assured clamping seal
- For low durometer and/ or thin-walled hose/ tubing
- Perfect for silicon, vinyl, polyurethane or other high tech materials used in all industries
- Once installed, smooth inner band circumference prevents damage to the hose while the unique tongue-in-groove design provides a 360° seal
- There are no steps or gaps inside clamp

Technical Information:

Ear Clamps hold against pressure and vibration or material shrinkage due to temperature changes or age. A built-in spring action permits the clamp to “breathe” without loosening. When installing, please note that each ear must be crimped closed to obtain proper seal.

MATERIAL:

Stainless steel tubing
UNS S30400 or DIN 1.4301

SPECIFICATIONS:

Nominal Sizes From - To	Band Width	Band Thickness
9/32” - 7/16”	5.0mm	0.5mm
1/2” - 13/16”	7.0mm	0.6mm



NOTE: 100 pc. minimum per clamp

When ordering Stepless Ear Clamps, select the nominal size nearest to, but always larger than the outside diameter of the material to be clamped. That outside diameter should be determined with connection fully assembled.

Part#	Nominal Size	Inches		List Price ea.
		Close	Open	
16700001	9/32”	0.228	0.275	0.66
16700004	3/8”	0.307	0.374	0.66
16700007	7/16”	0.378	0.445	0.66
16700010	15/32”	0.425	0.524	0.66
16700012	1/2”	0.453	0.551	0.66
16700013	35/64”	0.472	0.571	0.66
16700016	9/16”	0.520	0.618	0.68
16700017	5/8”	0.571	0.669	0.68
16700022	11/16”	0.654	0.780	0.78
16700024	3/4”	0.701	0.827	0.78

100 pc. minimum per clamp

KITS & PINCERS

Features:

- Emergency on-the-spot repairs
- A wide variety of uses and applications
- Various kit types available
- Ideal for in-plant and in-field maintenance



Oetiker 2 Ear Service Clamp Kit:

Well suited for industrial use or original equipment (OEM) applications. EPDM rubber hose, plastic tubing, electrical cable, stain relief, insert molding, welding and heavy vibrating equipment hoses are readily clamped.

Part# 18500064 (stainless) kit includes:

- 1 pair of standard jaw pincers
- 15 ea. of 5/16”, 3/8”, 1/2”, 9/16”, 5/8”, Clamps
- 12 ea. of 3/4”, 7/8”, 15/16”, 1” Clamps

List Price: 186.30

Oetiker Stepless Ear Service Clamp Kit:

Provide uniform compression and a 360° degree seal due to the unique tongue-in-groove design. The term “Stepless” relates to the absence of gaps or steps on the clamps inner circumference.

Part# 18500060 (stainless) kit includes:

- 1 pair of standard jaw pincers
- 10 ea. of 1/2”, 9/16”, 5/8”, 23/32”, 7/8”, 1”, 1-1/8”, 1-1/4” Clamps

List Price: 169.85

PINCERS

Model 1098 I Standard Jaw Pincers



Part # 1410118 **List Price** 60.95

SIDE JAW PINCERS

This dual purpose, side jaw design allows clamps to be applied or removed in confined areas with pincers held parallel to the hose. Also used like standard Pincers

Part # 1410083 **List Price** 74.28



Open End Clamps are of the same general construction as the preformed clamps with this exception, the double wrapping of the band around the hose or article is part of the application. The open end clamps are used when one end or both, of the article to be clamped is not free, or an obstruction prevents slipping a preformed clamp over the end.



Preformed Clamps are double wrapped and formed to a given diameter. Used primarily where one end of the hose or article is free to allow the clamps to be slid over the hose end before the fitting is inserted. All clamps may be pulled down to a smaller diameter but cannot be adjusted to a larger diameter.

OPEN END CLAMPS (3/8" AND 5/8" (NOMINAL) WIDTH)

Catalog Number	Band Width & Thickness	List Price	Clamp I.D. Inches	Clamps per Pkg.	Catalog Number	Band Width & Thickness	List Price
F0-3	3/8 x .022	1.93	13/16"	100	F0S-3	3/8 x .020	2.14
F0-311	3/8 x .022	2.01	1 3/8"	100	F0S-311	3/8 x .020	2.28
F0-316	3/8 x .022	2.06	2"	100	F0S-316	3/8 x .020	2.40
F0-325	3/8 x .022	2.17	3 1/8"	100	F0S-325	3/8 x .020	2.70
WITH STAINLESS STEEL LOK							
F0-8	5/8 x .025	1.67	2"	100	F0S-8	5/8 x .022	2.49
F0-10	5/8 x .025	1.76	2 1/2"	50	F0S-10	5/8 x .022	2.72
HEAVY DUTY BANDS							
F0-12	5/8 x .031	1.84	3"	50	F0S-12	5/8 x .022	2.94
F0-14	5/8 x .031	1.90	3 1/2"	50	F0S-14	5/8 x .022	3.19
F0-16	5/8 x .031	1.96	4"	50	F0S-16	5/8 x .022	3.39
F0-18	5/8 x .031	1.98	4 1/2"	50	F0S-18	5/8 x .022	3.59
F0-20	5/8 x .031	2.13	5"	25	F0S-20	5/8 x .022	3.86
F0-24	5/8 x .031	2.25	6"	25	F0S-24	5/8 x .022	4.30
F0-28	5/8 x .031	2.37	7"	25	F0S-28	5/8 x .022	5.04
F0-32	5/8 x .031	2.56	8"	25	F0S-32	5/8 x .022	5.63
F0-36	5/8 x .031	2.76	9"	25	F0S-36	5/8 x .022	6.05
F0-40	5/8 x .031	2.93	10"	25	F0S-40	5/8 x .022	6.48
F0-48	5/8 x .031	3.39	12"	25	F0S-48	5/8 x .022	7.48
F0-56	5/8 x .031	4.32	14"	10	F0S-56	5/8 x .022	8.76
F0-64	5/8 x .031	4.56	16"	10	F0S-64	5/8 x .022	9.64
F0-72	5/8 x .031	POR	18"	10	F0S-72	5/8 x .022	POR
F0-80	5/8 x .031	5.23	20"	10	F0S-80	5/8 x .022	POR
F0-96	5/8 x .031	5.83	24"	10	F0S-96	5/8 x .022	POR
F0-120	5/8 x .031	POR	30"	10	F0S-120	5/8 x .022	POR
F0-144	5/8 x .031	7.24	36"	10	F0S-144	5/8 x .022	POR
F0-168	5/8 x .031	9.35	42"	10	F0S-168	5/8 x .022	POR
F0-192	5/8 x .031	POR	48"	10	F0S-192	5/8 x .022	POR

APPLICATION TOOLS

For 3/8", 5/8"F-38, F-40, F-100

PREFORMED CLAMPS (3/8" AND 5/8" (NOMINAL) WIDTH)

Catalog Number	Band Width & Thickness	List Price	Clamp I.D. Inches	Clamps per Pkg.	Catalog Number	Band Width & Thickness	List Price
F-3	3/8 x .025	1.93	13/16"	100	FS-3	3/8 x .020	0.94
F-311	3/8 x .025	2.01	1 3/8"	100	FS-311	3/8 x .020	1.02
F-4	5/8 x .025	2.06	1"	100	FS-4	5/8 x .022	1.24
F-5	5/8 x .025	2.17	1 1/4"	100	FS-5	5/8 x .022	1.33
WITH STAINLESS STEEL LOK							
F-6	5/8 x .031	1.67	1 1/2"	100	FS-6	5/8 x .022	1.41
F-7	5/8 x .031	1.76	1 3/4"	100	FS-7	5/8 x .022	1.51
F-8	5/8 x .031	1.84	2"	100	FS-8	5/8 x .022	1.62
F-9	5/8 x .031	1.90	2 1/4"	100	FS-9	5/8 x .022	1.69
F-10	5/8 x .031	1.98	2 1/2"	50	FS-10	5/8 x .022	1.83
F-11	5/8 x .031	2.13	2 3/4"	50	FS-11	5/8 x .022	1.91
F-12	5/8 x .031	2.25	3"	50	FS-12	5/8 x .022	2.02
F-14	5/8 x .031	2.37	3 1/2"	50	FS-14	5/8 x .022	2.23
F-16	5/8 x .031	2.56	4"	25	FS-16	5/8 x .022	2.49
F-18	5/8 x .031	2.76	4 1/2"	25	FS-18	5/8 x .022	2.69
F-20	5/8 x .031	2.93	5"	25	FS-20	5/8 x .022	2.90
F-24	5/8 x .031	3.39	6"	25	FS-24	5/8 x .022	3.31
F-28	5/8 x .031	4.32	7"	25	FS-28	5/8 x .022	3.74
F-32	5/8 x .031	4.56	8"	25	FS-32	5/8 x .022	4.13


Double-wrapped, Triple Punched, Holds Permanently




Galvanized Preformed Clamps 2 1/2 inch I.D. and above, and 5/8" wide open end clamps have a stainless steel lok for greater strength and rigidity.

K-CLAMP PREFORMED HOSE CLAMPS

Each clamp is a double wrapped metal band formed to a given diameter. The clamp is designed to be slid over the hose end before the fitting is inserted. A punch-type or fold-up tool is then used to apply the clamp.



Center Punched



Less tension loss. Patented hole in inner band gives better internal mechanical locking after punching

Fold-up



K-Clamps may be secured by either a punch or fold-up method.
(See cross sectioned views)

PREFORMED CLAMPS (3/8" AND 5/8" (NOMINAL) WIDTH)

GALVANIZED STEEL

STAINLESS STEEL TYPE 301

Catalog Number	List Price	Clamp I.D. Inches	Band Width & Thickness	Clamps per Pkg.	Catalog Number	List Price
K-3	0.58	13/16"	3/8 x .025	100	KS-3	0.93
K-311	0.62	1 1/2"	3/8 x .025	100	KS-311	1.01
K-4	0.83	1"	5/8 x .030	100	KS-4	1.47
K-5	0.86	1 1/4"	5/8 x .030	100	KS-5	1.55
K-6	0.88	1 1/2"	5/8 x .030	100	KS-6	1.65
K-7	0.91	1 3/4"	5/8 x .030	100	KS-7	1.75
K-8	0.94	2"	5/8 x .030	100	KS-8	1.88
K-9	0.97	2 1/4"	5/8 x .030	100	KS-9	2.01
K-10	1.03	2 1/2"	5/8 x .030	50	KS-10	2.15
K-11	1.10	2 3/4"	5/8 x .030	50	KS-11	2.34
K-12	1.12	3"	5/8 x .030	50	KS-12	2.48
K-14	1.20	3 1/2"	5/8 x .030	50	KS-14	2.73
K-16	1.33	4"	5/8 x .030	25	KS-16	3.01
K-18	1.44	4 1/2"	5/8 x .030	25	KS-18	3.27
K-20	1.53	5"	5/8 x .030	25	KS-20	3.52
K-24	1.75	6"	5/8 x .030	25	KS-24	3.99
K-28	2.02	7"	5/8 x .030	25	KS-28	4.60
K-32	2.14	8"	5/8 x .030	25	KS-32	5.04

PREFORMED CLAMPS (3/4" (NOMINAL) WIDTH)

GALVANIZED STEEL

STAINLESS STEEL TYPE 301

Catalog Number	List Price	Clamp I.D. Inches	Band Width & Thickness	Clamps per Pkg.	Catalog Number	List Price
K-87500	1.43	2"	3/4" x .030	100	KS-87501	2.46
K-97500	1.46	2 1/4"	3/4" x .030	100	KS-97501	2.55
K-107500	1.52	2 1/2"	3/4" x .030	100	KS-107501	2.71
K-117500	1.55	2 3/4"	3/4" x .030	100	KS-117501	2.85
K-127500	1.59	3"	3/4" x .030	100	KS-127501	3.01
K-147500	1.66	3 1/2"	3/4" x .030	100	KS-147501	3.27
K-167500	1.84	4"	3/4" x .030	100	KS-167501	3.59
K-187500	1.99	4 1/2"	3/4" x .030	100	KS-187501	3.98
K-207500	2.14	5"	3/4" x .030	50	KS-207501	4.28
K-247500	2.44	6"	3/4" x .030	50	KS-247501	4.92
K-287500	2.81	7"	3/4" x .030	50	KS-287501	5.69
K-327500	2.99	8"	3/4" x .030	50	KS-327501	6.23

316 Stainless available upon request

For 3/8" and 5/8" widthsF-40, F-100

For 3/4" widthF-175

For all widthsK5001 (with KA001 adapter)

**FLJ-Clamp
PREFORMED HOSE CLAMPS**

J-Clamps are available in 3/8", 5/8" and 3/4" widths, from 13/16" to 8" I.D. These non punch type clamps are to be secured by the foldup method, using the Wind-Up tool, our part no. KS001 and adapter KA001



**KA001
FOLD-UP ADAPTER**

**KS001
WIND-UP TOOL**

**GALVANIZED
STEEL**

**STAINLESS STEEL
TYPE 301**

Catalog Number	List Price	Clamp I.D. Inches	Band Width & Thickness	Clamps per Pkg.	Catalog Number	List Price
FLJ-301	0.66	1 3/16"	3/8 x .025	100	FLJ-201	0.86
FLJ-343	0.67	1"	3/8 x .025	100	FLJ-243	0.95
FLJ-302	0.69	1 3/8"	3/8 x .025	100	FLJ-202	0.97
FLJ-345	0.77	2"	3/8 x .025	100	FLJ-245	1.13
FLJ-346	0.96	3"	3/8 x .025	100	FLJ-246	1.50
N/A		3 1/4"	3/8 x .025	100	FLJ-255	1.75
FLJ-303	1.24	1"	5/8 x 0.30	100	FLJ-203	1.78
FLJ-304	1.27	1 1/4"	5/8 x 0.30	100	FLJ-204	1.86
FLJ-305	1.31	1 1/2"	5/8 x 0.30	100	FLJ-205	1.92
FLJ-306	1.35	1 3/4"	5/8 x 0.30	100	FLJ-206	2.00
FLJ-307	1.41	2"	5/8 x 0.30	100	FLJ-207	2.12
FLJ-308	1.37	2 1/4"	5/8 x 0.30	100	FLJ-208	2.16
FLJ-309	1.46	2 1/2"	5/8 x 0.30	100	FLJ-209	2.31
FLJ-327	1.75	2"	3/4 x 0.30	100	FLJ-227	2.93
FLJ-310	1.94	2 3/4"	3/4 x 0.30	100	FLJ-210	3.21
FLJ-311	1.96	3"	3/4 x 0.30	50	FLJ-211	3.42
FLJ-312	2.03	3 1/2"	3/4 x 0.30	50	FLJ-212	3.69
FLJ-313	2.32	4"	3/4 x 0.30	50	FLJ-213	1.06
FLJ-314	2.41	4 1/2"	3/4 x 0.30	50	FLJ-214	4.47
FLJ-315	2.62	5"	3/4 x 0.30	25	FLJ-215	4.78
FLJ-316	2.99	6"	3/4 x 0.30	25	FLJ-216	5.44
FLJ-318	3.35	7"	3/4 x 0.30	25	FLJ-218	6.35
FLJ-319	3.59	8"	3/4 x 0.30	25	FLJ-219	6.92

Clamps

**FLJS-Clamp
SMOOTH I.D. CLAMPS**

FLJS - Clamps are double wrapped clamps with a more smooth inside diameter, intended for your thermo-plastic and other thinner wall hose clamping applications. The JS series clamps slide on the hose prior to inserting the fitting.

Preformed JS - Clamps are available in 5/8" and 3/4" widths, 1" I.D. to 8" I.D. in 1/4" increments.

The FLJS - clamp is intended to be applied with a KS001 tool or other comparable foldup locking tool.



**GALVANIZED
STEEL**

	5/8" (NOMINAL WIDTH)			
Catalog Number	Clamp I.D. Inches	Band Width & Thickness	Clamps per Pkg.	List Price
FLJS-203	1"	5/8" x .030	100	1.60
FLJS-204	1 1/4"	5/8" x .030	100	1.67
FLJS-205	1 1/2"	5/8" x .030	100	1.76
FLJS-206	1 3/4"	5/8" x .030	100	1.88
FLJS-207	2"	5/8" x .030	100	2.03
FLJS-208	2 1/4"	5/8" x .030	100	2.15
FLJS-209	2 1/2"	5/8" x .030		2.31
	3/4" (NOMINAL WIDTH)			
FLJS-227	2"	3/4" x .030	100	2.57
FLJS-210	2 3/4"	3/4" x .030	100	2.96
FLJS-211	3"	3/4" x .030	50	3.16
FLJS-212	3 1/2"	3/4" x .030	50	3.42
FLJS-213	4"	3/4" x .030	50	3.74
FLJS-214	4 1/2"	3/4" x .030	50	4.14
FLJS-215	5"	3/4" x .030	50	4.43
FLJS-216	6"	3/4" x .030	50	5.07
FLJS-218	7"	3/4" x .030	50	5.94
FLJS-219	8"	3/4" x .030	50	6.49

Clamps



CLAMP-IT

The multi-sized clamps all rolled up in one..for your unknown requirements for 1 inch to 30 feet, be they round or otherwise. Clamp-It products will fill your needs. This Strapping in widths of 3/8", 1/2", 5/8", and 3/4" stainless or galvanized steel, as are the clamps (buckles).

100' CLAMP-IT STRAPPING


Catalog Number	Width	Thickness	Material 100'/CTN.	List Price/CNT
SS-3751	3/8"	.025	301 Stainless	1.60
SS-5001	1/2"	.030	301 Stainless	1.67
SS-6251	5/8"	.030	301 Stainless	1.76
SS-7501	3/4"	.030	301 Stainless	1.88
SG-3750	3/8"	.025	Galvanized	2.03
SG-5000	1/2"	.030	Galvanized	2.15
SG-6250	5/8"	.030	Galvanized	2.31
SG-7500	3/4"	.030	Galvanized	

CLAMPS (BUCKLES)

Catalog Number	Width	Material 100'/CTN.	QTY /Box	List Price Each pc.
CS-3751	3/8"	301 Stainless	100	0.42
CS-5001	1/2"	301 Stainless	100	0.54
CS-6251	5/8"	301 Stainless	100	0.66
CS-7501	3/4"	301 Stainless	50	0.99
CG-3750	3/8"	Galvanized	100	0.22
CG-3750	1/2"	Galvanized	100	0.31
CG-5000	5/8"	Galvanized	100	0.36
CG-6250	3/4"	Galvanized	50	0.50

C-2 Orbitor (Loking Tool)

Used to apply **Clamp-It** continuous strapping up to 3/4" width



List Price \$313.13

ORBITOR

A tool of endless travel... this lightweight, side entry, jack-type tool is the most rapid cinch-up application tool in its field. The **Orbitor** C-2 Loking Tool will handle **Clamp-It** strapping widths to 3/4" and always reached desired tension without fear of losing travel capacity of the tool. The **Clamp-It Strapping, Clamp-It Clamps**, and the unique **Clamp-It tool** add up to a superior system for you.

F-38⁴ Loking Tool



List Price: \$60.00

Portable hand tool used to apply punch Type 3/8 & 5/8 Clamps

F-40⁴ Loking Tool



List Price: \$97.58

Used to apply Punch Type 3/8 & 5/8 clamps. Order mallet separately

F-100⁴ Loking Tool



List Price: \$281.81

Used to apply Punch Type 3/8 & 5/8 clamps. Order mallet separately

F-225⁴ Mallet



List Price: \$55.34

Used for punching of all punch type clamps.

F-550⁴ Clamp Cutter



List Price: \$110.69

Used to remove clamps with minimum effort

KS001⁴ Wind-up Tool



List Price: \$161.51

Used to apply fold-up clamps and continuous strapping up to 3/4" width

Clamps

HOSE CLAMPS

- All designs exceed SAE J1508 specifications
- Smooth inside surface
- Even tightening torque for 3600 seal
- Rolled-up band edge
- * **Non-perforated band prevents hose damage ***

- Precision thread pitch for high vibration applications
- Design allows reuse
- Provides a strong seal
- Tolerates corrosive environments

ALUZINC MINI-F



Band and Housing • Aluzinc/ Painted
Band Width • (9mm) 3/8" wide band
Screw • Zinc Plated / Chromed
Corrosion Factor • 100

Sure seal of small thin-walled hoses.

Part#	Sizes	List
92-008	15/64-21/64"	0.59
92-009	9/32-3/8"	0.59
92-010	5/16-13/32"	0.59
92-011	23/64-29/64"	0.59
92-012	25/64-31/64"	0.59
92-013	7/16-17/32"	0.63
92-014	15/32-9/16"	0.63
92-015	33/64-29/64"	0.63
92-016	35/64-41/64"	0.63
92-017	19/32-11/16"	0.63

304 S.S. MINI-F



Band and Housing • SS2333/ AISI 304
Band Width • (9mm) 3/8" wide band
Screw • Zinc Plated / Chromed

Corrosion Factor • 1000 Industrial
Sure seal of small thin-walled hoses.

Part#	Sizes	List
93-008	15/64-21/64"	1.44
93-009	9/32-3/8"	1.44
93-010	5/16-13/32"	1.44
93-011	23/64-29/64"	1.53
93-012	25/64-31/64"	1.53
93-013	7/16-17/32"	1.53
93-014	15/32-9/16"	1.53
93-015	33/64-29/64"	1.53
93-016	35/64-41/64"	1.58
93-017	19/32-11/16"	1.58

Band and Housing • Aluzinc/ Painted
Band Width • (12.2mm) 3/8" wide band
Screw • Zinc Plated / Chromed
Corrosion Factor • 100



ALUZINC

Part #	SAE	Size	List
88-015	3	5/16-9/16"	0.95
88-017	4	7/16-11/16"	0.95
88-022	6	1/2-13/16"	0.97
88-024	8	5/8-15/16"	1.22
88-028	10	3/4-1-1/8"	1.26
88-032	12	7/8-1-1/4"	1.53
88-038	16	1-1/16-1-1/2"	1.58
88-044	20	1-1/4-1-3/4"	1.58
88-050	24	1-1/2-2"	1.62
88-056	28	1-3/4-2-1/4"	1.89
88-065	32	2-2-9/16"	2.03
88-075	40	2-5/16-3"	2.16
88-085	44	2-11/16-3-3/8"	2.21
88-095	52	3-3-3/4"	2.34
88-112	64	3-7/16-4-7/16"	2.70
88-138	80	4-1/8-5-7/16"	3.47
88-165	96	5-1/8-7-1/8"	3.74
88-180	104	5-7/8-7-1/8"	4.23
88-205	122	6-7/8-8-1/8"	5.00
88-231	138	7-7/8-9-1/8"	5.18
88-256	154	8-7/8-10-1/16"	5.81
88-282	170	9-7/8-11-1/8"	5.99
88-307	186	10-7/8-12-1/8"	6.08

You can't climb the ladder of success with your hands in your pockets.

Band and Housing • SS2333/ AISI 304
Band Width • (12.2mm) 1/2" wide band
Screw • SS2333/ AISI 304
Corrosion Factor • 1000 Industrial



All 304 S.S.

Part #	SAE	Size	List
89-014	3	5/16-9/16"	2.60
89-017	4	7/16-11/16"	2.66
89-020	6	1/2-13/16"	2.70
89-024	8	5/8-15/16"	2.57
89-028	10	3/4-1-1/8"	2.71
89-032	12	7/8-1-1/4"	2.88
89-038	16	1-1/16-1-1/2"	2.99
89-044	20	1-1/4-1-3/4"	3.11
89-050	24	1-1/2-2"	3.20
89-056	28	1-3/4-2-1/4"	3.38
89-065	32	2-2-9/16"	3.78
89-075	40	2-5/16-3"	3.98
89-085	44	2-11/16-3-3/8"	4.42
89-095	52	3-3-3/4"	4.68
89-112	64	3-7/16-4-7/16"	4.91
89-138	80	4-1/8-5-7/16"	6.02
89-165	96	5-1/8-7-1/8"	6.35
89-180	104	5-7/8-7-1/8"	6.91
89-205	122	6-7/8-8-1/8"	8.24
89-231	138	7-7/8-9-1/8"	8.51
89-256	154	8-7/8-10-1/16"	9.32
89-282	170	9-7/8-11-1/8"	9.63
89-307	186	10-7/8-12-1/8"	9.86

Band and Housing • Aluzinc/ Painted
Band Width • (9mm) 3/8" wide band
Screw • Zinc Plated / Chromed
Corrosion Factor • 100



ALUZINC NOVA

Part #	SAE	Size	List
91-015	3	5/16-9/16"	0.95
91-017	4	7/16-11/16"	0.95
91-022	6	1/2-13/16"	0.99
91-025	8	5/8-15/16"	1.26
91-028	10	3/4-1-1/8"	1.35
91-032	12	7/8-1-1/4"	1.35
91-040	16	1-1/16-1-1/2"	1.35
91-045	20	1-1/4-1-3/4"	1.44
91-051	24	1-1/2-2"	1.49
91-056	28	1-3/4-2-1/4"	1.53
91-065	32	2-2-9/16"	1.67
91-075	40	2-5/16-3"	1.85
91-085	44	2-11/16-3-3/8"	1.89

HOSE CLAMPS

Band and Housing • SS2333/ AISI 316
Band Width • (12.2mm) 1/2" wide band
Screw • SS2333/ AISI 304
Corrosion Factor • 1000 Industrial



ALL 316 ACID RESISTANT

Part #	SAE	Size	List
90-014	3	5/16-9/16"	2.61
90-017	4	7/16-11/16"	2.93
90-020	6	1/2-13/16"	2.97
90-024	8	5/8-15/16"	3.02
90-028	10	3/4-1/8"	3.04
90-032	12	7/8-1-1/4"	3.11
90-038	16	1-1/16-1-1/2"	3.17
90-044	20	1-1/4-1-3/4"	3.29
90-050	24	1-1/2-2"	3.42
90-056	28	1-3/4-2-1/4"	3.83
90-065	32	2-2-9/16"	3.96
90-075	40	2-5/16-3"	4.05
90-085	44	2-11/16-3-3/8"	4.05
90-095	52	3-3-3/4"	4.37
90-112	64	3-7/16-4-7/16"	4.55
90-138	80	4-1/8-5-7/16"	4.95
90-165	96	5-1/8-7-1/8"	5.32
90-180	104	5-7/8-7-1/8"	5.45
90-205	122	6-7/8-8-1/8"	5.87
90-231	138	7-7/8-9-1/8"	6.17
90-256	154	8-7/8-10-1/16"	6.66
90-282	170	9-7/8-11-1/8"	6.80
90-307	186	10-7/8-12-1/8"	7.16

ALUZINC EXHAUST CLAMP



Uniform tightening force around the exhaust tubes for a good sealing

Part #	Size	List
94-030	1.06-1.18	2.88
94-033	1.18-1.30	3.02
94-036	1.30-1.42	3.38
94-038	1.38-1.50	3.38
94-039	1.44-1.56	3.38
94-042	1.54-1.65	3.56
94-043	1.59-1.71	3.78
94-045	1.65-1.77	3.78
94-046	1.69-1.81	3.38
94-047	1.73-1.85	3.60
94-048	1.77-1.89	4.19
94-051	1.89-2.01	3.92
94-052	1.93-2.05	4.25
94-054	2.00-2.13	4.41
94-055	2.05-2.17	4.46
94-056	2.09-2.20	4.46
94-058	2.17-2.28	5.22
94-061	2.28-2.40	5.31
94-064	2.40-2.52	5.34
94-071	2.68-2.80	6.84
94-074	2.80-2.91	10.35

304 S.S. RUBBER CLIP



Eliminates hose and cable wear due to vibrations

Part #	Size	List
96-301	3/16"	0.98
96-302	1/4"	1.05
96-303	5/16"	1.04
96-304	3/8"	1.09
96-305	7/16"	1.13
96-306	1/2"	1.24
96-307	9/16"	1.31
96-308	5/8"	1.32
96-310	3/4"	1.38
96-312	7/8"	1.47
96-314	1"	1.59
96-316	1-1/8"	1.70
96-318	1-1/4"	1.85
96-320	1-3/8"	2.46
96-322	1-1/2"	2.52
96-323	1-3/4"	2.66



Eliminates hose and cable wear due to vibrations

ALUZINC RUBBER CLIP

Part #	Size	List
95-300	1/8"	0.45
95-301	3/16"	0.46
95-302	1/4"	0.50
95-303	5/16"	0.50
95-304	3/8"	0.52
95-305	7/16"	0.54
95-306	1/2"	0.62
95-307	9/16"	0.65
95-308	5/8"	0.66
95-309	11/16"	0.77
95-310	3/4"	0.76
95-311	13/16"	0.79
95-312	7/8"	0.82
95-313	15/16"	0.90
95-314	1"	0.93
95-315	1-1/6"	1.04
95-316	1-1/8"	1.05
95-317	1-3/16"	1.49
95-318	1-1/4"	1.53
95-319	1-5/16"	1.62
95-320	1-3/8"	1.67
95-321	1-7/16"	1.71
95-322	1-1/2"	1.80
95-326	1-5/8"	1.94
95-323	1-3/4"	1.94
95-328	1-7/8"	2.16
95-324	2"	2.30
95-325	2-1/8"	2.39
95-329	2-3/8"	2.57
95-327	2-1/2"	2.61
95-330	2-15/16"	3.29
95-331	3/5/16"	4.37

ALUZINC ROBUST



Band and Housing • Aluzinc/ Painted
Band Width • (9mm) 3/8" wide band
Screw • Zinc Plated/ Chromed
Corrosion Factor • 100

Part #	Size	List
97-031	(29-31mm)	3.20
97-035	(32-35mm)	3.24
97-039	(36-39mm)	3.38
97-043	(40-43mm)	3.51
97-047	(44-47mm)	4.86
97-051	(48-51mm)	4.90
97-055	(52-55mm)	4.95
97-059	(56-59mm)	5.04
97-063	(60-63mm)	5.09
97-067	(64-67mm)	5.13
97-073	(68-73mm)	5.18
97-079	(74-79mm)	5.31
97-085	(80-85mm)	5.36
97-091	(86-91mm)	5.45
97-097	(92-97mm)	5.58
97-103	(98-103mm)	5.58
97-112	(104-112mm)	5.81
97-121	(113-121mm)	5.99
97-130	(122-130mm)	6.35
97-139	(131-139mm)	6.48
97-148	(140-148mm)	6.53
97-161	(149-161mm)	6.62
97-174	(162-174mm)	6.71
97-187	(175-187mm)	10.58
97-200	(188-200mm)	10.85
97-213	(201-213mm)	10.89
97-226	(214-226mm)	11.07
97-239	(227-239mm)	11.25
97-252	(240-252mm)	11.48



In every episode of Seinfeld there is a Superman somewhere.

SMOOTH BRASS HOSE FERRULES



		List				
Part #	Ferrule #	I.D.	Length	Pierce	Gauge	Price
32-500	6231	0.330	0.484	0.250	0.016	0.12
32-501	833	0.358	0.500	0.270	0.016	0.16
32-502	622	0.380	0.500	0.270	0.016	0.13
32-550	619	0.400	0.469	0.265	0.016	0.17
32-504	620	0.410	0.500	0.270	0.016	0.17
32-551	769R	0.450	0.563	0.343	0.016	0.20
32-552	4750	0.475	0.687	0.328	0.20	0.20
32-553	624R	0.500	0.500	0.343	0.016	0.20
32-554	7322	0.500	1.000	0.344	0.025	0.20
32-555	625	0.525	0.469	0.359	0.016	0.20
32-517	625A	0.525	0.625	0.343	0.016	0.20
32-556	7323	0.525	1.000	0.375	0.025	0.33
32-521	9974	0.529	1.000	0.437	0.025	0.33
32-557	7324	0.531	1.000	0.437	0.025	0.33
32-558	626	0.550	0.469	0.375	0.016	0.25
32-559	7325	0.562	1.000	0.437	0.025	0.36
32-561	7326	0.593	1.000	0.437	0.025	0.34
32-562	JJ	0.600	0.484	0.437	0.016	0.22
32-563	JJ	0.600	0.499	0.500	0.019	0.22
32-526	II	0.625	0.484	0.437	0.016	0.21
32-564	7327	0.625	1.000	0.437	0.025	0.36
32-565	HH	0.650	0.484	0.437	0.016	0.22
32-566	7328	0.656	1.000	0.437	0.025	0.40
32-567	GG	0.675	0.500	0.437	0.016	0.33
32-568	7329	0.687	1.000	0.437	0.025	0.37
32-570	7330	0.718	1.000	0.500	0.025	0.38
32-571	EE	0.725	0.563	0.500	0.016	0.29
32-572	DD	0.750	0.563	0.500	0.016	0.27
32-573	7331	0.750	1.000	0.500	0.025	0.50
32-574	CC	0.775	0.563	0.500	0.016	0.31
32-533	7332	0.781	1.000	0.500	0.025	0.45
32-575	7332	0.781	1.000	0.625	0.025	0.40
32-576	BB	0.800	0.563	0.562	0.016	0.30
32-577	7333	0.812	1.000	0.625	0.025	0.50
32-578	AA	0.830	0.563	0.562	0.016	0.30
32-579	7244	0.875	0.875	0.625	0.025	0.50
32-580	7113	0.925	0.875	0.687	0.023	0.53
32-545	5235	1.000	0.875	0.687	0.025	0.51
32-549	7145A	1.050	0.850	0.693	0.025	0.60
32-584	5027	1.100	0.875	0.812	0.025	0.60
32-588	7088	1.175	0.875	0.875	0.025	0.65
32-589	7088A	1.175	0.840	0.875	0.025	0.68
32-590	875L	1.200	0.875	0.875	0.025	0.65
32-591	7291	1.218	1.000	0.875	0.025	0.67

More sizes available

HOSE CRIMPER

HOSE CRIMPERS

• Provides production capability and "big tool" crimping advantages at just a fraction of the cost of other tools offering comparable results.



HOSE CRIMPER COMES WITH 5 DIES

308-071 THRU # 308-075

Part #	List Price
308-070	Hose Crimper200.00

REPLACEMENT DIES

Part #	Size	List
308-071	5/8"	30.00
308-072	37/64"	30.00
308-073	17/32"	30.00
308-074	31/64"	30.00
308-075	11/16"	30.00
308-076	7/16"	30.00
308-077	3/4"	30.00
308-078	13/16"	30.00
308-079	3/8"	30.00

The word LEAD, at its root, means "go, travel, guide." Leadership has about it a kinesthetic feel, a sense of movement. Leaders "go first." They're pioneers. They begin the quest for a new order. They venture into unexplored territory and guide us to new and unfamiliar destinations."

"In contrast, the root origin of MANAGE is a word meaning "hand." At its core, managing is about "handling" things, about maintaining order, about organization and control. The critical difference between management and leadership is reflected in the root meanings of the two words - the difference between what it means to handle things and what it means to go places. The unique role of leaders is to take us to places we've never been before."

- THE LEADERSHIP CHALLENGE

Kouzes and Posner

Tubing

CORROSION RESISTANCE VALUES for Plastic Tubing

Ratings based on tests at 70°F and should not be exposed to higher temperature without testing



F-5000 Poly Vinyl Chloride
U-2000 Polyurethane
E-1000 Low Density Polyethylene
N-6000 Nylon

P-1100 Polypropylene
D-4000 EVA
T-7000 Teflon
U-8000 Special Plasticizers PVC

G-Good
L-Limited
P-Poor
N-Not Tested

	FUELS:								ACIDS & BASES	OTHERS:							
	F	U	E	N	P	D	T	U-8000		F	U	E	N	P	D	T	
Butane (1).....	G	G	L	G	L	G	G	N	Acetic, 50%.....	G	P	P	L	G	P	G	
Diesel Fuel.....	L	G	L	G	L	P	N	G	Boric.....	G	G	G	G	G	G	G	
Gasoline (regular).....	L	G	P	G	L	N	G	G	Carbolic (phenol).....	P	P	G	P	G	P	N	
Kerosene.....	L	G	P	G	G	P	G	G	Fatty.....	G	G	P	G	G	N	G	
Methane (nat. gas)(1).....	G	G	L	G	G	N	N	N	Formic, 90%.....	G	P	G	P	G	G	G	
Propane (1).....	G	G	L	G	L	N	N	N	Hydrochloric, 10%.....	G	G	G	L	G	G	G	
OTHERS:									Hydrochloric, 25%.....	G	L	G	P	G	L	G	
Acetylene.....	N	G	G	G	G	N	N	N	Hydrochloric, 50%.....	G	L	G	P	G	L	G	
Ammonia gas.....	P	G	G	G	G	G	N	N	Hydrocyanic, 50%.....	L	P	G	P	G	G	G	
Ammonium salts.....	G	G	G	G	G	G	N	N	Maleic.....	G	P	G	G	G	N	N	
Amyl acetate.....	P	P	L	G	P	P	G	N	Nitric, 10%.....	G	P	G	L	G	L	G	
Aniline.....	P	P	L	L	G	P	G	N	Nitric, 30%.....	G	P	G	P	L	L	G	
Animal oils.....	G	G	P	G	G	N	G	G	Oleic.....	L	G	L	G	G	P	N	
Bleach, 7%.....	G	P	G	L	L	N	N	G	Phosphoric, 25%.....	G	L	G	G	G	G	N	
Bromine.....	L	G	P	P	P	P	G	N	Sulfuric, 30%.....	G	L	G	L	G	L	G	
Butandiol.....	G	G	G	G	G	N	N	N	Sulfuric, 70%.....	L	P	P	P	G	P	G	
Calcium salts incl. Chloride....	G	G	G	G	G	N	G	G	Sulfuric, 98%.....	P	P	P	P	G	P	G	
Chlorine gas, dry.....	G	G	P	P	P	P	N	N	Sulfurous, 30%.....	G	P	G	L	G	N	G	
Dibutyl phthalate.....	N	P	L	G	L	P	N	G	Tannic.....	G	P	G	G	G	N	G	
Glucose.....	G	G	G	G	G	G	G	G	Ammonium hydroxide, 25%...P	G	L	G	G	G	G	N	
Glycerine.....	G	G	G	G	G	G	N	G	Potassium hydroxide, 25%.L	G	G	G	G	G	G	G	
Hydrogen peroxide 10%.....G	G	G	G	G	G	G	G	G	Sodium hydroxide, 50%....G	G	G	G	G	G	L	G	
Hydrogen peroxide 25%.....L	G	G	P	G	G	G	G	G	SOLVENTS:								
Hydrogen sulfide.....	G	P	G	L	G	N	G	N	Acetone.....	P	P	G	G	L	P	G	
Isocyanates.....	N	G	G	G	N	P	N	N	Benzene.....	P	L	P	G	P	P	G	
Lead salts (3).....	G	G	G	G	G	N	N	N	Carbon tetrachloride.....P	L	L	L	L	P	P	G	
Magnesium salts.....	G	G	G	G	G	N	G	N	Chloroform.....	P	P	P	L	P	P	G	
Mercury.....	G	G	G	G	G	G	N	N	Cyclohexanone.....	P	P	P	G	L	P	G	
Milk.....	G	G	G	G	G	G	N	G	Dimethylformamide.....P	P	L	N	G	N	N	N	
Mineral Oil.....	G	G	L	G	L	P	G	G	Dioxane.....	N	N	P	G	L	N	N	
Nitrous Oxide (1).....	G	G	L	G	G	N	N	N	Ethyl acetate.....	P	L	G	G	L	P	G	
Oxygen (1).....	G	G	G	G	G	G	G	G	Ethyl alcohol (1).....	L	G	G	L	G	G	G	
Ozone, ambient.....	G	G	L	G	L	N	N	G	Ethyl ether.....	L	L	G	G	L	P	N	
Paint, oil base.....	L	G	L	G	G	N	N	G	Ethylene glycol.....	G	G	G	G	G	G	N	
Polyglycols.....	G	G	G	G	G	N	N	N	Formaldehyde.....	G	G	G	G	G	L	N	
Potassium salts.....	G	G	G	G	G	N	G	N	Freon - 12'.....	L	L	G	G	L	N	G	
Pydraul.....	P	P	P	G	N	N	N	N	Methyl alcohol.....	L	G	G	L	G	N	N	
Pyridine.....	P	L	G	L	G	N	G	N	Methylene chloride.....P	P	L	G	L	P	N		
Salt Water.....	G	G	G	G	G	G	G	G	Methyl ethyl ketone.....P	P	G	G	L	P	N		
Silver Nitrate.....	G	G	G	G	G	G	N	N	Naphthas (2).....	P	G	P	G	L	P	G	
Skydrol.....	P	P	P	G	N	N	N	N	Tolulene.....	P	G	P	G	L	P	N	
Soap solution (conc.).....G	G	G	L	G	G	N	G	G	Trichlorethylene.....	P	P	P	L	P	P	G	
Sodium salts.....	G	G	G	G	G	N	G	G	Turpentine.....	G	G	P	G	L	P	G	
Sodium thiosulphate.....	G	G	G	G	G	N	G	G	Xylene.....	P	G	P	G	L	P	N	
Styrene.....	P	G	P	G	N	N	N	G	HYDRAULIC FLUIDS:								
Trisodium phosphate.....G	G	N	G	G	G	N	G	G	Diester base grease.....N	G	P	G	L	P	N		
Ucon oil.....	G	G	G	G	N	N	N	N	Petroleum base grease.....G	G	L	G	L	P	N		
Urea.....	G	G	G	G	G	N	G	G	Phosphate ester.....	L	P	P	G	G	N	N	
Vegetable oils (1).....	G	G	G	G	G	P	N	G	Polyol ester.....	P	N	P	G	G	N	N	
Water at 730F.....	G	G	G	G	G	G	G	G	Water-glycol.....	G	G	G	G	G	N	N	
Water at 1400F.....	L	G	G	G	G	G	G	G	SAE motor oils.....	G	G	G	G	G	N	N	
Water at 1700F.....	P	L	N	L	G	P	N	G	Machine oil.....	G	G	L	G	L	N	N	
Whiskey, wine (1).....	N	G	G	G	G	N	G	G	MIL-L-7808 H.....	G	G	L	G	G	N	N	
Zinc Chloride.....	G	G	G	G	G	G	N	N	Brake Fluid.....	N	N	N	N	N	N	N	

Accessories



POLYETHYLENE TUBING

- Economical
- Flexible
- Low Pressure & Temperature



- Low density polyethylene tubing has a wide range of uses including water lines, beverage tubing, air lines, instrumentation, plus uses in industrial, agricultural, and chemical applications.
- Has good resistance to alkalis, dilute acid, ammonia gas, ammonium hydroxide, brine water, and most aqueous solutions of metallic salts.
- Food Grade
- temperature: -40F° to 135°F
- Natural - ASTM D-1248-8f - Type 1 - Class A - Category 4, Colors are class B.
- 100' coils in Boxes.

POLYETHYLENE TUBING

Part#	Tube O.D.	Tube Wall	Burst PSI	100' Box
973-200	1/8	0.020	400	6.42
973-201	5/32	0.025	400	12.99
973-202	3/16	0.030	400	13.01
973-203	1/4	0.040	400	8.21
973-204	1/4	0.062	800	10.87
973-205	5/16	0.062	600	14.45
973-206	3/8	0.062	400	18.05
973-207	1/2	0.062	300	25.03
973-208	5/8	0.062	250	35.48
973-211	3/4	0.062	150	41.12
973-209	3/4	0094	200	76.39
973-210	1	125	300	101.51

500' NATURAL POLYETHYLENE

Part#	O.D.	List
73-200N5	1/8	53.36
73-203N5	1/4	68.09
73-204N5	1/4	77.72
73-206N5	3/8	90.23
73-207N5	1/2	152.22

More colors and lengths available

1000' NATURAL POLYETHYLENE

Part#	O.D.	List
73-203N1	1/4	82.99
73-204N1	1/4	129.51
73-206N1	3/8	213.76
73-207N1	1/2	250.29

BLACK POLYETHYLENE TUBING

Part#	O.D.	100' List
73-200B	1/8	11.63
73-201B	5/32	12.35
73-202B	3/16	12.96
73-203B	1/4	13.57
73-204B	1/4	17.06
73-205B	5/16	21.33
73-206B	3/8	25.29
73-207B	1/2	33.66
73-208B	5/8	42.08

500' BLACK REEL

Part#	O.D.	List
73-203B5	1/4	63.72
73-205B5	5/16	100.36
73-206B5	3/8	119.87
73-207B5	1/2	152.22

1000' BLACK REEL

Part#	O.D.	List
73-206B1	3/8	213.76

BLUE

POLYETHYLENE TUBING

Part#	O.D.	100' List
73-200U	1/8	11.63
73-201U	5/32	12.35
73-202U	3/16	12.96
73-203U	1/4	13.57
73-204U	1/4	16.22
73-205U	5/16	21.33
73-206U	3/8	25.26
73-207U	1/2	37.68

500' BLUE REEL

Part#	O.D.	List
73-203U5	1/4	64.85
73-206U5	3/8	119.87

1000' BLUE REEL

Part#	O.D.	List
73-203U1	1/4	108.77

GREEN

POLYETHYLENE TUBING

Part#	O.D.	100' List
73-201G	5/32	12.35
73-203G	1/4	13.57
73-204G	1/4	16.22
73-205G	5/16	21.33
73-206G	3/8	25.26
73-207G	1/2	33.68

500' GREEN REEL

Part#	O.D.	List
73-203G5	1/4	59.54

1000' GREEN REEL

Part#	O.D.	List
73-203G1	1/4	103.59

RED

POLYETHYLENE TUBING

Part#	O.D.	100' List
73-203R	1/4	14.22
73-205R	5/16	21.33
73-206R	3/8	25.26

500' RED REEL

Part#	O.D.	List
73-203R5	1/4	64.83

1000' RED REEL

Part#	O.D.	List
73-203R1	1/4	103.59

WHITE

POLYETHYLENE TUBING

Part#	O.D.	List
73-203W	1/4	13.57
73-206W	3/8	25.26
73-207W	1/2	33.68

PLASTIC TUBE CUTTER

Range: 1/8" - 3/8" I.D. (3mm-10mm)



Part#	Description	List
91-707	Cutter w/ Blade	5.06
91-707B	Pack of 10 Blades	1.94

YELLOW

POLYETHYLENE TUBING

Part#	O.D.	100' List
73-203Y.....	1/4	13.57
73-205Y.....	5/16	21.33
73-206Y.....	3/8	25.26

ORANGE

POLYETHYLENE TUBING

Part#	O.D.	100' List
73-203O.....	1/4	13.57

GRAY

POLYETHYLENE TUBING

Part#	O.D.	100' List
73-206A.....	3/8	25.26

POLYETHYLENE METRIC TUBING



Part#	MM O.D.	MM Wall	Length	List
73-200M1...	4	2.5	150	60.50
73-201M2...	6	4	25	19.80
73-201M1...	6	4	150	94.28
73-202M2...	8	6	25	27.99
73-202M1...	8	6	150	162.92
73-203M2..	10	8	25	42.53
73-203M1..	10	8	150	235.35

More sizes, lengths
and colors available.
Just Ask!

"...as one goes through life one learns that if you don't paddle your own canoe, you don't move."

-Katharine Hepburn

FLEXIBLE NYLON 11 TUBING

- High Burst
- Resilient
- Corrosion Resistance



- Lubrication systems, instrumentation lines, fuel lines, refrigerant lines, Vacuum applications, food processing.
- Low moisture absorption, Good mechanical properties, and excellent electrical properties.
- Temperature range 400F to 225) F
- Has excellent resistance to a wide range of chemicals including oils, gasoline, hydraulic fluids, salt solutions, and bases.
- 1000lb min. burst P.S.I.
- For DOT tubing see air brake section

Part#	Tube O.D.	Tube Wall	100' Boxed
973-230.....	1/8	.017	18.19
973-231.....	5/32	.025	26.18
973-229.....	3/16	.024	29.24
973-232.....	1/4	.035	50.65
973-238.....	1/4	.040	60.60
973-239.....	1/4	.062	82.80
973-226.....	5/16	.040	73.38
973-233.....	3/8	.050	93.46
973-234.....	1/2	.062	180.54
973-235.....	5/8	.062	253.71

500' NYLON TUBING NATURAL

Part#	Tube O.D.	List
73-232N5.....	1/4	249.44

BLACK NYLON TUBING

Part#	Tube O.D.	100' List
73-230B.....	1/8	16.92
73-231B.....	5/32	24.95
73-232B.....	1/4	50.67
73-238B.....	1/4	63.43
73-233B.....	3/8	99.13
73-234B.....	1/2	180.54

1000' BLACK NYLON

Part#	Tube O.D.	List
73-230B1.....	1/8	146.25

NYLON 12 METRIC TUBING

- Same properties as nylon tubing



100' LENGTHS

Part#	MM O.D.	MM I.D.	MM Wall	Min PSI	List Coil
973-323....	4	2.3	0.85	1800	28.33
973-324....	5	3	1	1600	40.21
973-325....	6	4	1	1200	53.63
973-326....	6	3.5	1.25	1700	61.16
973-327....	8	6	1	800	73.38
973-328....	8	5.5	1.25	1100	85.22
973-329....	10	8	1	600	91.34
973-332....	12	10	1	480	98.28
973-333....	12	9	1.5	800	138.69
973-334....	14	12	1	950	238.77

PLASTIC TUBE CUTTER

Range: 1/8" - 3/8" I.D. (3mm-10mm)



Part#	Description	List
91-707.....	Cutter w/ Blade.....	5.06
91-707B.	Pack of 10 Blades.....	1.94

MINI-TUBING CUTTER

- Great for tight places



Part #	Size	List Price
990-571	3 mm-22mm (1/8"-7/8")	5.45

TUBING CUTTER



Part #	Size	List Price
990-570.....	1/8"-1-1/8"	8.01

POLYVINYL CHLORIDE (PVC) TUBING

FDA recipe
NSF approved
Grade A



- Clear, flexible PVC tubing is suitable for use in low pressure applications including drain lines, laboratory tubing, industrial, chemical, agricultural, and food and beverage applications.
- Has good chemical resistance to alkalies, ammonium compounds, brine, and some acids and alcohols.
- Sanctioned by the FDA for food packaging applications.
- Temperature Range: -5°F to 125°F
- 100 Foot coils in Boxes.

Part#	Tube I.D.	Tube O.D.	Tube Wall	Tube Burst	Tube Min Coils	100' List
973-222	1/8	3/16	1/32	200	13.37	
973-224	1/8	1/4	1/16	400	13.83	
973-223	3/16	5/16	1/16	250	17.72	
973-215	1/4	3/8	1/16	200	21.15	
973-252	5/16	7/16	1/16	150	24.99	
973-253	5/16	1/2	3/32	250	38.21	
973-216	3/8	1/2	1/16	125	27.47	
973-255	3/8	5/8	1/8	250	61.36	
973-262	3/8	9/16	3/32	200	60.16	
973-217	1/2	5/8	1/16	100	36.43	
973-219	3/4	1 0/1	1/8	120	103.49	
973-221	1	1-1/4	1/8	100	131.40	

POLYURETHANE TUBING 100' COILS



Part#	Tube O.D.	Tube I.D.	List
973-340	1/8	1/16	22.86
973-341	5/32	3/32	30.47
973-342	3/16	1/8	39.60
973-343	1/4	1/8	73.13
973-345	3/8	1/4	130.01
973-346	1/2	3/8	183.78

BLUE POLYURETHANE TUBING

Part#	O.D.	List
73-343U	1/4	81.25

BLACK POLYURETHANE TUBING

Part#	O.D.	List
73-343B	1/4	81.25

GREEN POLYURETHANE TUBING

Part#	O.D.	List
73-343G	1/4	81.25

YELLOW POLYURETHANE TUBING

Part#	O.D.	List
73-343Y	1/4	81.25

POLYURETHANE METRIC



Part#	Tube O.D.	Tube I.D.	100' Coils
973-350	4	2.5	28.19
973-352	6	4	56.08
973-353	8	6	77.40

More sizes and colors available

ALUMINUM TUBING

Alloy— 3003-0 ASTM B-483	Material to ASTM B-483
-----------------------------------	------------------------------

ALUMINUM VERSATUBE 50' Coils

Part#	O.D.	Wall Thick.	List
972-190	1/8	.025	28.25
972-191	3/16	.028	34.00
972-192	1/4	.032	36.70
972-193	5/16	.035	47.05
972-194	3/8	.035	51.05
972-195	1/2	.035	76.20

COPPER TUBING REFRIGERATION COPPER TUBE (50' Coils)



Part #	O.D. Nom.	Wt. 50'Coil	Wall Thick.	List Price
972-180	1/8	1.74	.030	30.15
972-181	3/16	2.88	.030	33.08
972-182	1/4	4.02	.030	40.68
972-183	5/16	5.45	.032	52.26
972-184	3/8	6.7	.032	61.07
972-185	1/2	9.1	.032	93.91
972-186	5/8	12.55	.035	158.08
972-187	3/4	15.25	.035	122.21

TYPE L SOFT COPPER TUBING (60' Coils)



For residential water lines

Part #	I.D. Nom.	Wt. Per Ft	Wall Thick.	List Price
972-171	1/4"	.126	.030	71.75
972-172	3/8"	.198	.035	132.00
972-173	1/2"	.285	.040	161.25

Accessories

UNIVERSAL SERIES QUICK DISCONNECT

For ARO, TRU-FLATE, INDUSTRIAL INTERCHANGE

Working range:
 Maximum operating Pressure
 To 150 psig
Temperature: -40⁰ to +225⁰F



1/4"
BASIC
SIZE



FEMALE THREAD


Part#	Size	List
28-560	1/4 NPS	6.46



MALE THREAD

Part#	Size	List
28-579	1/4 NPTF	6.46
28-589	3/8 NPTF	6.76

**Male NPT x Female NPT
 360° turning swivel fitting**

360° Turning  **NEW**

Part #	Size	List Price
320-061	1/4	11.75



Industrial Parker ARO

INDUSTRIAL INTERCHANGE

Specifications

Body Size (in.)	1/4
Rated Pressure (PSI)	250
Temperature Range	-40° to +250°

- Sleeve type couplings are widely used to connect air and low pressure fluid lines.

Their compact and economical design uses a ball locking mechanism consisting of captive steel balls that engage the locking groove on the mating nipple. The sliding spring loaded sleeve on the coupler must be manually retracted in order to connect or disconnect the nipple. It is easy to do, but two hands are normally required.

Common applications include: compressed air, water, grease, paint, limited vacuum and limited gases.

- The standard is a brass coupler with a steel valve.
- Standard seals are Buna-N (Nitrile).

1/4"
Basic Body Size



MALE PIPE COUPLER



Part#	Size	List
28-551	1/8	6.29
28-552	1/4	5.85
28-553	3/8	6.66

FEMALE PIPE COUPLER



Part#	Size	List
28-539	1/8	6.29
28-540	1/4	5.41
28-541	3/8	6.48

HOSE ID COUPLER



Part#	Size	List
28-562	1/4	7.84
28-564	3/8	7.84
28-565	1/4(Push on)	7.84
28-566	3/8(Push on)	7.84

**MALE PLUG
 STEEL**



Part#	Size	List
28-545	1/8	1.05
28-546	1/4	0.97
28-547	3/8	1.49

**FEMALE PLUG
 STEEL**



Part#	Size	List
28-533	1/8	1.16
28-534 ⁵	1/4	1.00
28-535	3/8	1.73

**HOSE I.D. PLUG
 STEEL**



Part#	Size	Type	List
28-557	1/4		1.16
28-559	3/8		1.00
28-558	1/4	(Push On)	2.26
28-561	3/8	(Push On)	1.73

Other sizes and materials available...just ask!

PARKER INTERCHANGE (TRU-FLATE)

Specifications

Body Size (in.)	1/4
Rated Pressure (PSI)	250
Temperature Range	-40° to +250°

- The standard features a brass coupler with a steel valve.
- Standard seals are Buna-N (Nitrile).
- Unique design has been field proven as a long lasting, high performance coupling especially when used with pneumatic tools.



MALE PIPE COUPLER

BRASS



Part#	Size	List
28-515	1/8	6.66
28-516	1/4	5.82
28-517	3/8	7.50

FEMALE PIPE COUPLER

BRASS



1/4"
Body Size

Part#	Size	List
28-506	1/8	6.66
28-507	1/4	5.82
28-508	3/8	7.50

HOSE ID COUPLER

BRASS



Part#	Size	List
28-528	1/4	7.46
28-530	3/8	8.66
28-531	1/4(Push on)	9.33
28-532	3/8 (Push on)	9.41

**MALE PLUG
STEEL**



Part#	Size	List
28-509	1/8	1.35
28-510	1/4	0.95
28-511	3/8	1.65

**FEMALE PLUG
STEEL**



Part#	Size	List
28-500	1/8	1.30
28-501	1/4	1.00
28-502	3/8	2.00

**HOSE ID PLUG
STEEL**



Part#	Size	List
28-518	1/4	2.42
28-520	3/8	2.67
28-521	1/4(Push on)	2.94
28-522	3/8(Push on)	3.04

ARO 210 INTERCHANGE

Specifications

Body Size (in.)	1/4
Rated Pressure (PSI)	250
Temperature Range	-40° to +250°

- Brass bodies and steel valves
- Standard seal material are Buna-N (Nitrile)
- Couplings have a full opening tubular valve for maximum flow and a built-in sleeve guard to minimize accidental disconnect.



MALE PIPE COUPLER

BRASS



Part#	Size	List
28-592	1/8	7.15
28-593	1/4	5.82
28-594	3/8	7.15

FEMALE PIPE COUPLER

BRASS



Part#	Size	List
28-583	1/8	6.40
28-584	1/4	5.82
28-585	3/8	7.07

HOSE ID COUPLER

BRASS



Part#	Size	List
28-601	1/4	7.36
28-603	3/8	7.55

**MALE PLUG
STEEL**



Part#	Size	List
28-586	1/8	1.65
28-587	1/4	1.03

**FEMALE PLUG
STEEL**



Part#	Size	List
28-577	1/8	1.82
28-578	1/4	1.05

**HOSE ID PLUG
STEEL**



Part#	Size	List
28-595	1/4	2.51
28-597	3/8	2.51

Other sizes available...just ask!

ST SERIES...HIGH FLOW

Specifications

Body Size (in.)	1/4	3/8
Rated Pressure (PSI)		
Brass Coupler & Steel Plug	5500	3500
Temperature Range	-40° to +250°	

- Non-valved couplings for applications where maximum flow is required. Ideal for applications such as high pressure water and steam washers, carpet cleaners and mold coolant lines. They are often used in food processing, on fluid and dye transfer lines.

- Standard seals are Buna-N (Nitrile)

- Couplers and plugs available in additional sizes and materials.

MALE PIPE COUPLER

BRASS



FEMALE PIPE COUPLER

BRASS



Part#	Size	List
28-667	1/8	6.15
28-665	1/4	7.26
28-666	3/8	8.26
28-668	1/2	12.38
28-669	3/4	20.12
28-670	1	34.83

Part#	Size	List
28-671	1/8	6.15
28-651	1/4	7.26
28-652	3/8	8.97
28-672	1/2	12.60
28-673	3/4	20.51
28-674	1	32.25

MALE PLUG

STEEL



Part#	Size	List
28-675	1/8	3.26
28-639	1/4	3.55
28-640	3/8	3.75
28-676	1/2	4.39
28-677	3/4	7.27
28-678	1	17.20

FEMALE PLUG

STEEL



Part#	Size	List
28-688	1/8	2.62
28-619	1/4	3.75
28-620	3/8	3.80
28-679	1/2	4.34
28-680	3/4	8.34
28-681	1	18.28

Other sizes and materials available...just ask!

LINCOLN INTERCHANGE

- 1/4" Basic Size

Specifications

Body Size (in.)	1/4
Rated Pressure (PSI)	250
Temperature Range	-40° to +250°

- Brass body with steel sleeve and backnut valve material is Acetal and seal is Nitrile



MALE PIPE COUPLER



FEMALE PIPE COUPLER



Part#	Size	List
28-682	1/8	13.03
28-683	1/4	13.03

Part#	Size	List
28-684	1/4	12.56

MALE PLUG

Steel



Part#	Size	List
28-685	1/8	3.48
28-686	1/4	2.71

FEMALE PLUG

Steel



Part#	Size	List
28-687	1/4	2.71

MINI TYPE QUICK DISCONNECTS

Working Range: 0-145 psi
Temperature Range: 32°
Material: Chrome Plated Brass



Male Coupler

Female Coupler

Male Plug

Female Plug



Part#	Size	List
28-605	1/8	16.80

Part#	Size	List
28-606	1/8	16.80

Part#	Size	List
28-607	1/8	5.04

Part#	Size	List
28-608	1/8	5.04

HYDRAULIC QUICK DISCONNECTS

ISO-A Interchange

See Page 249 for Specs



Flush Face

See Page 250 for Specs



Part#	Body Size	Male NPT	Working PSI	Price
ANV-14-F	1/4	1/4	5075	18.88
ANV-14-M	1/4	1/4	5075	8.17
ANV-38-F	3/8	3/8	4550	21.16
ANV-38-M	3/8	3/8	4550	10.54
ANV-12-F	1/2	1/2	4500	21.50
ANV-12-M	1/2	1/2	4500	8.60
ANV-34-F	3/4	3/4	3625	45.75
ANV-34-M	3/4	3/4	3625	20.73
ANV-1-F	1	1	3335	68.71
ANV-1-M	1	1	3335	28.38

Part#	Body Size	Male NPT	Working PSI	Price
FF-14-F	1/4	1/4	4400	55.30
FF-14-M	1/4	1/4	4400	27.69
FF-38-12-F	3/8	1/2	4350	70.31
FF-38-12-M	3/8	1/2	4350	33.63
FF-38-F	3/8	3/8	4350	66.48
FF-38-M	3/8	3/8	4350	23.31
FF-12-F	1/2	1/2	3650	70.13
FF-12-M	1/2	1/2	3650	58.57
FF-34-12-SAE-F	1/2	3/4	3675	86.82
FF-34-12-SAE-M	1/2	3/4	3675	54.87
FF-34-F	3/4	3/4	3650	111.07
FF-34-M	3/4	3/4	3650	70.31
FF-1-F	1	1	3675	182.71
FF-1-M	1	1	3675	103.07

ISO-B Interchange

See Page 249 for Specs



AG Interchange

See Page 250 for Specs



Part#	Body Size	Male NPT	Working PSI	Price
HNV-18-F	1/8	1/8	5800	27.91
HNV-18-M	1/8	1/8	5800	10.54
HNV-14-F	1/4	1/4	5075	16.99
HNV-14-M	1/4	1/4	5075	7.74
HNV-38-F	3/8	3/8	4350	25.41
HNV-38-M	3/8	3/8	4350	11.01
HNV-12-F	1/2	1/2	4060	31.65
HNV-12-M	1/2	1/2	4060	13.07
HNV-34-F	3/4	3/4	2610	48.72
HNV-34-M	3/4	3/4	2610	20.77
HNV-1-F	1	1	2175	66.69
HNV-1-M	1	1	2175	27.65


Part#	Body Size	Male NPT	Working PSI	Price
NV-14-F	1/4	1/4	5075	17.54
NV-14-M	1/4	1/4	5075	10.54
NV-38-F	3/8	3/8	4550	21.29
NV-38-M	3/8	3/8	4550	9.68
NV-12-F	1/2	1/2	3625	21.50
NV-12-M	1/2	1/2	3625	8.60
NV-34-F	3/4	3/4	3625	50.31
NV-34-M	3/4	3/4	3625	23.09
NV-1-F	1	1	3335	67.73
NV-1-M	1	1	3335	33.07

MOLD COOLANT-LINE QUICK COUPLERS

OPERATING PRESSURE:
200 PSIG (14.06 Kg/sq. cm)
WORK RANGE:
SILICONE: -90°F to 400°F (-68°C to + 205°C)
VITON: + 20°F to + 400°F (-7°C to + 205°C)



- Our coolant couplers are engineered for optimum speed and performance in connecting coolant lines to molds used for thermoplastic, thermosetting, blow molding, diecasting and on other types of tooling and equipment utilizing a constant fluid flow pumped through cooling channels.
- The quick connect feature of Our couplers greatly simplifies installation and removal of molds. It dramatically reduces machinery downtime.
- Couplers are precision machined from corrosion resistant brass and are available as straight-through or valved type. Valve prevents fluid loss through the coupler when it is disconnected.
- Standard seals are manufactured from a special silicone compound that is resistant to the destructive effects of water, glycol (anti-freeze) or air. Viton is available for use with oil or other coolants.
- Male plugs are designed to be threaded into mold coolant ports. Protective counterbored holes in the mold ports permit these plugs to be mounted below the surface greatly simplifying handling and storage of molds. Our male plugs are manufactured of corrosion resistant brass. Female plugs are intended for use on pipe nipples when the connection needs to be made outside the mold. They are machined from alloy steel.



BRASS



STEEL

MALE PLUG (BRASS)

1/4" BASIC SIZE

Part#	Size	A	B	List
29-900	1/8	0.69	0.69	1.13
29-901	1/4	0.84	0.94	1.31
29-902	3/8	1.00	0.97	1.65

3/8" BASIC SIZE

Part#	Size	A	B	List
29-906	1/4	1.00	0.94	1.52
29-907	3/8	1.00	1.13	1.65
29-908	1/2	1.81	1.25	2.83

1/2" BASIC SIZE

Part#	Size	A	B	List
29-911	1/2	1.25	1.50	4.35
29-912	3/4	1.50	1.56	6.53

FEMALE PLUG (STEEL)

1/4" BASIC SIZE

Part#	Size	List
29-903	1/8	1.48
29-904	1/4	1.57
29-905	3/8	2.18

3/8" BASIC SIZE


Part#	Size	List
29-909	1/4	1.96
29-910	3/8	2.65

1/2" BASIC SIZE

Part#	Size	List
29-913	1/2	6.26
29-914	3/4	10.79

Accessories

MOLD COOLANT-LINE QUICK COUPLERS
D-M-E, PARKER and FOSTER INTERCHANGE



1/4" BASIC SIZE, BRASS STRAIGHT THROUGH (Non-Valved)

Hose ID Size	Straight Stem		90° Stem		45° Stem		Body Only	
	Part#	List	Part#	List	Part#	List	Part#	List
1/4"	98-915	7.05	98-920	10.31	98-925	10.31	98-930	6.22
1/4" (Push On)	98-916	7.83	98-921	10.79	98-926	10.79	(1/8" Female Pipe)	
5/16"	98-917	7.05	98-922	10.31	98-927	10.31		
3/8"	98-918	7.05	98-923	8.82	98-928	10.31		
3/8" (Push On)	98-919	7.61	98-924	10.92	98-929	10.92		

1/4" BASIC SIZE, BRASS VALVED

Hose ID Size	Straight Stem		90° Stem		45° Stem		Body Only	
	Part#	List	Part#	List	Part#	List	Part#	List
1/4"	98-931	11.62	98-936	13.57	98-941	13.71	98-946	10.71
1/4" (Push On)	98-932	12.05	98-937	14.01	98-942	14.06	(1/8" Female Pipe)	
5/16"	98-933	11.62	98-938	13.57	98-943	13.71		
3/8"	98-934	11.62	98-939	13.57	98-944	13.71		
3/8" (Push On)	98-935	12.27	98-940	14.23	98-945	14.23		

3/8" BASIC SIZE, BRASS STRAIGHT THROUGH (Non-Valved)

Hose ID Size	Straight Stem		90° Stem		45° Stem		Body Only	
	Part#	List	Part#	List	Part#	List	Part#	List
3/8"	98-947	9.35	98-952	13.49	98-957	13.49	98-962	9.05
3/8" (Push On)	98-948	10.44	98-953	14.40	98-958	14.83	(1/4" Female Pipe)	
1/2"	98-949	9.79	98-954	12.09	98-959	13.49	98-986	9.61
1/2"	98-950	10.44	98-955	14.40	98-960	14.83	(3/8" Female Pipe)	
1/2" (Push On)	98-951	11.62	98-956	11.62	98-961			

3/8" BASIC SIZE, BRASS VALVED

Hose ID Size	Straight Stem		90° Stem		45° Stem		Body Only	
	Part#	List	Part#	List	Part#	List	Part#	List
3/8"	98-963	16.49	98-967	20.10	98-971	20.27	98-975	15.14
3/8" (Push On)	98-964	17.31	98-968	20.79	98-972	21.23	(1/4" Female Pipe)	
1/2"	98-965	14.14	98-969	20.10	98-973	20.27		
1/2"	98-966	17.40	98-970	21.01	98-974	21.10		

1/2" BASIC SIZE, BRASS STRAIGHT THROUGH (Non-Valved)

Hose ID Size	Straight Stem		90° Stem		45° Stem		Body Only	
	Part#	List	Part#	List	Part#	List	Part#	List
1/2"	98-976	24.71	98-979	31.48	98-982	35.84	98-985	22.23
1/2" (Push On)	98-977	25.71	98-980	32.36	98-983	36.80	(1/2" Female Pipe)	
3/4"	98-978	25.54	98-981	32.45	98-984	37.02		

Accessories

MUFFLERS

SINTERED BRONZE MUFFLER

40 Micron Sintered Bronze Element; 300 PSIG Max. Working Pressure; Temperature -65°F to 300°F



Part #	Size	Length	Hex	Price
300-020	10/32"	7/8"	13/32"	2.00
300-021	1/8"	5/16"	7/16"	1.33
300-022	1/4"	1-5/16"	9/16"	2.42
300-023	3/8"	1-19/32"	11/16"	3.13
300-024	1/2"	1-27/32"	7/8"	3.75
300-026	3/4"	1-3/16"	1-1/16"	8.76
300-028	1"	1-57/64"	1-3/8"	10.84

BREATHER VENT

BREATHER VENT

40 Micron Sintered Bronze Element; 150 PSIG Max. Working Pressure; Temperature -65°F to 300°F



Part #	Size	Length	Hex	Price
300-001	1/8"	1/2"	7/16"	1.04
300-002	1/4"	11/16"	9/16"	1.32
300-003	3/8"	53/64"	11/16"	1.82
300-004	1/2"	59/64"	7/8"	2.60
300-006	3/4"	1"	1-1/16"	8.00
300-008	1"	1-5/16"	1-5/16"	10.88

3 IN 1 ALUMINUM AIR MANIFOLD

No need to connect and disconnect every time you want to change tools. Supply 3 air tools from one outlet. These manifolds have one inlet with three outlets.

S685-4	D3408	
S685-6	3104	
S685-8	3106	
D3404		
D3406		



Part#	Size	List
320-120	1/4" inlet three 1/4" outlets	4.32

SPEED CONTROL VALVE

Speed Control Valves provide an infinite variation of metering air flow of air valves and air cylinders. The SCV can be screwed into the exhaust port of any air valve. The speed control being effected by adjusting the rate of discharge of air from the cylinder. The speed of any operating cylinder or air tool may be increased or decreased with the adjusting screw.

After the speed control valves have been adjusted they can be locked at their settings with the lock nut.

300 PSIG Max. working pressure



Part #	Size	Length	Hex	Price
940-800	1/8"	1-3/32"	1/2"	5.40
940-801	1/4"	1-15/32"	9/16"	6.64
940-803	3/8"	1-15/32"	11/16"	8.55
940-804	1/2"	1-53/64"	7/8"	11.03
940-805	3/4"	2-3/8"	1-1/16"	24.32
940-806	1"	2-1/2"	1-5/16"	33.08

WATER NOZZLES

Lever controlled operating valve. Oil resistant, shockproof molded hard rubber nozzle. 1/4" female N.P.T.

RADIATOR WATER FAUCET



Part#	Size	List
209		
208		
8013		
8003		
320-100	1/4" FPT	20.00

MULTI-PURPOSE AIR VENT



Part #	Size	List Price
46-048	1/8"	1.81

SAFETY BLOW GUN

- N/P steel handle with plastic sleeve
- Brass Valve
- Zinc body
- Aluminum nozzle



5114	S148
51-124	D204-30
401	6475
20430AD	

Part#	Size	List
320-050	1/4" Inlet	5.27
	1/8" Outlet	

RUBBER TIPPED NOZZLE



51-521	
2058	
D201RT	
411R	

Makes positive seal between gun and fuel line or other openings. Use only on air line regulated to 30 PSI or less

Part #	List Price
320-070	5.71

HIGH FLOW SAFETY NOZZLE



51-338	
SST10	
411BT	
2056	

Meets OSHA regulations of 30 PSI maximum outlet pressure when line pressure is 150 PSI or less. Has an air pressure bypass which prevent build up of tip pressure even if nozzle is blocked. Adapts to any blow gun with a 1/8" NPT nozzle port

Part #	List Price
320-075	3.29

PNEUMATIC CHECK VALVES

- Max Operating Pressure: 220 psi
- Working Pressure: 14.5-145 psi
- Cracking Pressure: 2.8 psi
- Maximum Temperatures: 140° F

Materials

Body	Chrome plated Brass
Spring	Steel
O-Ring	NBR Rubber



Part#	Size	Dimensions (In.)	List
		A B	
46-200	1/4"	1.97 .67	5.31
46-201	3/8"	1.97 .83	6.86
46-202	1/2"	2.48 .98	8.51

AIR CHUCKS

HEX BALL FOOT CHUCK



Part # **List Price**
46-600 1/4fpt live air 2.11

**BALL FOOT CHUCK WITH
1/4 I.D. HOSE BARB**



Part # **List Price**
46-607 1/4 I.D. Live air 1.97

DUAL FOOT CHUCKS

6999	99941
693	50-065
108	6569
DFG-1	



Standard straight-on chuck with 30° reverse angle chuck, 1/4" NPT female thread
Part # **List Price**
320-000 9.25

ANGLE CHUCK 690
6172



For inner dual wheels with tilted valves. Has 6" extension and 1/4" NPT female thread
Part # **List Price**
320-005 6.34



Ball needle valve for air chucks or snap-on blow gun
Part# **List**
320-095 0.50

TANK & VENT VALVES

Three standard styles of valve bodies, complete with short core, for air lifts, water pumps, vacuum, pressurized containers, air jacks, and other pneumatic devices.
REGULAR: 300 PSI and cracking pressure 80 PSI

**1/8" NPT, .9" LONG
SPRING CORD**

Thread -
.302 x 32



7/16" Hex

Part # **List Price**
46-620 REGULAR 2.67

**1/8NPT 1.207"LONG
SPRING CORD**

7/16" Hex



Part # **List Price**
46-621 REGULAR 2.95

**1/4 NPT 1"LONG
SPRING CORD**

9/16" Hex



Part # **List Price**
46-622 REGULAR 4.77
46-622L .. LIGHT SPRING 3.29

TANK VALVE ACCESSORIES

BLACK PLASTIC CAP

No Gasket



Part# **List**
46-630 0.10

SHORT NICKEL PLATED

DOME CAP

Dome skirted



Part# **List**
46-631 0.40

**DUAL ANGLE-FOOT TRUCK
PENCIL GAUGE**



High pressure 20-120 PSI, in 2lb unit
Part# **List**
320-023 8.70

**DUAL STRAIGHT-FOOT
PENCIL GAUGE**



Identical to above except has straight chuck with 30° reverse angle chuck
Part# **List**
320-027 10.48

**Male NPT x Female NPT
360° turning swivel fitting**

360° Turning



Part # **Size** **List Price**
320-061 1/4 11.75

Social Security

A retired gentleman went to the Social Security office to apply for social security. After waiting in line a long time he got to the counter. The woman behind the counter asked him for his drivers license to verify his age. He looked in his pockets and realized he had left his wallet at home. He told the woman that he was very sorry but he seemed to have left his wallet at home. "I will have to go home and comeback later".

The woman says, "Unbotton your shirt." So he opens his shirt revealing lots of curly silver hair. She says, "That silver hair on your chest is proof enough for me." and she processed his social security application. When he gets home, the man excitedly tells his wife about his experience at the Social Security office. She said, "You should have dropped your pants, you might have gotten disability too."

Challenge

A ship, like a human being, moves best when it is slightly athwart the wind, when it has to keep it's sails tight and attend it's course.

Ships, like men, do poorly when the wind is directly behind, pushing them sloppily on their way so that no care is required in steering or in the management of sails; the wind seems favorable, for it blows in the direction one is heading, but actually is destructive because it induces a relaxation in tension and skill.

What is needed is a wind slightly opposed to the ship, for the tension can be maintained, and juices can flow and ideas can germinate; for ships, like men, respond to challenge.

-James A. Michener in Chesapeake

I tell you and you forget. I show you and you remember. I involve you and you understand.

-Eric Butterworth

STANDARD DRY GAUGES

STEEL CASE



All the gauges supplied by Midland Metal Mfg. are designed for long, reliable service under rugged conditions.

Typical applications include compressors, filter regulators, water pumps, beverage dispensing equipment, hydraulic and pneumatic systems, and other applications, where the media does not corrode brass

2" FACE 1/4" LOWER MOUNT

Part #	PSI	List Price
80-001	0-15	10.00
80-002	0-30	8.00
80-003	0-60	8.00
80-004	0-100	8.00
80-005	0-160	8.00
80-006	0-200	8.00
80-007	0-300	8.00
80-020	30-0 Vacuum	10.00



2-1/2" FACE 1/4" LOWER MOUNT

Part #	PSI	List Price
80-031	0-15	13.00
80-032	0-30	10.50
80-033	0-60	10.50
80-034	0-100	10.50
80-035	0-160	10.50
80-036	0-200	10.50

LIQUID FILLED GAUGES

STAINLESS CASE

Liquid filled gauges enhance the reliability and integrity of the measuring system for long periods. The glycerine filling helps dampen the effects of vibration and pulsation. It also lubricates the movement which extends the life of the gauge.



- Liquid Filled Gauges with a stainless case are used for protection in harsh environments.
 - Stainless Steel Case
 - Copper Alloy Wetted parts
 - Polycarbonate window
- ± 1.5% of span accuracy

2-1/2" FACE 1/4" LOWER MOUNT

Part #	PSI	List Price
80-061	0-15	30.00
80-062	0-30	30.00
80-063	0-60	30.00
80-064	0-100	30.00
80-065	0-160	30.00
80-066	0-200	30.00
80-067	0-300	30.00
80-068	0-400	30.00
80-069	0-600	30.00
80-100	0-1000	30.00
80-101	0-1500	35.00
80-102	0-2000	35.00
80-103	0-3000	35.00
80-104	0-5000	40.00
80-080	Vacuum 30-0	35.00

2-1/2" FACE 1/4" CENTER BACK MOUNT

Part #	PSI	List Price
80-201	0-15	30.00
80-202	0-30	30.00

1-1/2" & 2" ABS also available

4" FACE 1/4" LOWER MOUNT

Part #	PSI	List Price
80-463	0-100	75.00

Other Gauges available upon request...Just Ask!

Accessories

TEFLON TAPE

Chemical Properties: Min. of 99% Polytrafluoroethelene
Thickness: .0035", +0.001 or -0.0005"
Elongation: Min. of 50% (most of times it far exceeds)
Width: Nominal width +0.02, -0.02
Length: Nominal length + 20", -0"
Density: -0.35 to 0.40
Incompatibility: Avoid using on Moten Alkali, certain Halogen products & Flourine at high temperatures and pressures
Temperature: When heated to over 260 degrees Centigrade, it will thermally degrade and decompose and produce toxic fumes.
Government standard: Meets military specification T-27730a
Usage: To be used on all types of threaded fittings for passage of water; potable and non-potable, most chemicals, oxygen, gas, hydraulic and high pressure lines.

TEFLON TAPE



Thread Sealant

Part #	Size	List Price
982-107	1/2" x 260"	0.54
982-108	1/2" x 520"	0.65
982-109	3/4" x 260"	0.95
982-110	3/4" x 520"	1.20

POP OUT COVERED SPOOL

PREMIUM GRADE DUCT TAPE

100 MPH Tape

- Waterproof
- Polyethylene coated cloth backed tape
- Provides high tack and quick grab
- Meets U.L. No. 723 specifications
- Each roll individually shrink wrapped

PREMIUM GRADE DUCT TAPE



Part #	Size	List Price
990-128	Multi purpose 8 mil.	10.75

PRINTED CAUTION TAPE

PRINTED CAUTION TAPE



Part #	Size	List
990-143	3" x 300 ft long	12.50

ELECTRICAL TAPE

- 7 mil vinyl
- UL approved

ELECTRICAL TAPE



Part #	Size	List Price
990-157	3/4" x 60 ft long	1.85

SCRUBS IN A BUCKET



Truly portable Scrubs in a Bucket® provide, fast, easy and effective hand cleaning. Can be used anywhere, anyplace, anytime on the toughest soils, greases, tar, etc. Each dispensing canister contains 10-1/2" x 12-1/4" perforated absorbent cleaning towels. Containing a germ-fighting chemical known as Triclosan. No rinsing, no drying, no residue. Also can be used for cleaning tools and spills. On-the-spot hand cleaning when there is no sink around

Part#	Description	List
980-100	36 Scrubs™/container	18.20
980-101	72 Scrubs™/container	32.40

PIPE HANGERS AND CLAMPS

Many more sizes & styles available. Just Ask!

#350 MALLEABLE IRON BEAM CLAMP



Part#	Size	List
971-531	3/8" Short	0.97
971-532	3/8" Long	1.04
971-533	1/2"	1.47
971-534	5/8"	2.00
971-535	3/4"	2.43

BC-26 STEEL BEAM "C" CLAMP 330 LBS.



Part #	Size	List Price
971-539	3/8"	1.85

ZINC-PLATED HANGER



Part #	Size	List Price
971-494	1/2" IP, 3/4" CT	1.35
971-495	3/4" IP, 1" CT	1.35
971-496	1" IP, 1-1/4" CT	1.40

COPPER FITTING BRUSHES

- Extra thick mass of steel wire insures perfect cleaning job with minimum effort. Twisted wire handle - for copper fittings. Carbon steel brush
- Sold in boxes of 12 only



Part #	Size	List Price
990-540	3/8"	2.50
990-541	1/2"	2.50
990-542	3/4"	2.50
990-543	1"	2.80

Accessories

Cam and Groove



Aluminum

Type	A		B		C		D		E		F		DC		DP		Type
Size	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Size
3/4"	61-911	4.35	61-921	12.41	61-931	10.11	61-941	10.81	61-951	4.70	61-961	5.30	61-971	9.30	61-981	4.32	3/4"
1"	61-912	4.62	61-922	12.89	61-932	10.73	61-942	13.24	61-952	5.05	61-962	5.92	61-972	10.41	61-982	4.95	1"
1-1/4"	61-913	5.57	61-923	13.62	61-933	11.03	61-943	12.69	61-953	6.59	61-963	7.59	61-973	11.43	61-983	5.57	1-1/4"
1-1/2"	61-914	6.14	61-924	13.92	61-934	11.81	61-944	13.46	61-954	5.84	61-964	6.86	61-974	11.14	61-984	5.14	1-1/2"
2"	61-915	5.54	61-925	19.03	61-935	14.46	61-945	15.30	61-955	8.35	61-965	7.70	61-975	13.49	61-985	6.19	2"
2-1/2"	61-916	9.95	61-926	23.27	61-936	19.27	61-946	20.51	61-956	14.14	61-966	15.32	61-976	15.58	61-986	10.57	2-1/2"
3"	61-917	12.97	61-927	35.03	61-937	23.62	61-947	23.43	61-957	15.81	61-967	18.81	61-977	19.73	61-987	11.14	3"
4"	61-918	19.62	61-928	80.32	61-938	31.86	61-948	33.95	61-958	30.16	61-968	23.57	61-978	25.49	61-988	16.00	4"

316 Stainless Steel

Type	A		B		C		D		E		F		DC		DP		Type
Size	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Size
3/4"	63-911	14.40	63-921	20.70	63-931	20.27	63-941	24.68	63-951	12.65	63-961	16.51	63-971	17.00	63-981	9.92	3/4"
1"	63-912	17.59	63-922	29.68	63-932	26.73	63-942	32.51	63-952	18.00	63-962	21.62	63-972	24.03	63-982	11.46	1"
1-1/4"	63-913	23.43	63-923	40.32	63-933	35.49	63-943	40.16	63-953	26.78	63-963	35.70	63-973	32.35	63-983	19.92	1-1/4"
1-1/2"	63-914	26.95	63-924	43.45	63-934	46.32	63-944	44.38	63-954	32.16	63-964	44.38	63-974	35.78	63-984	21.27	1-1/2"
2"	63-915	32.16	63-925	49.35	63-935	57.43	63-945	54.24	63-955	41.89	63-965	66.86	63-975	44.49	63-985	27.11	2"
2-1/2"	63-916	55.11	63-926	75.57	63-936	80.59	63-946	80.59	63-956	57.57	63-966	88.68	63-976	60.68	63-986	40.27	2-1/2"
3"	63-917	60.78	63-927	86.43	63-937	98.59	63-947	98.57	63-957	79.00	63-967	88.68	63-977	74.00	63-987	43.89	3"
4"	63-918	93.78	63-928	123.30	63-938	129.73	63-948	133.35	63-958	121.97	63-968	138.08	63-978	98.68	63-988	64.59	4"

Brass

Type	A		B		C		D		E		F		DC		DP		Type
Size	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price	Size
3/4"	44-911	7.30	44-921	14.51	44-931	14.76	44-941	15.78	44-951	8.27	44-961	8.27	44-971	13.27	44-981	7.78	3/4"
1"	44-912	8.62	44-922	17.65	44-932	17.49	44-942	17.78	44-952	9.76	44-962	10.76	44-972	15.76	44-982	8.84	1"
1-1/4"	44-913	10.54	44-923	19.95	44-933	19.51	44-943	19.95	44-953	12.49	44-963	15.27	44-973	18.51	44-983	10.27	1-1/4"
1-1/2"	44-914	12.38	44-924	21.78	44-934	21.62	44-944	21.46	44-954	14.27	44-964	14.27	44-974	19.46	44-984	9.51	1-1/2"
2"	44-915	14.84	44-925	25.81	44-935	27.49	44-945	26.97	44-955	20.22	44-965	20.32	44-975	22.00	44-985	14.03	2"
2-1/2"	44-916	22.65	44-926	36.03	44-936	35.68	44-946	38.54	44-956	25.51	44-966	25.51	44-976	27.00	44-986	17.24	2-1/2"
3"	44-917	27.97	44-927	45.78	44-937	45.32	44-947	46.54	44-957	37.38	44-967	38.76	44-977	36.95	44-987	20.32	3"
4"	44-918	49.43	44-928	62.30	44-938	69.68	44-948	71.54	44-958	59.89	44-968	62.14	44-978	54.14	44-988	32.03	4"

Accessories

Hose Accessories

Insert Fittings

Hose Fittings

BRONZE INSERT FITTINGS

150 PSI Genuine red brass
- for plastic pipe

HEX MALE ADAPTERS



Plastic x Male Pipe

Part #		List Price
973-927	1 x 1	7.46
973-930	1 x 1-1/4	8.88
973-928	1-1/4 x 1-1/4	10.03
973-929	1-1/4 x 1	8.03
973-948	1-1/2 x 1-1/2	14.59
973-949	2 x 2	18.56

BRONZE TEES ALL BARB



Part #	Size	List Price
973-965	3/4	9.60
973-966	1	10.25
973-967	1-1/4	22.48

ELBOWS



(BARB X MALE PIPE)

Part #	Size	List Price
973-980	3/4 x 3/4	6.91
973-981	1 x 3/4	8.72
973-982	1 x 1	12.31

STEEL INSERT FITTINGS FOR PLASTIC PIPE

MALE ADAPTER



BARB X MALE PIPE

Part #		List Price	
973-906	1/2	25/100	1.71
973-907	3/4	25/10	2.16
973-908	1	16/48	2.66
973-909	1-1/4	12/36	3.38
973-910	1-1/2	6/36	6.03
973-911	2	5/25	7.07
973-912	2-1/2	1/3	14.58
973-877	3	1/3	19.89
973-914	4	1/3	27.50

REDUCING ADAPTER



(INSERT X NPT)

Part #		List Price
974-264	3/4 x 1/2	6.80
974-265	1 x 3/4	6.80
974-266	1-1/4 x 1	9.00
974-267	1-1/2 x 1-1/4	11.93

COUPLINGS



BARB X BARB

Part #		List Price	
973-900	1/2	30/120	1.30
973-901	3/4	20/100	1.98
973-902	1	20/100	2.97
973-903	1-1/4	16/64	3.74
973-904	1-1/2	12/48	4.86
973-905	2	5/25	7.25

HOSE NIPPLES

STEEL HOSE NIPPLES



Part #	Hose Size	List Price
973-850	1/2"	3.34
973-851	3/4"	4.01
973-852	1"	4.01
973-853	1-1/4"	5.13
973-854	1-1/2"	5.79
973-855	2"	7.06
973-856	2-1/2"	15.22
973-857	3"	21.65
973-858	4"	32.00

STEEL HOSE NIPPLES

PLATED STEEL



Part #	Hose Size	List Price
973-870	1/2"	3.56
973-871	3/4"	3.71
973-872	1"	4.68
973-873	1-1/4"	5.57
973-874	1-1/2"	6.46
973-875	2"	7.80
973-876	2-1/2"	16.34
973-877	3"	19.90
973-878	4"	28.59

STEEL HOSE MENDER



Part #	Hose Size	List Price
973-890	1/2"	2.70
973-891	3/4"	3.34
973-892	1"	4.16
973-893	1-1/4"	6.55
973-894	1-1/2"	6.48
973-895	2"	8.01

More sizes available...just ask!

Success

"To laugh often and love much; to win the respect of intelligent persons and the affection of children; to earn the approbation of honest critics and endure betrayal of false friends; to appreciate beauty; to find the best in others; to give of one's self; to leave the world a little better, whether by a healthy child, a garden patch or a redeemed social condition; to have played and laughed with enthusiasm and sung with exultation; to know even one life has breathed easier because you have lived... this is to have succeeded!"

-Ralph Waldo Emerson

Thread Chart	
Size	JIC Thread
1/8	3/16-24
3/16	3/8-24
1/4	7/16-20
5/16	1/2-20
3/8	9/16-18
1/2	3/4-16
5/8	7/8-14
3/4	1 1/6-12
1	1 5/16-12

STRAIGHT



Part #	JIC Thread	Pipe Size	List
28-701	7/16-20	1/8	1.10
28-702	7/16-20	1/4	1.74
28-703	7/16-20	3/8	2.90
28-704	1/2-20	1/8	11.70
28-705	1/2-20	1/4	4.32
28-706	9/16-18	1/8	3.80
28-707	9/16-18	1/4	1.53
28-708	9/16-18	3/8	1.98
28-709	9/16-18	1/2	4.33
28-710	3/4-16	1/4	6.39
28-711	3/4-16	3/8	4.28
28-712	3/4-16	1/2	4.42
28-713	3/4-16	3/4	8.91
28-714	7/8-14	3/8	7.25
28-715	7/8-14	1/2	6.17
28-716	7/8-14	3/4	9.00
28-717	1-1/16-12	3/4	7.88
28-718	1-5/16-12	1	18.90

45° FORGED ELBOW



Part #	JIC Thread	Male Pipe	List
28-722F	7/16-20	1/8	4.12
28-724F	7/16-20	1/4	6.18
28-726F	1/2-20	1/8	POR
28-728F	1/2-20	1/4	3.94
28-729F	9/16-18	1/8	7.25
28-731F	9/16-18	1/4	4.28
28-733F	9/16-18	3/8	5.27
28-734F	9/16-18	1/2	8.34
28-736F	3/4-16	3/8	7.29
28-738F	3/4-16	1/2	19.77
28-740F	7/8-14	1/2	9.00
28-742F	1-1/16-12	3/4	41.31

90° ELBOW



Part #	JIC Thread	Pipe Size	List
28-746	9/16-18	1/4	6.31
28-747	9/16-18	3/8	8.18

BULKHEAD TUBE UNION



Part #	JIC Thread	Pipe Size	List
28-796	7/16-20	1/8	21.77
28-797	9/16-18	1/4	27.78
28-798	3/4-16	1/8	36.71
28-955	1-1/16-12	3/8	29.61

90° FORGED ELBOW



Part #	JIC Thread	Pipe Size	List
28-760F	7/16-20	1/8	4.01
28-762F	7/16-20	1/4	5.24
28-766F	1/2-20	1/4	6.11
28-768F	9/16-18	1/8	12.49
28-770F	9/16-18	1/4	8.89
28772F	9/16-18	3/8	8.09
28-773F	9/16-18	1/2	12.38
28-774F	3/4-16	3/8	7.87
28-777F	3/4-16	1/2	10.39
28-778F	3/4-16	3/4	11.46
28-780F	7/8-14	1/2	11.09
28-781F	1-1/16-12	1/2	25.05
28-783F	1-1/16-12	3/4	20.05
28-784F	1-5/16-12	3/4	28.66
28-786F	1-5/16-12	1	27.50

STRAIGHT



Part #	JIC Thread	Pipe Size	List
28-753	9/16-18	1/4	4.60
28-754	9/16-18	3/8	8.44
28-756	3/4-16	1/2	8.44

FEMALE STRAIGHT ADAPTER



Part #	JIC Thread	Pipe Size	List
28-957	7/16-20	1/8	4.29
28-958	7/16-20	1/4	3.18
28-959	9/16-18	1/4	3.96
28-960	9/16-18	3/8	7.61
28-961	3/4-16	3/8	4.78
28-962	3/4-16	1/2	6.04
28-963	7/8-14	1/2	7.84
28-964	1-1/16-12	3/4	13.74

STRAIGHT TUBE UNION



Part #	OD A Diam.	B Diam.	List	
28-966	1/4	7/16-20	7/16-20	3.61
28-969	3/8	9/16-18	9/16-18	3.74
28-970	1/2	3/4-16	3/4-16	4.20
28-971	3/4	1-1/16-12	1-1/16-12	15.28
28-972	1	1-5/16-12	1-5/16-12	22.77

TUBE TEE



Part #	JIC Thread	Pipe Size	List
28-981	7/16-20	1/4	16.07
28-982	9/16-18	3/8	15.97
28-983	3/4-16	1/2	18.74

FEMALE ELBOW (FORGED BODY)



Part #	JIC Thread	Pipe Size	List
28-973	7/16-20	1/8	4.16
28-974	7/16-20	1/4	6.53
28-975	9/16-18	1/4	6.49

Brass Adapters

MALE BSPP NIPPLE



Part#	Size	List
28-800	1/8 x 1/8	3.86
28-801	1/4 x 1/8	5.36
28-802	1/4 x 1/4	5.54
28-803	3/8 x 1/8	7.74
28-804	3/8 x 1/4	6.93
28-805	3/8 x 3/8	8.32
28-806	1/2 x 1/4	15.44
28-807	1/2 x 3/8	15.44
28-808	1/2 x 1/2	15.44
28-809	3/4 x 3/8	15.26
28-810	3/4 x 1/2	16.20
28-811	3/4 x 3/4	28.80


MALE



BSPT X MALE NPT NIPPLE

Part#	Size	List
28-815	1/8 x 1/8	9.95
28-816	1/4 x 1/4	11.03
28-817	3/8 x 3/8	13.54
28-818	1/2 x 1/2	21.06
28-819	3/4 x 3/4	43.49

BSPT NIPPLE



Part#	Size	List
28-820	1/8 x 1/8	3.38
28-821	1/4 x 1/8	4.97
28-822	1/4 x 1/4	5.04
28-823	3/8 x 1/8	6.95
28-824	3/8 x 1/4	6.55
28-825	3/8 x 3/8	6.55
28-826	1/2 x 1/8	18.43
28-827	1/2 x 1/4	11.48
28-828	1/2 x 3/8	11.48
28-829	1/2 x 1/2	10.91
28-830	3/4 x 1/4	33.88
28-831	3/4 x 3/8	31.68
28-832	3/4 x 1/2	15.84
28-833	3/4 x 3/4	17.64

BSPP COUNTERSUNK SEALED PLUG



Part#	Size	List
28-835	1/8	3.56
28-836	1/4	4.36
28-837	3/8	6.30
28-838	1/2	12.49

BSPT HEX COUNTERSUNK PLUG



Part#	Size	List
28-840	1/8	2.30
28-841	1/4	3.96
28-842	3/8	7.65
28-843	1/2	14.67
28-844	3/4	27.07
28-845	1	39.38

BSPT SQUARE HEAD PLUG



Part#	Size	List
28-848	1/8	28.80
28-849	1/4	32.26
28-850	3/8	30.24
28-851	1/2	25.06
28-852	3/4	40.90
28-853	1	23.15

FEMALE BSP CAP



Part#	Size	List
28-855	1/8	4.36
28-856	1/4	5.36
28-857	3/8	7.74
28-858	1/2	15.84

BSPT MALE x FEMALE NPT



Part#	Size	List
28-860	1/8 x 1/8	6.48
28-861	1/4 x 1/4	10.31
28-862	3/8 x 3/8	20.34
28-863	1/2 x 1/2	47.52
28-864	3/4 x 3/4	47.77

NPT MALE x FEMALE BSP



Part#	Size	List
28-867	1/8 x 1/8	7.97
28-868	1/4 x 1/4	10.89
28-869	3/8 x 3/8	25.07
28-870	1/2 x 1/2	40.03
28-871	3/4 x 3/4	48.10

BUSHING

BSPT MALE x BSP FEMALE



Part#	Size	List
28-873	1/4 x 1/8	3.96
28-874	3/8 x 1/8	5.13
28-875	3/8 x 1/4	5.13
28-876	1/2 x 1/4	9.09
28-877	1/2 x 3/8	9.09
28-878	3/4 x 1/2	12.89

All fittings are nickel plated.


Brass

**MALE BSPP
x FEMALE BSPP BUSHING**



Part#	Size	List
28-880	1/8 x 1/8	4.57
28-881	1/8 x 1/4	5.94
28-882	1/4 x 1/8	4.75
28-883	1/4 x 1/4	5.76
28-884	1/4 X 3/8	9.32
28-885	3/8 x 1/8	6.55
28-886	3/8 x 1/4	5.54
28-887	3/8 x 3/8	15.26
28-888	3/8 x 1/2	16.24
28-889	1/2 x 1/4	12.49
28-890	1/2 x 3/8	11.48
28-891	1/2 x 1/2	22.79

**FEMALE
BSP COUPLING**



Part#	Size	List
28-894	1/8 x 1/8	3.78
28-895	1/4 x 1/8	10.30
28-896	1/4 x 1/4	6.16
28-897	3/8 x 1/8	14.47
28-898	3/8 x 1/4	12.67
28-899	3/8 x 3/8	11.09
28-900	1/2 x 1/4	16.24
28-901	1/2 x 3/8	16.45
28-902	1/2 x 1/2	22.65

All fittings are nickel plated.

90° BSPT MALE ELBOW



Part#	Size	List
28-905	1/8 x 1/8	3.92
28-906	1/4 x 1/4	12.83
28-907	3/8 x 3/8	12.93
28-908	1/2 x 1/2	28.76

90° BSPT x BSP FEMALE



Part#	Size	List
28-911	1/8 x 1/8	7.92
28-912	1/4 x 1/4	12.10
28-913	3/8 x 3/8	17.42
28-914	1/2 x 1/2	26.35

90° BSP FEMALE ELBOW



Part#	Size	List
28-917	1/8 x 1/8	8.93
28-918	1/4 x 1/4	15.26
28-919	3/8 x 3/8	19.80
28-920	1/2 x 1/2	31.86

MALE BSPT TEE



Part#	Size	List
28-924	1/8 x 1/8	11.07
28-925	1/4 x 1/4	18.04
28-926	3/8 x 3/8	22.00

BSP FEMALE TEE



Part#	Size	List
28-930	1/8 x 1/8	10.51
28-931	1/4 x 1/4	17.03
28-932	3/8 x 3/8	25.74
28-933	1/2 x 1/2	37.22

**BRANCH TEE BSPT
MALE x BSP FEMALE**



Part#	Size	List
28-940	1/8 x 1/8	11.30
28-941	1/4 x 1/4	17.03
28-942	3/8 x 3/8	25.74
28-943	1/2 x 1/2	37.22

**BRANCH MALE RUN
BSPP TEE**



Part#	Size	List
28-947	1/8 x 1/8	10.51
28-948	1/4 x 1/4	17.03
28-949	3/8 x 3/8	25.74
28-950	1/2 x 1/2	37.22

**FEMALE
BSP CROSS**



Part#	Size	List
28-952	1/8 x 1/8	20.20
28-953	1/4 x 1/4	28.91
28-954	3/8 x 3/8	39.02

CONFORMANCE

- SAE J514
- 30-Degree Chamfers - Most NPSM pipe swivel union fittings have 30-degree chamfers on NPTF male end of fittings. This chamfer is optional per SAE J514. If chamfer is mandatory, consult with our customer service department to verify chamfer exists on items you are requesting.
- Temperature Range: -65°F to +400°F

MATERIALS

- Steel - Carbon steel Zinc plated with yellow Dichromate per ASTM B633-98 (Type II SC-2).

Torque Values: The torque values provide benchmarks that we believe give optimum results for leak free connections. Actual torque values should be based on individual applications.

Caution: NPSM pipe swivel unions are not designed to provide structural support for other components

WORKING PRESSURES

The following table lists the recommended working pressures for steel NPSM pipe swivel union hydraulic fittings made in accordance with SAE standard J514. Many factors such as pulsing, vibration, mechanical shock and overtightening may affect the integrity of the fitting and swivel union connection. For these reasons, the recommended working pressures are actually lower than the capacity of the fittings. SAE recommends sufficient testing to be conducted to assure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions. When using fittings with different size or thread type, use the lower pressure rating of the two threads.

SAE J514 NPSM PRESSURE RATINGS

Dash Size	NPSM Thread Size	4 TO 1 Minimum Burst PSI
-2	1/8-27	5000
-4	1/4-18	5000
-6	3/8-18	4000
-8	1/2-14	3500
-12	3/4-14	2250
-16	1-11 1/2	2000
-20	1 1/4-11 1/2	1625
-24	1 1/2-11 1/2	1250
-32	2-11 1/2	1125

STEEL PIPE SWIVEL ASSEMBLY INSTRUCTIONS

RECOMMENDED

- Step 1.** Inspect male pipe fitting connecting to swivel and confirm that it has an internal 30-degree chamfer. Do not install into union if chamfer is missing.
- Step 2.** Lubricate the threads and the entire chamfered area of male fitting with hydraulic fluid or other light weight lubricant.
- Step 3.** Install lubricated pipe fitting into swivel nut and turn nut until finger tight.
- Step 4.** Place wrench on hex of male fitting to prevent male fitting from turning, and torque swivel nut to the values in the following table.

Caution: When torquing swivel nut on straight swivel union fittings, it may be necessary to also place a wrench on the fitting wrench pad to prevent the fitting from backing out of its port while torquing the swivel nut.

Dash Size	NPSM Thread Size	Torque Foot/LBS
-2	1/8-27	13
-4	1/4-18	20
-6	3/8-18	25
-8	1/2-14	47
-12	3/4-14	84
-16	1-11 1/2	129
-20	1 1/4-11 1/2	152
-24	1 1/2-11 1/2	152
-32	2-11 1/2	300

ALTERNATE ASSEMBLY METHOD

- Step 1.** If torque method not possible, follow steps 1-3 above, then proceed to the steps below.
- Step 2.** Place wrench on hex of male pipe fitting and consider this wrench in the 12 o'clock position.
- Step 3.** Lightly wrench tighten the swivel union nut so that the wrench is as near the 3 o'clock position as possible.
- Step 5.** Rotate wrench in 3 o'clock position counterclockwise to no less than the 1 o'clock position, but no more than the 12 o'clock position.

WHY WET TORQUE?

Due to the difference in plating types and thickness, materials, and thread quality of different components, the coefficient of friction varies greatly on any given assembly. Lubrication not only produces a more consistent coefficient of friction, it increases clamping force on sealing area with less torque on the threads. Overtightening causes threads to yield, deform and lose their ability to maintain an adequate load or clamping force on the seating area. Extended operation and severe conditions cause further yielding which results in leaks. Overtightening is the single greatest cause for leaks in metal to metal seat hydraulic connections. It is our firm position, that to not wet torque, is to compromise consistency and quality for convenience.

STEEL PIPE SWIVEL ADAPTERS

MALE PIPE SWIVEL ADAPTER

SAE 140130



Part #	Male Pipe 1	Female NPSM 2	Price
1404-2-2	1/8	1/8	1.76
1404-2-4	1/8	1/4	2.49
1404-4-2	1/4	1/8	2.15
1404-4-4	1/4	1/4	2.06
1404-4-6	1/4	3/8	2.75
1404-4-8	1/4	1/2	16.86
1404-6-4	3/8	1/4	3.27
1404-6-6	3/8	3/8	2.88
1404-6-8	3/8	1/2	3.91
1404-6-12	3/8	3/4	POR
1404-8-4	1/2	1/4	5.07
1404-8-6	1/2	3/8	4.04
1404-8-8	1/2	1/2	3.27
1404-8-12	1/2	3/4	7.65
1404-12-6	3/4	3/8	18.32
1404-12-8	3/4	1/2	6.62
1404-12-12	3/4	3/4	5.33
1404-12-16	3/4	1	10.79
1404-16-8	1	1/2	40.46
1404-16-12	1	3/4	9.07
1404-16-16	1	1	7.61
1404-16-20	1	1-1/4	19.74
1404-20-16	1-1/4	1	33.84
1404-20-20	1-1/4	1-1/4	14.66
1404-20-24	1-1/4	1-1/2	36.81
1404-24-20	1-1/2	1-1/4	37.41
1404-24-24	1-1/2	1-1/2	19.87
1404-32-32	2	2	44.85

Also available in Stainless Steel

More sizes available

-Available in a Restrictor-

"If something comes to live in others because of you, then you have made an approach to immortality."

-Norman Cousins

FEMALE PIPE SWIVEL ADAPTER

SAE 140131



Part #	Female Pipe 1	Female NPSM 2	Price
1405-2-2	1/8	1/8	1.59
1405-2-4	1/8	1/4	4.34
1405-4-2	1/4	1/8	27.22
1405-4-4	1/4	1/4	1.76
1405-4-6	1/4	3/8	4.04
1405-6-4	3/8	1/4	3.44
1405-6-6	3/8	3/8	2.84
1405-6-8	3/8	1/2	4.13
1405-8-4	1/2	1/4	29.84
1405-8-6	1/2	3/8	5.33
1405-8-8	1/2	1/2	3.61
1405-8-12	1/2	3/4	12.99
1405-12-8	3/4	1/2	12.69
1405-12-12	3/4	3/4	6.19
1405-12-16	3/4	1	25.76
1405-16-12	1	3/4	8.86
1405-16-16	1	1	9.46
1405-20-20	1-1/4	1-1/4	15.18
1405-24-24	1-1/2	1-1/2	31.61
1405-32-32	2	2	48.20

Also available in Stainless Steel

FEMALE SWIVEL UNION



Part #	Female NPSM 1	Female NPSM 2	Price
1406-4-4	1/4	1/4	19.87
1406-6-6	3/8	3/8	23.31
1406-8-8	1/2	1/2	26.57
1406-12-12	3/4	3/4	42.66
1406-16-16	1	1	77.79

Steel Pipe Swivels **Hydraulic Adapters** Steel Pipe Swivels

MALE PIPE ELBOW SWIVEL ADAPTER

SAE 140230



Part #	1		Price
	Male Pipe 1	Female NPSM 2	
1501-2-2	1/8	1/8	2.80
1501-2-4	1/8	1/4	3.66
1501-4-2	1/4	1/8	3.61
1501-4-4	1/4	1/4	3.23
1501-4-6	1/4	3/8	4.26
1501-4-8	1/4	1/2	12.69
1501-6-4	3/8	1/4	5.20
1501-6-6	3/8	3/8	4.90
1501-6-8	3/8	1/2	5.76
1501-6-12	3/8	3/4	45.80
1501-8-4	1/2	1/4	5.33
1501-8-6	1/2	3/8	5.38
1501-8-8	1/2	1/2	5.89
1501-8-12	1/2	3/4	8.94
1501-12-6	3/4	3/8	8.56
1501-12-8	3/4	1/2	9.20
1501-12-12	3/4	3/4	9.46
1501-12-16	3/4	1	20.30
1501-16-8	1	1/2	33.84
1501-16-12	1	3/4	16.00
1501-16-16	1	1	15.52
1501-16-20	1	1-1/4	52.46
1501-20-12	1-1/4	3/4	49.58
1501-20-16	1-1/4	1	36.21
1501-20-20	1-1/4	1-1/4	32.72
1501-20-24	1-1/4	1-1/2	128.05
1501-24-20	1-1/2	1-1/4	50.61
1501-24-24	1-1/2	1-1/2	43.99
1501-32-32	2	2	100.62

Also available in Stainless Steel

More sizes available

-Available in a Restrictor-

EXTRA LONG MALE PIPE ELBOW



Part #	1		Price
	Male Pipe 1	Female NPSM 2	
1501-LL-4-4	1/4	1/4	5.72
1501-LL-6-6	3/8	3/8	9.46
1501-LL-8-8	1/2	1/2	10.92
1501-LL-12-12	3/4	3/4	17.59
1501-LL-16-16	1	1	27.99

FEMALE UNION ELBOW SWIVEL ADAPTER



Part #	1		Price
	Female Pipe 1	Female NPSM 2	
1502-2-2	1/8	1/8	3.05
1502-2-4	1/8	1/4	14.62
1502-4-2	1/4	1/8	6.67
1502-4-4	1/4	1/4	3.64
1502-4-6	1/4	3/8	10.11
1502-6-4	3/8	1/4	5.85
1502-6-6	3/8	3/8	5.63
1502-6-8	3/8	1/2	7.10
1502-8-4	1/2	1/4	8.30
1502-8-6	1/2	3/8	7.01
1502-8-8	1/2	1/2	7.53
1502-8-12	1/2	3/4	14.62
1502-12-8	3/4	1/2	10.92
1502-12-12	3/4	3/4	11.48
1502-12-16	3/4	1	23.26
1502-16-12	1	3/4	15.74
1502-16-16	1	1	17.85
1502-20-20	1-1/4	1-1/4	31.13
1502-24-24	1-1/2	1-1/2	73.06
1502-32-32	2	2	146.20

Also available in Stainless Steel

More sizes available

My father used to play with my brother and me in the yard. Mother would come out and say, "You're tearing up the grass."

"We're not raising grass," Dad would reply. "We're raising boys."

-Harmon Killebrew

MALE 45° PIPE ELBOW SWIVEL ADAPTER



Part #	Male Pipe 1	Female NPSM 2	Price
1503-2-2	1/8	1/8	2.84
1503-2-4	1/8	1/4	9.50
1503-4-2	1/4	1/8	4.17
1503-4-4	1/4	1/4	3.40
1503-4-6	1/4	3/8	7.61
1503-6-4	3/8	1/4	4.26
1503-6-6	3/8	3/8	4.73
1503-6-8	3/8	1/2	7.40
1503-8-4	1/2	1/4	10.79
1503-8-6	1/2	3/8	5.93
1503-8-8	1/2	1/2	5.98
1503-8-12	1/2	3/4	14.36
1503-12-6	3/4	3/8	21.50
1503-12-8	3/4	1/2	10.54
1503-12-12	3/4	3/4	8.99
1503-12-16	3/4	1	25.37
1503-16-12	1	3/4	17.37
1503-16-16	1	1	16.64
1503-16-20	1	1-1/4	33.54
1503-20-16	1-1/4	1	26.10
1503-20-20	1-1/4	1-1/4	23.99
1503-24-24	1-1/2	1-1/2	47.09
1503-32-32	2	2	98.04

*Also available in Stainless Steel
More sizes available*

FEMALE 45° UNION ELBOW SWIVEL ADAPTER



Part #	Female Pipe 1	Female NPSM 2	Price
1504-2-2	1/8	1/8	5.85
1504-4-4	1/4	1/4	5.38
1504-6-4	3/8	1/4	8.51
1504-6-6	3/8	3/8	6.58
1504-8-6	1/2	3/8	5.89
1504-8-8	1/2	1/2	8.13
1504-12-12	3/4	3/4	12.26
1504-16-16	1	1	19.52
1504-20-20	1-1/4	1-1/4	37.84
1504-24-24	1-1/2	1-1/2	44.20

*Also available in Stainless Steel
More sizes available*

MALE SWIVEL BRANCH TEE



Part #	Male Pipe 1	Female NPSM 2 & 3	Price
1601-2-2	1/8	1/8	8.82
1601-4-4	1/4	1/4	6.58
1601-6-4	3/8	1/4	8.56
1601-6-6	3/8	3/8	8.51
1601-6-8	3/8	1/2	11.74
1601-8-4	1/2	1/4	11.31
1601-8-6	1/2	3/8	12.08
1601-8-8	1/2	1/2	11.48
1601-12-8	3/4	1/2	15.39
1601-12-12	3/4	3/4	18.23
1601-16-12	1	3/4	26.23
1601-16-16	1	1	32.12
1601-20-20	1-1/4	1-1/4	52.20
1601-24-24	1-1/2	1-1/2	81.57

FEMALE SWIVEL TEE




Part #	Female Pipe 1	Female NPSM 2 & 3	Price
1602-2-2	1/8	1/8	7.48
1602-4-4	1/4	1/4	8.34
1602-6-4	3/8	1/4	8.39
1602-6-6	3/8	3/8	8.60
1602-8-6	1/2	3/8	12.94
1602-8-8	1/2	1/2	11.65
1602-12-8	3/4	1/2	26.23
1602-12-12	3/4	3/4	21.46
1602-16-12	1	3/4	32.21
1602-16-16	1	1	41.54
1602-20-20	1-1/4	1-1/4	66.78
1602-24-24	1-1/2	1-1/2	125.69

FEMALE SWIVEL UNION TEE



Part #	Female		Price
	NPSM 1	NPSM 2 & 3	
1603-2-2.....	1/8.....	1/8.....	10.19
1603-4-4.....	1/4.....	1/4.....	7.14
1603-6-6.....	3/8.....	3/8.....	9.37
1603-8-8.....	1/2.....	1/2.....	11.18
1603-12-12.....	3/4.....	3/4.....	22.70
1603-16-16.....	1.....	1.....	48.03
1603-20-20.....	1-1/4.....	1-1/4.....	83.85

SWIVEL CROSS



Part #	Male	Female		Price
	Pipe 1	NPSM 2,3 & 4		
1604-4-4.....	1/4.....	1/4.....		18.15
1604-6-6.....	3/8.....	3/8.....		POR
1604-8-8.....	1/2.....	1/2.....		POR

Proud Father

A man has six children and is very proud of his achievement. He is so proud of himself that he starts calling his wife "Mother of Six" in spite of her objections. One night they go to a party. The man decides that it's time to go home, and wants to find out if his wife is ready to leave as well. He shouts at the top of his voice, "Shall we go home Mother of Six?" His wife, irritated by her husbands lack of discretion shouts back... "Anytime you're ready, Father of Four

"Our deepest fear is not that we are inadequate. Our deepest fear is that we are powerful beyond measure. It is our light, not our darkness, that most frighten us. We ask ourselves, who am I to be brilliant, gorgeous, talented, and fabulous? Actually who are you not to be? You are a child of God. Your playing small doesn't serve the world. There is nothing enlightened about shrinking so that other people won't feel insecure around you. We are born to make manifest the Glory of God that is within us. It's not just in some of us, it's in everyone, and as we let our own light shine, we consciously give other people permission to do the same. As we are liberated from our own fear, our presence automatically liberates others."

-Nelson Mandela
Inaugural Address

37° JIC ADAPTERS

Straights Pg. 200-205
 Shapes Pg. 206-210
 Bulkheads Pg. 210-211
 Female Swivels Pg. 224-227
 O-Ring Fittings Pg. 227-230

Caution: 37-Degree flared fittings are not designed to provide structural support for other components

CONFORMANCE

- SAE J514
- MS51500-MS51534
- Temperature Range: -65°F to +400°F

MATERIALS

- Steel-Carbon steel plated zinc with yellow dichromate per ASTM B633-98 (Type II SC-2)

WORKING PRESSURES

The following table lists the recommended working pressures for steel 37° flare hydraulic tube fittings manufactured in accordance with SAE standard J514. Many factors such as impulsing, vibration, mechanical shock, and overtightening may affect the integrity of the fitting connection. For these reasons, the recommended working pressures are actually lower than the capacity of the fittings. SAE recommends sufficient testing to be conducted to assure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions. When using fittings with different size or type thread, use the lower pressure rating of the two threads.

SAE J514 37-DEGREE FLARED FITTINGS PRESSURE RATING

Dash Size	Flared Thread Size	4 TO 1 Minimum Burst PSI
-2	5/16-24	5000
-3	3/8-24	5000
-4	7/16-20	5000
-5	1/2-20	5000
-6	9/16-18	5000
-8	3/4-16	4500
-10	7/8-14	3500
-12	1 1/16-12	3500
-14	1 3/16-12	3000
-16	1 5/16-12	3000
-20	1 5/8-12	2500
-24	1 7/8-12	2000
-32	2 1/2-12	1500

37° FLARED FITTING ASSEMBLY INSTRUCTIONS

RECOMMENDED

- Step 1.** Inspect for possible contamination or damage from shipping or handling. Sealing surface should be smooth. Annular tool marks of (100uin) concentric with thread permissible.
- Step 2.** Lubricate the threads and the entire surface of the cone with hydraulic fluid or a light lubricant.
- Step 3.** Align mating components for hand connection and turn flare nut until sealing surfaces make full contact.
- Step 4.** Torque nut to the values shown on the following table. If a wrench pad is provided next to nut, place a second wrench on pad to prevent flare from rotating while being torqued.
- Step 5.** When torquing nut onto a straight flared fitting, it may be necessary to also place a wrench on the flared fitting wrench pad to prevent it from turning during assembly.

ALTERNATE ASSEMBLY METHOD

- Step 1.** If torque method not possible, follow steps 1-3 above, then proceed to the steps below.
- Step 2.** Lightly wrench tighten the nut until there is firm resistance.
- Step 3.** Place a wrench on wrench pad next to nut as near the 6 o'clock as possible
- Step 4.** Place second wrench on nut as near the 3 o'clock position as possible.
- Step 5.** Turn nut clockwise to no less than the 4 o'clock position and no more than the 6 o'clock position. Required rotation generally decreases as size increases.

WHY WET TORQUE?

Due to the difference in plating types and thickness, materials, and thread quality of different components, the coefficient of friction varies greatly on any given assembly. Lubrication not only produces a more consistent coefficient of friction, it increases clamping force on sealing area with less torque on the threads. Overtightening causes threads to yield, deform and lose their ability to maintain an adequate load or clamping force on the seating area. Extended operation and severe conditions cause further yielding which results in leaks. Overtightening is the single greatest cause for leaks in metal to metal seat hydraulic connections. It is our firm position, that to not wet torque, is to compromise consistency and quality for convenience.

Dash Size	Flared Thread Size	Torque Foot/Lbs.
-2	5/16-24	6-7
-3	3/8-24	6-9
-4	7/16-20	9-12
-5	1/2-20	14-15
-6	9/16-18	18-20
-8	3/4-16	27-39
-10	7/8-1/4	36-63
-12	1 1/16-12	65-88
-14	1 3/16-12	75-103
-16	1 5/16-12	85-113
-20	1 5/8-12	115-133
-24	1 7/8-12	125-167
-32	2 1/2-12	190-258

STEEL 37° JIC FLARE TUBE FITTINGS

JIC SHORT TUBE NUT



Part #	Tube O.D	JIC Thread Size	Price
0302-4	1/4	7/16-20	0.99
0302-6	3/8	9/16-18	0.90
0302-8	1/2	3/4-16	1.42
0302-10	5/8	7/8-14	0.69
0302-12	3/4	1-1/16-12	4.17
0302-16	1	1-5/16-12	6.88

LONG JIC TUBE NUT

SAE 070111



Part #	Tube O.D	JIC Thread Size	Price
0304-4	1/4	7/16-20	0.90
0304-5	5/16	1/2-20	0.82
0304-6	3/8	9/16-18	0.82
0304-8	1/2	3/4-16	1.51
0304-10	5/8	7/8-14	1.98
0304-12	3/4	1-1/16-12	4.56
0304-14	7/8	1-3/16-12	5.12
0304-16	1	1-5/16-12	6.84
0304-20	1-1/4	1-5/8-12	14.19
0304-24	1-1/2	1-7/8-12	30.40
0304-32	2	2-1/2-12	137.60

Also available in Stainless Steel

JIC CAP

SAE 070112
MS 51532



Part #	Tube O.D	JIC Thread Size	Price
0304-C-2	1/8	5/16-24	3.57
0304-C-3	3/16	3/8-24	2.68
0304-C-4	1/4	7/16-20	0.56
0304-C-5	5/16	1/2-20	0.69
0304-C-6	3/8	9/16-18	0.77
0304-C-8	1/2	3/4-16	1.33
0304-C-10	5/8	7/8-14	2.24
0304-C-12	3/4	1-1/16-12	2.32
0304-C-14	7/8	1-3/16-12	6.24
0304-C-16	1	1-5/16-12	4.43
0304-C-20	1-1/4	1-5/8-12	7.83
0304-C-24	1-1/2	1-7/8-12	12.08
0304-C-32	2	2-1/2-12	39.90

Also available in Stainless Steel

"The future's always looked bleak till people with brains and faith and courage who dreamed and dared to take risks found a way to make it better. If we're free to dare- and we are- if we're free to give - and we are - then we're free to shape the future and have within our grasp all that we dream that future will be."

-President Ronald Reagan
1981

**JIC TUBE NUT
(SLEEVE REQUIRED)**

SAE 070110
MS 51531



Part #	Tube O.D	JIC Thread Size	Price
0318-2	1/8	5/16-24	0.65
0318-3	3/16	3/8-24	0.60
0318-4	1/4	7/16-20	0.39
0318-5	5/16	1/2-20	0.56
0318-6	3/8	9/16-18	0.65
0318-8	1/2	3/4-16	0.95
0318-10	5/8	7/8-14	1.42
0318-12	3/4	1-1/16-12	2.06
0318-14	7/8	1-3/16-12	2.84
0318-16	1	1-5/16-12	3.44
0318-20	1-1/4	1-5/8-12	6.32
0318-24	1-1/2	1-7/8-12	9.80
0318-32	2	2-1/2-12	27.91

Also available in Stainless Steel

JIC TUBE SLEEVE

SAE 070115
MS 51533



Part #	Tube O.D	Price
0319-2	1/8	0.52
0319-3	3/16	0.60
0319-4	1/4	0.30
0319-5	5/16	0.43
0319-6	3/8	0.34
0319-8	1/2	0.52
0319-10	5/8	0.69
0319-12	3/4	0.82
0319-14	7/8	1.55
0319-16	1	1.59
0319-20	1-1/4	3.78
0319-24	1-1/2	6.24
0319-32	2	17.72

Also available in Stainless Steel

JIC FLARELESS TUBE NUT



Part #	Tube O.D	Thread Size	Price
V0318-3	3/16	3/8-24	55.30
V0318-4	1/4	7/16-20	3.48
V0318-5	5/16	1/2-20	5.46
V0318-6	3/8	9/16-18	3.44
V0318-8	1/2	3/4-16	4.17
V0318-10	5/8	7/8-14	5.59
V0318-12	3/4	1-1/16-12	8.56
V0318-16	1	1-5/16-12	17.63
V0318-20	1-1/4	1-5/8-12	34.79
V0318-24	1-1/2	1-7/8-12	120.57
V0318-32	2	2-1/2-12	328.56

JIC FLARELESS TUBE-SLEEVE



Part #	Tube O.D	Price
V0319-3	3/16	18.62
V0319-4	1/4	2.92
V0319-5	5/16	5.20
V0319-6	3/8	3.18
V0319-8	1/2	4.26
V0319-10	5/8	4.64
V0319-12	3/4	5.46
V0319-16	1	15.65
V0319-20	1-1/4	23.18
V0319-24	1-1/2	101.09
V0319-32	2	119.50


JIC BRAZE TUBE UNION



Part #	Braze Port 1	JIC Thread Size 2	Price
0403-4	1/4	7/16-20	0.90
0403-6	3/8	9/16-18	1.12
0403-8	1/2	3/4-16	1.59
0403-10	5/8	7/8-14	2.15
0403-12	3/4	1-1/16-12	3.14
0403-14	7/8	1-3/16-12	7.61
0403-16	1	1-5/16-12	4.69
0403-20	1-1/4	1-5/8-12	6.71
0403-24	1-1/2	1-7/8-12	16.21
0403-32	2	2-1/2-12	73.06

JIC TUBE UNION

SAE 070101
MS 51501



Part #	Thread Size 1	Thread Size 2	Price
2403-2	5/16-24	5/16-24	12.86
2403-3	3/8-24	3/8-24	3.35
2403-4	7/16-20	7/16-20	1.16
2403-5	1/2-20	1/2-20	1.85
2403-6	9/16-18	9/16-18	1.33
2403-6-4	9/16-18	7/16-20	2.32
2403-6-5	9/16-18	1/2-20	7.74
2403-8	3/4-16	3/4-16	2.06
2403-8-4	3/4-16	7/16-20	10.41
2403-8-6	3/4-16	9/16-18	2.97
2403-10	7/8-14	7/8-14	3.44
2403-10-4	7/8-14	7/16-20	15.82
2403-10-6	7/8-14	9/16-18	9.55
2403-10-8	7/8-14	3/4-16	4.04
2403-12	1-1/16-12	1-1/16-12	4.43
2403-12-6	1-1/16-12	9/16-18	26.70
2403-12-8	1-1/16-12	3/4-16	7.01
2403-12-10	1-1/16-12	7/8-14	6.15
2403-14	1-3/16-12	1-3/16-12	6.84
2403-16	1-5/16-12	1-5/16-12	6.41
2403-16-10	1-5/16-12	7/8-14	18.96
2403-16-12	1-5/16-12	1-1/16-12	10.45
2403-20	1-5/8-12	1-5/8-12	11.18
2403-20-12	1-5/8-12	1-1/16-12	39.43
2403-20-16	1-5/8-12	1-5/16-12	23.31
2403-24	1-7/8-12	1-7/8-12	23.22
2403-24-20	1-7/8-12	1-5/8-12	53.79
2403-32	2-1/2-12	2-1/2-12	57.02

Also available in Stainless Steel

JIC LARGE HEX TUBE UNION



Part #	JIC Thread Size 1	JIC Thread Size 2	Price
2403-LH-4	7/16-20	7/16-20	3.01
2403-LH-6	9/16-18	9/16-18	3.18
2403-LH-8	3/4-16	3/4-16	3.44
2403-LH-10	7/8-14	7/8-14	4.26
2403-LH-12	1-1/16-12	1-1/16-12	7.65
2403-LH-16	1-5/16-12	1-5/16-12	12.00
2403-LH-20	1-5/8-12	1-5/8-12	29.03

Also available in Stainless Steel

JIC MALE CONNECTOR

SAE 070102
MS 51500



Part #	JIC Thread Size	Male Pipe Thread	Price
2404-2-2	5/16-24	1/8	2.71
2404-2-4	5/16-24	1/4	17.63
2404-3-2	3/8-24	1/8	1.51
2404-3-4	3/8-24	1/4	14.28
2404-4-2	7/16-20	1/8	0.86
2404-4-4	7/16-20	1/4	1.03
2404-4-6	7/16-20	3/8	2.19
2404-4-8	7/16-20	1/2	4.56
2404-5-2	1/2-20	1/8	1.16
2404-5-4	1/2-20	1/4	1.38
2404-5-6	1/2-20	3/8	2.41
2404-6-2	9/16-18	1/8	1.33
2404-6-4	9/16-18	1/4	1.03
2404-6-6	9/16-18	3/8	1.59
2404-6-8	9/16-18	1/2	2.28
2404-6-12	9/16-18	3/4	5.16
2404-8-4	3/4-16	1/4	2.11
2404-8-6	3/4-16	3/8	1.81
2404-8-8	3/4-16	1/2	1.94
2404-8-12	3/4-16	3/4	3.87
2404-8-16	3/4-16	1	27.43
2404-10-4	7/8-14	1/4	14.32
2404-10-6	7/8-14	3/8	2.75
2404-10-8	7/8-14	1/2	2.75
2404-10-12	7/8-14	3/4	4.13
2404-10-16	7/8-14	1	28.72
2404-12-6	1-1/16-12	3/8	19.35
2404-12-8	1-1/16-12	1/2	3.87
2404-12-12	1-1/16-12	3/4	3.40
2404-12-16	1-1/16-12	1	6.06
2404-12-20	1-1/16-12	1-1/4	27.86
2404-14-12	1-3/16-12	3/4	6.97
2404-14-16	1-3/16-12	1	27.82
2404-16-12	1-5/16-12	3/4	6.02
2404-16-16	1-5/16-12	1	6.02
2404-16-20	1-5/16-12	1-1/4	12.60
2404-16-24	1-5/16-12	1-1/2	49.15
2404-20-12	1-5/8-12	3/4	32.81
2404-20-16	1-5/8-12	1	10.75
2404-20-20	1-5/8-12	1-1/4	8.73
2404-20-24	1-5/8-12	1-1/2	23.82
2404-24-16	1-7/8-12	1	43.43
2404-24-20	1-7/8-12	1-1/4	23.56
2404-24-24	1-7/8-12	1-1/2	12.77
2404-24-32	1-7/8-12	2	50.44
2404-32-16	2-1/2-12	1	100.15
2404-32-20	2-1/2-12	1-1/4	51.94
2404-32-24	2-1/2-12	1-1/2	57.53
2404-32-32	2-1/2-12	2	36.44
2404-40-40	3-12	2-1/2	142.89

Also available in Stainless Steel

-Available in a Restrictor-

JIC LONG MALE CONNECTOR

SAE 070102
MS 51500



Part #	JIC Thread		Male Pipe		Price
	Size 1	Size 2	Length		
2404-L-4-2	7/16-20	1/8	1.81		14.10
2404-L-4-4	7/16-20	1/4	2.35		20.64
2404-L-6-4	9/16-18	1/4	2.35		13.24
2404-L-6-6	9/16-18	3/8	2.50		15.61
2404-L-8-6	3/4-16	3/8	2.75		20.34
2404-L-8-8	3/4-16	1/2	3.13		23.26
2404-L-10-8	7/8-14	1/2	3.13		25.80
2404-L-12-12	1-1/16-12	3/4	3.50		25.76
2404-L-16-16	1-5/16-12	1	4		44.55

Also available in longer and extra long lengths

A new arrival in Hell was brought before the devil. The devil told his deamon to put the man to work on a rock pile with a 20-pound sledgehammer in 95-degree heat with 95% humidity. At the end of the day, the devil went to see how the man was doing, only to find him smiling and singing as he pounded rocks. The man explained that the heat and hard labor were very similar to those on his beloved farm back in Massachusetts.

The devil told his deamon to turn up the heat to 120 degrees, with 100% humidity. At the end of the next day, the devil again checked on the new man, and found him still happy to be sweating and straining. The man explained that it felt like the old days, when he had to clean out his silo in the middle of August on his beloved farm back in Massachusetts.

At that the devil told his deamon to lower the temperature for this man to -20 degrees with a 40 -mph wind. At the end of the next day the devil was confident that he would find the man miserable. But, the man was instead singing louder than ever, twirling the sledgehammer like a baton. When the devil asked him why he was so happy, the man answered, "Cold day in hell, the Patriots must have won the Super Bowl!"

JIC FEMALE CONNECTOR

SAE 070103
MS 51503



Part #	JIC Thread		Female Pipe		Price
	Size 1	Size 2	Size 1	Size 2	
2405-2-2	5/16-24	1/8	1/8		5.89
2405-3-2	3/8-24	1/8	1/8		9.03
2405-3-4	3/8-24	1/4	1/4		25.59
2405-4-2	7/16-20	1/8	1/8		1.33
2405-4-4	7/16-20	1/4	1/4		1.94
2405-4-6	7/16-20	3/8	3/8		10.11
2405-5-2	1/2-20	1/8	1/8		2.19
2405-5-4	1/2-20	1/4	1/4		2.54
2405-6-2	9/16-18	1/8	1/8		10.23
2405-6-4	9/16-18	1/4	1/4		1.68
2405-6-6	9/16-18	3/8	3/8		2.62
2405-6-8	9/16-18	1/2	1/2		8.21
2405-8-4	3/4-16	1/4	1/4		9.98
2405-8-6	3/4-16	3/8	3/8		2.49
2405-8-8	3/4-16	1/2	1/2		3.87
2405-8-12	3/4-16	3/4	3/4		18.28
2405-10-6	7/8-14	3/8	3/8		5.55
2405-10-8	7/8-14	1/2	1/2		3.78
2405-10-12	7/8-14	3/4	3/4		20.12
2405-12-8	1-1/16-12	1/2	1/2		8.99
2405-12-12	1-1/16-12	3/4	3/4		4.95
2405-12-16	1-1/16-12	1	1		26.32
2405-14-12	1-3/16-12	3/4	3/4		9.16
2405-16-12	1-5/16-12	3/4	3/4		16.25
2405-16-16	1-5/16-12	1	1		7.10
2405-16-20	1-5/16-12	1-1/4	1-1/4		27.05
2405-20-20	1-5/8-12	1-1/4	1-1/4		18.10
2405-24-24	1-7/8-12	1-1/2	1-1/2		35.56
2405-32-32	2-1/2-12	2	2		65.19

Also available in Stainless Steel

JIC TWO PIECE TUBE REDUCER



Part #	JIC Female	JIC Male	Price
	Tube O.D	Thread 2	
2407-6-4	3/8	7/16-20	4.17
2407-8-4	1/2	7/16-20	5.68
2407-8-6	1/2	9/16-18	4.69
2407-12-6	3/4	9/16-18	12.81
2407-12-8	3/4	3/4-16	6.45
2407-16-12	1	1-1/16-12	12.00
2407-20-16	1-1/4	1-5/16-12	7.00
2407-24-20	1-1/2	1-5/8-12	10.00

Also available in Stainless Steel

More sizes available

TUBE REDUCER/ EXPANDER



Part #	JIC Thread		Price
	Size 1	Size 2	
2406-6-4	9/16-18	7/16-20	2.15
2406-6-5	9/16-18	1/2-20	13.98
2406-8-4	3/4-16	7/16-20	5.12
2406-8-6	3/4-16	9/16-18	2.84
2406-8-12*	3/4-16	1-1/16-12	9.20
2406-10-4	7/8-14	7/16-20	6.28
2406-10-6	7/8-14	9/16-18	5.76
2406-10-8	7/8-14	3/4-16	3.48
2406-12-4	1-1/16-12	7/16-20	9.12
2406-12-6	1-1/16-12	9/16-18	9.07
2406-12-8	1-1/16-12	3/4-16	5.20
2406-12-10	1-1/16-12	7/8-14	6.24
2406-12-16*	1-1/16-12	1-5/16-12	14.28
2406-14-6	1-3/16-12	9/16-18	21.46
2406-14-8	1-3/16-12	3/4-16	17.54
2406-14-10	1-3/16-12	7/8-14	13.85
2406-14-12	1-3/16-12	1-1/16-12	14.53
2406-16-4	1-5/16-12	7/16-20	28.60
2406-16-6	1-5/16-12	9/16-18	34.40
2406-16-8	1-5/16-12	3/4-16	14.45
2406-16-10	1-5/16-12	7/8-14	14.23
2406-16-12	1-5/16-12	1-1/16-12	8.82
2406-16-14	1-5/16-12	1-3/16-12	18.23
2406-16-20*	1-5/16-12	1-5/8-12	30.70
2406-20-8	1-5/8-12	3/4-16	53.75
2406-20-12	1-5/8-12	1-1/16-12	21.50
2406-20-16	1-5/8-12	1-5/16-12	18.92
2406-24-16	1-7/8-12	1-5/16-12	33.58
2406-24-20	1-7/8-12	1-5/8-12	36.68
2406-32-24	2-1/2-12	1-7/8-12	73.10

*Tube Expander

**A DIME HAS 118 RIDGES
AROUND THE EDGE.**

PLUG

SAE 070109
MS 51518



Part #	JIC Thread		Price
	Tube O.D.	Size	
2408-2	1/8	5/16-24	2.75
2408-3	3/16	3/8-24	2.75
2408-4	1/4	7/16-20	0.90
2408-5	5/16	1/2-20	1.29
2408-6	3/8	9/16-18	0.90
2408-8	1/2	3/4-16	1.46
2408-10	5/8	7/8-14	1.89
2408-12	3/4	1-1/16-12	3.05
2408-14	7/8	1-3/16-12	4.82
2408-16	1	1-5/16-12	4.60
2408-20	1-1/4	1-5/8-12	7.65
2408-24	1-1/2	1-7/8-12	20.34
2408-32	2	2-1/2-12	50.31

JIC UNION ELBOW



Part #	JIC Thread		Price
	Size 1	Size 2	
2500-2-2	5/16-24	5/16-24	27.95
2500-3-3	3/8-24	3/8-24	3.96
2500-4-4	7/16-20	7/16-20	2.32
2500-5-5	1/2-20	1/2-20	3.40
2500-6	9/16-18	9/16-18	3.14
2500-6-4	9/16-18	7/16-20	3.61
2500-8-8	3/4-16	3/4-16	4.56
2500-8-4	3/4-16	7/16-20	22.23
2500-8-6	3/4-16	9/16-18	4.73
2500-10	7/8-14	7/8-14	5.76
2500-10-8	7/8-14	3/4-16	5.85
2500-12	1-1/16-12	1-1/16-12	8.56
2500-12-8	1-1/16-12	3/4-16	7.87
2500-14	1-3/16-12	1-3/16-12	15.91
2500-16	1-5/16-12	1-5/16-12	14.88
2500-16-12	1-5/16-12	1-1/16-12	20.94
2500-20	1-5/8-12	1-5/8-12	25.89
2500-24	1-7/8-12	1-7/8-12	39.90
2500-32	2-1/2-12	2-1/2-12	80.41

Also available in Stainless Steel

More sizes available

SHAPES STEEL 37° JIC FLARE

JIC MALE ELBOW



Part #	JIC Thread Size 1	Male Pipe Size 2	Price
2501-2-2	5/16-24	1/8	4.26
2501-2-4	5/16-24	1/4	39.35
2501-3-2	3/8-24	1/8	3.70
2501-3-4	3/8-24	1/4	33.15
2501-4-2	7/16-20	1/8	2.41
2501-4-4	7/16-20	1/4	2.92
2501-4-6	7/16-20	3/8	4.30
2501-4-8	7/16-20	1/2	4.99
2501-5-2	1/2-20	1/8	2.97
2501-5-4	1/2-20	1/4	3.09
2501-5-6	1/2-20	3/8	5.16
2501-6-2	9/16-18	1/8	3.10
2501-6-4	9/16-18	1/4	2.75
2501-6-6	9/16-18	3/8	3.78
2501-6-8	9/16-18	1/2	4.82
2501-6-12	9/16-18	3/4	7.48
2501-8-4	3/4-16	1/4	4.09
2501-8-6	3/4-16	3/8	4.39
2501-8-8	3/4-16	1/2	5.33
2501-8-12	3/4-16	3/4	7.61
2501-8-16	3/4-16	1	10.71
2501-10-6	7/8-14	3/8	6.19
2501-10-8	7/8-14	1/2	5.25
2501-10-12	7/8-14	3/4	7.87
2501-10-16	7/8-14	1	13.16
2501-12-6	1-1/16-12	3/8	8.86
2501-12-8	1-1/16-12	1/2	8.21
2501-12-12	1-1/16-12	3/4	8.34
2501-12-16	1-1/16-12	1	12.86
2501-12-20	1-1/16-12	1-1/4	33.97
2501-14-12	1-3/16-12	3/4	12.99
2501-14-16	1-3/16-12	1	15.05
2501-16-12	1-5/16-12	3/4	12.64
2501-16-16	1-5/16-12	1	13.16
2501-16-20	1-5/16-12	1-1/4	22.32
2501-20-16	1-5/8-12	1	23.69
2501-20-20	1-5/8-12	1-1/4	26.57
2501-20-24	1-5/8-12	1-1/2	41.19
2501-24-20	1-7/8-12	1-1/4	39.13
2501-24-24	1-7/8-12	1-1/2	39.13
2501-24-32	1-7/8-12	2	144.48
2501-32-24	2-1/2-12	1-1/2	85.44
2501-32-32	2-1/2-12	2	76.45
2501-40-40	3-12	2-1/2	337.34

JIC ELBOW RESTRICTOR



Part #	JIC Thread Size 1	Male Pipe Size 2	Price
2501-RS-6-6	9/16-18	3/8	10.62
2501-RS-6-8	9/16-18	1/2	11.09

Please request Orifice Size

LONG MALE ELBOW

SAE 071502



Part #	Thread Size 1	Thread Size 2	Length	Price
2501-L-4-2	7/16-20	1/8	1.17"	3.93
2501-L-4-4	7/16-20	1/4	1.58"	4.47
2501-L-5-2	1/2-20	1/8	1.22"	5.72
2501-L-5-4	1/2-20	1/4	1.55"	5.59
2501-L-6-2	9/16-18	1/8	1.58"	18.83
2501-L-6-4	9/16-18	1/4	1.58"	5.03
2501-L-6-6	9/16-18	3/8	1.83"	7.01
2501-L-8-4	3/4-16	1/4	1.83"	13.11
2501-L-8-6	3/4-16	3/8	1.83"	6.58
2501-L-8-8	3/4-16	1/2	2.17"	6.58
2501-L-10-8	7/8-14	1/2	2.17"	10.11
2501-L-12-8	1-1/16-12	1/2	2.24"	21.41
2501-L-12-12	1-1/16-12	3/4	2.44"	12.69
2501-L-14-12	1-3/16-12	3/4	2.66"	19.57
2501-L-16-16	1-5/16-12	1	3.02"	19.52
2501-L-20-20	1-5/8-12	1-1/4	3.69"	45.41
2501-L-24-24	1-7/8-12	1-1/2	4.11"	93.22

Also available in Stainless Steel

Remember, half the people
you know are below average.

Also available in Stainless Steel

JIC EXTRA-LONG MALE ELBOW

SAE 140130



Part #	Thread		Length	Price
	Size 1	Size 2		
2501-LL-4-2	7/16-20	1/8	1.56"	5.12
2501-LL-4-4	7/16-20	1/4	2.11"	5.25
2501-LL-5-2	1/2-20	1/8	1.63"	5.59
2501-LL-5-4	1/2-20	1/4	2.04"	7.10
2501-LL-6-2	9/16-18	1/8	2.04"	53.79
2501-LL-6-4	9/16-18	1/4	2.08"	4.99
2501-LL-6-6	9/16-18	3/8	2.44"	7.65
2501-LL-8-4	3/4-16	1/4	2.42"	16.79
2501-LL-8-6	3/4-16	3/8	2.42"	7.18
2501-LL-8-8	3/4-16	1/2	2.88"	10.02
2501-LL-10-8	7/8-14	1/2	2.88"	10.02
2501-LL-12-8	1-1/16-12	1/2	3.25"	19.87
2501-LL-12-12	1-1/16-12	3/4	3.28"	15.52
2501-LL-14-12	1-3/16-12	3/4	3.63"	15.48
2501-LL-16-16	1-5/16-12	1	4.05"	24.64
2501-LL-20-20	1-5/8-12	1-1/4	5.00"	75.25
2501-LL-24-24	1-7/8-12	1-1/2	5.50"	POR

JIC EXTRA EXTRA LONG MALE ELBOW



Part #	Thread		Length	Price
	Size 1	Size 2		
2501-LLL-4-2	7/16-20	1/8	2.31"	28.94
2501-LLL-4-4	7/16-20	1/4	3.00"	25.80
2501-LLL-6-4	9/16-18	1/4	3.06"	20.21
2501-LLL-6-6	9/16-18	3/8	3.06"	27.99
2501-LLL-8-6	3/4-16	3/8	3.75"	14.62
2501-LLL-8-8	3/4-16	1/2	3.75"	20.43
2501-LLL-10-8	7/8-14	1/2	4.50"	23.65
2501-LLL-12-12	1-1/16-12	3/4	5.03"	20.68
2501-LLL-16-16	1-5/16-12	1	6.34"	51.34

Hard work pays off in the future. Laziness pays off now.

JIC MALE ELBOW SWIVEL



•swivel for installation only

Part #	JIC Thread		Male Pipe	Price
	Size 1	Size 2		
2501-S-4-4	7/16-20	1/4	POR	
2501-S-6-4	9/16-18	1/4	15.05	
2501-S-6-6	9/16-18	3/8	32.34	
2501-S-8-6	3/4-16	3/8	19.78	
2501-S-8-8	3/4-16	1/2	38.66	
2501-S-10-8	7/8-14	1/2	58.57	
2501-S-12-12	1-1/16-12	3/4	76.58	

JIC FEMALE ELBOW

SAE 070203
MS 51506



Part #	JIC Thread		Female Pipe	Price
	Size 1	Size 2		
2502-4-2	7/16-20	1/8	3.18	
2502-4-4	7/16-20	1/4	4.21	
2502-4-6	7/16-20	3/8	6.02	
2502-5-2	1/2-20	1/8	4.13	
2502-5-4	1/2-20	1/4	5.63	
2502-6-2	9/16-18	1/8	5.33	
2502-6-4	9/16-18	1/4	3.96	
2502-6-6	9/16-18	3/8	4.82	
2502-6-8	9/16-18	1/2	8.60	
2502-8-4	3/4-16	1/4	7.65	
2502-8-6	3/4-16	3/8	4.64	
2502-8-8	3/4-16	1/2	7.65	
2502-8-12	3/4-16	3/4	8.73	
2502-10-6	7/8-14	3/8	16.90	
2502-10-8	7/8-14	1/2	8.86	
2502-12-8	1-1/16-12	1/2	10.49	
2502-12-12	1-1/16-12	3/4	10.15	
2502-14-12	1-3/16-12	3/4	11.57	
2502-16-12	1-5/16-12	3/4	14.06	
2502-16-16	1-5/16-12	1	19.05	
2502-20-20	1-5/8-12	1-1/4	29.46	
2502-24-24	1-7/8-12	1-1/2	68.03	
2502-32-32	2-1/12	2	189.20	

Also available in Stainless Steel

JIC MALE 45° ELBOW



Part #	JIC Thread		Male Pipe	Price
	Size 1	Size 2		
2503-2-2	5/16-24	1/8	1/8	7.87
2503-3-2	3/8-24	1/8	1/8	3.01
2503-4-2	7/16-20	1/8	1/8	3.35
2503-4-4	7/16-20	1/4	1/4	3.83
2503-4-6	7/16-20	3/8	3/8	4.86
2503-5-2	1/2-20	1/8	1/8	5.72
2503-5-4	1/2-20	1/4	1/4	4.30
2503-6-2	9/16-18	1/8	1/8	5.25
2503-6-4	9/16-18	1/4	1/4	3.83
2503-6-6	9/16-18	3/8	3/8	4.56
2503-6-8	9/16-18	1/2	1/2	6.19
2503-6-12	9/16-18	3/4	3/4	7.40
2503-8-4	3/4-16	1/4	1/4	5.25
2503-8-6	3/4-16	3/8	3/8	4.99
2503-8-8	3/4-16	1/2	1/2	6.19
2503-8-12	3/4-16	3/4	3/4	9.46
2503-10-6	7/8-14	3/8	3/8	8.86
2503-10-8	7/8-14	1/2	1/2	6.15
2503-10-12	7/8-14	3/4	3/4	8.86
2503-12-6	1-1/16-12	3/8	3/8	64.50
2503-12-8	1-1/16-12	1/2	1/2	10.02
2503-12-12	1-1/16-12	3/4	3/4	9.33
2503-12-16	1-1/16-12	1	1	11.83
2503-14-12	1-3/16-12	3/4	3/4	15.52
2503-16-12	1-5/16-12	3/4	3/4	14.28
2503-16-16	1-5/16-12	1	1	13.16
2503-16-20	1-5/16-12	1-1/4	1-1/4	23.13
2503-20-16	1-5/8-12	1	1	21.29
2503-20-20	1-5/8-12	1-1/4	1-1/4	20.86
2503-24-24	1-7/8-12	1-1/2	1-1/2	33.41
2503-32-32	2-1/2-12	2	2	85.96
2503-40-40	3-12	2-1/2	2-1/2	318.72

JIC 45° UNION ELBOW



Part #	JIC Thread		Price
	Size 1	Size 2	
2504-6	9/16-18	9/16-18	9.33
2504-8	3/4-16	3/4-16	10.02
2504-10	7/8-14	7/8-14	11.22
2504-12	1-1/16-12	1-1/16-12	12.43
2504-16	1-5/16-12	1-5/16-12	13.16
2504-20	1-5/8-12	1-5/8-12	POR

JIC 45° FEMALE ELBOW



Part #	JIC Thread		Female Pipe	Price
	Size 1	Size 2		
2505-6-4	9/16-18	1/4	1/4	15.05
2505-8-6	3/4-16	3/8	3/8	14.79
2505-10-8	7/8-14	1/2	1/2	23.65
2505-12-12	1-1/16-12	3/4	3/4	39.17

More sizes available

JIC MALE BRANCH TEE




Part #	Thread		Pipe Thread	Price
	Size 1&2	Size 3		
2601-2-2	5/16-24	1/8	1/8	42.57
2601-3-2	3/8-24	1/8	1/8	4.56
2601-4-2	7/16-20	1/8	1/8	3.96
2601-4-4	7/16-20	1/4	1/4	5.25
2601-5-2	1/2-20	1/8	1/8	5.42
2601-5-4	1/2-20	1/4	1/4	6.19
2601-6-4	9/16-18	1/4	1/4	4.82
2601-6-6	9/16-18	3/8	3/8	6.15
2601-8-4	3/4-16	1/4	1/4	15.14
2601-8-6	3/4-16	3/8	3/8	6.41
2601-8-8	3/4-16	1/2	1/2	8.08
2601-10-6	7/8-14	3/8	3/8	15.22
2601-10-8	7/8-14	1/2	1/2	8.60
2601-12-8	1-1/16-12	1/2	1/2	13.98
2601-12-12	1-1/16-12	3/4	3/4	21.90
2601-14-12	1-3/16-12	3/4	3/4	23.18
2601-16-12	1-5/16-12	3/4	3/4	23.78
2601-16-16	1-5/16-12	1	1	20.73
2601-20-20	1-5/8-12	1-1/4	1-1/4	45.49
2601-24-24	1-7/8-12	1-1/2	1-1/2	70.99
2601-32-32	2-1/2-12	2	2	113.69

Also available in Stainless Steel

I couldn't repair your brakes,
so I made your horn louder

JIC FEMALE BRANCH TEE

SAE 070427
MS 51513




Part #	Thread	Pipe Thread	Price
	Size 1 & 2	Size 3	
2602-2-2	5/16-24	1/8	27.95
2602-3-2	3/8-24	1/8	36.85
2602-4-2	7/16-20	1/8	5.63
2602-4-4	7/16-20	1/4	7.27
2602-5-2	1/2-20	1/8	6.28
2602-6-4	9/16-18	1/4	5.55
2602-6-6	9/16-18	3/8	7.22
2602-8-6	3/4-16	3/8	7.44
2602-8-8	3/4-16	1/2	9.80
2602-10-8	7/8-14	1/2	11.83
2602-12-8	1-1/16-12	1/2	34.44
2602-12-12	1-1/16-12	3/4	15.91
2602-14-12	1-3/16-12	3/4	25.80
2602-16-16	1-5/16-12	1	25.71
2602-20-20	1-5/8-12	1-1/4	43.90
2602-24-24	1-7/8-12	1-1/2	77.62
2602-32-32	2-1/2-12	2	351.35

Also available in Stainless Steel

JIC UNION TEE

SAE 070401
MS 51510




Part #	Thread	Thread	Price
	Size 1 & 2	Size 3	
2603-2-2	5/16-24	5/16-24	30.10
2603-3-3	3/8-24	3/8-24	10.02
2603-4-4	7/16-20	7/16-20	3.83
2603-5-5	1/2-20	1/2-20	5.98
2603-6	9/16-18	9/16-18	4.30
2603-8	3/4-16	3/4-16	6.45
2603-10	7/8-14	7/8-14	8.86
2603-12	1-1/16-12	1-1/16-12	12.60
2603-14	1-3/16-12	1-3/16-12	23.82
2603-16	1-5/16-12	1-5/16-12	19.05
2603-20	1-5/8-12	1-5/8-12	38.53
2603-24	1-7/8-12	1-7/8-12	51.56
2603-32	2-1/2-12	2-1/2-12	251.29

*More reducing sizes available
Also available in Stainless Steel*

JIC MALE RUN TEE

SAE 070424
MS 51511



Part #	JIC Thread	Male Pipe	Price
	Size 1 & 3	Size 2	
2605-2-2	5/16-24	1/8	40.85
2605-3-2	3/8-24	1/8	8.60
2605-4-2	7/16-20	1/8	4.86
2605-4-4	7/16-20	1/4	5.25
2605-5-2	1/2-20	1/8	6.62
2605-5-4*	1/2-20	1/4	8.34
2605-6-4	9/16-18	1/4	4.77
2605-6-6	9/16-18	3/8	6.92
2605-8-4	3/4-16	1/4	17.29
2605-8-6	3/4-16	3/8	7.27
2605-8-8	3/4-16	1/2	7.82
2605-10-6*	7/8-14	3/8	POR
2605-10-8	7/8-14	1/2	9.76
2605-12-8	1-1/16-12	1/2	22.83
2605-12-12	1-1/16-12	3/4	12.86
2605-14-12	1-3/16-12	3/4	23.82
2605-16-12*	1-5/16-12	3/4	23.87
2605-16-16	1-5/16-12	1	23.18
2605-20-20	1-5/8-12	1-1/4	44.33
2605-24-24	1-7/8-12	1-1/2	53.79
2605-32-32	2-1/2-12	2	253.70

**Braze-on Style*

Also available in Stainless Steel


More sizes available

JIC FEMALE RUN TEE



Part #	Thread	Pipe Thread	Price
	Size 1 & 3	Size 2	
2606-3-2	3/8-24	1/8	50.74
2606-4-2	7/16-20	1/8	7.57
2606-4-4	7/16-20	1/4	5.42
2606-5-2	1/2-20	1/8	21.90
2606-5-4	1/2-20	1/4	36.29
2606-6-4	9/16-18	1/4	6.71
2606-6-6	9/16-18	3/8	8.86
2606-8-6	3/4-16	3/8	8.60
2606-8-8	3/4-16	1/2	10.54
2606-10-8	7/8-14	1/2	10.71
2606-12-8	1-1/16-12	1/2	91.68
2606-12-12	1-1/16-12	3/4	16.90
2606-14-12	1-3/16-12	3/4	41.80
2606-16-16	1-5/16-12	1	30.75
2606-20-20	1-5/8-12	1-1/4	66.52
2606-24-24	1-7/8-12	1-1/2	97.14
2606-32-32	2-1/2-12	2	363.90

JIC UNION CROSS




JIC Thread JIC Thread

Part #	Size 1&2	Size 3 & 4	Price
2650-4	7/16-20	7/16-20	8.13
2650-5	1/2-20	1/2-20	11.95
2650-6	9/16-18	9/16-18	9.89
2650-8	3/4-16	3/4-16	10.41
2650-10	7/8-14	7/8-14	21.33
2650-12	1-1/16-12	1-1/16-12	21.01
2650-14	1-3/16-12	1-3/16-12	30.10
2650-16	1-5/16-12	1-5/16-12	31.30
2650-20	1-5/8-12	1-5/8-12	66.65
2650-24	1-7/8-12	1-7/8-12	98.56

More sizes available

TEE



JIC Thread Thread

Part #	Size 1	Size 2 & 3	Price
2611-6-6-6	9/16-18	3/8-18	24.51
2611-8-6-6	3/4-16	3/8-18	19.01
2611-8-8-8	3/4-16	1/2-14	22.58
2611-12-12-12	1-1/16-12	3/4-14	50.53
2611-16-16-16	1-5/16-12	1-11-1/2	83.85
2611-20-20-20	1-5/8-12	1-1/4-11-1/2	96.88

More sizes available

BULKHEAD LOCK NUT

SAE 070118
MS 51860




Tube Thread

Part #	O.D.	Size	Price
0306-4	1/4	7/16 - 20	0.39
0306-5	5/16	1/2-20	0.39
0306-6	3/8	9/16-18	0.43
0306-8	1/2	3/4-16	0.77
0306-10	5/8	7/8-14	1.12
0306-12	3/4	1-1/16-12	1.68
0306-14	7/8	1-3/16-12	2.58
0306-16	1	1-5/16-12	2.37
0306-20	1-1/4	1-5/8-12	2.88
0306-24	1-1/2	1-7/8-12	4.09
0306-32	2	2-1/2-12	16.99

STEEL BULKHEAD FITTINGS

JIC BULKHEAD UNION

SAE 070601
MS 51520



Part #	Thread Size 1	Bulkhead Size 2	Price
2700-4-4	7/16-20	7/16-20	3.70
2700-5-5	1/2-20	1/2-20	4.43
2700-6-6	9/16-18	9/16-18	3.70
2700-8	3/4-16	3/4-16	5.03
2700-10	7/8-14	7/8-14	6.71
2700-12	1-1/16-12	1-1/16-12	10.06
2700-14	1-3/16-12	1-3/16-12	12.68
2700-16	1-5/16-12	1-5/16-12	15.91
2700-20	1-5/8-12	1-5/8-12	22.96
2700-24	1-7/8-12	1-7/8-12	37.07
2700-32	2-1/2-12	2-1/2-12	63.08

Also available in Stainless Steel

JIC BULKHEAD UNION ELBOW

SAE 070701
MS 51507



Part #	Thread Size 1	Bulkhead Thread 2	Price
2701-4	7/16-20	7/16-20	4.26
2701-5	1/2-20	1/2-20	6.62
2701-6	9/16-18	9/16-18	4.52
2701-8	3/4-16	3/4-16	6.92
2701-10	7/8-14	7/8-14	9.50
2701-12	1-1/16-12	1-1/16-12	13.80
2701-14	1-3/16-12	1-3/16-12	92.24
2701-16	1-5/16-12	1-5/16-12	20.30
2701-20	1-5/8-12	1-5/8-12	41.02
2701-24	1-7/8-12	1-7/8-12	137.60

Also available in Stainless Steel

JIC BULKHEAD UNION 45° ELBOW

SAE 070801
MS 51509



Part #	Thread Size 1	Bulkhead Thread 2	Price
2702-4	7/16-20	7/16-20	4.73
2702-5	1/2-20	1/2-20	9.03
2702-6	9/16-18	9/16-18	6.88
2702-8	3/4-16	3/4-16	7.74
2702-10	7/8-14	7/8-14	10.02
2702-12	1-1/16-12	1-1/16-12	14.28
2702-14	1-3/16-12	1-3/16-12	POR
2702-16	1-5/16-12	1-5/16-12	21.89
2702-20	1-5/8-12	1-5/8-12	54.52
2702-24	1-7/8-12	1-7/8-12	171.10

Also available in Stainless Steel

JIC BULKHEAD BRANCH TEE

SAE 070959
MS 51515




Part #	Thread Size 1&2	Bulkhead Thread 3	Price
2703-4	7/16-20	7/16-20	7.40
2703-5	1/2-20	1/2-20	29.80
2703-6	9/16-18	9/16-18	7.87
2703-8	3/4-16	3/4-16	11.44
2703-10	7/8-14	7/8-14	19.05
2703-12	1-1/16-12	1-1/16-12	23.18
2703-16	1-5/16-12	1-5/16-12	46.44
2703-20	1-5/8-12	1-5/8-12	69.06
2703-24	1-7/8-12	1-7/8-12	90.77
2703-32	2-1/2-12	2-1/2-12	POR

Also available in Stainless Steel

JIC BULKHEAD RUN TEE

SAE 070958
MS 51516



Part #	Thread Size 1&3	Bulkhead Thread 2	Price
2704-4	7/16-20	7/16-20	5.20
2704-6	9/16-18	9/16-18	8.69
2704-8	3/4-16	3/4-16	11.91
2704-10	7/8-14	7/8-14	12.77
2704-12	1-1/16-12	1-1/16-12	17.16
2704-16	1-5/16-12	1-5/16-12	25.53

*More sizes available
Also available in Stainless Steel*

JIC TO FEMALE PIPE BULKHEAD



Part #	Thread Size 1	Female Pipe Size 2	Price
2705-4-2	7/16-20	1/8	7.70
2705-4-4	7/16-20	1/4	7.78
2705-5-2	1/2-20	1/8	15.58
2705-6-4	9/16-18	1/4	9.85
2705-6-6	9/16-18	3/8	11.74
2705-8-6	3/4-16	3/8	13.12
2705-8-8	3/4-16	1/2	17.97
2705-10-8	7/8-14	1/2	15.31
2705-12-12	1-1/16-12	3/4	22.27
2705-14-12	1-3/16-12	3/4	32.25
2705-16-16	1-5/16-12	1	26.83
2705-20-20	1-5/8-12	1-1/4	93.05
2705-24-24	1-7/8-12	1-1/2	199.61
2705-32-32	2-1/2-12	2	320.57

Also available in Stainless Steel

JIC TO MALE PIPE BULKHEAD



Part #	Bulkhead Thread 1	Pipe Thread 2	Price
2706-4-2	7/16-20	1/8	16.13
2706-4-4	7/16-20	1/4	13.98
2706-6-4	9/16-18	1/4	12.04
2706-6-6	9/16-18	3/8	15.05
2706-8-6	3/4-16	3/8	10.88
2706-8-8	3/4-16	1/2	15.05
2706-10-8	7/8-14	1/2	12.90
2706-12-12	1-1/16-12	3/4	17.80
2706-16-16	1-5/16-12	1	24.21
2706-20-20	1-5/8-12	1-1/4	60.89
2706-24-24	1-7/8-12	1-1/2	126.64
2706-32-32	2-1/2-12	2	261.05

MALE PIPE BULKHEAD



Part #	Thread Size	Male Pipe Thread	Price
2708-4-4	9/16-18	1/4	59.08
2708-6-6	3/4-16	3/8	60.29
2708-8-8	7/8-14	1/2	66.18
2708-12-12	1-1/16-12	3/4	71.98

STEEL PIPE ADAPTERS

CONFORMANCE

- SAE J514 for hex nipples, expanders, elbows, tees and crosses
- SAE J514, J530 and J531 for bushing and plugs.
- Temperature Range: -65°F to +400°F

MATERIALS

- Steel- SAE 12L14 carbon steel plated zinc with yellow dichromate or bright iridite finish.

STYLES

- Barstock
- Forged
- Chamfered - male ends have an internal 30-degree chamfer to mate with NPSM female swivel union connections. Many pipe fittings do not have this chamfer, as it is not required per SAE J514 standard

Caution: Although most pipe fittings have sufficient structural integrity to support the weight of many components, consult our technical support department for guidance in selection of parts for this purpose

WORKING PRESSURES

The following table lists the recommended working pressures for steel NPTF hydraulic pipe fittings manufactured in accordance with SAE standard J514. Many factors such as number of threads engaged, impulsing, vibration, mechanical shock, removal and reassembly, thermal expansion and contraction may affect the integrity of the fitting or fitting connection. For these reasons, the recommended working pressures are actually lower than the capacity of the fittings. SAE recommends sufficient testing to be conducted to assure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions.

SAE J514 NPTF PIPE WORKING PRESSURES

Dash Size	NPTF Thread Size	4 TO 1 Minimum Burst PSI
-1	1/16-27	5000
-2	1/8-27	5000
-4	1/4-18	5000
-6	3/8-18	4000
-8	1/2-14	3000
-12	3/4-14	2500
-16	1-11 1/2	2000
-20	1 1/4-11 1/2	1150
-24	1 1/2-11 1/2	1000
-32	2-11 1/2	750

**NPTF DRY SEAL PIPE
ASSEMBLY INSTRUCTIONS**

- Step 1.** Inspect port and fitting to ensure that both are free of contaminants and excessive burrs and nicks.
- Step 2.** Apply a stripe of an anaerobic liquid pipe sealant around the male threads leaving the first two threads uncovered. If no liquid sealant is available, wrap Teflon tape 1 1/2 to 2 turns in a clockwise direction, viewed from the pipe end, leaving the first two threads uncovered. **Caution: Teflon tape and some pipe sealants are destructive to hydraulic components. Always use extreme caution and follow manufactures recommendations for proper application of any sealant in order to prevent contamination**
- Step 3.** Screw finger tight into the port.
- Step 4.** Wrench tighten the fitting to the correct Turns Past Finger Tight position. (See following table) When installing elbows or tees, consider final orientation position as to not exceed the recommended TPFT
- Caution: Never back off an installed pipe fitting to achieve proper alignment. Loosening installed pipe fittings will corrupt the seal and contribute to leakage and failure.**

Torque installation of pipe fittings is not a recommended practice. Thread taper and quality, different port and fitting materials, plating thickness and types, varying threads sealants, orientation, and other factors reduce the reliability of a torqued connection. If torque installation is required, refer to the following table for suggested torque values.

Dash Size	NPTF Thread Size	Turns Past Finger Tight
-1	1/16-27	2.0 - 3.0
-2	1/8-27	2.0 - 3.0
-4	1/4-18	2.0 - 3.0
-6	3/8-18	2.0 - 3.0
-8	1/2-14	2.0 - 3.0
-12	3/4-14	2.0 - 3.0
-16	1-11 1/2	1.5 - 2.5
-20	1 1/4-11 1/2	1.5 - 2.5
-24	1 1/2-11 1/2	1.5 - 2.5
-32	2-11 1/2	1.5 - 2.5

Dash Size	NPTF Thread Size	Torque Foot/LBS
-2	1/8-27	12
-4	1/4-18	25
-6	3/8-18	40
-8	1/2-14	54
-12	3/4-14	78
-16	1-11 1/2	112
-20	1 1/4-11 1/2	154
-24	1 1/2-11 1/2	211
-32	2-11 1/2	300

See STRAIGHT THREAD O-RING FITTING SECTION for assembly instructions and torque values for pipe fittings with o-ring straight threads.

PIPE COUPLING


SAE 140138



Part #	Female Pipe 1	Female Pipe 2	Price
5000-2	1/8	1/8	1.81
5000-4-2	1/4	1/8	3.23
5000-4	1/4	1/4	2.11
5000-6-2	3/8	1/8	7.18
5000-6-4	3/8	1/4	3.57
5000-6-6	3/8	3/8	2.45
5000-8-4	1/2	1/4	5.55
5000-8-6	1/2	3/8	4.73
5000-8	1/2	1/2	4.04
5000-12-6	3/4	3/8	10.66
5000-12-8	3/4	1/2	7.96
5000-12-12	3/4	3/4	5.76
5000-16-8	1	1/2	6.41
5000-16-12	1	3/4	16.99
5000-16	1	1	8.51
5000-20-12	1-1/4	3/4	155.27
5000-20-16	1-1/4	1	59.17
5000-20-20	1-1/4	1-1/4	16.90
5000-24	1-1/2	1-1/2	34.36
5000-32	2	2	55.73

Also available in Stainless Steel

CLOSE NIPPLE



3,000 PSI

Part #	Male Pipe 1&2	Length (Inches)	Price
5400CL-2	1/8	3/4	5.93
5400CL-4	1/4	7/8	6.97
5400CL-6	3/8	1	3.27
5400CL-8	1/2	1-1/8	4.77
5400CL-12	3/4	1-3/8	5.76
5400CL-16	1	1-1/2	8.69
5400CL-20	1-1/4	1-5/8	14.53
5400CL-24	1-1/2	1-3/4	POR

Also available in Stainless Steel

LONG PIPE NIPPLE



3,000 PSI

Part #	Male Pipe 1 & 2	Length (Inches)	Price
5400-2-1.5	1/8	1-1/2	6.15
5400-2-2	1/8	2	7.01
5400-2-2.5	1/8	2-1/2	7.22
5400-2-3	1/8	3	7.96
5400-4-2	1/4	2	7.74
5400-4-2.5	1/4	2-1/2	8.34
5400-4-3	1/4	3	9.20
5400-4-4	1/4	4	11.09
5400-4-6	1/4	6	20.00
5400-6-2	3/8	2	8.26
5400-6-2.5	3/8	2-1/2	10.92
5400-6-3	3/8	3	10.71
5400-6-4	3/8	4	12.69
5400-4-6	3/8	6	20.00
5400-6-7	3/8	7	POR
5400-8-2.5	1/2	2-1/2	6.49
5400-8-3	1/2	3	7.27
5400-8-4	1/2	4	9.37
5400-8-6	1/2	6	13.67
5400-12-3	3/4	3	9.07
5400-12-4	3/4	4	11.05

Other lengths available

To me, boxing is like a ballet, except there's no music, no choreography, and the dancers hit each other.

STEEL PIPE FITTINGS

HEX PIPE NIPPLE

SAE 140137



Part #	Male Pipe 1	Male Pipe 2	Price
5404-2-1	1/8	1/16	55.73
5404-2	1/8	1/8	0.95
5404-2-4	1/8	1/4	20.94
5404-4-2	1/4	1/8	1.72
5404-4	1/4	1/4	1.20
5404-6-2	3/8	1/8	4.09
5404-6-4	3/8	1/4	2.06
5404-6	3/8	3/8	1.51
5404-8-4	1/2	1/4	2.67
5404-8-6	1/2	3/8	2.54
5404-8	1/2	1/2	2.19
5404-12-6	3/4	3/8	3.44
5404-12-8	3/4	1/2	4.34
5404-12	3/4	3/4	3.78
5404-16-6	1	3/8	36.85
5404-16-8	1	1/2	19.78
5404-16-12	1	3/4	6.75
5404-16	1	1	5.55
5404-20-8	1-1/4	1/2	45.71
5404-20-12	1-1/4	3/4	32.68
5404-20-16	1-1/4	1	17.72
5404-20	1-1/4	1-1/4	12.08
5404-24-12	1-1/2	3/4	47.30
5404-24-16	1-1/2	1	34.92
5404-24-20	1-1/2	1-1/4	29.93
5404-24	1-1/2	1-1/2	20.94
5404-32-20	2	1-1/4	116.10
5404-32-24	2	1-1/2	39.86
5404-32	2	2	49.62

Also available in Stainless Steel

More sizes & lengths available

*Cure for headaches:
Take a lime, cut it in half
and rub it on your fore-
head. The throbbing will
go away.*

EXPANDING PIPE ADAPTER

SAE 140139



Part #	Male Pipe 1	Female Pipe 2	Price
5405-1-2	1/16	1/8	54.40
5405-2-2	1/8	1/8	53.48
5405-2-4	1/8	1/4	2.41
5405-2-6	1/8	3/8	14.23
5405-2-8	1/8	1/2	10.97
5405-4-4	1/4	1/4	4.21
5405-4-6	1/4	3/8	2.75
5405-4-8	1/4	1/2	6.67
5405-4-12	1/4	3/4	19.22
5405-6-6	3/8	3/8	4.04
5405-6-8	3/8	1/2	4.09
5405-6-12	3/8	3/4	27.52
5405-8-8	1/2	1/2	4.26
5405-8-12	1/2	3/4	7.57
5405-8-16	1/2	1	16.25
5405-12-12	3/4	3/4	11.61
5405-12-16	3/4	1	13.29
5405-12-20	3/4	1-1/4	39.47
5405-16-16	1	1	24.04
5405-16-20	1	1-1/4	31.91
5405-16-24	1	1-1/2	99.24
5405-20-20	1-1/4	1-1/4	46.66
5405-20-24	1-1/4	1-1/2	38.14
5405-24-24	1-1/2	1-1/2	42.23
5405-24-32	1-1/2	2	93.57

Also available in Stainless Steel

More sizes available

The "sixth sick sheik's
sheep's sick" is said to be
the toughest tounge twister
in the English language

HEX REDUCER BUSHING



Part #	Male Pipe	Female Pipe	Price
5406-2-1	1/8	1/16	45.88
5406-4-2	1/4	1/8	0.69
5406-6-2	3/8	1/8	0.77
5406-6-4	3/8	1/4	0.82
5406-8-2	1/2	1/8	1.89
5406-8-4	1/2	1/4	1.25
5406-8-6	1/2	3/8	1.25
5406-12-2	3/4	1/8	6.06
5406-12-4	3/4	1/4	1.76
5406-12-6	3/4	3/8	2.02
5406-12-8	3/4	1/2	1.76
5406-16-4	1	1/4	6.71
5406-16-6	1	3/8	6.97
5406-16-8	1	1/2	3.27
5406-16-12	1	3/4	3.27
5406-20-4	1-1/4	1/4	12.26
5406-20-6	1-1/4	3/8	11.48
5406-20-8	1-1/4	1/2	8.99
5406-20-12	1-1/4	3/4	7.01
5406-20-16	1-1/4	1	7.05
5406-24-6	1-1/2	3/8	25.20
5406-24-8	1-1/2	1/2	22.32
5406-24-12	1-1/2	3/4	15.65
5406-24-16	1-1/2	1	14.15
5406-24-20	1-1/2	1-1/4	13.50
5406-32-8	2	1/2	42.18
5406-32-12	2	3/4	29.84
5406-32-16	2	1	27.09
5406-32-20	2	1-1/4	26.14
5406-32-24	2	1-1/2	28.17
5406-40-32	2-1/2	2	146.33

*Some sizes available in Stainless Steel
Also available in short pattern*

HEX HEAD PLUG



Part #	Male Pipe	Price
5406-P-1	1/16	0.56
5406-P-2	1/8	0.30
5406-P-4	1/4	0.34
5406-P-6	3/8	0.60
5406-P-8	1/2	1.08
5406-P-12	3/4	2.19
5406-P-16	1	3.70
5406-P-20	1-1/4	7.48
5406-P-24	1-1/2	10.36
5406-P-32	2	15.05

Also available in Stainless Steel

HOLLOW HEX PLUG

SAE 130109



Part #	Male Pipe	Price
5406-HHP-1	1/16	0.43
5406-HHP-2	1/8	0.30
5406-HHP-4	1/4	0.34
5406-HHP-6	3/8	0.34
5406-HHP-8	1/2	0.56
5406-HHP-12	3/4	0.77
5406-HHP-16	1	1.85
5406-HHP-20	1-1/4	4.69
5406-HHP-24	1-1/2	13.55
5406-HHP-32	2	19.48

Some sizes available in Stainless Steel

**FLUSH HOLLOW HEX PLUG
W/ 7/8 TAPER**



Part #	Male Pipe	Price
5406-FLP-1	1/16	0.46
5406-FLP-2	1/8	0.52
5406-FLP-4	1/4	0.69
5406-FLP-6	3/8	0.82
5406-FLP-8	1/2	1.59
5406-FLP-12	3/4	2.97

SQUARE HEAD PLUG

SAE 130109A



Part #	Male Pipe	Price
5406-SHP-2	1/8	0.30
5406-SHP-4	1/4	0.34
5406-SHP-6	3/8	0.52
5406-SHP-8	1/2	0.65
5406-SHP-12	3/4	1.38
5406-SHP-16	1	4.73
5406-SHP-20	1-1/4	10.28
5406-SHP-24	1-1/2	13.50
5406-SHP-32	2	30.14

PIPE CAP



Female

Part #	Pipe	Price
5406-C-2	1/8	0.82
5406-C-4	1/4	0.90
5406-C-6	3/8	1.46
5406-C-8	1/2	2.19
5406-C-12	3/4	3.57
5406-C-16	1	5.16

Also available in Stainless Steel

MALE ELBOW

SAE 140237



Male Male

Part #	Pipe 1	Pipe 2	Price
5500-2	1/8	1/8	3.01
5500-4-2	1/4	1/8	2.80
5500-4	1/4	1/4	3.40
5500-6-4	3/8	1/4	4.95
5500-6	3/8	3/8	4.43
5500-8-4	1/2	1/4	4.90
5500-8-6	1/2	3/8	5.93
5500-8	1/2	1/2	5.33
5500-12-6*	3/4	3/8	19.01
5500-12-8	3/4	1/2	8.08
5500-12-12	3/4	3/4	8.26
5500-16-12	1	3/4	13.63
5500-16	1	1	16.00
5500-20-16*	1-1/4	1	23.05
5500-20-20	1-1/4	1-1/4	28.34
5500-24	1-1/2	1-1/2	39.78
5500-32	2	2	273.09

**Braze-on Style*

Also available in Stainless Steel

More sizes available

MALE ELBOW SWIVEL



swivel for installation purpose only

Male Male

Part #	Pipe 1	Pipe 2	Price
5700-S-4-4	1/4	1/4	17.42
5700-S-6-6	3/8	3/8	16.77
5700-S-8-8	1/2	1/2	19.35
5700-S-12-12	3/4	3/4	147.30

45° MALE ELBOW



Male Male

Part #	Pipe 1	Pipe 2	Price
5501-2-2	1/8	1/8	5.38
5501-4-4	1/4	1/4	4.26
5501-6-6	3/8	3/8	8.30
5501-8	1/2	1/2	7.14
5501-12-12	3/4	3/4	12.64
5501-16-16	1	1	21.37
5501-20-20	1-1/4	1-1/4	68.11

90° STREET ELBOW

SAE 140239



Male Female

Part #	Pipe 1	Pipe 2	Price
5502-2	1/8	1/8	3.10
5502-2-4	1/8	1/4	4.26
5502-2-6*	1/8	3/8	4.04
5502-4-2	1/4	1/8	3.61
5502-4	1/4	1/4	4.69
5502-4-6	1/4	3/8	6.02
5502-4-8-8*	1/4	1/2	28.68
5502-6-2	3/8	1/8	28.29
5502-6-4	3/8	1/4	4.26
5502-6	3/8	3/8	4.26
5502-6-8	3/8	1/2	6.92
5502-8-4	1/2	1/4	4.90
5502-8-6	1/2	3/8	5.85
5502-8-8	1/2	1/2	7.61
5502-8-12	1/2	3/4	11.67
5502-12-8	3/4	1/2	11.09
5502-12	3/4	3/4	10.79
5502-12-16*	3/4	1	14.10
5502-16-12	1	3/4	12.69
5502-16-16	1	1	15.35
5502-16-20*	1	1-1/4	50.57
5502-20-16	1-1/4	1	51.86
5502-20	1-1/4	1-1/4	7.53
5502-24	1-1/2	1-1/2	64.03
5502-32	2	2	170.67

**Braze-on Style*

Also available in Stainless Steel

More sizes available

STREET ELBOW SWIVEL



Part #	Male	Female	Price
	Pipe 1	Pipe 2	
5702-4-4	1/4	1/4	17.16
5702-6-6	3/8	3/8	21.46
5702-8-8	1/2	1/2	27.09
5702-12-12	3/4	3/4	62.35

SHORT BODY STREET ELBOW



Part #	Male	Female	Price
	Pipe 1	Pipe 2	
5502-X-4	1/4	1/4	7.10
5502-X-6	3/8	3/8	8.64
5502-X-8	1/2	1/2	14.88

45° STREET ELBOW

SAE 140339



Part #	Male	Female	Price
	Pipe 1	Pipe 2	
5503-2	1/8	1/8	4.56
5503-4	1/4	1/4	4.64
5503-6	3/8	3/8	4.99
5503-8	1/2	1/2	7.61
5503-12-12	3/4	3/4	11.70
5503-16	1	1	20.30
5503-20	1-1/4	1-1/4	44.16
5503-24	1-1/2	1-1/2	100.66
5503-32	2	2	193.50

*More sizes available
Also available in Stainless Steel*

More than 50 % of the people
in the world have never made or
received a telephone call

FEMALE ELBOW

SAE 140238



Part #	Female	Female	Price
	Pipe 1	Pipe 2	
5504-2	1/8	1/8	3.10
5504-4-2	1/4	1/8	3.96
5504-4	1/4	1/4	3.78
5504-6-4	3/8	1/4	4.56
5504-6	3/8	3/8	4.99
5504-8-4	1/2	1/4	28.47
5504-8-6	1/2	3/8	7.74
5504-8	1/2	1/2	7.10
5504-12-6	3/4	3/8	36.38
5504-12-8	3/4	1/2	19.01
5504-12	3/4	3/4	12.64
5504-16-12	1	3/4	16.43
5504-16	1	1	16.60
5504-20-16	1-1/4	1	24.98
5504-20	1-1/4	1-1/4	30.53
5504-24	1-1/2	1-1/2	53.54
5504-32	2	2	208.12

Also available in Stainless Steel

More sizes available

45° FEMALE ELBOW


SAE 140338



Part #	Female	Female	Price
	Pipe 1	Pipe 2	
5505-2	1/8	1/8	6.49
5505-4	1/4	1/4	7.14
5505-6	3/8	3/8	7.91
5505-8	1/2	1/2	16.04
5505-12	3/4	3/4	16.30
5505-16	1	1	20.55
5505-20	1-1/4	1-1/4	259.81

More sizes available

MALE PIPE TEE



Part #	Male Pipe 1 & 2	Male Pipe 3	Price
5600-2-2	1/8	1/8	9.50
5600-4-4	1/4	1/4	8.34
5600-6-6	3/8	3/8	10.02
5600-8-8	1/2	1/2	11.95
5600-12	3/4	3/4	15.52
5600-16	1	1	34.44
5600-20	1-1/4	1-1/4	88.58

Also available in Stainless Steel

FEMALE RUN PIPE TEE




Part #	Male Pipe 1 & 3	Female Pipe 2	Price
5603-2-2	1/8	1/8	5.72
5603-4-4	1/4	1/4	6.54
5603-6-6	3/8	3/8	7.44
5603-8-8	1/2	1/2	12.64
5603-12	3/4	3/4	16.99
5603-16	1	1	36.55
5603-20	1-1/4	1-1/4	62.78
5603-24	1-1/2	1-1/2	120.36
5603-32	2	2	381.41

Some sizes available in Stainless Steel

FEMALE BRANCH PIPE TEE

SAE 140427



Part #	Male Pipe 1 & 2	Female Pipe 3	Price
5601-2-2	1/8	1/8	7.53
5601-4-4	1/4	1/4	8.13
5601-6-6	3/8	3/8	12.77
5601-8	1/2	1/2	20.68
5601-12	3/4	3/4	26.94
5601-16	1	1	39.95
5601-20	1-1/4	1-1/4	75.34
5601-24	1-1/2	1-1/2	115.63

Some sizes available in Stainless Steel

MALE BRANCH TEE



Part #	Male Pipe 1 & 3	Female Pipe 2	Price
5604-2-2	1/8	1/8	27.74
5604-4-4	1/4	1/4	31.26
5604-6-6	3/8	3/8	43.47
5604-8-8	1/2	1/2	11.61
5604-12	3/4	3/4	16.50
5604-16	1	1	28.21
5604-20	1-1/4	1-1/4	46.83
5604-24	1-1/2	1-1/2	96.97
5604-32	2	2	175.48

Some sizes available in Stainless Steel

STREET TEE

SAE 140424



Part #	Male Pipe 1	Female Pipe 2 & 3	Price
5602-2-2	1/8	1/8	3.91
5602-4-4	1/4	1/4	5.25
5602-6-6	3/8	3/8	6.19
5602-8-8	1/2	1/2	10.11
5602-12	3/4	3/4	17.03
5602-16	1	1	28.90
5602-20	1-1/4	1-1/4	53.79
5602-24	1-1/2	1-1/2	98.94
5602-32	2	2	270.90

Also available in Stainless Steel

FEMALE PIPE TEE


SAE 140438



Part #	Female Pipe	Price
5605-2-2	1/8	4.99
5605-4-4	1/4	4.95
5605-6-6	3/8	6.15
5605-8	1/2	11.22
5605-12	3/4	15.95
5605-16	1	21.59
5605-20	1-1/4	45.11
5605-24	1-1/2	81.87
5605-32	2	258.00

*More sizes available
All sizes available in Stainless Steel*


FEMALE CROSS



Part #	Female Pipe 1 & 3	Female Pipe 2	Price
5652-2	1/8	1/8	9.37
5652-4	1/4	1/4	8.30
5652-6	3/8	3/8	9.42
5652-8	1/2	1/2	14.75
5652-12	3/4	3/4	22.15
5652-16	1	1	40.42
5652-20	1-1/4	1-1/4	66.22
5652-24	1-1/2	1-1/2	135.88
5652-32	2	2	451.50

Also available in Stainless Steel

CROSS



Part #	Thread Size 1, 2, 3 & 4	Price
5655-4-4-4-4	1/4-18	20.30
5655-6-6-6-6	3/8-18	22.02
5655-8-8-8-8	1/2-14	27.69
5655-12-12-12-12	3/4-14	78.95

It takes a big man to cry, but
 it takes an even bigger man to
 laugh at that man
 - Jack Handy

These are from a book called *Disorder in the Court*, and are things people actually said in court, word for word, taken down and now published by court reporters - who had the torment of staying calm while these exchanges were actually taking place.

- Q: Are you sexually active?
 A: No, I just lie there.

- Q: What was the first thing your husband said to you when he woke up that morning?
 A: He said, "Where am I, Cathy?"
 Q: And why did that upset you?
 A: My name is Susan.

- Q: So the date of conception (of the baby) was August 8th?
 A: Yes.
 Q: And what were you doing at that time?

- Q: Is your appearance here this morning pursuant to a deposition notice which I sent to your attorney?
 A: No, this is how I dress when I go to work.

- Q: Doctor, before you performed the autopsy, did you check for a pulse?
 A: No.
 Q: Did you check for blood pressure?
 A: No.
 Q: Did you check for breathing?
 A: No.
 Q: So, is it possible that the patient was still alive when you began the autopsy?
 A: No.
 Q: How can you be so sure, Doctor?
 A: Because his brain was sitting on my desk in a jar.
 Q: But could the patient have been alive, nevertheless?
 A: Yes, it is possible that he could have been alive and practicing law somewhere.

Hydraulic

STEEL STRAIGHT THREAD O-RING ADAPTERS

Straights Pg. 200-205
Shapes Pg.206-210
Bulkheads Pg.210-211
Female Swivels Pg.224-227
O-Ring Fittings Pg.227-230

**SAE J514 O-RING STRAIGHT THREAD
FITTING PRESSURE RATINGS FOR STRAIGHT
AND ADJUSTABLE THREAD PORT STUDS**

CONFORMANCE

- SAE J514
- SAE J1926/1, SAE J1926/3
- ISO 11926-1, ISO 11926-3

MATERIALS

- Steel- SAE 12L14 Carbon steel plated zinc with yellow dichromate or bright iridite finish.

WORKING PRESSURES

The following table lists the recommended working pressures for steel O-ring Straight Thread Fittings made in accordance with SAE standard J514. Many factors such as surging, vibration, mechanical shock and over tightening may affect the integrity of the fitting connections. SAE recommends sufficient testing be conducted to assure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions. When using the fittings with different size or thread type, use the lower pressure rating of the two threads.

Caution: Although most O-ring Straight Thread Fittings have sufficient structural integrity to support the weight of many components, consult with our technical support department for guidance in selection of parts for this purpose.

Dash Size	Straight Thread	4 to 1 Minimum Burst PSI Straight O-ring	4 to 1 Minimum Burst PSI Adjustable O-ring
-2	5/16-24	5000	5000
-3	3/8-24	5000	5000
-4	7/16-20	5000	4500
-5	1/2-20	5000	4000
-6	9/16-16	5000	4000
-8	3/4-16	4500	4000
-10	7/8-14	3500	3000
-12	1 1/16-12	3500	3000
-14	1 3/16-12	3000	2500
-16	1 5/16-12	3000	2500
-20	1 5/8-12	2500	2000
-24	1 7/8-12	2000	1500
-32	2 1/2-12	1500	1125

**STEEL STRAIGHT THREAD O-RING
RECOMMENDED ASSEMBLY INSTRUCTIONS**

NON-ADJUSTABLE STUD

- Step 1.** Inspect port area to be free of any contaminant.
- Step 2.** Lubricate o-ring and threads on fitting.
- Step 3.** Turn fitting into port finger tight, then torque to the value shown in the following tables.

ADJUSTABLE STUD

- Step 1.** Follow steps 1 and 2 from the foregoing instructions, then proceed to the following steps below.
- Step 2.** Looking at fitting from end with nut/washer/O-ring assembly, turn nut clockwise as far as possible.
- Step 3.** Using wrench pad, turn fitting into port until the washer touches the port spot face. Continue turning fitting until washer touches the thread nearest wrench pad.
- Step 4.** Back off fitting counterclockwise not exceeding one revolution until it is orientated in the correct position.
- Step 5.** Place wrench on the wrench pad of fitting to prevent fitting from turning, and torque nut to the value shown in the following table.

J514 & J1926/3 TORQUE VALUES

Dash Size	Straight Thread	Straight Stud Torque	Adjustable Stud Torque
-2	5/16-24	6	6
-3	3/8-24	6	6
-4	7/16-20	9	8
-5	1/2-20	14	9
-6	9/16-18	18	12
-8	3/4-16	27	20
-10	7/8-14	36	30
-12	1 1/16-12	65	44
-14	1 3/16-12	75	53
-16	1 5/16-12	85	59
-20	1 5/8-12	115	75
-24	1 7/8-12	125	105
-32	2 1/2-12	290	225

J514 & J1926/2 TORQUE VALUES

Dash Size	Straight Thread	Straight Stud Torque	Adjustable Stud Torque
-2	5/16-24	NA	NA
-3	3/8-24	NA	NA
-4	7/16-20	14	11
-5	1/2-20	18	14
-6	9/16-18	24	18
-8	3/4-16	40	28
-10	7/8-14	55	44
-12	1 1/16-12	95	65
-14	1 3/16-12	105	75
-16	1 5/16-12	120	85
-20	1 5/8-12	160	115
-24	1 7/8-12	175	125

WHY WET TORQUE?

Due to the difference in plating types and thickness, materials, and thread quality of different components, the coefficient of friction varies greatly on any given assembly. Lubrication not only produces a more consistent coefficient of friction, it increases clamping force on sealing area with less torque on the threads. Overtightening causes threads to yield, deform and lose their ability to maintain an adequate load or clamping force on the seating area. Extended operation and severe conditions cause further yielding which results in leaks. Overtightening is the single greatest cause for leaks in metal to metal seat hydraulic connections. It is our firm position, that to not wet torque, is to compromise consistency and quality for convenience.

JIC to O-RING CONNECTOR



Part #	Thread		O-Ring	Price
	Size 1	Thread 2	Thread 2	
6400-2	5/16-24	5/16-24		7.31
6400-3	3/8-24	3/8-24		5.68
6400-4	7/16-20	7/16-20		1.12
6400-4-3	7/16-20	3/8-24		5.59
6400-4-5	7/16-20	1/2-20		2.49
6400-4-6	7/16-20	9/16-18		1.89
6400-4-8	7/16-20	3/4-16		3.57
6400-4-10	7/16-20	7/8-14		6.71
6400-5	1/2-20	1/2-20		1.76
6400-5-4	1/2-20	7/16-20		1.38
6400-5-6	1/2-20	9/16-18		3.44
6400-6	9/16-18	9/16-18		1.38
6400-6-4	9/16-18	7/16-20		2.11
6400-6-5	9/16-18	1/2-20		1.81
6400-6-8	9/16-18	3/4-16		2.06
6400-6-10	9/16-18	7/8-14		2.75
6400-6-12	9/16-18	1-1/16-12		7.78
6400-6-16	9/16-18	1-5/16-12		30.92
6400-8	3/4-16	3/4-16		2.11
6400-8-4	3/4-16	7/16-20		7.18
6400-8-6	3/4-16	9/16-18		2.15
6400-8-10	3/4-16	7/8-14		3.01
6400-8-12	3/4-16	1-1/16-12		4.56
6400-8-16	3/4-16	1-5/16-12		15.05
6400-10	7/8-14	7/8-14		2.66
6400-10-6	7/8-14	9/16-18		2.71
6400-10-8	7/8-14	3/4-16		2.71
6400-10-12	7/8-14	1-1/16-12		4.26
6400-10-16	7/8-14	1-5/16-12		9.98
6400-10-20	7/8-14	1-5/8-12		29.50
6400-12	1-1/16-12	1-1/16-12		4.26
6400-12-8	1-1/16-12	3/4-16		4.04
6400-12-10	1-1/16-12	7/8-14		4.17
6400-12-14	1-1/16-12	1-3/16-12		8.56
6400-12-16	1-1/16-12	1-5/16-12		6.28
6400-12-20	1-1/16-12	1-5/8-12		17.59
6400-14	1-3/16-12	1-3/16-12		6.75
6400-14-12	1-3/16-12	1-1/16-12		8.77
6400-14-16	1-3/16-12	1-5/16-12		10.49
6400-16	1-5/16-12	1-5/16-12		5.89
6400-16-10	1-5/16-12	7/8-14		11.22
6400-16-12	1-5/16-12	1-1/16-12		6.45
6400-16-14	1-5/16-12	1-3/16-12		13.12
6400-16-20	1-5/16-12	1-5/8-12		16.47
6400-16-24	1-5/16-12	1-7/8-12		32.85
6400-20	1-5/8-12	1-5/8-12		16.13
6400-20-12	1-5/8-12	1-1/16-12		25.80
6400-20-16	1-5/8-12	1-5/16-12		12.64
6400-20-24	1-5/8-12	1-7/8-12		26.19
6400-24	1-7/8-12	1-7/8-12		18.83
6400-24-20	1-7/8-12	1-5/8-12		27.39
6400-24-32	1-7/8-12	2-1/2-12		88.71
6400-32	2-1/2-12	2-1/2-12		148.42
6400-32-24	2-1/2-12	1-7/8-12		81.96

Also available in Stainless Steel

Also Available in restrictor

LONG JIC TO O-RING CONNECTOR



Part #	Thread		O-Ring	Length	Price
	Size 1	Thread 2	Thread 2		
6400-L-4	7/16-20	7/16-20		2.12"	4.86
6400-L-6	9/16-18	9/16-18		2.31"	5.12
6400-L-8	3/4-16	3/4-16		2.68"	8.17
6400-L-10	7/8-14	7/8-14		3.00"	10.58
6400-L-12	1-1/16-12	1-1/16-12		3.56"	19.18
6400-L-16	1-5/16-12	1-5/16-12		4.00"	26.36
6400-L-20	1-5/8-12	1-5/8-12		4.62"	47.13

Also available in Stainless Steel

O-RING TO PIPE ADAPTER



Part #	O-Ring		Male Pipe	Price
	Thread 1	Thread 2	Thread 2	
6401-4-2	7/16-20		1/8	1.81
6401-4-4	7/16-20		1/4	1.89
6401-5-2	1/2-20		1/8	3.05
6401-6-4	9/16-18		1/4	2.02
6401-6-6	9/16-18		3/8	2.37
6401-6-8	9/16-18		1/2	19.39
6401-8-6	3/4-16		3/8	3.05
6401-8-8	3/4-16		1/2	3.57
6401-8-12	3/4-16		3/4	13.80
6401-10-8	7/8-14		1/2	3.96
6401-12-8	1-1/16-12		1/2	11.09
6401-12-12	1-1/16-12		3/4	5.07
6401-16-16	1-5/16-12		1	8.64
6401-20-20	1-5/8-12		1-1/4	15.27
6401-24-24	1-7/8-12		1-1/2	39.00
6401-32-32	2-1/2-12		2	60.67

More sizes available

Some sizes available in Stainless Steel

**No word in the English
language rhymes with month,
orange, silver, or purple.**

**O-RING TO 37° JIC
SWIVEL ADAPTER**



Part #	O-Ring Thread 1	Thread Size 2	Price
6402-O-4-4	7/16-20	7/16-20	6.41
6402-O-5-5	1/2-20	1/2-20	52.16
6402-O-6-6	9/16-18	9/16-18	4.26
6402-O-6-8	9/16-18	3/4-16	4.21
6402-O-8-8	3/4-16	3/4-16	4.17
6402-O-8-6	3/4-16	9/16-18	7.18
6402-O-10-10	7/8-14	7/8-14	10.02
6402-O-12-12	1-1/16-12	1-1/16-12	12.00
6402-O-14-14	1-3/16-12	1-3/16-12	97.40
6402-O-16-16	1-5/16-12	1-5/16-12	19.65
6402-O-16-12	1-5/16-12	1-1/16-12	14.15
6402-O-20-20	1-5/8-12	1-5/8-12	46.27
6402-O-24-24	1-7/8-12	1-7/8-12	52.72

*Some sizes available in Stainless Steel
More sizes available*

O-RING HEX NIPPLE UNION



Part #	O-Ring Thread 1	O-Ring Thread 2	Price
6403-O-4	7/16-20	7/16-20	5.20
6403-O-6	9/16-18	9/16-18	5.20
6403-O-6-4	9/16-18	7/16-20	8.90
6403-O-8	3/4-16	3/4-16	6.75
6403-O-10	7/8-14	7/8-14	6.75
6403-O-10-8	7/8-14	3/4-16	7.48
6403-O-12	1-1/16-12	1-1/16-12	10.88
6403-O-12-8	1-1/16-12	3/4-16	13.80
6403-O-12-10	1-1/16-12	7/8-14	13.80
6403-O-16	1-5/16-12	1-5/16-12	12.77

More sizes available

George Bush:
When you rearrange the letters:
He bugs Gore

ADJUSTABLE O-RING HEX NIPPLE

SAE 090109A



Part #	O-Ring Thread 1	O-Ring Thread 2	Price
6403-AO-4	7/16-20	7/16-20	8.47
6403-AO-6	9/16-18	9/16-18	8.30
6403-AO-8	3/4-16	3/4-16	7.22
6403-AO-8-6	3/4-16	9/16-18	54.83
6403-AO-10	7/8-14	7/8-14	14.45
6403-AO-10-8	7/8-14	3/4-16	29.67
6403-AO-12	1-1/16-12	1-1/16-12	19.48
6403-AO-12-8	1-1/16-12	3/4-16	58.70
6403-AO-12-10	1-1/16-12	7/8-14	49.15
6403-AO-16	1-5/16-12	1-5/16-12	19.35
6403-AO-16-12	1-5/16-12	1-1/16-12	83.81
6403-AO-20	1-5/8-12	1-5/8-12	36.55
6403-AO-24	1-7/8-12	1-7/8-12	27.09
6403-AO-32	2-1/2-12	2-1/2-12	206.74

Also available in Stainless Steel

FEMALE O-RING TO MALE PIPE ADAPTER



Part #	O-Ring Thread 1	Male Pipe Thread 2	Price
6404-4-2	7/16-20	1/8	7.64
6404-4-4	7/16-20	1/4	6.41
6404-6-4	9/16-18	1/4	8.51
6404-6-6	9/16-18	3/8	5.16
6404-6-8	9/16-18	1/2	10.11
6404-8-4	3/4-16	1/4	18.32
6404-8-6	3/4-16	3/8	3.44
6404-8-8	3/4-16	1/2	4.64
6404-10-8	7/8-14	1/2	5.38
6404-10-12	7/8-14	3/4	22.49
6404-10-16	7/8-14	1	54.52
6404-12-12	1-1/16-12	3/4	11.74
6404-16-16	1-5/16-12	1	21.80
6404-20-20	1-5/8-12	1-1/4	48.12

More sizes available

The Morse Code:
When you rearrange the letters:
Here come dots

Slot Machines:
When you rearrange the letters:
Cash lost in em

O-RING TO FEMALE PIPE ADAPTER



Part #	O-Ring		Price
	Thread 1	Female Pipe Thread 2	
6405-O-2-2	5/16-24	1/8	30.40
6405-O-2-4	5/16	1/4	3.44
6405-O-3-2	3/8-24	1/8	21.33
6405-O-3-4	3/8-24	1/4	46.27
6405-O-4-2	7/16-20	1/8	2.06
6405-O-4-4	7/16-20	1/4	3.10
6405-O-5-2	1/2-20	1/8	3.57
6405-O-5-4	1/2-20	1/4	8.90
6405-O-6-2	9/16-18	1/8	7.70
6405-O-6-4	9/16-18	1/4	2.41
6405-O-6-6	9/16-18	3/8	3.14
6405-O-6-8	9/16-18	1/2	12.94
6405-O-6-12	9/16-18	3/4	23.31
6405-O-8-4	3/4-16	1/4	3.23
6405-O-8-6	3/4-16	3/8	2.92
6405-O-8-8	3/4-16	1/2	3.61
6405-O-8-12	3/4-16	3/4	18.83
6405-O-10-4	7/8-14	1/4	4.04
6405-O-10-6	7/8-14	3/8	3.70
6405-O-10-8	7/8-14	1/2	3.66
6405-O-10-12	7/8-14	3/4	9.93
6405-O-12-6	1-1/16-12	3/8	10.11
6405-O-12-8	1-1/16-12	1/2	5.33
6405-O-12-12	1-1/16-12	3/4	5.38
6405-O-12-16	1-1/16-12	1	38.61
6405-O-14-8	1-3/16-12	1/2	18.53
6405-O-14-12	1-3/16-12	3/4	8.99
6405-O-14-16	1-3/16-12	1	42.23
6405-O-16-6	1-5/16-12	3/8	14.32
6405-O-16-8	1-5/16-12	1/2	9.72
6405-O-16-12	1-5/16-12	3/4	6.45
6405-O-16-16	1-5/16-12	1	8.86
6405-O-16-20	1-5/16-12	1-1/4	24.77
6405-O-20-12	1-5/8-12	3/4	17.59
6405-O-20-20	1-5/8-12	1-1/4	15.74
6405-O-20-24	1-5/8-12	1-1/2	59.13
6405-O-24-16	1-7/8-12	1	27.56
6405-O-24-20	1-7/8-12	1-1/4	30.23
6405-O-24-24	1-7/8-12	1-1/2	30.83
6405-O-32-20	2-1/2-12	1-1/4	181.25
6405-O-32-24	2-1/2-12	1-1/2	107.50
6405-O-32-32	2-1/2-12	2	67.12

*Some sizes available in Stainless Steel
More sizes available*

O-RING HEX HEAD PLUG

SAE 090109A



Part #	O-Ring		Price
	Thread		
6408-O-2	5/16-24		0.77
6408-O-3	3/8-24		0.90
6408-O-4	7/16-20		0.90
6408-O-5	1/2-20		1.03
6408-O-6	9/16-18		0.86
6408-O-8	3/4-16		1.59
6408-O-10	7/8-14		1.94
6408-O-12	1-1/16-12		2.75
6408-O-14	1-3/16-20		4.26
6408-O-16	1-5/16-12		4.17
6408-O-20	1-5/8-12		7.48
6408-O-24	1-7/8-12		12.56
6408-O-32	2-1/2-12		47.34

Also available in Stainless Steel

**O-RING HOLLOW
HEX HEAD PLUG**



Part #	O-Ring		Price
	Thread		
6408-H-O-2	5/16-24		0.90
6408-H-O-3	3/8-24		0.86
6408-H-O-4	7/16-20		0.99
6408-H-O-5	1/2-20		1.29
6408-H-O-6	9/16-18		0.95
6408-H-O-8	3/4-16		1.63
6408-H-O-10	7/8-14		2.15
6408-H-O-12	1-1/16-12		3.10
6408-H-O-14	1-3/16-20		4.73
6408-H-O-16	1-5/16-12		4.21
6408-H-O-20	1-5/8-12		8.56
6408-H-O-24	1-7/8-12		12.30
6408-H-O-32	2-1/2-12		33.24

Also available in Stainless Steel

God gave us two ears but only one mouth. Some people say it's because He wanted us to spend twice as much time listening as talking. Others claim it's because He knew that listening was twice as hard.

**O-RING PORT
REDUCER/EXPANDER**



Part #	O-Ring Thread 1	O-Ring Thread 2	Price
6410-O-2-4	5/16-24	7/16-20	37.75
6410-O-4-5	7/16-20	1/2-20	41.45
6410-O-4-6	7/16-20	9/16-18	3.48
6410-O-6-4	9/16-18	7/16-20	3.27
6410-O-6-8	9/16-18	3/4-16	6.75
6410-O-8-4	3/4-16	7/16-20	5.33
6410-O-8-6	3/4-16	9/16-18	2.58
6410-O-8-10	3/4-16	7/8-14	4.86
6410-O-8-12	3/4-16	1-1/16-12	18.02
6410-O-10-4	7/8-14	7/16-20	7.74
6410-O-10-6	7/8-14	9/16-18	5.63
6410-O-10-8	7/8-14	3/4-16	3.61
6410-O-10-12	7/8-14	1-1/16-12	9.25
6410-O-12-4	1-1/16-12	7/16-20	19.26
6410-O-12-6	1-1/16-12	9/16-18	13.50
6410-O-12-8	1-1/16-12	3/4-16	5.81
6410-O-12-10	1-1/16-12	7/8-14	6.92
6410-O-12-14	1-1/16-12	1-3/16-12	43.09
6410-O-12-16	1-1/16-12	1-5/16-12	22.02
6410-O-14-8	1-3/16-12	3/4-16	23.87
6410-O-14-10	1-3/16-12	7/8-14	15.70
6410-O-14-12	1-3/16-12	1-1/16-12	9.93
6410-O-16-6	1-5/16-12	9/16-18	17.20
6410-O-16-8	1-5/16-12	3/4-16	9.46
6410-O-16-10	1-5/16-12	7/8-14	12.26
6410-O-16-12	1-5/16-12	1-1/16-12	7.48
6410-O-16-14	1-5/16-12	1-3/16-12	35.09
6410-O-16-20	1-5/16-12	1-5/8-12	61.83
6410-O-20-10	1-5/8-12	7/8-14	33.63
6410-O-20-12	1-5/8-12	1-1/16-12	23.65
6410-O-20-16	1-5/8-12	1-5/16-12	17.97
6410-O-20-24	1-5/8-12	1-7/8-12	48.03
6410-O-24-12	1-7/8-12	1-1/16-12	23.52
6410-O-24-16	1-7/8-12	1-5/16-12	32.25
6410-O-24-20	1-7/8-12	1-5/8-12	28.85
6410-O-32-16	2-1/2-12	1-5/16-12	150.50
6410-O-32-20	2-1/2-12	1-5/8-12	94.17
6410-O-32-24	2-1/2-12	1-7/8-12	68.37

Some sizes available in Stainless Steel

More sizes available

Available in an extender

**A ship in a safe harbor is safe,
but that is not what a ship is
built for.**

-William Shedd

FEMALE SWIVELS STEEL FLARE

JIC SWIVEL NUT ELBOW

SAE 070221
MS 51521



Part #	JIC Thread Size 1	JIC Thread Size 2	Price
6500-4	7/16-20	7/16-20	3.35
6500-5	1/2-20	1/2-20	4.39
6500-6	9/16-18	9/16-18	4.04
6500-8	3/4-16	3/4-16	5.93
6500-8-6	3/4-16	9/16-18	6.79
6500-10	7/8-14	7/8-14	7.61
6500-10-8	7/8-14	3/4-16	7.83
6500-12	1-1/16-12	1-1/16-12	11.22
6500-12-10	1-1/16-12	7/8-14	22.06
6500-14	1-3/16-12	1-3/16-12	21.20
6500-16	1-5/16-12	1-5/16-12	18.40
6500-20	1-5/8-12	1-5/8-12	35.35
6500-24	1-7/8-12	1-7/8-12	50.83
6500-32	2-1/2-12	2-1/2-12	120.57

More sizes available

Some sizes available in Stainless Steel

JIC SWIVEL TO MALE PIPE ELBOW



Part #	JIC Thread Size 1	Male Pipe Thread 2	Price
6501-4-2	7/16-20	1/8	3.31
6501-4-4	7/16-20	1/4	3.96
6501-6-4	9/16-18	1/4	4.56
6501-6-6	9/16-18	3/8	6.15
6501-8-6	3/4-16	3/8	5.98
6501-8-8	3/4-16	1/2	6.71
6501-10-8	7/8-14	1/2	7.70
6501-12-12	1-1/16-12	3/4	10.75
6501-14-12	1-3/16-12	3/4	45.49
6501-16-16	1-5/16-12	1	19.65
6501-20-20	1-5/8-12	1-1/4	35.55
6501-24-24	1-7/8-12	1-1/2	48.93
6501-32-32	2-1/2-12	2	258.04

Also available in Stainless Steel

More sizes available

JIC SWIVEL 45° ELBOW



Part #	JIC Thread		Price
	Size 1	Size 2	
6502-4	7/16-20	7/16-20	4.82
6502-5	1/2-20	1/2-20	7.74
6502-6	9/16-18	9/16-18	4.73
6502-8	3/4-16	3/4-16	6.11
6502-10	7/8-14	7/8-14	9.16
6502-12	1-1/16-12	1-1/16-12	11.14
6502-14	1-3/16-12	1-3/16-12	20.38
6502-16	1-5/16-12	1-5/16-12	18.58
6502-20	1-5/8-12	1-5/8-12	34.14
6502-24	1-7/8-12	1-7/8-12	51.56
6502-32	2-1/2-12	2-1/2-12	126.51

Some sizes available in Stainless Steel

**JIC SWIVEL TO FEMALE
PIPE ELBOW**



Part #	JIC Thread		Female Pipe Thread 2	Price
	Size 1	Size 2		
6503-6-4	9/16-18	1/4	8.82	
6503-6-6	9/16-18	3/8	13.37	
6503-8-6	3/4-16	3/8	23.48	
6503-8-8	3/4-16	1/2	15.78	
6503-10-8	7/8-14	1/2	30.83	
6503-12-12	1-1/16-12	3/4	38.18	

*Also available in Stainless Steel
More sizes available*

JIC SWIVEL CONNECTOR



Part #	JIC Thread		Price
	Size 1	Size 2	
6504-4-4	7/16-20	7/16-20	6.62
6504-5-5	1/2-20	1/2-20	19.44
6504-6-6	9/16-18	9/16-18	5.59
6504-8-8	3/4-16	3/4-16	10.11
6504-8-10	3/4-16	7/8-14	19.52
6504-10-10	7/8-14	7/8-14	11.91
6504-12-12	1-1/16-12	1-1/16-12	15.22
6504-16-16	1-5/16-12	1-5/16-12	22.32
6504-20-20	1-5/8-12	1-5/8-12	46.10
6504-24-24	1-7/8-12	1-7/8-12	46.44
6504-32-32	2-1/2-12	2-1/2-12	165.46

**JIC SWIVEL TO MALE
PIPE ADAPTER**



Part #	JIC Thread		Male Pipe Thread 2	Price
	Size 1	Size 2		
6505-4-2	7/16-20	1/8	3.87	
6505-4-4	7/16-20	1/4	3.10	
6505-5-4	1/2-20	1/4	9.29	
6505-6-4	9/16-18	1/4	3.57	
6505-6-6	9/16-18	3/8	3.66	
6505-8-6	3/4-16	3/8	6.24	
6505-8-8	3/4-16	1/2	4.39	
6505-10-8	7/8-14	1/2	5.68	
6505-10-12	7/8-14	3/4	17.76	
6505-12-8	1-1/16-12	1/2	14.32	
6505-12-12	1-1/16-12	3/4	7.61	
6505-16-12	1-5/16-12	3/4	28.29	
6505-16-16	1-5/16-12	1	14.79	
6505-20-20	1-5/8-12	1-1/4	23.99	
6505-24-24	1-7/8-12	1-1/2	49.45	
6505-32-32	2-1/2-12	2	119.07	

Also available in Stainless Steel

**JIC SWIVEL TO FEMALE
PIPE ADAPTER**



Part #	JIC Thread		Female Pipe Thread 2	Price
	Size 1	Size 2		
6506-4-2	7/16-20	1/8	17.37	
6506-4-4	7/16-20	1/4	7.22	
6506-6-4	9/16-18	1/4	8.94	
6506-6-6	9/16-18	3/8	5.81	
6506-6-8	9/16-18	1/2	4.64	
6506-8-6	3/4-16	3/8	7.31	
6506-8-8	3/4-16	1/2	7.53	
6506-8-12	3/4-16	3/4	17.16	
6506-10-6	7/8-14	3/8	15.39	
6506-10-8	7/8-14	1/2	7.65	
6506-10-12	7/8-14	3/4	15.70	
6506-12-8	1-1/16-12	1/2	20.04	
6506-12-12	1-1/16-12	3/4	10.66	
6506-14-12	1-3/16-12	3/4	20.94	
6506-16-16	1-5/16-12	1	19.91	
6506-20-20	1-5/8-12	1-1/4	39.30	
6506-24-24	1-7/8-12	1-1/2	45.11	
6506-32-32	2-1/2-12	2	172.65	

*More sizes available
Also available in Stainless Steel*


JIC SWIVEL BRANCH TEE



Part #	JIC Thread Size	JIC Female Thread	Price
6600-4-4	7/16-20	7/16-20	5.20
6600-5-5	1/2-20	1/2-20	7.22
6600-6-6	9/16-18	9/16-18	5.76
6600-8-8	3/4-16	3/4-16	7.78
6600-10	7/8-14	7/8-14	9.55
6600-12	1-1/16-12	1-1/16-12	14.58
6600-14	1-3/16-12	1-3/16-12	25.54
6600-16	1-5/16-12	1-5/16-12	20.38
6600-20	1-5/8-12	1-5/8-12	53.32
6600-24	1-7/8-12	1-7/8-12	80.50
6600-32	2-1/2-12	2-1/2-2	322.50

Also available in stainless steel

JIC SWIVEL RUN TEE



Part #	JIC Thread Size	JIC Female Thread	Price
6602-4	7/16-20	7/16 - 20	5.25
6602-5	1/2-20	1/2-20	7.40
6602-6	9/16-18	9/16-18	5.98
6602-8	3/4-16	3/4-16	8.00
6602-10	7/8-14	7/8-14	15.27
6602-12	1-1/16-12	1-1/16-12	15.05
6602-14	1-3/16-12	1-3/16-12	30.10
6602-16	1-5/16-12	1-5/16-12	25.07
6602-20	1-5/8-12	1-5/8-12	42.48
6602-24	1-7/8-12	1-7/8-12	59.64
6602-32	2-1/2-12	2-1/2-12	236.50

*More sizes available
Also available in Stainless Steel*

JIC BENT TUBE SWIVEL NUT ELBOW



Part #	JIC Thread Size 1	JIC Thread Size 2	Price
6701-4	7/16-20	7/16-20	19.74
6701-6	9/16-18	9/16-18	19.14
6701-8	3/4-16	3/4-16	20.73
6701-10	7/8-14	7/8-14	30.96
6701-12	1-1/16-12	1-1/16-12	33.20
6701-16	1-5/16-12	1-5/16-12	48.76
6701-20	1-5/8-12	1-5/8-12	62.74
6701-24	1-7/8-12	1-7/8-12	279.37

JIC LONG BENT TUBE SWIVEL NUT ELBOW



Part #	JIC Thread Size 1	JIC Thread 2	Price
6701-L-4	7/16-20	7/16-20	26.23
6701-L-6	9/16-18	9/16-18	20.60
6701-L-8	3/4-16	3/4-16	24.25
6701-L-10	7/8-14	7/8-14	26.40
6701-L-12	1-1/16-12	1-1/16-12	32.47
6701-L-16	1-5/16-12	1-5/16-12	41.97
6701-L-20	1-5/8-12	1-5/8-12	103.20

JIC EXTRA HEAVY BENT TUBE SWIVEL NUT ELBOW



Part #	JIC Thread Size 1	JIC Thread 2	Price
6701-XH-8	3/4-16	3/4-16	151.36
6701-XH-12	1-1/16-12	1-1/16-12	152.99
6701-XH-16	1-5/16-12	1-5/16-12	172.13
6701-XH-20	1-5/8-12	1-5/8-12	385.02
6701-XH-24	1-7/8-12	1-7/8-12	220.46

Meets SAE 100R10 pressures

Maine is the only state
(in USA) whose name is
just one syllable

"If I had to live my life again
I'd make all the same mistakes
- only sooner."

-Tallulah Bankhead

JIC EXTRA HEAVY LONG BENT TUBE SWIVEL NUT ELBOW



Meets SAE 100R10 pressures

Part #	Thread		Price
	Size 1	Size 2	
6701-LXH-8.....	3/4-16	3/4-16.....	205.54
6701-LXH-12.....	1-1/16-12.....	1-1/16-12.....	125.60
6701-LXH-16.....	1-5/16-12.....	1-5/16-12.....	197.24
6701-LXH-20.....	1-5/8-12.....	1-5/8-12.....	POR

JIC 45° BENT TUBE SWIVEL NUT ELBOW



Part #	Thread		Price
	Size 1	Size 2	
6702-6	9/16-18.....	9/16-18.....	25.50
6702-8	3/4-16.....	3/4-16.....	27.74
6702-10	7/8-14.....	7/8-14.....	27.86
6702-12	1-1/16-12.....	1-1/16-12.....	40.98
6702-16	1-5/16-12.....	1-5/16-12.....	48.85

Nothing in the world will take the place of persistence. Talent will not; nothing is more common than the unsuccessful person with talent. Genius will not; unrewarded genius is almost a proverb. Education will not; the world is full of educated derelicts. Persistence and determination alone are omnipotent. The slogan "press on" has solved and always will solve the problems of the human race.

-Calvin Coolidge

STEEL SAE O-RING FITTINGS

JIC TO O-RING ELBOW CONNECTOR

SAE 070220 MS 51527



Part #	Thread		Price
	Size 1	Thread 2	
6801-NWO-2	5/16-24	5/16-24.....	36.55
6801-NWO-3	3/8-24	3/8-24.....	7.05
6801-NWO-4	7/16-20	7/16-20.....	3.57
6801-NWO-4-3	7/16-20	3/8-24	108.10
6801-NWO-4-5	7/16-20	1/2-20.....	4.86
6801-NWO-4-6	7/16-20	9/16-18.....	4.39
6801-NWO-4-8	7/16-20	3/4-16.....	6.71
6801-NWO-5	1/2-20	1/2-20.....	4.86
6801-NWO-5-4	1/2-20	7/16-20.....	4.73
6801-NWO-5-6	1/2-20	8/16-18.....	5.98
6801-NWO-6	9/16-18	9/16-18.....	4.26
6801-NWO-6-4	9/16-18	7/16-20.....	4.34
6801-NWO-6-5	9/16-18	1/2-20.....	4.69
6801-NWO-6-8	9/16-18	3/4-16.....	6.45
6801-NWO-6-10	9/16-18	7/8-14.....	7.14
6801-NWO-6-12	9/16-18	1-1/16-12.....	10.75
6801-NWO-8	3/4-16	3/4-16.....	6.15
6801-NWO-8-6	3/4-16	9/16-18.....	5.98
6801-NWO-8-10	3/4-16	7/8-14.....	7.40
6801-NWO-8-12	3/4-16	1-1/16-12.....	8.99
6801-NWO-8-16	3/4-16	1-5/16-12.....	15.18
6801-NWO-10	7/8-14	7/8-14.....	8.60
6801-NWO-10-6	7/8-14	9/16-18.....	8.86
6801-NWO-10-8	7/8-14	3/4-16.....	7.61
6801-NWO-10-12	7/8-14	1-1/16-12.....	12.38
6801-NWO-10-16	7/8-14	1-5/16-12.....	15.78
6801-NWO-12	1-1/16-12	1-1/16-12.....	11.18
6801-NWO-12-8	1-1/16-12	3/4-16.....	10.49
6801-NWO-12-10	1-1/16-12	7/8-14.....	12.38
6801-NWO-12-14	1-1/16-12	1-3/16-12.....	20.43
6801-NWO-12-16	1-1/16-12	1-5/16-12.....	17.72
6801-NWO-12-20	1-1/16-12	1-5/8-12.....	22.02
6801-NWO-14	1-3/16-12	1-3/16-12.....	19.05
6801-NWO-14-12	1-3/16-12	1-1/16-12.....	21.59
6801-NWO-14-16	1-3/16-12	1-5/16-12.....	30.49
6801-NWO-16	1-5/16-12	1-5/16-12.....	19.05
6801-NWO-16-12	1-5/16-12	1-1/16-12.....	16.94
6801-NWO-16-14	1-5/16-12	1-3/16-12.....	28.29
6801-NWO-16-20	1-5/16-12	1-5/8-12.....	27.95
6801-NWO-20	1-5/8-12	1-5/8-12.....	29.46
6801-NWO-20-12	1-5/8-12	1-1/16-12.....	40.98
6801-NWO-20-16	1-5/8-12	1-5/16-12.....	28.98
6801-NWO-20-24	1-5/8-12	1-7/8-12.....	44.85
6801-NWO-24	1-7/8-12	1-7/8-12.....	45.45
6801-NWO-24-20	1-7/8-12	1-5/8-12.....	42.66
6801-NWO-32	2-1/2-12	2-1/2-12.....	107.67

*Some sizes available in Stainless Steel
More sizes available*

Hydraulic

LONG JIC TO O-RING ELBOW



Part #	Thread	O-Ring	Price
	Size 1	Thread 2	
6801-L-NWO-4	7/16-20	7/16-20	7.70
6801-L-NWO-6	9/16-18	9/16-18	5.25
6801-L-NWO-6-8	9/16-18	3/4-16	6.75
6801-L-NWO-8	3/4-16	3/4-16	9.63
6801-L-NWO-8-10	3/4-16	7/8-14	11.48
6801-L-NWO-10	7/8-14	7/8-14	11.95
6801-LNWO-12	1-1/16-12	1-1/16-12	16.64
6801-LNWO-16	1-5/16-12	1-5/16-12	38.92

More sizes available

EXTRA LONG JIC TO O-RING ELBOW



Part #	Thread	O-Ring	Price
	Size 1	Thread 2	
6801-LL-NWO-4	7/16-20	7/16-20	9.50
6801-LL-NWO-6	9/16-18	9/16-18	5.72
6801-LL-NWO-6-8	9/16-18	3/4-16	9.16
6801-LL-NWO-8	3/4-16	3/4-16	8.69
6801-LL-NWO-8-10	3/4-16	7/8-14	10.97
6801-LL-NWO-10	7/8-14	7/8-14	12.47
6801-LL-NWO-12	1-1/16-12	1-1/16-12	16.00
6801-LL-NWO-16	1-5/16-12	1-5/16-12	25.54

More sizes available

EXTRA-EXTRA LONG STRAIGHT THREAD ELBOW



Part #	Thread	O-Ring	Price
	Size 1	Thread 2	
6801-LLL-NWO-6*	9/16-18	9/16-18	30.70
6801-LLL-NWO-8	3/4-16	3/4-16	16.47
6801-LLL-NWO-10*	7/8-14	7/8-14	79.64

**Braze-on Style*

JIC TO O-RING SWIVEL ELBOW



Swivel for installation only

Part #	Thread	O-Ring	Price
	Size 1	Thread 2	
6801-NWS-6-6	9/16-18	9/16-18	19.35
6801-NWS-8-8	3/4-16	3/4-16	25.37
6801-NWS-10-10	7/8-14	7/8-14	29.67

STRAIGHT THREAD 45° ELBOW

SAE 070320
MS 51528



Part #	Thread	O-Ring	Price
	Size 1	Thread 2	
6802-NWO-4	7/16-20	7/16-20	5.12
6802-NWO-4-6	7/16-20	9/16-18	5.98
6802-NWO-4-8	7/16-20	3/4-16	6.19
6802-NWO-5	1/2-20	1/2-20	6.92
6802-NWO-5-8	1/2-20	3/4-16	60.67
6802-NWO-6	9/16-18	9/16-18	5.50
6802-NWO-6-8	9/16-18	3/4-16	7.14
6802-NWO-6-10	9/16-18	7/8-14	7.74
6802-NWO-8	3/4-16	3/4-16	7.40
6802-NWO-8-6	3/4-16	9/16-18	7.61
6802-NWO-8-10	3/4-16	7/8-14	9.50
6802-NWO-8-12	3/4-16	1-1/16-12	10.19
6802-NWO-10	7/8-14	7/8-14	11.35
6802-NWO-10-8	7/8-14	3/4-16	9.80
6802-NWO-10-12	7/8-14	1-1/16-12	11.09
6802-NWO-12	1-1/16-12	1-1/16-12	12.38
6802-NWO-12-14	1-1/16-12	1-3/16-12	56.59
6802-NWO-12-16	1-1/16-12	1-5/16-12	20.08
6802-NWO-14	1-3/16-12	1-3/16-12	27.95
6802-NWO-16	1-5/16-12	1-5/16-12	19.05
6802-NWO-16-12	1-5/16-12	1-1/16-12	19.05
6802-NWO-16-20	1-5/16-12	1-5/8-12	73.06
6802-NWO-20	1-5/8-12	1-5/8-12	33.11
6802-NWO-20-16	1-5/8-12	1-5/16-12	39.43
6802-NWO-24	1-7/8-12	1-7/8-12	45.45
6802-NWO-32	2-1/2-12	2-1/2-12	244.20

*Some sizes available in Stainless Steel
more sizes available*

JIC TO O-RING BRANCH TEE

SAE 070429
MS 51529



Part #	Thread Size 1 & 2	O-Ring Thread 3	Price
6803-NWO-4	7/16-20	7/16-20	5.25
6803-NWO-5	1/2-20	1/2-20	7.87
6803-NWO-6	9/16-18	9/16-18	6.41
6803-NWO-6-8	9/16-18	3/4-16	16.00
6803-NWO-8	3/4-16	3/4-16	8.34
6803-NWO-8-10	3/4-16	7/8-14	23.56
6803-NWO-10	7/8-14	7/8-14	11.57
6803-NWO-12	1-1/16-12	1-1/16-12	16.30
6803-NWO-14	1-3/16-12	1-3/16-12	29.28
6803-NWO-16	1-5/16-12	1-5/16-12	26.23
6803-NWO-16-12	1-5/16-12	1-1/16-12	45.67
6803-NWO-20	1-5/8-12	1-5/8-12	48.33
6803-NWO-24	1-7/8-12	1-7/8-12	75.38
6803-NWO-32	2-1/2-12	2-1/2-12	529.24

*Some sizes available in Stainless Steel
More sizes available*

JIC TO O-RING RUN TEE

SAE 070428
MS 51530



Part #	Thread Size 1 & 3	O-Ring Thread 2	Price
6804-NWO-4	7/16-20	7/16-20	5.68
6804-NWO-5	1/2-20	1/2-20	6.62
6804-NWO-6	9/16-18	9/16-18	6.62
6804-NWO-6-8	9/16-18	3/4-16	26.27
6804-NWO-8	3/4-16	3/4-16	8.73
6804-NWO-8-10	3/4-16	7/8-14	31.18
6804-NWO-10	7/8-14	7/8-14	12.17
6804-NWO-12	1-1/16-12	1-1/16-12	16.73
6804-NWO-14	1-3/16-12	1-3/16-12	34.36
6804-NWO-16	1-5/16-12	1-5/16-12	27.82
6804-NWO-16-12	1-5/16-12	1-1/16-12	38.92
6804-NWO-20	1-5/8-12	1-5/8-12	44.03
6804-NWO-24	1-7/8-12	1-7/8-12	59.73
6804-NWO-32	2-1/2-12	2-1/2-12	169.51

*More sizes available
Also available in stainless steel*

O-RING TO FEMALE PIPE ELBOW



Part #	O-Ring Thread 1	Pipe Thread 2	Price
6805-NWO-4-2	7/16-20	1/8	5.25
6805-NWO-4-4	7/16-20	1/4	6.92
6805-NWO-5-2	1/2-20	1/8	7.96
6805-NWO-6-4	9/16-18	1/4	5.68
6805-NWO-6-6	9/16-18	3/8	8.56
6805-NWO-8-6	3/4-16	3/8	6.62
6805-NWO-8-8	3/4-16	1/2	11.22
6805-NWO-10-8	7/8-14	1/2	11.44
6805-NWO-12-12	1-1/16-12	3/4	15.52
6805-NWO-14-12	1-3/16-12	3/4	40.51
6805-NWO-16-16	1-5/16-12	1	23.82
6805-NWO-20-20	1-5/8-12	1-1/4	38.96
6805-NWO-24-24	1-7/8-12	1-1/2	62.35
6805-NWO-32-32	2-1/2-12	2	386.44

More sizes available

EXTRA LONG O-RING TO FEMALE PIPE ELBOW



Part #	O-Ring Thread 1	Pipe Thread 2	Price
6805-LL-8-6	3/4-16	3/8	48.55
6805-LL-10-8	7/8-14	1/2	48.42
6805-LL-12-12	1-1/16-12	3/4	72.33
6805-LL-16-16	1-5/16-12	1	121.95

One of the most lasting pleasures you can experience is the feeling that comes over you when you genuinely forgive an enemy - whether he knows about it or not.

-A. Battista

O-RING TO MALE PIPE ELBOW



Part #	O-Ring Thread 1	Pipe Thread 2	Price
6806-NWO-4-2	7/16-20	1/8	4.26
6806-NWO-4-4	7/16-20	1/4	5.72
6806-NWO-6-4	9/16-18	1/4	5.25
6806-NWO-6-6	9/16-18	3/8	9.33
6806-NWO-8-6	3/4-16	3/8	6.97
6806-NWO-8-8	3/4-16	1/2	7.44
6806-NWO-10-8	7/8-14	1/2	105.01
6806-NWO-12-12	1-1/16-12	3/4	13.29
6806-NWO-16-16	1-5/16-12	1	21.46
6806-NWO-20-20	1-5/8-12	1-1/4	105.15
6806-NWO-24-24	1-7/8-12	1-1/2	51.56
6806-NWO-32-32	2-1/2-12	2	240.07

More sizes available

STRAIGHT THREAD TO STRAIGHT THREAD



Part #	O-Ring Thread Size 1 & 2	Price
6807-NWO-4-4	7/16-20	7.40
6807-NWO-6-6	9/16-18	7.61
6807-NWO-8-8	3/4-16	9.80
6807-NWO-10-10	7/8-14	17.59
6807-NWO-12-12	1-1/16-12	15.74
6807-NWO-16-16	1-5/16-12	39.22
6807-NWO-20-20	1-5/8-12	57.28
6807-NWO-24-24	1-7/8-12	86.82

More sizes available

37° JIC SWIVEL NUT TO O-RING ELBOW



Part #	O-Ring Thread 1	JIC Thread 2	Price
6809-NWO-4-4	7/16-20	7/16-20	6.45
6809-NWO-6-6	9/16-18	9/16-18	7.40
6809-NWO-8-8	3/4-16	3/4-16	9.80
6809-NWO-8-10	3/4-16	7/8-16	32.16
6809-NWO-10-10	7/8-14	7/8-14	11.61
6809-NWO-12-12	1-1/16-12	1-1/16-12	17.07
6809-NWO-16-16	1-5/16-12	1-5/16-12	37.84
6809-NWO-20-20	1-5/8-12	1-5/8-12	71.64

FEMALE O-RING TO MALE O-RING ELBOW



Part #	O-Ring Thread 1	O-Ring Thread 2	Price
6815-NWO-6-6	9/16-18	9/16-18	23.65
6815-NWO-8-8	3/4-16	3/4-16	15.05
6815-NWO-10-10	7/8-14	7/8-14	45.02
6815-NWO-12-12	1-1/16-12	1-1/16-12	33.11

O-RING TO FEMALE PIPE BRANCH TEE



Part #	O-Ring Thread 1	Pipe Thread 2	Price
6855-NWO-6-4	9/16-18	1/4	19.31
6855-NWO-6-6	9/16-18	3/8	27.43

After a While

After a while you learn the subtle difference between holding a hand and chaining a soul,

And you learn that love dosen't mean leaning and company dosen't mean security, And you begin to learn that kisses aren't contracts and presents aren't promises, And you begin to accept your defeats with your head up and your eyes open, with the grace of an adult, not the grief of a child, And you learn to build all your roads on today, because tomorrow's ground is too uncertain for plans.

After a while you learn that even sunshine burns if you get too much.

So plant your own garden and decorate your own soul, instead of waiting for someone to bring you flowers.

-Author Unknown

O-RING SWIVEL ADAPTER

SAE 140157



Part #	O-Ring Thread 1	Female NPSM 2	Price
6900-O-4-2	7/16-20	1/8	1.89
6900-O-4-4	7/16-20	1/4	2.92
6900-O-4-6	7/16-20	3/8	13.89
6900-O-4-8	7/16-20	1/2	14.92
6900-O-5-4	1/2-20	1/4	6.02
6900-O-6-4	9/16-18	1/4	2.71
6900-O-6-6	9/16-18	3/8	2.92
6900-O-6-8	9/16-18	1/2	6.19
6900-O-8-4	3/4-16	1/4	4.17
6900-O-8-6	3/4-16	3/8	3.61
6900-O-8-8	3/4-16	1/2	3.48
6900-O-8-12	3/4-16	3/4	8.04
6900-O-10-4	7/8-14	1/4	37.15
6900-O-10-6	7/8-14	3/8	5.50
6900-O-10-8	7/8-14	1/2	4.21
6900-O-10-12	7/8-14	3/4	6.28
6900-O-10-16	7/8-14	1	POR
6900-O-12-6	1-1/16-12	3/8	20.12
6900-O-12-8	1-1/16-12	1/2	5.81
6900-O-12-12	1-1/16-12	3/4	6.71
6900-O-12-16	1-1/16-12	1	19.18
6900-O-14-8	1-3/16-12	1/2	69.88
6900-O-14-12	1-3/16-12	3/4	17.97
6900-O-16-8	1-5/16-12	1/2	40.25
6900-O-16-12	1-5/16-12	3/4	13.07
6900-O-16-16	1-5/16-12	1	9.68
6900-O-16-20	1-5/16-12	1-1/4	33.20
6900-O-20-12	1-5/8-12	3/4	45.15
6900-O-20-16	1-5/8-12	1	24.81
6900-O-20-20	1-5/8-12	1-1/4	26.53
6900-O-24-24	1-7/8-12	1-1/2	63.77
6900-O-32-32	2-1/2-12	2	142.24

More sizes available

The manner in which it is given is worth more than the gift.
-Pierre Corneille


90° O-RING SWIVEL ADAPTER



Part #	O-Ring Thread 1	Female Pipe NPSM 2	Price
6901-NWO-4-2*	7/16-20	1/8	11.48
6901-NWO-4-4	7/16-20	1/4	5.03
6901-NWO-4-6*	7/16-20	3/8	14.02
6901-NWO-6-4	9/16-18	1/4	4.69
6901-NWO-6-6	9/16-18	3/8	6.32
6901-NWO-6-8	9/16-18	1/2	11.31
6901-NWO-8-4*	3/4-16	1/4	6.79
6901-NWO-8-6	3/4-16	3/8	6.32
6901-NWO-8-8	3/4-16	1/2	6.97
6901-NWO-8-12	3/4-16	3/4	12.86
6901-NWO-10-4*	7/8-14	1/4	15.65
6901-NWO-10-6	7/8-14	3/8	9.55
6901-NWO-10-8	7/8-14	1/2	7.74
6901-NWO-10-12	7/8-14	3/4	13.72
6901-NWO-12-6*	1-1/16-12	3/8	10.66
6901-NWO-12-8	1-1/16-12	1/2	12.86
6901-NWO-12-12	1-1/16-12	3/4	13.12
6901-NWO-12-16*	1-1/16-12	1	15.70
6901-NWO-14-12*	1-3/16-12	3/4	33.58
6901-NWO-16-12*	1-5/16-12	3/4	19.82
6901-NWO-16-16	1-5/16-12	1	21.46
6901-NWO-16-20*	1-5/16-12	1-1/4	41.80
6901-NWO-20-12*	1-5/8-12	3/4	55.43
6901-NWO-20-16	1-5/8-12	1	25.46
6901-NWO-20-20	1-5/8-12	1-1/4	39.34
6901-NWO-24-24*	1-7/8-12	1-1/2	95.59
6901-NWO-32-32*	2-1/2-12	2	139.11

**Braze-on Style Available*

O-RING SWIVEL TEE



Part #	O-Ring Thread 1	Female NPSM 2 & 3	Price
6911-NWO-4-4	7/16-20	1/4	54.18
6911-NWO-6-6	9/16-18	3/8	57.79
6911-NWO-8-8	3/4-16	1/2	41.37
6911-NWO-10-8	7/8-14	1/2	POR
6911-NWO-12-12	1-1/16-12	3/4	81.96

More sizes available

45° O-RING SWIVEL ADAPTER



Part #	O-Ring Thread 1	Female NPSM 2	Price
6902-NWO-4-2	7/16-20	1/8	4.99
6902-NWO-4-4	7/16-20	1/4	7.61
6902-NWO-4-6	7/16-20	3/8	17.16
6902-NWO-6-4	9/16-18	1/4	7.18
6902-NWO-6-6	9/16-18	3/8	7.83
6902-NWO-6-8	9/16-18	1/2	8.17
6902-NWO-8-4	3/4-16	1/4	18.75
6902-NWO-8-6	3/4-16	3/8	8.64
6902-NWO-8-8	3/4-16	1/2	8.64
6902-NWO-8-12	3/4-16	3/4	25.33
6902-NWO-10-6	7/8-14	3/8	9.37
6902-NWO-10-8	7/8-14	1/2	9.89
6902-NWO-10-12	7/8-14	3/4	18.02
6902-NWO-12-8	1-1/16-12	1/2	11.27
6902-NWO-12-12	1-1/16-12	3/4	16.00
6902-NWO-12-16	1-1/16-12	1	74.52
6902-NWO-16-12	1-5/16-12	3/4	16.86
6902-NWO-16-16	1-5/16-12	1	20.77
6902-NWO-20-20	1-5/8-12	1-1/4	79.08
6902-NWO-24-24	1-7/8-12	1-1/2	126.85

More sizes available

A wife invited some people to dinner. At the table, she turned to their six-year-old daughter and said, "Would you like to say the blessing?" "I wouldn't know what to say," the girl replied. "Just say what you hear Mommy say," the wife answered. The daughter bowed her head and said, "Lord, why on earth did I invite all these people to dinner?"

O-RINGS

SAE BOSS VITON O-RING

Fluorocarbon



Part #	Boss Straight Thread	O-Ring I.D.	Price
4001-2-2	5/16-24	.239	0.54
4001-3-3	3/8-24	.301	0.58
4001-4-4	7/16-20	.351	0.69
4001-5-5	1/2-20	.414	1.08
4001-6-6	9/16-18	.468	0.77
4001-8-8	3/4-16	.644	1.12
4001-10	7/8-14	.755	1.55
4001-12	1-1/16-12	.924	1.72
4001-14	1-3/16-12	1.048	3.14
4001-16	1-5/16-12	1.171	2.49
4001-20	1-5/8-12	1.475	3.66
4001-24	1-7/8-12	1.720	9.37
4001-32	2-1/2-12	2.337	12.94

SAE BOSS BUNA O-RING



Part #	Boss Straight Thread	O-Ring I.D.	Price
4000-2-2	5/16-24	.239	0.77
4000-3-3	3/8-24	.301	0.77
4000-4-4	7/16-20	.351	0.30
4000-5-5	1/2-20	.414	0.30
4000-6-6	9/16-18	.468	0.30
4000-8-8	3/4-16	.644	0.34
4000-10	7/8-14	.755	0.34
4000-12	1-1/16-12	.924	0.39
4000-14	1-3/16-12	1.048	0.69
4000-16	1-5/16-12	1.171	0.60
4000-20	1-5/8-12	1.475	0.99
4000-24	1-7/8-12	1.720	1.20
4000-32	2-1/2-12	2.337	4.73

.....
 : A little boy was overheard praying: :
 : "Lord, if you can't make me a better :
 : boy, don't worry about it. I'm having :
 : a real good time like I am." :
 :.....

STEEL FLANGE ADAPTERS

CONFORMANCE

- SAE J518

MATERIALS

- Steel per SAE J518 with either black phosphate finish or plated zinc with yellow dichromate or iridite dip. Stainless available upon request.

WORKING PRESSURES

The following table lists the recommended working pressures for steel Four-bolt Solid and Split Flange Fittings and Hose Ends manufactured in accordance with SAE standards J518 and J517. SAE recommends sufficient testing to be conducted to assure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions. When using Flanged Fittings that have a threaded connection on one end, use the lower pressure rating of the two.

Caution: Although many Four-bolt Flanged Fittings have sufficient structural integrity to support the weight of many components, we recommend consulting with our technical support department for guidance in selection of parts for this purpose.

**SAE J518 FOUR-BOLT CODE 61
FLANGE PRESSURE RATINGS**

Dash Size	Flange Head OD Inches	4 TO 1 Minimum Burst PSI
-8	1 3/16 - 1.188	5000
-12	1 1/2 - 1.500	5000
-16	1 3/4 - 1.750	5000
-20	2 - 2.000	4000
-24	2 3/8 - 2.375	3000
-32	2 13/16 - 2.812	3000
-40	3 5/16 - 3.312	2500
-48	4 - 4.000	2000
-56	4 1/2 - 4.500	500
-64	5 - 5.000	500
-80	6 - 6.000	500

**SAE J518 FOUR-BOLT CODE 62
FLANGE PRESSURE RATINGS**

Dash Size	Flange Head OD Inches	4 TO 1 Minimum Burst PSI
-8	1 1/4 - 1.250	6000
-12	1 5/8 - 1.625	6000
-16	1 7/8 - 1.875	6000
-20	2 1/8 - 2.125	6000
-24	2 1/2 - 2.500	6000
-32	3 1/8 - 3.125	6000

**STEEL FLANGE ADAPTERS
ASSEMBLY INSTRUCTIONS**

RECOMMENDED SOLID FOUR-BOLT

- Step 1.** Inspect port area to be smooth and free of nicks, burrs, scratches, or contaminants.
- Step 2.** Lubricate the o-ring and place in flange head groove.
- Step 3.** Lubricate screw threads, slip lock washers onto screws, and insert screws into flange
- Step 4.** Position flange on port and finger tighten all screws.
- Step 5.** Torque the screws in a figure eight sequence, incrementally until the appropriate torque value in the following table is achieved.

**J518 CODE 61 AND CODE 62
FLANGE MINIMUM TORQUE VALUES**

Dash Size	Port Size	Code 61 Foot/Lbs.	Code 62 Foot/Lbs.
-8	1/2"	15-19	15-19
-12	3/4"	20-29	25-33
-16	1"	27-35	41-50
-20	1 1/4"	35-46	62-75
-24	1 1/2"	46-58	116-133
-32	2"	53-67	200-217
-40	2 1/2"	79	NA
-48	3"	137	NA
-56	3 1/2"	116	NA
-64	4"	116	NA
-80	5"	116	NA

RECOMMENDED SPLIT FOUR-BOLT

- Step 1.** Follow steps 1 through 3 above, then proceed to the following steps.
- Step 2.** Position both flanges on port and turn one screw in each flange about three turns.
- Step 3.** Rotate each flange away from the port for sufficient clearance to position hose or fitting flange head on port.
- Step 4.** Close each flange until it properly captures flange head. Insert remaining screws and finger tighten
- Step 5.** Torque the screws in a figure eight sequence incrementally until the appropriate torque value in the preceding table is achieved.

WHY WET TORQUE?

Due to the difference in plating types and thickness, materials, and thread quality of different components, the coefficient of friction varies greatly on any given assembly. Lubrication not only produces a more consistent coefficient of friction, it increases clamping force on sealing area with less torque on the threads. Overtightening causes threads to yield, deform and lose their ability to maintain an adequate load or clamping force on the seating area. Extended operation and severe conditions cause further yielding which results in leaks. Overtightening is the single greatest cause for leaks in metal to metal seat hydraulic connections. It is our firm position, that to not wet torque, is to compromise consistency and quality for convenience.

**JIC FLANGE ADAPTER
CODE 61**



3000 PSI

Part #	Thread Size		Flange Size	Price
	1	2		
1700-8-8	3/4-16	1/2	1/2	19.35
1700-8-12	3/4-16	3/4	3/4	21.33
1700-12-12	1-1/16-12	3/4	3/4	18.28
1700-12-16	1-1/16-12	1	1	22.79
1700-16-16	1-5/16-12	1	1	22.79
1700-16-20	1-5/16-12	1-1/4	1-1/4	27.43
1700-16-24	1-5/16-12	1-1/2	1-1/2	39.78
1700-20-16	1-5/8-12	1	1	28.77
1700-20-20	1-5/8-12	1-1/4	1-1/4	28.85
1700-20-32	1-5/8-12	2	2	93.70
1700-24-24	1-7/8-12	1-1/2	1-1/2	39.99
1700-32-32	2-1/2-12	2	2	133.00
1700-40-40	3-12	2-1/2	2-1/2	233.45

More sizes available

**JIC FLANGE 45° ADAPTER
CODE 61**



3000 PSI

Part #	Thread		Flange	Price
	Size 1	Size 2		
1703-8-8	3/4-16	1/2	1/2	24.25
1703-8-12	3/4-16	3/4	3/4	51.99
1703-12-12	1-1/16-12	3/4	3/4	28.55
1703-12-16	1-1/16-12	1	1	35.30
1703-16-16	1-5/16-12	1	1	34.49
1703-16-20	1-5/16-12	1-1/4	1-1/4	39.52
1703-16-24	1-5/16-12	1-1/2	1-1/2	69.23
1703-20-16	1-5/8-12	1	1	51.13
1703-20-20	1-5/8-12	1-1/4	1-1/4	48.25
1703-20-24	1-5/8-12	1-1/2	1-1/2	49.92
1703-24-40	1-7/8-12	2-1/2	2-1/2	207.73
1703-32-24	2-1/2-12	1-1/2	1-1/2	111.07
1703-32-32	2-1/2-12	2	2	136.05

More sizes available

**JIC FLANGE 90° ADAPTER
CODE 61**



3000 PSI

Part #	Thread		Flange	Price
	Size 1	Size 2		
1704-8-8	3/4-16	1/2	1/2	39.46
1704-8-12	3/4-16	3/4	3/4	39.52
1704-10-16	7/8-14	1	1	141.90
1704-12-12	1-1/16-12	3/4	3/4	28.60
1704-12-16	1-1/16-12	1	1	36.68
1704-12-20	1-1/16-12	1-1/4	1-1/4	48.81
1704-16-12	1-5/16-12	3/4	3/4	44.68
1704-16-16	1-5/16-12	1	1	37.80
1704-16-20	1-5/16-12	1-1/4	1-1/4	43.34
1704-16-24	1-5/16-12	1-1/2	1-1/2	49.49
1704-20-16	1-5/8-12	1	1	53.02
1704-20-20	1-5/8-12	1-1/4	1-1/4	52.80
1704-20-24	1-5/8-12	1-1/2	1-1/2	55.77
1704-24-16	1-7/8-12	1	1	69.70
1704-24-20	1-7/8-12	1-1/4	1-1/4	60.20
1704-24-32	1-7/8-12	2	2	112.19
1704-24-40	1-7/8-12	2-1/2	2-1/2	307.14
1704-32-24	2-1/2-12	1-1/2	1-1/2	POR
1704-32-32	2-1/2-12	2	2	120.23

More sizes available

**JIC FLANGE ADAPTER
CODE 62**



6000 PSI

Part #	Thread		Flange	Price
	Size 1	Size 2		
1800-8-8	3/4-16	1/2	1/2	38.44
1800-12-12	1-1/16-12	3/4	3/4	27.74
1800-12-16	1-1/16-12	1	1	39.26
1800-16-16	1-5/16-12	1	1	29.89
1800-16-20	1-5/16-12	1-1/4	1-1/4	42.91
1800-20-16	1-5/8-12	1	1	48.98
1800-20-20	1-5/8-12	1-1/4	1-1/4	46.23
1800-20-24	1-5/8-12	1-1/2	1-1/2	53.36
1800-24-24	1-7/8-12	1-1/2	1-1/2	59.77
1800-32-32	2-1/2-12	2	2	70.22

More sizes available

**JIC FLANGE 45° ADAPTER
CODE 62**

1



6000 PSI

Part #	Thread Size		Flange Size	Price
	1	2		
1803-8-8	3/4-16	1/2	1/2	47.00
1803-12-12	1-1/16-12	3/4	3/4	39.09
1803-12-16	1-1/16-12	1	1	69.75
1803-16-16	1-5/16-12	1	1	50.35
1803-16-20	1-5/16-12	1-1/4	1-1/4	55.94
1803-20-16	1-5/8-12	1	1	81.40
1803-20-20	1-5/8-12	1-1/4	1-1/4	95.03
1803-20-24	1-5/8-12	1-1/2	1-1/2	87.51
1803-24-24	1-7/8-12	1-1/2	1-1/2	95.68
1803-32-32	2-1/2-12	2	2	201.71

More sizes available

**JIC FLANGE 90° ADAPTER
CODE 62**

1



6000 PSI

Part #	Thread Size		Flange Size	Price
	1	2		
1804-8-8	3/4-16	1/2	1/2	41.11
1804-12-12	1-1/16-12	3/4	3/4	40.38
1804-12-16	1-1/16-12	1	1	43.73
1804-16-16	1-5/16-12	1	1	51.73
1804-16-20	1-5/16-12	1-1/4	1-1/4	78.48
1804-20-16	1-5/8-12	1	1	58.91
1804-20-20	1-5/8-12	1-1/4	1-1/4	69.45
1804-20-24	1-5/8-12	1-1/2	1-1/2	75.98
1804-24-24	1-7/8-12	1-1/2	1-1/2	77.83
1804-32-32	2-1/2-12	2	2	189.16

More sizes available

**BRAZE TO SPLIT FLANGE
CODE 61**



3000 PSI

Part #	Flange		Tube O.D.	Price
	Size	O.D.		
1861-8	1/2	1/2	1/2	7.31
1861-12	3/4	3/4	3/4	7.53
1861-16	1	1	1	8.94
1861-20	1-1/4	1-1/4	1-1/4	11.14
1861-24	1-1/2	1-1/2	1-1/2	13.63
1861-32	2	2	2	15.48
1861-40	2-1/2	2-1/2	2-1/2	36.55

**BRAZE TO SPLIT FLANGE
CODE 62**



3000 PSI

Part #	Flange		Tube O.D.	Price
	Size	O.D.		
1862-8	1/2	1/2	1/2	47.30
1862-12	3/4	3/4	3/4	22.36
1862-16	1	1	1	18.79
1862-20	1-1/4	1-1/4	1-1/4	23.26
1862-24	1-1/2	1-1/2	1-1/2	29.76
1862-32	2	2	2	49.88
1862-40	2-1/2	2-1/2	2-1/2	POR

**SPLIT FLANGE PLUG
CODE 61**



3000 PSI

Part #	Flange		Price
	Size	O.D.	
1961-8	1/2	1/2	11.65
1961-12	3/4	3/4	9.46
1961-16	1	1	9.63
1961-20	1-1/4	1-1/4	11.05
1961-24	1-1/2	1-1/2	14.02
1961-32	2	2	18.15

**SPLIT FLANGE PLUG
CODE 62**



6000 PSI

Part #	Flange		Price
	Size	O.D.	
1962-8	1/2	1/2	74.05
1962-12	3/4	3/4	26.45
1962-16	1	1	23.39
1962-20	1-1/4	1-1/4	32.81
1962-24	1-1/2	1-1/2	34.23
1962-32	2	2	75.08

FLANGE PAD O-RING



Viton Available upon request

Part #	Flange Size	O-Ring Number	Price
4004-8	1/2	210	0.56
4004-12	3/4	214	0.60
4004-16	1	219	0.73
4004-20	1-1/4	222	0.82
4004-24	1-1/2	225	0.99
4004-32	2	228	1.20
4004-40	2-1/2	232	1.72
4004-48	3	237	1.81

FLANGE CONNECTOR PLATES CODE 61



Part #	Flange Size	Price
1900-8	1/2	15.45
1900-12	3/4	13.50
1900-16	1	10.92
1900-20	1-1/4	12.60
1900-24	1-1/2	13.85
1900-32	2	13.93
1900-40	2-1/2	16.21

SPLIT FLANGE KIT CODE 61



3000 PSI

Part #	Flange Size	Flange Head Diameter	Price
1901-8	1/2	1.19	1.46
1901-12	3/4	1.50	1.72
1901-16	1	1.75	1.81
1901-20	1-1/4	2.00	3.35
1901-24	1-1/2	2.38	3.66
1901-32	2	2.81	3.70
1901-40	2-1/2	3.31	4.04
1901-48	3	4.00	6.62

SPLIT FLANGE KIT CODE 62



6000 PSI

Part #	Flange Size	Flange Head Diameter	Price
1902-12	3/4	1.63	2.06
1902-16	1	1.88	3.14
1902-20	1-1/4	2.12	3.83
1902-24	1-1/2	2.50	7.78
1902-32	2	3.12	13.76

FLANGE PAD KIT



Part #	Pipe Size	Pad Size	Price
1903-8-8	1/2	1/2	3.83
1903-12-12	3/4	3/4	4.34
1903-16-16	1	1	4.43
1903-20-20	1-1/4	1-1/4	5.68
1903-24-24	1-1/2	1-1/2	7.78
1903-32-32	2	2	8.34
1903-40-40	2-1/2	2-1/2	10.28
1903-48-48	3	3	13.50

SPLIT FLANGE HALF CODE 61



3000 PSI

Part #	Flange Size	Flange Head Dia.	Price
2061-8	1/2	1.19	4.30
2061-12	3/4	1.50	3.48
2061-16	1	1.75	3.70
2061-20	1-1/4	2.00	4.73
2061-24	1-1/2	2.38	6.32
2061-32	2	2.81	6.88
2061-40	2-1/2	3.31	13.16
2061-48	3	4	20.30

**SPLIT FLANGE HALF
CODE 62**



6000 PSI

Part #	Flange Size	Flange Head Dia.	Price
2062-12	3/4	1.63	7.44
2062-16	1	1.88	8.73
2062-20	1-1/4	2.12	13.16
2062-24	1-1/2	2.50	16.25
2062-32	2	3.12	33.76

**PIPE WELD FLANGE PAD
CODE 61**



3000 PSI

Part #	Pipe Size	Pad Size	Price
2161-8-8	1/2	1/2	32.04
2161-12-12	3/4	3/4	24.94
2161-16-16	1	1	27.82
2161-20-20	1-1/4	1-1/4	32.81
2161-24-24	1-1/2	1-1/2	43.69
2161-32-32	2	2	67.64

**PIPE WELD FLANGE PAD
CODE 62**



6000 PSI

Part #	Pipe Size	Pad Size	Price
2162-12-12	3/4	3/4	51.17
2162-16-16	1	1	87.25
2162-20-20	1-1/4	1-1/4	91.98
2162-24-24	1-1/2	1-1/2	109.56
2162-32-32	2	2	149.00

The microwave was invented after a researcher walked by a radar tube and a chocolate bar melted in his pocket

**PIPE FLANGE PAD
CODE 61**



3000 PSI

Part #	Pipe Size	Pad Size	Price
2261-8-8	1/2	1/2	31.43
2261-12-12	3/4	3/4	16.73
2261-16-16	1	1	24.47
2261-20-20	1-1/4	1-1/4	26.23
2261-24-24	1-1/2	1-1/2	29.20
2261-32-32	2	2	37.41
2261-40-40	2-1/2	2-1/2	66.01
2261-48-48	3	3	99.37

**PIPE FLANGE PAD
CODE 62**



6000 PSI

Part #	Pipe Size	Pad Size	Price
2262-12-12	3/4	3/4	61.79
2262-16-16	1	1	86.56
2262-20-20	1-1/4	1-1/4	97.52
2262-24-24	1-1/2	1-1/2	137.34
2262-32-32	2	2	194.83
2262-40-40	2-1/2	2-1/2	POR
2262-48-48	3	3	POR

**O-RING FLANGE PAD
CODE 61**



3000 PSI

Part #	Pipe Size	Pad Size	Price
2361-12-12	1-1/16-12	3/4	30.92
2361-16-16	1-5/16-12	1	31.99
2361-20-20	1-5/8-12	1-1/4	36.89
2361-24-24	1-7/8-12	1-1/2	49.02

Also Available in Code 62

"Stewardesses" is the longest word that is typed with only the left hand

O-RING FACE SEAL ADAPTER

CONFORMANCE

- SAE J1453

MATERIALS

- Steel- SAE 12L14 carbon steel plated zinc with yellow dichromate or clear iridite finish.

WORKING PRESSURES

The following table lists the recommended working pressures for steel O-ring Face Seal tube fittings made in accordance with SAE standard J1943. Many factors such as impulsing, vibration, mechanical shock and overtightening may affect the integrity of fitting connections. SAE recommends sufficient testing be conducted to assure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions. When using fittings with different size or thread type, use lower pressure rating of the two threads.

Caution: O-ring Face Seal fittings are not designed to provide structural support for other components.

SAE J1453 O-RING FACE SEAL FITTINGS PRESSURE RATINGS

Dash Size	Flared Thread Size	4 TO 1 Minimum Burst PSI
-4	9/16-18	6000
-6	11/16-16	6000
-8	13/16-16	6000
-10	1-14	6000
-12	1 3/16-12	6000
-16	1 7/16-12	6000
-20	1 11/16-12	4000
-24	2-12	4000

SAE J1453 O-RING FACE SEAL PRESSURE RATINGS FOR STRAIGHT THREAD PORT

Dash Size	Flared Thread Size	4 TO 1 Straight	Minimum Adjustable Burst
-4	9/16-18	6000	6000
-6	11/16-16	6000	6000
-8	13/16-16	6000	6000
-10	1-14	6000	6000
-12	1 3/16-12	6000	6000
-16	1 7/16-12	6000	5000
-20	1 11/16-12	4000	4000
-24	2-12	4000	3000

O-RING FACE SEAL ASSEMBLY INSTRUCTIONS

RECOMMENDED

- Step 1.** Lubricate the threads and the entire surface of the face seal o-ring
- Step 2.** Install o-ring into face seal groove.
- Step 3.** Place matting face seal flange against o-ring and finger tighten face seal flange nut.
- Step 4.** Torque flange nut to the value in the following table.

Dash Size	Flared Thread Size	Torque Foot/Lbs.
-4	9/16-20	10
-6	11/16-16	20
-8	13/16-16	32
-10	1-14	46
-12	1 3/16-12	65
-16	1 7/16-12	92
-20	1 7/8-12	125
-24	2-12	150

ALTERNATE ASSEMBLY METHOD

- Step 1.** If torque method not possible, follow steps 1-3 above, then proceed to the steps below.
- Step 2.** Lightly wrench tighten the nut until there is firm resistance.
- Step 3.** Place a wrench on wrench pad next to nut as near the 6 o'clock as possible
- Step 4.** Place second wrench on nut as near the 3 o'clock position as possible.
- Step 5.** Turn nut clockwise to no less than half way to the 4 o'clock position and no more than the 6 o'clock position.

WHY WET TORQUE?

Due to the difference in plating types and thickness, materials, and thread quality of different components, the coefficient of friction varies greatly on any given assembly. Lubrication not only produces a more consistent coefficient of friction, it increases clamping force on sealing area with less torque on the threads. Overtightening causes threads to yeild, deform and lose their ability to maintain an adequate load or clamping force on the seating area. Extended operation and severe conditions cause further yielding which results in leaks. Overtightening is the single greatest cause for leaks in metal to metal seat hydraulic connections. It is our firm position, that to not wet torque, is to compromise consistency and quality for convenience.

Torque Values: The torque values provided are to provide benchmarks that we believe give optimum results for leak free connections. Actual torque values should be based on individual applications

**BRAZE TUBE NUT
(SLEEVE REQUIRED)**



Part #	Tube O.D.	Braze Tube O.D.	Price
FSO318-4	1/4	.25	1.16
FSO318-6	3/8	.38	1.38
FSO318-8	1/2	.50	1.63
FSO318-10	5/8	.62	2.15
FSO318-12	3/4	.72	4.77
FSO318-16	1	1.00	6.97
FSO318-20	1 1/4	1.25	13.42
FSO318-24	1 1/2	1.50	21.20

BRAZE TUBE SLEEVE

SAE 070221



Part #	Tube O.D.	Price
FSO319-4	1/4	1.03
FSO319-6	3/8	0.82
FSO319-8	1/2	1.38
FSO319-10	5/8	1.20
FSO319-12	3/4	2.15
FSO319-16	1	2.67
FSO319-20	1-1/4	5.12
FSO319-24	1-1/2	23.44

Also available in Stainless Steel

See Page 202 for JIC Nut and Sleeve

In English pubs, ale is ordered by pints and quarts. So in old England, when customers got unruly, the bartender would yell at them mind their own pints and quarts and settle down. It's where we get the phrase "mind your P's and Q's"

BRAZE TUBE UNION



Part #	Braze Port	Flat Face Thread	Price
FSO403-4-4	1/4	9/16-18	3.05
FSO403-6-6	3/8	11/16-16	3.53
FSO403-8-8	1/2	13/16-16	3.87
FSO403-10-10	5/8	1-14	6.24
FSO403-12-12	3/4	1-3/8-12	7.53
FSO403-16-16	1	1-7/16-12	9.68
FSO403-20-20	1-1/4	1-11/16-12	32.04
FSO403-24-24	1-1/2	2-12	32.92

More sizes available

CAP



Part #	Tube O.D.	Flat Face Thread	Price
FSO304-C-4	1/4	9/16-18	2.58
FSO304-C-6	3/8	11/16-16	3.35
FSO304-C-8	1/2	13/16-16	4.00
FSO304-C-10	5/8	1-14	5.12
FSO304-C-12	3/4	1-3/8-12	8.73
FSO304-C-16	1	1-7/16-12	10.32
FSO304-C-20	1-1/4	1-11/16-12	15.01
FSO304-C-24	1-1/2	2-12	34.27

PLUG



Part #	Tube O.D.	Flat Face Thread	Price
FSO2408-4	1/4	9/16-18	2.15
FSO2408-6	3/8	11/16-16	2.92
FSO2408-8	1/2	13/16-16	4.17
FSO2408-10	5/8	1-14	5.12
FSO2408-12	3/4	1-3/8-12	5.76
FSO2408-16	1	1-7/16-12	10.02
FSO2408-20	1-1/4	1-11/16-12	22.88
FSO2408-24	1-1/2	2-12	26.19

O-RING FACE SEAL ADAPTERS

MALE CONNECTOR



Part #	FF Thread 1	Male Pipe Thread 2	Price
FSO2404-4-4	9/16-18	1/4	2.54
FSO2404-4-6	9/16-18	3/8	3.78
FSO2404-6-4	11/16-16	1/4	3.44
FSO2404-6-6	11/16-16	3/8	3.23
FSO2404-8-4	13/16-16	1/4	4.34
FSO2404-8-6	13/16-16	3/8	4.86
FSO2404-8-8	13/16-16	1/2	5.46
FSO2404-10-8	1-14	1/2	6.28
FSO2404-12-12	1-3/16-12	3/4	8.51
FSO2404-16-16	1-7/16-12	1	11.01
FSO2404-20-20	1-11/16-12	1-1/4	9.93
FSO2404-24-24	2-12	1-1/2	37.50

Also available in Stainless Steel

More sizes available

MALE ELBOW




Part #	FF Thread 1	Male Pipe Thread 2	Price
FS2501-4-4	9/16-18	1/4	5.98
FS2501-6-4	11/16-16	1/4	5.85
FS2501-6-6	11/16-16	3/8	6.79
FS2501-8-6	13/16-16	3/8	7.40
FS2501-8-8	13/16-16	1/2	8.86
FS2501-8-12	13/16-16	3/4	11.48
FS2501-10-8	1-14	1/2	10.49
FS2501-10-12	1-14	3/4	13.16
FS2501-12-8	1-3/8-12	1/2	22.70
FS2501-12-12	1-3/8-12	3/4	14.58
FS2501-12-16	1-3/8-12	1	21.03
FS2501-16-12	1-7/16-12	3/4	25.07
FS2501-16-16	1-7/16-12	1	23.18
FS2501-20-20	1-11/16-12	1-1/4	74.52
FS2501-24-24	2-12	1-1/2	169.76

Also available in Stainless Steel

More sizes available

STRAIGHT THREAD CONNECTOR



Part #	FF Thread 1	O-Ring Pipe Thread 2	Price
FS6400-O-4-4	9/16-18	7/16-20	2.88
FS6400-O-4-6	9/16-18	9/16-18	2.75
FS6400-O-6-4	11/16-16	7/16-20	5.25
FS6400-O-6-6	11/16-16	9/16-18	3.66
FS6400-O-6-8	11/16-16	3/4-16	3.96
FS6400-O-8-6	13/16-16	9/16-18	5.16
FS6400-O-8-8	13/16-16	3/4-16	4.47
FS6400-O-8-10	13/16-16	7/8-14	5.25
FS6400-O-10-8	1-14	3/4-16	6.19
FS6400-O-10-10	1-14	7/8-14	7.01
FS6400-O-10-12	1-14	1-1/16-12	10.19
FS6400-O-12-8	1-3/16-12	3/4-16	10.54
FS6400-O-12-10	1-3/16-12	7/8-14	7.91
FS6400-O-12-12	1-3/16-12	1-1/16-12	8.17
FS6400-O-12-16	1-3/16-12	1-5/16-12	13.29
FS6400-O-16-12	1-7/16-12	1-1/16-12	14.32
FS6400-O-16-16	1-7/16-12	1-5/16-12	12.94
FS6400-O-16-20	1-7/16-12	1-5/8-12	26.10
FS6400-O-20-20	1-11/16-12	1-5/8-12	27.91
FS6400-O-20-24	1-11/16-12	1-7/8-12	78.35
FS6400-O-24-20	2-12	1-5/8-12	47.86
FS6400-O-24-24	2-12	1-7/8-12	55.26

Also available in Stainless Steel

MALE FLAT FACE TO FEMALE 37° SWIVEL



Part #	FF Thread 1	JIC O-Ring Thread 2	Price
FS6402-4-4	9/16-18	7/16-20	29.28
FS6402-6-6	11/16-16	9/16-18	26.66
FS6402-8-8	13/16-16	3/4-16	33.58
FS6402-10-10	1-14	7/8-14	48.68
FS6402-12-12	1-3/16-12	1-1/16-12	44.89
FS6402-16-16	1-7/16-12	1-5/16-12	58.27

More sizes available

The longest one-syllable word in the English language is "screached."

SWIVEL NUT ELBOW



Part #	FF		Price
	Thread 1	Thread 2	
FS6500-4-4	9/16-18	7/16-20	7.74
FS6500-6-6	11/16-16	9/16-18	8.08
FS6500-8-8	13/16-16	3/4-16	10.02
FS6500-10-10	1-14	7/8-14	14.28
FS6500-12-12	1-3/16-12	1-1/16-12	21.46
FS6500-16-16	1-7/16-12	1-5/16-12	32.94
FS6500-20-20	1-11/16-12	1-5/8-12	69.75
FS6500-24-24	2-12	1-7/8-12	58.35

More sizes available

Also available in Stainless Steel

MALE JIC 37° FLARE TO FEMALE FLAT FACE SWIVEL



Part #	JIC Thread		Price
	Size 1	Thread 2	
FS6504-4-4	7/16-20	9/16-18	20.81
FS6504-6-6	9/16-18	11/16-16	21.72
FS6504-8-8	3/4-16	13/16-16	25.28
FS6504-10-10	7/8-14	1-14	29.11
FS6504-12-12	1-1/16-12	1-3/16-12	45.41
FS6504-16-16	1-5/16-12	1-7/16-12	50.96

More sizes available

Many years ago in England, pub frequenters had a whistle baked into the rim or handle of their ceramic cups. When they needed a refill, they used the whistle to get some service. "Wet your whistle" is the phrase inspired by this practice

O-RING ELBOW CONNECTOR



Part #	FF		Price
	Thread 1	Thread 2	
FS6801-4-4	9/16-18	7/16-20	6.79
FS6801-4-6	9/16-18	9/16-18	7.40
FS6801-6-4	11/16-16	7/16-20	8.60
FS6801-6-6	11/16-16	9/16-18	7.61
FS6801-6-8	11/16-16	3/4-16	10.79
FS6801-8-6	13/16-16	9/16-18	10.58
FS6801-8-8	13/16-16	3/4-16	9.50
FS6801-8-10	13/16-16	7/8-14	13.63
FS6801-10-8	1-14	3/4-16	13.16
FS6801-10-10	1-14	7/8-14	11.57
FS6801-10-12	1-14	1-1/16-12	14.88
FS6801-12-10	1-3/16-12	7/8-14	19.05
FS6801-12-12	1-3/16-12	1-1/16-12	16.38
FS6801-12-16	1-3/16-12	1-5/16-12	27.95
FS6801-16-12	1-7/16-12	1-1/16-12	30.01
FS6801-16-16	1-7/16-12	1-5/16-12	28.64
FS6801-16-20	1-7/16-12	1-5/8-12	46.78
FS6801-20-16	1-11/16-12	1-5/16-12	49.75
FS6801-20-20	1-11/16-12	1-5/8-12	47.60
FS6801-24-24	2-12	1-7/8-12	59.34

More sizes available

Also available in Stainless Steel

STRAIGHT THREAD SWIVEL NUT ELBOW



Part #	FF		Price
	O-Ring Thread 1	Thread 2	
FS6809-4-4	7/16-20	9/16-18	12.00
FS6809-6-6	9/16-18	11/16-16	13.16
FS6809-8-8	3/4-16	13/16-16	14.88
FS6809-10-10	7/8-14	1-14	17.59
FS6809-12-12	1-1/16-12	1-3/16-12	23.13
FS6809-16-16	1-5/16-12	1-7/16-12	35.22

More sizes available

STEEL METRIC ADAPTERS

JIC MALE CONNECTOR BSPT



Part #	JIC		Price
	Thread Size 1	Male BSPT 2	
7000-4-2	7/16-20	1/8-28	4.26
7000-4-4	7/16-20	1/4-19	4.69
7000-6-4	9/16-18	1/4-19	5.38
7000-6-6	9/16-18	3/8-19	7.96
7000-6-8	9/16-18	1/2-14	16.43
7000-8-6	3/4-16	3/8-19	6.84
7000-8-8	3/4-16	1/2-14	6.45
7000-8-12	3/4-16	3/4-14	POR
7000-10-8	7/8-14	1/2-14	9.68
7000-10-12	7/8-14	3/4-14	20.64
7000-12-8	1-1/16-12	1/2-14	16.34
7000-12-12	1-1/16-12	3/4-14	12.86
7000-16-16	1-5/16-12	1-11	18.92
7000-20-20	1-5/8-12	1-1/4-11	42.91

More sizes available

JIC MALE ELBOW BSPT



Part #	JIC		Price
	Thread Size 1	Male BSPT 2	
7200-4-2	7/16-20	1/8-28	21.86
7200-4-4	7/16-20	1/4-19	14.58
7200-6-4	9/16-18	1/4-19	15.01
7200-6-6	9/16-18	3/8-19	15.91
7200-6-8	9/16-18	1/2-14	27.95
7200-8-6	3/4-16	3/8-19	17.20
7200-8-8	3/4-16	1/2-14	19.35
7200-10-8	7/8-14	1/2-14	25.80
7200-12-12	1-1/16-12	3/4-14	27.52
7200-16-16	1-5/16-12	1-11	44.08
7200-20-20	1-5/8-12	1-1/4-11	68.76

More sizes available

MALE CONNECTOR BSPP



Part #	JIC		Price
	Thread Size 1	Male BSPP 2	
7002-4-2	7/16-20	1/8	6.24
7002-4-4	7/16-20	1/4	6.71
7002-4-6	7/16-20	3/8	6.67
7002-4-8	7/16-20	1/2	19.09
7002-6-4	9/16-18	1/4	6.54
7002-6-6	9/16-18	3/8	7.74
7002-6-8	9/16-18	1/2	9.85
7002-8-6	3/4-16	3/8	9.46
7002-8-8	3/4-16	1/2	9.46
7002-8-12	3/4-16	3/4	16.13
7002-10-8	7/8-14	1/2	11.95
7002-12-12	1-1/16-12	3/4	15.05
7002-12-16	1-1/16-12	1	23.44
7002-16-16	1-5/16-12	1	21.93
7002-20-20	1-5/8-12	1-1/4	44.08
7002-24-24	1-7/8-12	1-1/2	78.05

More sizes available

MALE ELBOW BSPP



Part #	JIC		Price
	Thread Size 1	Male BSPP 2	
7202-NWO-4-2	7/16-20	1/8	23.65
7202-NWO-4-4	7/16-20	1/4	17.59
7202-NWO-6-4	9/16-18	1/4	19.57
7202-NWO-6-6	9/16-18	3/8	21.89
7202-NWO-6-8	9/16-18	1/2	29.11
7202-NWO-8-6	3/4-16	3/8	23.91
7202-NWO-8-8	3/4-16	1/2	26.14
7202-NWO-8-12	3/4-16	3/4	40.85
7202-NWO-10-8	7/8-14	1/2	26.23
7202-NWO-12-12	1-1/16-12	3/4	40.59
7202-NWO-12-16	1-1/16-12	1	61.49
7202-NWO-16-16	1-5/16-12	1	53.97
7202-NWO-20-20	1-5/8-12	1-1/4	103.72
7202-NWO-24-24	1-7/8-12	1-1/2	195.31

JIC STRAIGHT SWIVEL BSPP



JIC			
Part #	Thread Size 1	Male BSPP 2	Price
7022-4-2	7/16-20	1/8-28	15.05
7022-4-4	7/16-20	1/4-19	12.90
7022-6-4	9/16-18	1/4-19	14.62
7022-6-6	9/16-18	3/8-19	13.98
7022-8-6	3/4-16	3/8-19	16.56
7022-8-8	3/4-16	1/2-14	14.06
7022-10-8	7/8-14	1/2-14	19.14
7022-12-12	1-1/16-12	3/4-14	23.22
7022-16-16	1-5/16-12	1-11	28.85

More sizes available

HEX HEAD PLUG BSPP



Male		
Part #	BSPP	Price
9522-P-2	1/8-28	3.01
9522-P-4	1/4-19	3.01
9522-P-6	3/8-19	4.00
9522-P-8	1/2-14	5.38
9522-P-12	3/4-14	8.82
9522-P-16	1-11	12.47
9522-P-20	1-1/4-11	27.95

HOLLOW HEX PLUG BSPP



Male		
Part #	BSPP	Price
9522-H-2	1/8-28	9.68
9522-H-4	1/4-19	9.46
9522-H-6	3/8-1	11.61
9522-H-8	1/2-14	15.74
9522-H-12	3/4-14	19.09
9522-H-16	1-11	26.75
9522-H-20	1-1/4-11	53.97

FEMALE ADAPTER BSPP



Part #	Female	Male	Price
	Pipe 1	BSPP 2	
7042-2-2	1/8-27	1/8-28	11.83
7042-4-2	1/4-18	1/8-19	22.36
7042-4-4	1/4-18	1/4-19	11.95
7042-6-6	3/8-18	3/8-18	16.21
7042-8-8	1/2-14	1/2-14	19.57
7042-12-12	3/4-14	3/4-14	20.51
7042-16-16	1-11 1/2	1-11	31.52
7042-20-20	1-1/4-11 1/2	1-1/4-11	60.72
7042-24-24	1-1/2-11 1/2	1-1/2-11	91.16

More sizes available

MALE CONNECTOR



Port-seal crush washer and O-ring included

Part #	Thread	Metric	Price
	Size 1	Thread 2	
7005-4-10	7/16-20	10x1.0	9.68
7005-4-12	7/16-20	12x1.5	10.97
7005-4-14	7/16-20	14x1.5	12.04
7005-4-18	7/16-20	18x1.5	19.09
7005-5-10	1/2-20	10x1.0	43.95
7005-5-12	1/2-20	12x1.5	11.44
7005-5-14	1/2-20	14x1.5	128.28
7005-6-14	9/16-18	14x1.5	10.32
7005-6-16	9/16-18	16x1.5	9.68
7005-6-18	9/16-18	18x1.5	10.92
7005-8-16	3/4-16	16x1.5	12.47
7005-8-18	3/4-16	18x1.5	14.84
7005-8-22	3/4-16	22x1.5	16.34
7005-10-18	7/8-14	18x1.5	12.04
7005-10-20	7/8-14	20x1.5	22.79
7005-10-22	7/8-14	22x1.5	23.22
7005-12-22	1-1/16-12	22x1.5	17.63
7005-12-27	1-1/16-12	27x2.0	43.34
7005-14-26	1-3/16-12	26x1.5	128.26
7005-16-27	1-5/16-12	27x2.0	54.14
7005-16-33	1-5/16-12	33x2.0	59.68
7005-20-42	1-5/8-12	42x2.0	75.47
7005-24-48	1-7/8-12	48x2.0	135.67

MALE ELBOW



Port-seal crush washer and O-ring included

Part #	JIC Thread		Metric Thread 2	Price
	Size 1			
7205-NWO-4-10	7/16-20		10x1.0	20.98
7205-NWO-4-12	7/16-20		12x1.5	129.24
7205-NWO-4-14	7/16-20		14x1.5	21.03
7205-NWO-5-10	1/2-20		10x1.0	129.33
7205-NWO-5-12	1/2-20		12x1.5	22.92
7205-NWO-5-14	1/2-20		14x21.5	129.43
7205-NWO-6-14	9/16-18		14x1.5	21.93
7205-NWO-6-16	9/16-18		16x1.5	27.09
7205-NWO-8-16	3/4-16		16x1.5	27.52
7205-NWO-8-18	3/4-16		8x1.5	21.93
7205-NWO-8-22	3/4-16		22x1.5	31.78
7205-NWO-10-18	7/8-14		18x1.5	34.40
7205-NWO-10-20	7/8-14		20x1.5	39.13
7205-NWO-10-22	7/8-14		22x1.5	37.24
7205-NWO-12-22	1-1/16-12		22x1.5	41.93
7205-NWO-12-27	1-1/16-12		27x2.0	53.32
7205-NWO-14-26	1-3/16-12		26x1.5	79.55
7205-NWO-16-27	1-5/16-12		27x2.0	64.84
7205-NWO-16-33	1-5/16-12		33x2.0	61.15
7205-NWO-20-42	1-5/8-12		42x2.0	119.54

STRAIGHT SWIVEL



Part #	JIC Thread		Metric Thread 2	Price
	Size 1			
7025-4-10	7/16-20		10x1.0	20.81
7025-4-12	7/16-20		12x1.5	35.35
7025-5-12	1/2-20		12x1.5	19.57
7025-6-14	9/16-18		14x1.5	21.93
7025-6-16	9/16-18		16x1.5	25.80
7025-8-16	3/4-16		16x1.5	25.89
7025-8-18	3/4-16		18x1.5	27.31
7025-10-22	7/8-14		22x1.5	28.81
7025-12-27	1-1/16-12		27x2.0	40.16
7025-16-33	1-5/16-12		33x2.0	49.54

**HEX HEAD PLUG METRIC
PARALLEL**



Part #	Metric Thread	Price
8555-P-10	10x1.0	3.87
8555-P-12	12x1.5	4.52
8555-P-14	14x1.5	5.16
8555-P-16	16x1.5	7.48
8555-P-18	18x1.5	6.45
8555-P-20	20x1.5	8.60
8555-P-22	22x1.5	10.75
8555-P-26	26x1.5	11.18
8555-P-30	30x1.5	15.05

**HOLLOW HEX HEAD PLUG
METRIC PARALLEL**



Part #	Metric Thread	Price
8555-H-10	10x1.0	5.85
8555-H-12	12x1.5	13.12
8555-H-14	14x1.5	8.77
8555-H-16	16x1.5	15.91
8555-H-18	18x1.5	18.15
8555-H-20	20x1.5	19.57
8555-H-22	22x1.5	24.30
8555-H-26	26x1.5	25.37
8555-H-30	30x1.5	27.52

More sizes available

FEMALE ADAPTER



Part #	Female Pipe 1	Metric Thread 2	Price
7045-2-10	1/8	10x1.0	10.66
7045-4-12	1/4	12x1.5	10.97
7045-4-14	1/4	14x1.5	11.83
7045-6-16	3/8	16x1.5	12.90
7045-6-18	3/8	18x1.5	15.48
7045-8-16	1/2	16x1.5	15.48
7045-8-18	1/2	18x1.5	15.48
7045-8-22	1/2	22x1.5	15.05
7045-12-27	3/4	27x2.0	21.54
7045-16-33	1	33x2.0	39.17
7045-20-42	1-1/4	42x2.0	137.21

More sizes available

HIGH PRESSURE SWIVELS

MALE CONNECTOR



Part #	JIC Thread Size 1	Male Pipe Thread 2	Price
HP2404-6-4	9/16-18	1/4	77.87
HP2404-8-6	3/4-16	3/8	82.00
HP2404-10-8	7/8-14	1/2	89.48
HP2404-12-12	1-1/16-12	3/4	95.63
HP2404-16-16	1-5/16-12	1	179.78
HP2404-20-20	1-5/8-12	1-1/4	343.83
HP2404-24-24	1-7/8-12	1-1/2	721.58
HP2404-32-32	2-1/2-12	2	POR

FEMALE CONNECTOR



Part #	JIC Thread Size 1	Female Pipe Thread 2	Price
HP2405-6-4	9/16-18	1/4	79.51
HP2405-8-6	3/4-16	3/8	87.66
HP2405-10-8	7/8-14	1/2	93.01
HP2405-12-12	1-1/16-12	3/4	95.42
HP2405-16-16	1-5/16-12	1	179.40
HP2405-20-20	1-5/8-12	1-1/4	343.83
HP2405-24-24	1-7/8-12	1-1/2	POR
HP2405-32-32	2-1/2-12	2	POR

TUBE ADAPTER



Part #	JIC Thread Size 1	JIC Thread Size 2	Price
HP2406-6-6	9/16-18	9/16-18	82.17
HP2406-8-8	3/4-16	3/4-16	84.84
HP2406-10-10	7/8-14	7/8-14	95.63
HP2406-12-12	1-1/16-12	1-1/16-12	95.63
HP2406-14-14	1-3/16-12	1-3/16-12	POR
HP2406-16-16	1-5/16-12	1-5/16-12	180.64
HP2406-20-20	1-5/8-12	1-5/8-12	343.83
HP2406-24-24	1-7/8-12	1-7/8-12	738.18
HP2406-32-32	2-1/2-12	2-1/2-2	1171.49

MALE ELBOW



Part #	JIC Thread Size 1	Male Pipe Thread 2	Price
HP2501-5-4	1/2-20	1/4	POR
HP2501-5-6	1/2-20	3/8	POR
HP2501-6-4	9/16-18	1/4	99.80
HP2501-6-6	9/16-18	3/8	99.89
HP2501-8-6	3/4-16	3/8	99.89
HP2501-10-8	7/8-14	1/2	106.90
HP2501-12-12	1-1/16-12	3/4	175.48
HP2501-16-16	1-5/16-12	1	223.94
HP2501-20-20	1-5/8-12	1-1/4	414.91
HP2501-24-24	1-7/8-12	1-1/2	782.90
HP2501-32-32	2-1/2-12	2	1109.79

FEMALE ELBOW



Part #	JIC Thread Size 1	Female Pipe Thread 2	Price
HP2502-5-4	1/2-20	1/4	POR
HP2502-5-6	1/2-20	3/8	POR
HP2502-6-4	9/16-18	1/4	99.50
HP2502-6-6	9/16-18	3/8	99.63
HP2502-8-6	3/4-16	3/8	99.89
HP2502-10-8	7/8-14	1/2	106.90
HP2502-12-12	1-1/16-12	3/4	174.28
HP2502-16-16	1-5/16-12	1	223.13
HP2502-20-20	1-5/8-12	1-1/4	414.91
HP2502-24-24	1-7/8-12	1-1/2	795.93
HP2502-32-32	2-1/2-12	2	POR

PIPE ADAPTER



Part #	Male Pipe 1	Female Pipe 2	Price
HP5405-4-4	1/4	1/4	82.17
HP5405-6-6	3/8	3/8	71.40
HP5405-8-8	1/2	1/2	95.63
HP5405-12-12	3/4	3/4	95.63
HP5405-16-16	1	1	180.26
HP5405-20-20	1-1/4	1-1/4	343.01
HP5405-24-24	1-1/2	1-1/2	762.99
HP5405-32-32	2	2	POR

Also available in Stainless Steel

PIPE COUPLING



Part #	Female Pipe 1	Female Pipe 2	Price
HP5000-4-4	1/4	1/4	81.87
HP5000-6-6	3/8	3/8	81.92
HP5000-8-8	1/2	1/2	95.63
HP5000-12-12	3/4	3/4	95.63
HP5000-16-16	1	1	149.67
HP5000-20-20	1-1/4	1-1/4	349.29
HP5000-24-24	1-1/2	1-1/2	759.29
HP5000-32-32	2	2	POR

Also available in Stainless Steel

MALE SWIVEL ELBOW



Part #	Male Pipe 1	Female NPSM 2	Price
HP1501-4-4	1/4	1/4	99.85
HP1501-4-6	1/4	3/8	97.74
HP1501-6-4	3/8	1/4	99.89
HP1501-6-6	3/8	3/8	99.89
HP1501-8-8	1/2	1/2	106.90
HP1501-12-12	3/4	3/4	175.48
HP1501-16-16	1	1	223.99
HP1501-20-20	1-1/4	1-1/4	414.19
HP1501-24-24	1-1/2	1-1/2	POR
HP1501-32-32	2	2	POR

Also available in Stainless Steel

FEMALE SWIVEL ELBOW



Part #	Female Pipe 1	Female NPSM 2	Price
HP1502-4-4	1/4	1/4	99.72
HP1502-4-6	1/4	3/8	102.73
HP1502-6-4	3/8	1/4	POR
HP1502-6-6	3/8	3/8	99.89
HP1502-8-8	1/2	1/2	106.90
HP1502-12-12	3/4	3/4	174.15
HP1502-16-16	1	1	219.17
HP1502-20-20	1-1/4	1-1/4	413.10
HP1502-24-24	1-1/2	1-1/2	795.93
HP1502-32-32	2	2	POR

Also available in Stainless Steel

STREET ELBOW



Part #	Male Pipe 1	Female Pipe 2	Price
HP5502-4-4	1/4	1/4	99.80
HP5502-4-6	1/4	3/8	88.41
HP5502-6-4	3/8	1/4	99.89
HP5502-6-6	3/8	3/8	99.89
HP5502-8-8	1/2	1/2	106.86
HP5502-12-12	3/4	3/4	174.54
HP5502-16-16	1	1	223.73
HP5502-20-20	1-1/4	1-1/4	434.82
HP5502-24-24	1-1/2	1-1/2	906.05
HP5502-32-32	2	2	1138.21

Also available in Stainless Steel

JIC TO O-RING ELBOW CONNECTOR



Part #	JIC Thread Size 1	O-Ring Thread 2	Price
HP6801-6-6	9/16-18	9/16-18	99.89
HP6801-6-8	9/16-18	3/4-16	99.89
HP6801-8-8	3/4-16	3/4-16	100.28
HP6801-10-10	7/8-14	7/8-14	POR
HP6801-12-12	1-1/16-12	1-1/16-12	175.48
HP6801-16-16	1-5/16-12	1-5/16-12	223.82
HP6801-20-20	1-5/8-12	1-5/8-12	414.82
HP6801-24-24	1-7/8-12	1-7/8-12	POR
HP6801-32-32	2-1/2-12	2-1/2-12	POR

After the church service, a little boy told the pastor, "When I grow up, I'm going to give you some money." "Well, thank you," the pastor replied, "but why?" "Because my daddy say's you're one of the poorest preachers we've ever had."

STEEL BEADED HOSE INSERTS

MALE PIPE HOSE INSERT

SAE 430160



Part #	Male		Price
	Hose I.D.	Pipe Thread	
4404-4-2	1/4	1/8	2.84
4404-4-4	1/4	1/8	1.76
4404-5-2	5/16	1/8	5.38
4404-6-4	3/8	1/4	3.14
4404-6-6	3/8	3/8	4.17
4404-8-6	1/2	3/8	4.00
4404-8-8	1/2	1/2	4.90
4404-10-8	5/8	1/2	7.47
4404-12-12	3/4	3/4	5.72
4404-16-12	1	3/4	11.44
4404-16-16	1	1	9.20
4404-20-20	1-1/4	1-1/4	19.74
4404-24-20	1-1/2	1-1/4	41.58
4404-24-24	1-1/2	1-1/2	32.47
4404-32-32	2	2	103.67

More sizes available

90° PIPE HOSE INSERT

SAE 430260



Part #	Hose I.D.		Price
	1	2	
4501-4-2	1/4	1/8	3.44
4501-4-4	1/4	1/4	3.78
4501-5-2	5/16	1/8	4.17
4501-6-2	3/8	1/4	14.75
4501-6-6	3/8	3/8	4.26
4501-8-6	1/2	3/8	4.69
4501-8-8	1/2	1/2	6.32
4501-10-8	5/8	1/2	5.33
4501-12-12	3/4	3/4	7.10
4501-16-12	1	3/4	11.78
4501-16-16	1	1	11.48
4501-20-16	1-1/4	1	13.72
4501-20-20	1-1/4	1-1/4	21.89
4501-24-24	1-1/2	1-1/2	39.52
4501-32-32	2	2	251.34

More sizes available

45° PIPE HOSE INSERT

SAE 430360



Part #	Hose I.D.		Price
	1	2	
4503-4-2	1/4	1/8	4.52
4503-6-4	3/8	1/4	4.56
4503-8-6	1/2	3/8	6.79
4503-10-8	5/8	1/2	5.68
4503-12-12	3/4	3/4	7.48
4503-16-16	1	1	13.67
4503-20-20	1-1/4	1-1/4	23.05

More sizes available

90° O-RING HOSE INSERT



Part #	Hose I.D.		Price
	1	O-Ring	
4601-NWO-4	1/4	7/16-20	6.36
4601-NWO-5	5/16	1/2-20	6.02
4601-NWO-6	3/8	9/16-18	6.88
4601-NWO-8	1/2	3/4-16	8.43
4601-NWO-10	5/8	7/8-14	10.66
4601-NWO-10-8	5/8	3/4-16	10.41
4601-NWO-12	3/4	1-1/16-12	9.72
4601-NWO-16	1	1-5/16-12	15.18
4601-NWO-16-12	1	1-1/16-12	15.22
4601-NWO-20	1-1/4	1-5/8-12	25.28
4601-NWO-24	1-1/2	1-7/8-12	43.90
4601-NWO-24-20	1-1/2	1-5/8-12	31.61
4601-NWO-32	2	2-1/2-12	137.21

More sizes available

Is it better to be single or married?
"It's better for girls to be single but not for boys. Boys need someone to clean up after them."
-Anita, age 9

Hydraulic

45° O-RING HOSE INSERT



Part #	Hose I.D.		Price
	1	2	
4603-NWO-4	1/4	7/16-20	10.54
4603-NWO-6	3/8	9/16-18	6.32
4603-NWO-8	1/2	3/4-16	6.49
4603-NWO-10	5/8	7/8-14	8.34
4603-NWO-12	3/4	1-1/12-12	10.49
4603-NWO-16	1	1-5/16-12	15.57
4603-NWO-20	1-1/4	1-5/8-12	24.08
4603-NWO-20-16	1-1/4	1-5/16-12	28.29
4603-NWO-20-24	1-1/4	1-7/8-12	99.03
4603-NWO-24	1-1/2	1-7/8--12	37.41
4603-NWO-24-20	1-1/2	1-5/8-12	25.63
4603-NWO-32	2	2-1/2-12	293.69

More sizes available

O-RING HOSE INSERT



Part #	Hose I.D.		Price
	1	2	
4604-O-4	1/4	7/16-20	3.61
4604-O-5	5/16	1/2-20	4.09
4604-O-6	3/8	9/16-18	3.23
4604-O-8	1/2	3/4-16	3.74
4604-O-10	5/8	7/8-14	4.26
4604-O-10-8	5/8	3/4-16	5.16
4604-O-12	3/4	1-1/16-12	5.98
4604-O-16	1	1-5/16-12	8.99
4604-O-16-12	1	1-1/16-12	9.46
4604-O-20	1-1/4	1-5/8-12	18.06
4604-O-20-16	1-1/4	1-5/16-20	21.07
4604-O-24	1-1/2	1-7/8-12	29.28
4604-O-24-20	1-1/2	1-5/8-12	19.05

More sizes available

How would you make a marriage work?
"Tell your wife that she looks pretty
even if she looks like a truck."

Ricky, age 10

A man boarded an airplane and took his seat. As he settled in, he glanced up and saw a very beautiful woman boarding the plane. He soon realized she was headed straight toward his seat. Lo and behold, she took a seat right beside his. Eager to strike up a conversation, he blurted out, "Business trip or vacation?"

She turned and smiled and replied: "Business. I'm going to the Annual Nymphomaniac Convention in Chicago." He swallowed hard. Here was the most gorgeous woman he had ever seen sitting next to him and she was going to a meeting for nymphomaniacs!

Struggling to maintain his composure, he calmly asked, "What's your business role at this convention?"

"Lecturer," she responded. "I use my experience to debunk some of the popular myths about sexuality."

"Really," he said, "what myths are those?"

"Well," she explained, "one myth is that Italian men are the most well endowed when in fact it is the Native American Indian who is most likely to possess that trait. Another popular myth is that French men are the best lovers when research shows that actually men of Jewish descent are better. We have, however, found that potentially the best lover in all categories is the Southern Redneck."

Suddenly, the woman became a little uncomfortable and blushed. "I'm sorry," she said, "I shouldn't really be discussing this with you. Why I don't even know your name."


"Tonto," the man said, "Tonto Goldstein but my friends call me Bubba."

ISO-A Interchange

Nominal Size	Material	Rated Flow	Minimum Burst-Coupler	Minimum Burst-Plug	Minimum Burst Connected	Fluid Spillage
1/4"	Steel	2.5 GPM	27,260 PSI	20,155 PSI	18,850 PSI	0.5cc
3/8"	Steel	6.6 GPM	22,185 PSI	18,125 PSI	17,400	1.9cc
1/2"	Steel	11.3 GPM	18,850 PSI	15,370 PSI	16,820	2.7cc
3/4"	Steel	24.5 GPM	18,705 PSI	17,400 PSI	15,080	9.3cc
1"	Steel	29.7 GPM	16,820 PSI	14,500 PSI	14,500	16.0cc



Part#	Body Size	Male NPT	Working PSI	List Price
ANV-14-F	1/4"	1/4"	5075	18.88
ANV-14-M	1/4"	1/4"	5075	8.17
ANV-38-F	3/8"	3/8"	4550	21.16
ANV-38-M	3/8"	3/8"	4550	10.54
ANV-12-F	1/2"	1/2"	4500	21.50
ANV-12-M	1/2"	1/2"	4500	8.60
ANV-34-F	3/4"	3/4"	3625	45.75
ANV-34-M	3/4"	3/4"	3625	20.73
ANV-1-F	1"	1"	3335	68.71
ANV-1-M	1"	1"	3335	28.38




ISO-B Interchange

Nominal Size	Material	Rated Flow	Minimum Burst-Coupler	Minimum Burst-Plug	Minimum Burst Connected	Fluid Spillage
1/8"	Steel	2.0 GPM	25,300 PSI	23,200 PSI	23,200 PSI	0.5cc
1/4"	Steel	4.2 GPM	27,260 PSI	21,460 PSI	20,880 PSI	1.0cc
3/8"	Steel	8.0 GPM	27,550 PSI	18,850 PSI	19,430 PSI	2.4cc
1/2"	Steel	11.0 GPM	23,780	15,370 PSI	15,370 PSI	3.9cc
3/4"	Steel	24.0 GPM	19,720	15,950 PSI	15,660 PSI	11.0cc
1"	Steel	25.0 GPM	19,720	15,950 PSI	15,660 PSI	11.0cc



Part#	Body Size	Male NPT	Working PSI	List Price
HNV-18-F	1/8"	1/8"	5800	27.91
HNV-18-M	1/8"	1/8"	5800	10.54
HNV-14-F	1/4"	1/4"	5075	16.99
HNV-14-M	1/4"	1/4"	5075	7.74
HNV-38-F	3/8"	3/8"	4350	25.41
HNV-38-M	3/8"	3/8"	4350	11.01
HNV-12-F	1/2"	1/2"	4060	31.65
HNV-12-M	1/2"	1/2"	4060	13.07
HNV-34-F	3/4"	3/4"	2610	48.72
HNV-34-M	3/4"	3/4"	2610	20.77
HNV-1-F	1"	1"	2175	66.69
HNV-1-M	1"	1"	2175	27.65









Hydraulic

Flush Face

Nominal Size	ISO Size	Maximum Working Pressure	Rated Flow	Minimum Burst-Plug	Minimum Burst-Coupler	Minimum Burst Connected	Fluid Spillage
1/8"	5	7250 PSI	1.6 GPM	43,500 PSI	29,000 PSI	43,500 PSI	0.006 cc
1/4"	6.3	5000 PSI	4.8 GPM	28,275 PSI	23,925 PSI	33,350 PSI	0.008 cc
3/8"	10	5000 PSI	10.0 GPM	29,200 PSI	21,025 PSI	20,590 PSI	0.010 cc
1/2"	12.5	5000 PSI	19.8 GPM	25,375 PSI	21,750 PSI	23,925 PSI	0.012 cc
5/8"	16	5000 PSI	26.4 GPM	24,255 PSI	21,750 PSI	23,200 PSI	0.015 cc
3/4"	19	5000 PSI	37.0 GPM	20,580 PSI	20,580 PSI	20,300 PSI	0.020 cc
1"	25	5000 PSI	52.8 GPM	20,580 PSI	20,580 PSI	21,750 PSI	0.030 cc
1 1/2"	40	3625 PSI	89.5 GPM	14,500 PSI	14,500 PSI	14,500 PSI	0.050 cc



Part# Size	Body NPT	Male PSI	Working	List Price
FF-14-F	1/4	1/4	4400	55.30
FF-14-M	1/4	1/4	4400	27.69
FF-38-12-F	3/8	1/2	4350	70.31
FF-38-12-M	3/8	1/2	4350	33.63
FF-38-F	3/8	3/8	4350	66.48
FF-38-M	3/8	3/8	4350	23.31
FF-12-F	1/2	1/2	3650	70.13
FF-12-M	1/2	1/2	3650	58.57
FF-34-12-SAE-F	1/2	3/4	3675	86.82
FF-34-12-SAE-M	1/2	3/4	3675	54.87
FF-34-F	3/4	3/4	3650	111.07
FF-34-M	3/4	3/4	3650	70.31
FF-1-F	1	1	3675	182.71
FF-1-M	1	1	3675	103.07




AG Interchange

Nominal Size	Rated Flow	Minimum Burst-Coupler	Minimum Burst-Plug	Minimum Burst Connected	Fluid Spillage
1/4"	6.08 GPM	27,550 PSI	21,170 PSI	22,040 PSI	1.0cc
3/8"	9.5 GPM	26,970 PSI	18,125 PSI	23,200 PSI	2.4cc
1/2"	11.3 GPM	18,850 PSI	15,370 PSI	16,820 PSI	2.7cc
3/4"	24.5 GPM	17,400 PSI	17,400 PSI	15,370 PSI	8.6cc
1"	27.5 GPM	16,820 PSI	14,500 PSI	14,790 PSI	13.0cc



Part# Size	Body NPT	Male PSI	Working	List Price
NV-14-F	1/4	1/4	5075	17.54
NV-14-M	1/4	1/4	5075	10.54
NV-38-F	3/8	3/8	4550	21.29
NV-38-M	3/8	3/8	4550	9.68
NV-12-F	1/2	1/2	3625	21.50
NV-12-M	1/2	1/2	3625	8.60
NV-34-F	3/4	3/4	3625	50.31
NV-34-M	3/4	3/4	3625	23.09
NV-1-F	1	1	3335	67.73
NV-1-M	1	1	3335	33.07



Two-Way



Part Number	Nominal Size	Thread	Working Pressure	List Price
GE2-14-NPT	1/4"	1/4" NPT F	7250 PSI	34.92
GE2-38-NPT	3/8"	3/8" NPT F	7250 PSI	36.81
GE2-12-NPT	1/2"	1/2" NPT F	7250 PSI	39.90
GE2-34-NPT	3/4"	3/4" NPT F	5800 PSI	79.81
GE2-1-NPT	1"	1" NPT F	5075 PSI	89.78
*GE2-114T-NPT	1"	1 1/4" NPT F	5075 PSI	197.03
*GE2-112T-NPT	1"	1 1/2" NPT F	5075 PSI	236.93
*GE2-2T-NPT	2"	2"	5075 PSI	324.22

Part Number	Nominal Size	Thread	Working Pressure	List Price
GE2-04-SAE	1/4"	7/16-20 UNF	7250 PSI	41.15
GE2-06-SAE	3/8"	9/16-18 UNF	7250 PSI	43.65
GE2-08-SAE	1/2"	3/4-16 UNF	7250 PSI	47.39
GE2-12-SAE	3/4"	1 1/16-12 UNF	5800 PSI	89.78
GE2-16-SAE	1"	1 5/16-12 UNF	5075 PSI	99.76
*GB2-20T-SAE	1"	1 5/8-12 UNF	5075 PSI	122.21
*GB2-24T-SAE	1"	1 7/8-12 UNF	5075 PSI	274.34
°GB2-32T-SAE	2"	2 1/2-12"	5075 PSI	342.93

Construction: Steel Body, Ball, Stem

Zinc Chromate Plate

Buna "O" Rings (Viton on request)

Delrin Ball Seats

° = Reduced Port Only

* = Available in Reduced Port

Three-Way



Part Number	Nominal Size	Thread	Working Pressure	List Price
GE3L-14-NPT	1/4"	1/4" NPT F	5800 PSI	78.56
GE3L-38-NPT	3/8"	3/8" NPT F	5800 PSI	87.29
GE3L-12-NPT	1/2"	1/2" NPT F	5800 PSI	92.28
GE3L-34-NPT	3/4"	3/4" NPT F	5075 PSI	122.21
GE3L-1-NPT	1"	1" NPT F	5075 PSI	153.38
*GE3L-114T-NPT	1 1/4"	1 1/4" NPT F	5075 PSI	548.68
*GE3L-112T-NPT	1 1/2"	1 1/2" NPT F	5075 PSI	642.21
*GE3L-2T-NPT	2"	2" NPT F	5075 PSI	754.44

Part Number	Nominal Size	Thread	Working Pressure	List Price
GE3L-04-SAE	1/4"	7/16-20 UNF	5800 PSI	84.80
GE3L-06-SAE	3/8"	9/16-18 UNF	5800 PSI	93.53
GE3L-08-SAE	1/2"	3/4-16 UNF	5800 PSI	99.76
GE3L-12-SAE	3/4"	1 1/16-12 UNF	5075 PSI	132.18
GE3L-16-SAE	1"	1 5/16-12 UNF	5075 PSI	162.11
*GB3L-20T-SAE	1 1/4"	1 5/8-12 UNF	5075 PSI	673.83
*GB3L-24T-SAE	1 1/2"	1 7/8-12 UNF	5075 PSI	785.61
°GB3L-32T-SAE	2"	2 1/2-12 UNF	5075 PSI	929.02

Construction: Steel Body, Ball, Stem

Zinc Chromate Plate

Buna "O" Rings (Viton on request)

Delrin Ball Seats

° = Reduced Port Only

* = Available in Reduced Port

Also Available in Stainless Steel

Numerical Index

10-001

10-333

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
10-001	28	10-080	29	10-125	30	10-162	30	10-236L	31	10-286B	32
10-002	28	10-081	29	101-253	143	10-163	30	10-237	31	10-287	32
10-003	28	10-084	29	101-254	143	10-164	30	10-237L	31	10-287B	32
10-004	28	10-085	29	101-255	143	10-165	30	10-238	31	10-288	32
10-005	28	10-086	29	101-256	143	10-170	30	10-239	31	10-289	32
10-006	28	10-087	29	101-257	143	10-171	30	10-240	31	10-290	32
10-007	28	10-088	29	101-258	143	10-172	30	10-240L	31	10-290B	32
10-008	28	10-089	29	10-131	29	10-173	30	10-241	31	10-291	32
10-013	28	10-090	29	10-132	29	10-174	30	10-241L	31	10-291B	32
10-014	28	10-094	29	10-133	29	10-175	30	10-242	31	10-292	32
10-015	28	10-095	29	10-135	35	10-176	30	10-243	31	10-293	32
10-015L	28	10-097	29	10-136	35	101-773	143	10-244	31	10-293B	32
10-016	28	10-098	29	10-137	35	101-774	143	10-245	31	10-294	32
10-017	28	10-099	29	101-393	143	101-775	143	10-246	31	10-294B	32
10-017L	28	10-100	29	101-394	143	101-776	143	10-247	31	10-295	32
10-018	28	1010002	166	101-395	143	101-777	143	10-248	31	10-295B	32
10-019	28	1010004	166	101-396	143	101-778	143	10-253	32	10-296	32
10-019L	28	1010008	166	101-397	143	10-178	30	10-254	32	10-297	32
10-020	28	1010011	166	101-398	143	10-179	30	10-255	32	10-298	32
10-020L	28	1010016	166	101-413	143	10-180	30	10-255L	32	10-298B	32
10-021	28	1010019	166	101-414	143	10-181	30	10-256	32	10-299	32
10-022	28	1010022	166	101-415	143	10-182	30	10-256L	32	10-299B	32
10-023	28	1010024	166	101-416	143	10-187	30	10-257	32	10-300	32
10-024	28	1010027	166	101-417	143	10-188	30	10-258	32	10-300B	32
10-025	28	10-104	30	101-418	143	10-189	30	10-259	32	10-301	32
10-026	28	10-105	30	101-434	143	10-197	30	10-259L	32	10-302	32
10-028	28	10-106	30	101-435	143	10-203	31	10-260	32	10-302B	32
10-030	28	10-106L	30	101-437	143	10-204	31	10-260L	32	10-303	32
10-031	28	10-107	30	101-438	143	10-204B	31	10-261	32	10-303B	32
10-032	28	10-108	30	101-440	143	10-205	31	10-262	32	10-304	32
10-033	28	10-108L	30	101-441	143	10-205B	31	10-263	32	10-305	32
10-038	28	10-109	30	101-442	143	10-206	31	10-263L	32	10-306	32
10-039	28	10-109L	30	101-443	143	10-207	31	10-264	32	10-306B	32
10-040	28	10-110	30	101-444	143	10-208	31	10-264L	32	10-307	32
10-041	28	101-103	143	101-445	143	10-209	31	10-265	32	10-308	32
10-042	28	101-104	143	101-446	143	10-210	31	10-265L	32	10-309	32
10-043	28	101-105	143	101-447	143	10-211	31	10-266	32	10-311	32
10-044	28	101-106	143	101-449	143	10-212	31	10-267	32	10-312	33
10-045	28	101-107	143	101-450	143	10-213	31	10-268	32	10-313	33
10-046	28	101-108	143	101-451	143	10-214	31	10-268L	32	10-313B	33
10-047	28	10-110L	30	101-452	143	10-215	31	10-269	32	10-314	33
10-048	28	10-111	30	101-453	143	10-216	31	10-269L	32	10-315	33
10-049	28	10-112	30	101-454	143	10-217	31	10-270	32	10-316	33
10-051	29	101-163	143	101-458	143	10-218	31	10-271	32	10-316B	33
10-052	29	101-164	143	101-473	143	10-219	31	10-272	32	10-317	33
10-053	29	101-165	143	101-474	143	10-220	31	10-272L	32	10-318	33
10-054	29	101-166	143	101-475	143	10-221	31	10-273	32	10-319	33
10-055	29	101-167	143	101-476	143	10-224	31	10-273L	32	10-319B	33
10-056	29	101-168	143	101-477	143	10-226	31	10-274	32	10-320	33
10-058	29	10-117	30	101-478	143	10-227	31	10-275	32	10-321	33
10-063	29	10-118	30	10-157	30	10-228	31	10-276	32	10-322	33
10-064	29	101-183	143	10-158	30	10-228L	31	10-277	32	10-323	33
10-065	29	101-184	143	10-159	30	10-229	31	10-278	32	10-324	33
10-066	29	101-185	143	10-159B	30	10-229L	31	10-279	32	10-324B	33
10-067	29	101-186	143	10-160	30	10-230	31	10-280	32	10-325	33
10-068	29	101-187	143	101-603	143	10-231	31	10-282B	32	10-326	33
10-074	29	101-188	143	101-604	143	10-232	31	10-283	32	10-327	33
10-075	29	10-119	30	101-605	143	10-233	31	10-283B	32	10-328	33
10-076	29	10-120	30	101-606	143	10-234	31	10-284	32	10-329	33
10-077	29	10-121	30	101-607	143	10-235	31	10-284B	32	10-330	33
10-078	29	10-122	30	101-608	143	10-235L	31	10-285	32	10-331	33
10-079	29	10-123	30	10-161	30	10-236	31	10-286	32	10-333	33

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
10-340	33	10-461	35	12-003	38	12-071	39	12-236	41	16700007	167
10-343	33	10-462	35	12-004	38	12-072	39	12-250	41	16700010	167
10-344	33	10-463	35	12-005	38	12-073	39	12-252	41	16700012	167
10-345	33	10-464	35	12-006	38	12-074	39	12-254	41	16700013	167
10-347	33	10-467	35	12-007	38	12-075	39	12-256	41	16700016	167
10-348	33	10-468	35	12-008	38	12-076	39	12-257	41	16700017	167
10-350	33	10-469	35	12-009	38	12-077	39	12-310	41	16700022	167
10-351	33	10-470	35	12-010	38	12-078	39	12-326	41	16700024	167
10-352	33	10-471	35	12-011	38	12-079	39	12-327	41	17-013N	155
10-353	33	10-473	35	12-012	38	12-080	39	12-328	41	17-015	155
10-354	33	10-481	36	12-013	38	12-081	39	12-330	41	17-016N	155
10-355	33	10-482	36	12-014	38	12-085	39	12-331	41	17-024	155
10-357	33	10-483	36	12-015	38	12-086	39	12-332	41	17-035	155
10-359	33	10-484	36	12-016	38	12-087	39	12-333	41	17-036N	155
10-360	33	10-485	36	12-017	38	12-088	39	12-334	41	17-037N	155
10-361	33	10-486	36	12-020	38	12-089	39	12-335	41	17-039N	155
10-373	34	10-487	36	12-022	38	12-090	39	12-337	42	17-064	156
10-374	34	10-488	36	12-023	38	12-091	39	12-338	42	17-065N	156
10-375	34	10-489	36	12-024	38	12-092	39	12-339	42	17-066	156
10-376	34	10-493	36	12-025	38	12-093	39	12-340	42	17-068	156
10-382	34	10-494	36	12-026	38	12-094	39	12-341	42	17-078N	156
10-383	34	10-495	36	12-027	38	12-100	40	12-343	42	17-079	156
10-404	34	10-500	36	12-028	38	12-101	40	12-345	42	17-081	156
10-405	34	1050000	166	12-029	61	12-102	40	12-468	61	17-088N	156
10-406	34	1050001	166	12-030	38	12-103	40	1510003	166	17-090N	156
10-407	34	1050002	166	12-031	38	12-109	40	1510004	166	17-091N	156
10-408	34	1050003	166	12-032	38	12-110	40	1510006	166	17-101N	156
10-409	34	1050006	166	12-033	38	12-111	40	1510007	166	17-103	156
10-410	34	1050007	166	12-034	38	12-112	40	1510008	166	17-105	156
10-411	34	1050008	166	12-035	38	12-113	40	1510009	166	17-106	156
10-412	34	1050009	166	12-036	38	12-118	40	1510010	166	17-124	156
10-416	34	1050010	166	12-038	39	12-119	40	1510011	166	17-126	156
10-417	34	1050011	166	12-039	39	12-120	40	1510012	166	17-127	156
10-419	34	1050012	166	12-040	39	12-121	40	1510013	166	17-145	156
10-421	34	1050013	166	12-041	39	12-122	40	1510014	166	17-146	156
10-429	34	1050014	166	12-042	39	12-127	40	1510016	166	17-153	156
10-430	34	1050015	166	12-043	39	12-128	40	1510019	166	17-154	156
10-431	34	1050016	166	12-044	39	12-129	40	1510020	166	17-155	156
10-432	34	1050017	166	12-045	39	12-130	40	1510023	166	17-158	156
10-434	34	1050018	166	12-046	39	12-131	40	16-001	52	17-159	156
10-435	34	1050020	166	12-047	39	12-135	40	16-002	52	17-176	156
10-440	35	1050021	166	12-048	39	12-136	40	16-003	52	17-179	156
10-441	35	1050023	166	12-049	39	12-137	40	16-004	52	17-180	156
10-442	35	1050025	166	12-050	39	12-144	40	16-005	52	17-181	156
10-443	35	1050026	166	12-051	39	12-145	40	16-010	52	17-183	156
10-444	35	1050027	166	12-052	39	12-146	40	16-013	52	17-184	156
10-448	35	1050028	166	12-053	39	12-147	40	16-090	52	17-187	156
10-448B	35	1050029	166	12-054	39	12-148	40	16-117	52	17-188	156
10-449	35	1050030	166	12-056	39	12-149	40	16-118	52	17-189	156
10-450	35	1050031	166	12-057	39	12-150	40	16-119	52	17-190	156
10-451	35	1050032	166	12-058	39	12-151	40	16-121	52	17-193	156
10-452	35	1050033	166	12-059	39	12-200	41	16-122	52	17-194	156
10-452B	35	10-600	36	12-060	39	12-202	41	16-123	52	17-195	156
10-453	35	10-602	36	12-061	39	12-210	41	16-127	52	17-224	156
10-454	35	10-610	36	12-062	39	12-212	41	16-128	52	17-225	156
10-455	35	10-611	36	12-063	39	12-214	41	16-129	52	17-226N	156
10-455B	35	10-615	36	12-064	39	12-216	41	16-130	52	17-229	156
10-456	35	10-620	36	12-065	39	12-218	41	16-130B	52	17-233	156
10-457	35	11715	61	12-066	39	12-220	41	16-131	52	17-234	156
10-458	35	12-000	38	12-067	39	12-222	41	16-132	52	17-237	156
10-459	35	12-001	38	12-068	39	12-224	41	16700001	167	17-238	156
10-460	35	12-002	38	12-069	39	12-230	41	16700004	167	17-254	156

Numerical Index

17-258

20-026P

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
17-258	156	18-067	46	18-126	48	18-189	49	18-241	50	18-302	51
17-259	156	18-068	46	18-127	48	18-189L	49	18-241B	50	18-303	51
17-262	156	18-068L	46	18-127B	48	18-190	49	18-242	50	18-304	51
17-263	156	18-069	46	18-128	48	18-190L	49	18-243	50	18-307	50
17-279P	156	18-069D	46	18-129	48	18-191	49	18-245	50	18-312	51
17-282P	156	18-069L	46	18-130	48	18-192	49	18-246	50	18-313	51
17-291	156	18-070	46	18-135	48	18-193	49	18-247	50	18-314	51
17-292	156	18-071	46	18-136	48	18-193L	49	18-248	50	18-316	51
17-296	156	18-071D	46	18-137	48	18-194	49	18-250	50	18-321	51
17-297P	156	18-071L	46	18-142	48	18-194L	49	18-251	50	18-322	51
17-299P	156	18-076	46	18-143	48	18-195	49	18-252	50	18-323	51
17-360	155	18-077	46	18-144	48	18-195L	49	18-253	50	18-324	51
17-362	155	18-078	46	18-145	48	18-196	49	18-253B	50	18-325	51
17-363	155	18-079	46	18-145L	48	18-197	49	18-254	50	18-326	51
18-001	45	18-080	46	18-146	48	18-198	49	18-254B	50	18-327	51
18-002	45	18-081	46	18-146L	48	18-199	49	18-255	50	18-328	51
18-003	45	18-082	46	18-147	48	18-200	49	18-256	50	18-329	51
18-004	45	18-083	46	18-148	48	18-201	49	18-257	50	18-330	51
18-005	45	18-084	46	18-149	48	18-202	49	18-258	50	18-331	51
18-006	45	18-088	47	18-150	48	18-203	49	18-259	50	18-332	51
18-007	45	18-089	47	18-151	48	18-204	49	18-260	50	18-333	51
18-008	45	18-090	47	18-152	48	18-205	49	18-261	50	18-334	51
18-009	45	18-091	47	18-153	48	18-208	49	18-262	50	18-335	51
18-010	45	18-092	47	18-153L	48	18-209	49	18-263	50	18-336	51
18-015	45	18-094	47	18-154	48	18-210	49	18-264	50	18-338	51
18-016	45	18-095	47	18-154L	48	18-211	49	18-265	50	18-339	51
18-017	45	18-096	47	18-155	48	18-212	49	18-266	50	18500060	167
18-018	45	18-097	47	18-156	48	18-213	49	18-267	50	18500064	167
18-019	45	18-098	47	18-157	48	18-214	49	18-268	50	1x2x3	115
18-020	45	18-099	47	18-158	48	18-215	49	18-269	50	20-000	59
18-029	46	18-100	47	18-158L	48	18-220	50	18-270	50	20-004	59
18-030	46	18-101	47	18-159	48	18-220B	50	18-271	50	20-005	59
18-033	45	18-101B	47	18-159L	48	18-221	50	18-272	51	20-006	59
18-034	45	18-102	47	18-160	48	18-221B	50	18-273	51	20-007	59
18-035	45	18-102B	47	18-161	48	18-223	50	18-274	51	20-008	59
18-035L	45	18-103	47	18-162	48	18-224	50	18-275	51	20-009	59
18-036	45	18-103B	47	18-162L	48	18-224B	50	18-276	51	20-010	59
18-037	45	18-104	47	18-163	48	18-225	50	18-277	51	20-011	59
18-037L	45	18-104B	47	18-164	48	18-225B	50	18-278	51	20-013	59
18-038	45	18-105	47	18-165	48	18-226	50	18-279	51	20-014	59
18-039	45	18-105B	47	18-166	48	18-227	50	18-280	51	20-017	59
18-039L	45	18-106	47	18-167	48	18-228	50	18-281	51	20-017N	59
18-040	45	18-106B	47	18-171	49	18-228B	50	18-282	51	20-018	59
18-040L	45	18-107	47	18-175	49	18-229	50	18-283	51	20-018N	59
18-041	45	18-108	47	18-176	49	18-229B	50	18-284	51	20-018P	157
18-042	45	18-109	47	18-177	49	18-230	50	18-289B	51	20-019	59
18-047	46	18-110	47	18-178	49	18-231	50	18-290	51	20-019N	59
18-048	46	18-111	47	18-179	49	18-232	50	18-290B	51	20-019P	157
18-049	46	18-114	47	18-179L	49	18-232B	50	18-291	51	20-020	59
18-050	46	18-115	47	18-180	49	18-233	50	18-291B	51	20-020N	59
18-054	45	18-116	47	18-180L	49	18-233B	50	18-292	51	20-020P	157
18-055	45	18-117	47	18-181	49	18-234	50	18-293	51	20-021	59
18-056	45	18-118	47	18-182	49	18-234B	50	18-294	51	20-021N	59
18-057	45	18-119	47	18-183	49	18-235	50	18-295	51	20-021P	157
18-062	46	18-122	48	18-184	49	18-235B	50	18-296	51	20-022	59
18-063	46	18-122B	48	18-184L	49	18-236	50	18-296B	51	20-023	60
18-064	46	18-123	48	18-185	49	18-237	50	18-297	51	20-023N	60
18-064L	46	18-123B	48	18-186	49	18-237B	50	18-298	51	20-025	59
18-065	46	18-124	48	18-187	49	18-238	50	18-299	51	20-025N	59
18-066	46	18-124B	48	18-187L	49	18-238B	50	18-299B	51	20-026	59
18-066D	46	18-125	48	18-188	49	18-239	50	18-300	51	20-026N	59
18-066L	46	18-125B	48	18-188L	49	18-240	50	18-301	51	20-026P	158

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
20-027	59	20-059P	157	20-093	61	20-151P	157	20-252	55	20-322	56
20-027P	158	20-060	60	20-094	60	20-152	60	20-253	55	20-323	56
20-028	59	20-060N	60	20-095	61	20-152N	60	20-256	55	20-324	56
20-028N	59	20-061	60	20-097	61	20-152P	157	20-257	55	20-327	56
20-028P	158	20-061N	60	20-098	61	20-153	60	20-258	55	20-328	56
20-029	59	20-061P	157	20-099	61	20-153N	60	20-259	55	20-330	55
20-029N	59	20-062	60	20-100	61	20-153P	157	20-260	55	20-333	56
20-029P	158	20-062N	60	20-101	61	20-154	60	20-261	55	20-334	56
20-030	59	20-062P	157	20-102	61	20-154N	60	20-262	55	20-337	57
20-030N	59	20-063	60	20-103	61	20-154P	157	20-263	55	20-338	57
20-030P	158	20-063N	60	20-103N	61	20-155	60	20-264	55	20-339	57
20-031	59	20-063P	157	20-104	61	20-155N	60	20-265	55	20-344	57
20-031N	59	20-064	59	20-104N	61	20-155P	157	20-266	55	20-370	56
20-031P	158	20-065	59	20-105	61	20-162	61	20-267	55	20-371	56
20-032	59	20-066	59	20-105N	61	20-162N	61	20-268	55	20-372	56
20-032N	59	20-067	59	20-106	61	20-163	61	20-269	55	20-373	56
20-034	59	20-068	59	20-106N	61	20-163N	61	20-270	55	20-374	56
20-034N	59	20-068N	59	20-107	61	20-165	61	20-271	55	20-380	54
20-035	59	20-068P	158	20-107N	61	20-165N	61	20-272	55	20-381	54
20-035N	59	20-069	59	20-108	61	20-166	61	20-273	55	20-382	54
20-035P	158	20-069N	59	20-108N	61	20-166N	61	20-274	55	20-383	54
20-036	59	20-069P	158	20-109	61	20-170	61	20-275	55	20-384	54
20-036N	59	20-070	59	20-109N	61	20-171	61	20-276	55	20-385	54
20-036P	158	20-070P	158	20-110	61	20-172	61	20-277	55	20-401	57
20-037	59	20-071	59	20-110N	61	20-174	61	20-278	55	20-403	57
20-037N	59	20-072	59	20-111	61	20-174N	61	20-279	55	20-409	57
20-038	59	20-072N	59	20-111N	61	20-200	55	20-280	55	20-411	57
20-038N	59	20-072P	158	20-112	61	20-201	54	20-281	55	20-413	57
20-046	60	20-073	59	20-113	61	20-203	54	20-282	55	20-417	57
20-046N	60	20-073N	59	20-114	61	20-204	54	20-282A	55	20-419	57
20-046P	157	20-073P	158	20-115	61	20-205	54	20-284	55	20-425	57
20-047	60	20-074	59	20-116	61	20-206	54	20-285	55	20-427	57
20-047N	60	20-075	59	20-117	61	20-207	54	20-287	55	20-435	57
20-048	60	20-076	60	20-118	61	20-208	54	20-288	55	20-437	57
20-048N	60	20-076N	60	20-119	61	20-211	54	20-289	55	20-439	57
20-049	60	20-077	60	20-120	187	20-212	54	20-290	55	20-445	57
20-049N	60	20-078	60	20-120	61	20-213	54	20-291	55	20-451	57
20-050	60	20-079	60	20-123	61	20-214	54	20-292	55	20-453	57
20-050N	60	20-079N	60	20-123N	61	20-218	54	20-293	55	20-455	57
20-050P	157	20-080	60	20-123P	158	20-219	54	20-294	55	20-457	57
20-051	60	20-080N	60	20-125P	158	20-220	54	20-295	55	20-461	57
20-052	60	20-081	60	20-126	61	20-221	54	20-296	55	20-463	57
20-052P	157	20-081N	60	20-126P	158	20-222	54	20-299	56	20-465	57
20-053	60	20-082	60	20-127	61	20-223	54	20-300	56	20-473	188
20-053N	60	20-082N	60	20-127N	61	20-227	54	20-301	56	20-473	91
20-054	60	20-083	60	20-127P	158	20-228	54	20-302	56	20-485	188
20-054N	60	20-083N	60	20-128	61	20-229	54	20-303	56	20-485	91
20-054P	157	20-084	60	20-128N	61	20-230	54	20-304	56	20-487	188
20-055	60	20-084N	60	20-128P	158	20-231	54	20-305	56	20-487	91
20-055N	60	20-085	60	20-129	61	20-232	54	20-308	56	20-489	188
20-055P	157	20-085N	60	20-129N	61	20-235	54	20-309	56	20-489	91
20-056	60	20-086	60	20-129P	158	20-237	54	20-310	56	20-501	188
20-056N	60	20-086N	60	20-130	61	20-240	55	20-311	56	20-501	91
20-056P	157	20-087	60	20-131	61	20-241	55	20-312	56	20-503	188
20-057	60	20-087N	60	20-132	61	20-242	55	20-313	56	20-503	91
20-057N	60	20-088	60	20-133	60	20-243	55	20-314	56	20-505	188
20-057P	157	20-088N	60	20-134	60	20-244	55	20-317	56	20-505	91
20-058	60	20-089	60	20-143P	157	20-245	55	20-318	56	20-507	188
20-058N	60	20-090	60	20-150	60	20-248	55	20-319	56	20-507	91
20-058P	157	20-091	60	20-150N	60	20-249	55	20-319A	56	20-510	59
20-059	60	20-092	60	20-151	60	20-250	55	20-320	56	20-511	59
20-059N	60	20-092N	60	20-151N	60	20-251	55	20-321	56	20-512	59

Numerical Index

20-512P

28-185

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
20-512P	158	20-675	62	20-810	62	21-193	17	28-039	2	28-113	4
20-514P	158	20-676	62	20-811	62	21-195	17	28-041	3	28-114	4
20-522P	158	20-677	62	20-813	62	21-197	17	28-042	3	28-115	4
20-523P	158	20-678	62	20-814	62	21-207	17	28-043	3	28-116	4
20-524P	158	20-679	62	20-815	62	22-008	45	28-044	3	28-117	4
20-525P	158	20-680	62	20-816	62	22-009	45	28-045	3	28-118	4
20-526P	158	20-682	62	20-817	62	22-009A	45	28-046	2	28-120	4
20-527P	158	20-683	62	20-818	62	22-010	45	28-047	2	28-121	4
20-528P	158	20-684	62	20-819	62	22-010A	45	28-048	2	28-122	4
20-529P	158	20-685	62	20-820	62	22-010B	45	28-049	3	28-123	5
20-530	60	20-686	62	20-836P	159	22-011	45	28-050	3	28-124	5
20-530N	60	20-687	62	20-837P	159	22-011A	45	28-051	3	28-125	5
20-530P	158	20-688	62	20-838P	159	22-012	45	28-052	3	28-126	5
20-531	60	20-689	62	20-853P	159	22-013	45	28-058	3	28-127	5
20-531N	60	20-700P	158	20-854P	159	22-014	45	28-058L	3	28-128	4
20-531P	157	20-701P	158	20-855P	159	22-015	45	28-059	3	28-129	4
20-532	60	20-702P	157	20-856P	159	24-003	46	28-059L	3	28-130	4
20-532N	60	20-703P	157	20-857P	159	24-004	46	28-060	3	28-131	6
20-532P	157	20-704P	157	20-858P	159	24-005	46	28-060L	3	28-132	6
20-533P	158	20-724P	158	20-859P	159	24-006	46	28-061	3	28-133	6
20-535	60	20-725P	158	20-860P	159	26-001	46	28-061L	3	28-134	6
20-535N	60	20-730P	158	20-861P	159	26-002	46	28-062	3	28-135	6
20-538	60	20-731P	158	20-862P	159	26-003	46	28-062L	3	28-140	6
20-538N	60	20-732P	158	20-863P	159	26-004	46	28-067	3	28-141	6
20-539	60	20-733P	158	20-864P	159	26-005	46	28-068	3	28-142	6
20-539N	60	20-734P	158	20-865P	159	26-007	46	28-069	3	28-143	6
20-552	60	20-735P	158	20-876P	159	26-008	46	28-070	3	28-144	6
20-553	60	20-736P	158	20-877P	159	27-001	45	28-075	3	28-145	6
20-553N	60	20-740P	158	20-878P	159	27-002	45	28-076	3	28-146	6
20-554	60	20-741P	158	20-879P	159	27-003	45	28-077	3	28-147	6
20-557	60	20-742P	158	20-880P	159	27-005	45	28-078	3	28-148	6
20-600	62	20-743P	158	20-881P	159	27-006	45	28-079	3	28-149	6
20-601	62	20-744P	158	20-900P	159	28-001	2	28-084	5	28-150	6
20-602	62	20-745P	158	20-901P	159	28-002	2	28-085	5	28-151	6
20-603	62	20-746P	158	20-904P	159	28-003	2	28-086	5	28-152	6
20-604	62	20-747P	158	20-905P	159	28-004	2	28-087	5	28-153	6
20-610	62	20-748P	158	20-944P	158	28-005	2	28-088	5	28-154	6
20-611	62	20-750P	157	20-993P	158	28-009	2	28-089	5	28-155	6
20-612	62	20-751P	157	21-003	17	28-010	2	28-090	4	28-156	4
20-613	62	20-752P	157	21-007	17	28-011	2	28-092	5	28-156S	4
20-614	62	20-753P	157	21-009	17	28-012	2	28-093	5	28-157	4
20-630	62	20-754P	157	21-021	17	28-013	2	28-094	5	28-157S	4
20-631	62	20-755P	157	21-025	17	28-014	2	28-095	5	28-158	4
20-632	62	20-756P	157	21-027	17	28-015	2	28-096	5	28-159	4
20-633	62	20-757P	157	21-043	17	28-016	2	28-097	5	28-160	4
20-634	62	20-758P	157	21-047	17	28-018	2	28-102	4	28-165	4
20-635	62	20-759P	158	21-083	17	28-019	2	28-102L	4	28-166	4
20-636	62	20-760P	158	21-095	17	28-024	2	28-103	4	28-167	4
20-637	62	20-761P	158	21-097	17	28-025	2	28-104	4	28-168	4
20-638	62	20-762P	158	21-099	17	28-026	2	28-104L	4	28-169	4
20-642	62	20-763P	158	21-111	17	28-027	2	28-105	4	28-174	5
20-655	62	20-764P	158	21-113	17	28-028	2	28-105L	4	28-175	5
20-656	62	20-776P	159	21-115	17	28-029	2	28-106	4	28-176	5
20-657	62	20-777P	159	21-117	17	28-030	2	28-106L	4	28-180	3
20-658	62	20-779P	159	21-119	17	28-031	2	28-107	4	28-181	3
20-659	62	20-801	62	21-121	17	28-032	2	28-107L	4	28-181L	3
20-660	62	20-803	62	21-133	17	28-033	2	28-108	4	28-182	3
20-661	62	20-805	62	21-151	17	28-034	2	28-109L	4	28-183	3
20-670	62	20-806	62	21-153	17	28-035	2	28-110L	4	28-183L	3
20-672	62	20-807	62	21-155	17	28-036	2	28-111	4	28-184	3
20-673	62	20-808	62	21-159	17	28-037	2	28-111L	4	28-184L	3
20-674	62	20-809	62	21-161	17	28-038	2	28-112	4	28-185	3

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
28-185L	3	28-245	7	28-331	8	28-547	180	28-634P	152	28-708	192
28-188	3	28-246	7	28-331	81	28-551	180	28-635P	152	28-709	192
28-189	3	28-247	7	28-332	8	28-552	180	28-639	182	28-710	192
28-190	7	28-248	7	28-332	81	28-553	180	28-640	182	28-711	192
28-190L	7	28-249	7	28-333	8	28-557	180	28-640W	152	28-712	192
28-191	7	28-253	7	28-335	8	28-558	180	28-641W	152	28-713	192
28-191L	7	28-254	7	28-335	81	28-559	180	28-642W	152	28-714	192
28-192	7	28-255	7	28-336	8	28-560	180	28-643W	152	28-715	192
28-192L	7	28-256	7	28-336	81	28-561	180	28-651	182	28-716	192
28-193	7	28-257	7	28-337	8	28-562	180	28-652	182	28-717	192
28-193L	7	28-260	4	28-337	81	28-564	180	28-659	152	28-718	192
28-194	7	28-261	4	28-338	8	28-565	180	28-660	152	28-720W	153
28-194L	7	28-261B	4	28-338	81	28-566	180	28-661	152	28-721W	153
28-195	7	28-262	4	28-339	8	28-577	181	28-663	152	28-722F	192
28-195L	7	28-263	4	28-339	81	28-578	181	28-664	152	28-723	153
28-196	7	28-264	4	28-340	8	28-579	180	28-665	182	28-724F	192
28-198	7	28-265	4	28-340	81	28-583	181	28-665W	152	28-724W	153
28-199	7	28-266	8	28-345	9	28-584	181	28-666	152	28-725W	153
28-201	5	28-267	8	28-346	9	28-585	181	28-666	182	28-726	153
28-201S	5	28-268	8	28-347	9	28-586	181	28-667	182	28-726F	192
28-202	5	28-269	8	28-348	9	28-587	181	28-667W	152	28-728F	192
28-202S	5	28-274	8	28-415	16	28-589	180	28-668	152	28-729F	192
28-203	5	28-275	8	28-417	16	28-592	181	28-668	182	28-731F	192
28-203S	5	28-276	8	28-425	7	28-593	181	28-669	182	28-733F	192
28-204	5	28-281	8	28-426	7	28-594	181	28-670	182	28-734F	192
28-204S	5	28-281F	8	28-430	4	28-595	181	28-671	152	28-736F	192
28-205	5	28-282	8	28-440	8	28-597	181	28-672	152	28-738F	192
28-205S	5	28-282F	8	28-440	81	28-601	152	28-674W	152	28-740F	192
28-206	5	28-283	8	28-441	8	28-601	181	28-675	182	28-741	153
28-206S	5	28-284	8	28-441	81	28-602	152	28-675W	152	28-742F	192
28-207	7	28-285	8	28-442	8	28-603	152	28-676	182	28-742P	153
28-208	7	28-290	8	28-442	81	28-603	181	28-677	182	28-743	153
28-209	7	28-291	8	28-443	8	28-604	152	28-678	152	28-744	153
28-211	6	28-292	8	28-443	81	28-605	152	28-678	182	28-745W	153
28-211L	6	28-293	8	28-500	181	28-605	183	28-679	182	28-746	192
28-212	6	28-294	8	28-501	181	28-606	183	28-679W	152	28-746W	153
28-212L	6	28-300	9	28-502	181	28-606W	152	28-680	152	28-747	192
28-213	6	28-301	9	28-506	181	28-607	183	28-680	182	28-747W	153
28-213L	6	28-302	9	28-507	181	28-607W	152	28-681	182	28-753	192
28-214	6	28-303	9	28-508	181	28-608	183	28-682	182	28-754	192
28-214L	6	28-304	9	28-509	181	28-608W	152	28-682W	152	28-756	192
28-215	6	28-306	9	28-510	181	28-609W	152	28-683	182	28-760	153
28-216	6	28-307	9	28-511	181	28-611	152	28-683W	152	28-760F	192
28-220	6	28-309	9	28-515	181	28-612	152	28-684	182	28-761	153
28-220L	6	28-310	9	28-516	181	28-613	152	28-685	182	28-762	153
28-221	6	28-312	9	28-517	181	28-614	152	28-685W	152	28-762F	192
28-221L	6	28-313	9	28-518	181	28-615	152	28-686	182	28-763	153
28-222	6	28-314	9	28-520	181	28-616W	152	28-687	182	28-764	153
28-222L	6	28-315	9	28-521	181	28-617W	152	28-688	182	28-765W	153
28-223	6	28-316	9	28-522	181	28-618W	152	28-701	192	28-766F	192
28-223L	6	28-317	9	28-528	181	28-619	182	28-701W	153	28-767W	153
28-224	6	28-318	9	28-530	181	28-619W	152	28-702	153	28-768F	192
28-224L	6	28-319	9	28-531	181	28-620	182	28-702	192	28-768W	153
28-225	6	28-321	9	28-532	181	28-620W	152	28-703	192	28-770F	192
28-230	7	28-322	9	28-533	180	28-621W	152	28-703W	153	28-772F	192
28-231	7	28-325	9	28-534	180	28-622W	152	28-704	153	28-773F	192
28-232	7	28-328	8	28-535	180	28-623	152	28-704	192	28-774F	192
28-233	7	28-328	81	28-539	180	28-624	152	28-705	192	28-777F	192
28-234	7	28-329	8	28-540	180	28-625	152	28-705W	153	28-778F	192
28-238	7	28-329	81	28-541	180	28-628	152	28-706	192	28-780F	192
28-239	7	28-330	8	28-545	180	28-629P	152	28-706W	153	28-781F	192
28-240	7	28-330	81	28-546	180	28-631P	152	28-707	192	28-783F	192

Numerical Index

28-784F

30-413

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
28-784F	192	28-868	193	28-957	192	30-018	21	30-200	18	30-279	20
28-786F	192	28-869	193	28-958	192	30-021	23	30-201	18	30-280	20
28-796	192	28-870	193	28-959	192	30-022	23	30-202	18	30-281	20
28-797	192	28-871	193	28-960	192	30-025	24	30-203	18	30-282	20
28-798	192	28-873	193	28-961	192	30-026	23	30-204	18	30-283	20
28-800	193	28-874	193	28-962	192	30-027	24	30-205	18	30-284	20
28-801	193	28-875	193	28-963	192	30-028	24	30-206	18	30-285	20
28-802	193	28-876	193	28-964	192	30-029	24	30-207	18	30-286	20
28-803	193	28-877	193	28-966	192	30-030	24	30-209	18	30-290	19
28-804	193	28-878	193	28-969	192	30-031	24	30-210	18	30-291	19
28-805	193	28-880	194	28-970	192	30-032	24	30-211	18	30-292	19
28-806	193	28-881	194	28-971	192	30-033	24	30-212	18	30-293	19
28-807	193	28-882	194	28-972	192	30-034	24	30-213	18	30-294	19
28-808	193	28-883	194	28-973	192	30-035	24	30-214	18	30-297	19
28-809	193	28-884	194	28-974	192	30-039	24	30-215	18	30-300	19
28-810	193	28-885	194	28-975	192	30-040	24	30-216	18	30-301	19
28-811	193	28-886	194	28-981	192	30-041	24	30-217	18	30-302	19
28-815	193	28-887	194	28-982	192	30-042	24	30-219	18	30-303	19
28-816	193	28-888	194	28-983	192	30-043	24	30-220	19	30-304	19
28-817	193	28-889	194	29-900	184	30-047	22	30-221	19	30-305	19
28-818	193	28-890	194	29-901	184	30-048	22	30-222	19	30-310	20
28-819	193	28-891	194	29-902	184	30-049	22	30-223	19	30-311	20
28-820	193	28-894	194	29-903	184	30-050	24,52	30-224	19	30-312	20
28-821	193	28-895	194	29-904	184	30-051	24,52	30-225	19	30-313	20
28-822	193	28-896	194	29-905	184	30-052	24	30-226	19	30-314	20
28-823	193	28-897	194	29-906	184	30-053	22	30-227	19	30-315	20
28-824	193	28-898	194	29-907	184	30-058	22	30-230	20	30-316	20
28-825	193	28-899	194	29-908	184	30-063	22	30-231	20	30-340	20
28-826	193	28-900	194	29-909	184	30-063BE	22	30-232	20	30-341	20
28-827	193	28-901	194	29-910	184	30-063L	22	30-233	20	30-343	20
28-828	193	28-902	194	29-911	184	30-063S	22	30-234	20	30-344	20
28-829	193	28-905	194	29-912	184	30-066	22	30-235	20	30-346	20
28-830	193	28-906	194	29-913	184	30-067	22	30-236	20	30-349	20
28-831	193	28-907	194	29-914	184	30-068	22	30-237	20	30-358	18
28-832	193	28-908	194	30-000	21	30-073	22	30-240	19	30-360	18
28-833	193	28-911	194	300-0004	162	30-078	22	30-241	19	30-361	18
28-835	193	28-912	194	300-0006	162	30-083	22	30-243	19	30-365	18
28-836	193	28-913	194	300-0008	162	30-088	22	30-245	19	30-366	18
28-837	193	28-914	194	300-001	186	30-093	22	30-249	19	30-370	19
28-838	193	28-917	194	300-002	186	30-093L	22	30-250	20	30-371	19
28-840	193	28-918	194	300-0020	162	30-094	22	30-251	20	30-372	19
28-841	193	28-919	194	300-003	186	30-098	22	30-252	20	30-373	19
28-842	193	28-920	194	300-004	186	30-099	22	30-253	20	30-374	19
28-843	193	28-924	194	300-005	162	30-103	23	30-254	20	30-375	19
28-844	193	28-925	194	300-006	186	30-103P	155	30-255	20	30-376	19
28-845	193	28-926	194	300-008	186	30-123	24	30-257	20	30-377	19
28-848	193	28-930	194	30-001	21	30-128	24	30-258	20	30-378	19
28-849	193	28-931	194	300-010	162	30-133	24	30-259	20	30-379	19
28-850	193	28-932	194	300-012	162	30-138	24	30-260	20	30-380	19
28-851	193	28-933	194	300-016	162	30-139	24	30-261	20	30-381	19
28-852	193	28-940	194	300-020	186	30-140	23	30-262	20	30-385	18
28-853	193	28-941	194	300-021	186	30-142	23	30-264	20	30-386	18
28-855	193	28-942	194	300-022	186	30-149	23	30-265	20	30-387	18
28-856	193	28-943	194	300-023	186	30-150	23	30-266	20	30-388	18
28-857	193	28-947	194	300-024	186	30-150R	23	30-267	20	30-389	18
28-858	193	28-948	194	300-026	186	30-160	26	30-268	20	30-390	18
28-860	193	28-949	194	300-028	186	30-161	25	30-269	20	30-401	15
28-861	193	28-950	194	30-006	21	30-162	25	30-271	19	30-406	15
28-862	193	28-952	194	30-011	21	30-163	26	30-275	20	30-410	15
28-863	193	28-953	194	30-012	21	30-180	23	30-276	20	30-411	15
28-864	193	28-954	194	30-016	21	30-180F	23	30-277	20	30-412	15
28-867	193	28-955	192	30-017	21	30-183	22	30-278	20	30-413	15

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
30-420	15	320-050	186	32-060	12	32-159	17	32-370	15	32-552	175
30-421	15	32-006	11	32-061	12	32-160	17	32-371	15	32-553	175
30-450	23	320-061	7, 11, 180	32-062	12	32-170	17	32-372	15	32-554	175
30-451	23	32-007	11	32-063	12	32-171	17	32-373	15	32-555	175
30-452	23	320-070	186	32-064	12	32-182	81	32-377	81	32-556	175
30-466	25	320-075	186	32-065	12	32-185	81	32-381	81	32-557	175
30-467	25	32-008	11	32-066	14	32-186	81	32-382	81	32-558	175
30-468	25	32-009	11	32-067	14	32-187	81	32-383	81	32-559	175
30-471	25	320-095	187	32-068	14	32-188	81	32-384	81	32-561	175
30-472	25	32-010	11	32-069	14	32-189	81	32-385	81	32-562	175
30-473	25	320-100	186	32-070	14	32-190	81	32-387	81	32-563	175
30-505	25	32-011	11	32-071	14	32-191	81	32-388	81	32-564	175
30-506	25	32-012	11	32-072	14	32-200	11	32-390	11	32-565	175
30-507	25	320-120	186	32-073	14	32-201	11	32-391	12	32-566	175
30-510	25	32-013	11	32-074	14	32-202	11	32-400	13	32-567	175
30-511	25	32-014	11	32-075	14	32-299	11	32-401	13	32-568	175
30-512	25	32-015	11	32-076	14	32-300	11	32-402	13	32-570	175
30-526	25	32-016	11	32-077	14	32-301	11	32-403	13	32-571	175
30-527	25	32-017	11	32-078	14	32-302	11	32-404	13	32-572	175
30-530	25	32-018	11	32-081	14	32-303	11	32-405	13	32-573	175
30-531	25	32-019	11	32-082	14	32-304	11	32-406	13	32-574	175
30-600	26	32-020	11	32-083	14	32-305	11	32-407	13	32-575	175
30-609	26	32-021	11	32-084	14	32-306	11	32-410	13	32-576	175
30-620	26	32-022	11	32-091	11	32-307	11	32-411	13	32-577	175
30-624	26	32-023	11	32-092	11	32-308	12	32-412	13	32-578	175
30-626	26	32-024	11	32-093	11	32-308B	12	32-413	13	32-579	175
30-629	26	32-025	11	32-094	11	32-309	12	32-414	13	32-580	175
30-630	26	32-026	11	32-095	11	32-310	12	32-415	13	32-584	175
30-631	26	32-027	11	32-096	11	32-311	12	32-416	13	32-588	175
30-637	26	32-028	11	32-097	11	32-312	12	32-417	13	32-589	175
30-638	26	32-030	14	32-098	11	32-313	12	32-418	13	32-590	175
30-640	26	32-031	14	32-100	14	32-314	12	32-419	13	32-591	175
308-070	175	32-032	14	32-101	14	32-315	12	32-420	13	32-686	167
308-071	175	32-033	14	32-102	14	32-316	11	32-421	13	32-687	167
308-072	175	32-034	14	32-103	14	32-317	12	32-422	13	32-725	16
308-073	175	32-036	12	32-104	14	32-318	12	32-423	13	32-726	16
308-074	175	32-038	12	32-105	14	32-320	12	32-424	13	32-727	16
308-075	175	32-038B	12	32-106	14	32-322	14	32-426	13	32-728	16
308-076	175	32-039	12	32-107	14	32-326	14	32-427	13	32-741	16
308-077	175	32-039B	12	32-109	14	32-327	14	32-428	13	32-742	16
308-078	175	32-040	12	32-109	13	32-330	12	32-431	13	32-765	16
308-079	175	32-041	12	32-110	13	32-333	11	32-432	13	32-766	16
31-022	155	32-041B	12	32-111	13	32-334	14	32-500	175	32-767	16
31-034	155	32-042	12	32-112	13	32-335	14	325-004	162	32-781	16
31-040	155	32-042B	12	32-113	13	32-336	14	325-005	162	32-900	19
31-041	155	32-043	12	32-114	13	32-337	15	325-006	162	32-901	19
31-058	155	32-043B	12	32-115	13	32-339	15	325-008	162	32-902	19
31-063	155	32-044	12	32-117	12	32-340	15	32-501	175	32-903	19
31-068	155	32-045	12	32-118	12	32-341	15	325-010	162	32-905	19
31-093	155	32-046	12	32-119	12	32-342	15	325-012	162	33-000W	153
31-096	155	32-047	12	32-120	12	32-346	13	325-016	162	33-002	153
320-000	187	32-048	12	32-121	12	32-354	12	32-502	175	33-003W	153
320-000	79	32-049	12	32-122	12	32-355	11	325-020	162	33-004	153
320-005	187	32-050	12	32-123	12	32-356	11	32-504	175	33-005	153
320-005	79	32-051	12	32-124	12	32-357	11	32-517	175	33-006	153
32-001	11	32-052	12	32-125	12	32-359	14	32-521	175	33-007	153
32-002	11	32-053	12	32-126	13	32-362	14	32-526	175	33-008	153
320-023	187	32-054	12	32-128	13	32-364	14	32-533	175	33-009	153
320-027	187	32-055	12	32-129	12	32-365	13	32-545	175	33-010W	153
32-003	11	32-056	12	32-130	12	32-366	13	32-549	175	33-011W	153
32-004	11	32-057	12	32-150	17	32-367	13	32-550	175	33-012	153
32-005	11	32-058	12	32-151	17	32-369	15	32-551	175	33-013	153
		32-059	12	32-153	17						

Numerical Index

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
33-014	153	33-385	154	34-032	43	37-451	63	38-053	68	38-133	69
33-015	153	33-386W	154	34-033	43	37-452	63	38-054	68	38-134	69
33-016	153	33-389W	154	34-036	43	37-453	63	38-055	68	38-135	69
33-017	153	33-390	154	34-041	43	37-454	63	38-057	67	38-136	69
33-018	153	33-391	154	34-046	43	37-455	63	38-060	68	38-137	69
33-019	153	33-392W	154	34-051	43	37-456	63	38-061	68	38-138	69
33-020	153	33-394	154	34-056	43	37-457	63	38-062	68	38-139	69
33-021	153	33-395	154	350-004	162	37-458	63	38-063	68	38-140	69
33-022	153	33-396	154	350-005	162	37-460	63	38-064	68	38-141	69
33-023	153	33-397W	154	350-006	162	37-461	63	38-065	68	38-142	69
33-024	153	33-398W	154	350-008	162	37-462	63	38-066	68	38-143	69
33-025	153	33-399W	154	350-010	162	37-463	63	38-067	68	38-144	69
33-026	153	33-402	154	350-012	162	37-464	63	38-068	68	38-145	69
33-028	153	33-403W	154	350-016	162	37-465	63	38-072	68	38-146	69
33-029W	153	33-406	154	350-020	162	37-466	63	38-073	68	38-148	69
33-030W	153	33-407W	154	35-132	35	37-468	63	38-074	68	38-149	69
33-033	153	33-408	154	35-134	35	37-470	63	38-075	68	38-150	69
33-035W	153	33-409W	154	36-110	64	37-471	63	38-076	68	38-151	69
33-038	154	33-410	154	36-111	64	37-472	63	38-077	68	38-152	69
33-039	154	33-415	154	36-112	64	37-473	63	38-078	68	38-153	69
33-040	154	33-416	154	36-113	64	37-474	63	38-079	68	38-154	69
33-041	154	33-417	154	36-114	64	37-475	63	38-080	68	38-155	69
33-042	154	33-418	154	36-116	64	37-477	63	38-081	68	38-156	69
33-043	154	33-420	154	36-118	64	38-001	67	38-082	68	38-157	69
33-044W	154	33-422	154	36-120	64	38-002	67	38-083	68	38-158	69
33-045	154	33-423	154	36-121	64	38-003	67	38-084	68	38-161	71
33-046	154	33-424	154	36-130	64	38-004	67	38-085	68	38-162	71
33-047	154	33-426	154	36-132	64	38-005	67	38-086	68	38-163	71
33-048	154	33-429	154	36-140	64	38-010	67	38-087	68	38-164	71
33-053	153	33-430	154	36-141	64	38-011	67	38-088	68	38-165	71
33-058	153	33-431W	154	36-142	64	38-012	67	38-090	68	38-170	71
33-059W	153	33-432	154	36-144	64	38-013	67	38-091	68	38-171	71
33-060W	153	33-433	154	36-146	64	38-014	67	38-092	68	38-172	71
33-061W	153	33-435	154	36-147	64	38-015	73	38-093	68	38-173	71
33-062P	153	33-436	154	36-148	64	38-016	73	38-094	68	38-174	71
33-063W	153	33-437	154	36-150	64	38-019	67	38-095	68	38-179	71
33-064W	153	33-438	154	36-152	64	38-020	67	38-101	68	38-180	71
33-065W	153	33-439W	154	36-160	65	38-021	67	38-102	68	38-181	71
33-091	154	33-440	154	36-164	65	38-022	67	38-103	68	38-182	71
33-092	154	33-441W	154	36-166	65	38-023	67	38-104	68	38-183	71
33-093	154	33-448	154	36-168	65	38-024	68	38-105	68	38-188	71
33-094W	154	33-450W	154	36-170	65	38-025	68	38-106	68	38-189	71
33-095	154	33-451W	154	36-172	65	38-028	67	38-107	68	38-190	71
33-096	154	33-453W	154	36-174	65	38-029	67	38-108	68	38-191	71
33-097	154	33-454W	154	36-176	65	38-030	67	38-109	68	38-196	71
33-098	154	33-456W	154	36-178	65	38-035	67	38-110	68	38-197	71
33-099	154	33-460W	154	36-180	65	38-036	67	38-111	68	38-198	71
33-300	153	33-461	154	36-182	65	38-037	67	38-113	69	38-199	71
33-301	153	33-463	154	36-184	65	38-038	67	38-114	69	38-204	71
33-302	153	33-464W	154	36-186	65	38-039	67	38-115	69	38-205	71
33-308B	154	33-471W	154	36-188	65	38-040	67	38-116	69	38-206	71
33-309W	154	33-480W	154	36-200	65	38-041	67	38-117	69	38-207	71
33-310	154	33-481W	154	36-205	65	38-042	67	38-118	69	38-208	71
33-311	154	33-482W	154	36-210	65	38-043	67	38-119	69	38-209	71
33-312	154	34-001	43	36-212	65	38-044	67	38-120	69	38-210	71
33-313	154	34-011	43	36-214	65	38-045	67	38-124	69	38-211	71
33-314	154	34-012	43	36-216	65	38-046	67	38-125	69	38-212	71
33-315W	154	34-016	43	36-220	65	38-047	67	38-126	69	38-217	71
33-316	154	34-021	43	37-440	63	38-048	67	38-127	69	38-218	71
33-380W	153	34-022	43	37-442	63	38-049	67	38-128	69	38-219	71
33-381W	154	34-025	43	37-443	63	38-050	67	38-129	69	38-220	71
33-384	154	34-031	43	37-445	63	38-052	68	38-132	69	38-221	71

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
38-222	71	38-333	74	38-935	79	40-030	111	40-104	112	40-178	113
38-223	71	38-334	74	38-936	79	40-031	111	40-105	112	40-180	113
38-224	71	38-335	74	38-937	79	40-032	111	40-106	112	40-181	113
38-225	71	38-336	74	38-938	79	40-033	111	40-107	112	40-182	113
38-226	71	38-337	74	38-939	79	40-034	111	40-108	112	40-183	113
38-227	71	38-342	74	38-943	79	40-035	111	40-109	112	40-184	113
38-228	71	38-343	74	38-944	79	40-036	111	40-110	112	40-185	113
38-229	71	38-344	74	38-945	79	40-040	111	40-111	112	40-186	113
38-230	71	38-345	74	38-946	79	40-041	111	40-112	112	40-187	113
38-235	72	38-346	74	38-950	78	40-042	111	40-113	112	40-188	113
38-236	72	38-351	74	38-950-3	78	40-043	111	40-114	112	40-189	113
38-237	72	38-352	74	38-952	78	40-044	111	40-115	112	40-190	113
38-238	72	38-357	74	38-952-2	78	40-045	111	40-120	112	40-191	113
38-239	72	38-358	74	38-952-3	78	40-046	111	40-121	112	40-192	113
38-240	72	38-363	74	38-952G	78	40-047	111	40-122	112	40-193	113
38-241	72	38-364	74	38-952R	78	40-048	111	40-123	112	40-200	113
38-242	72	38-368	74	38-952U	78	40-049	111	40-124	112	40-201	113
38-243	72	38-369	74	38-960	78	40-050	111	40-125	112	40-202	113
38-244	72	38-370	74	38-960B5	78	40-051	111	40-126	112	40-203	113
38-245	72	38-371	74	38-960R	78	40-052	111	40-127	112	40-204	113
38-246	72	38-372	74	38-960U	78	40-053	111	40-128	112	40-205	113
38-247	72	38-700	80	38-960Y	78	40-054	111	40-129	112	40-206	113
38-249	72	38-705	80	38-965	78	40-055	111	40-130	112	40-207	113
38-252	72	38-710	80	38-965B5	78	40-056	111	40-131	112	40-208	113
38-253	72	38-711	78	38-965R	78	40-060	111	40-132	112	40-209	113
38-255	72	38-712	79	38-970	78	40-061	111	40-133	112	40-210	113
38-256	72	38-714	79	38-975	78	40-062	111	40-134	112	40-211	113
38-257	72	38-716	79	38-984	79	40-063	111	40-135	112	40-212	113
38-258	72	38-718	78	38-985	79	40-064	111	40-140	112	40-213	113
38-259	72	38-720	79	38-986	79	40-065	111	40-141	112	40-217	111
38-264	72	38-732	78	38-988	79	40-066	111	40-142	112	40-218	111
38-265	72	38-761	78	38-989	79	40-067	111	40-143	112	40-220	113
38-266	72	38-769	78	38-990	79	40-068	111	40-144	112	40-221	113
38-267	72	38-770	78	40-001	111	40-069	111	40-145	112	40-222	113
38-269	72	38-800	81	40-002	111	40-070	111	40-146	112	40-223	113
38-270	72	38-802	81	40-003	111	40-071	111	40-147	112	40-224	113
38-276	72	38-806	81	40-004	111	40-072	111	40-148	112	40-225	113
38-278	72	38-808	81	40-005	111	40-073	111	40-149	112	40-226	113
38-279	72	38-810	81	40-006	111	40-074	111	40-150	112	40-227	111
38-280	72	38-828	81	40-007	111	40-075	111	40-151	112	40-228	111
38-281	72	38-830	81	40-008	111	40-076	111	40-152	112	40-229	113
38-282	72	38-832	81	40-009	111	40-080	112	40-153	112	40-233	113
38-287	72	38-834	81	40-010	111	40-081	112	40-154	112	40-234	113
38-288	72	38-836	81	40-011	111	40-082	112	40-155	112	40-237	111
38-290	72	38-860	81	40-012	111	40-083	112	40-160	113	40-238	111
38-291	72	38-862	81	40-013	111	40-084	112	40-161	113	40-247	111
38-292	72	38-864	81	40-014	111	40-085	112	40-162	113	40-248	111
38-293	72	38-866	81	40-015	111	40-086	112	40-163	113	40-257	112
38-294	72	38-868	81	40-016	111	40-087	112	40-164	113	40-258	112
38-300	73	38-873	81	40-017	111	40-088	112	40-165	113	40-267	112
38-301	73	38-874	81	40-018	111	40-089	112	40-166	113	40-268	112
38-306	73	38-910	80	40-019	111	40-090	112	40-167	113	40-277	112
38-307	73	38-915	80	40-020	111	40-091	112	40-168	113	40-278	112
38-312	73	38-920	80	40-021	111	40-092	112	40-169	113	40-279	113
38-313	73	38-923	80	40-022	111	40-093	112	40-170	113	40-287	112
38-318	74	38-926	80	40-023	111	40-094	112	40-171	113	40-288	112
38-319	74	38-927	80	40-024	111	40-095	112	40-172	113	40-298	113
38-324	73	38-930	79	40-025	111	40-096	112	40-173	113	43-200L	96B
38-325	73	38-931	79	40-026	111	40-100	112	40-174	113	43-200T	96B
38-326	73	38-932	79	40-027	111	40-101	112	40-175	113	43-204L	96B
38-327	73	38-933	79	40-028	111	40-102	112	40-176	113	43-204T	96B
38-328	73	38-934	79	40-029	111	40-103	112	40-177	113	43-206L	96B

Numerical Index

44-100

46-118

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
44-100	114	44-282	115	44-476	116	44-652	117	44-928	190	46-020	90
44-101	114	44-283	115	44-477	116	44-653	117	44-931	190	46-021	90
44-102	114	44-286	115	44-478	116	44-654	117	44-932	190	46-022	90
44-103	114	44-287	115	44-480	116	44-655	117	44-933	190	46-023	90
44-104	114	44-291	115	44-500	117	44-656	117	44-934	190	46-028	90
44-105	114	44-296	115	44-501	117	44-657	117	44-935	190	46-029	90
44-106	114	44-298	115	44-502	117	44-658	117	44-936	190	46-031	90
44-107	114	44-301	115	44-503	117	44-659	117	44-937	190	46-036	90
44-108	114	44-303	115	44-504	117	44-660	117	44-938	190	46-038	90
44-109	114	44-306	115	44-505	117	44-662	117	44-941	190	46-039	90
44-110	114	44-391	115	44-506	117	44-670	117	44-942	190	46-040	90
44-112	114	44-392	115	44-507	117	44-671	117	44-943	190	46-045	91
44-120	114	44-393	115	44-508	117	44-672	117	44-944	190	46-046	91
44-123	114	44-394	115	44-509	117	44-673	117	44-945	190	46-048	186
44-124	114	44-395	115	44-510	117	44-674	117	44-946	190	46-048	91
44-127	114	44-396	115	44-511	117	44-675	117	44-947	190	46-050	91
44-131	114	44-397	115	44-512	117	44-676	117	44-948	190	46-050X	91
44-134	114	44-398	115	44-513	117	44-677	117	44-951	190	46-051	91
44-137	114	44-410	115	44-514	117	44-678	117	44-952	190	46-055	91
44-140	114	44-411	115	44-515	117	44-700	118	44-953	190	46-056	91
44-160	114	44-412	115	44-516	117	44-701	118	44-954	190	46-056P	91
44-161	114	44-413	115	44-517	117	44-702	118	44-955	190	46-060	91
44-162	114	44-414	115	44-518	117	44-703	118	44-956	190	46-061	91
44-163	114	44-415	115	44-519	117	44-704	118	44-957	190	46-061L	91
44-164	114	44-416	115	44-520	117	44-705	118	44-958	190	46-064	82
44-165	114	44-417	115	44-521	117	44-706	118	44-961	190	46-065	82
44-166	114	44-418	115	44-522	117	44-707	118	44-962	190	46-066	82
44-167	114	44-420	115	44-523	117	44-708	118	44-963	190	46-067	82
44-168	114	44-430	116	44-524	117	44-720	118	44-964	190	46-068	82
44-169	114	44-431	116	44-525	117	44-721	118	44-965	190	46-069	82
44-170	114	44-432	116	44-527	117	44-723	118	44-966	190	46-070	82
44-180	114	44-433	116	44-528	117	44-724	118	44-967	190	46-071	82
44-181	114	44-434	116	44-529	117	44-725	118	44-968	190	46-072	82
44-182	114	44-435	116	44-530	117	44-726	118	44-971	190	46-073	82
44-183	114	44-436	116	44-531	117	44-727	118	44-972	190	46-074	82
44-184	114	44-437	116	44-532	117	44-728	118	44-973	190	46-075	82
44-185	114	44-438	116	44-534	117	44-729	118	44-974	190	46-076	83
44-186	114	44-440	116	44-535	117	44-740	118	44-975	190	46-077	82
44-187	114	44-441	116	44-537	117	44-741	118	44-976	190	46-078	83
44-188	114	44-442	116	44-538	117	44-742	118	44-977	190	46-079	82
44-200	115	44-444	116	44-539	117	44-743	118	44-978	190	46-080	83
44-201	115	44-445	116	44-600	116	44-744	118	44-981	190	46-081	83
44-202	115	44-446	116	44-601	116	44-745	118	44-982	190	46-082	83
44-203	115	44-447	116	44-602	116	44-748	118	44-983	190	46-083	83
44-204	115	44-448	116	44-603	116	44-750	118	44-984	190	46-084	83
44-205	115	44-449	116	44-604	116	44-753	118	44-985	190	46-085	83
44-206	115	44-450	116	44-605	116	44-760	118	44-986	190	46-086	83
44-207	115	44-451	116	44-606	116	44-911	190	44-987	190	46-087	83
44-208	115	44-452	116	44-607	116	44-912	190	44-988	190	46-088	83
44-250	115	44-453	116	44-608	116	44-913	190	46-001	90	46-089	83
44-251	115	44-454	116	44-609	116	44-914	190	46-002	90	46-089A	83
44-252	115	44-456	116	44-610	116	44-915	190	46-002X	90	46-100	86
44-253	115	44-458	116	44-633	117	44-916	190	46-003	90	46-101	86
44-254	115	44-461	116	44-634	117	44-917	190	46-004	90	46-102	86
44-255	115	44-462	116	44-635	117	44-918	190	46-005	90	46-103	86
44-256	115	44-463	116	44-636	117	44-921	190	46-010	90	46-104	86
44-257	115	44-470	116	44-637	117	44-922	190	46-011	90	46-106	86
44-258	115	44-471	116	44-638	117	44-923	190	46-011X	90	46-107	86
44-259	115	44-472	116	44-639	117	44-924	190	46-012	90	46-115	86
44-260	115	44-473	116	44-640	117	44-925	190	46-013	90	46-116	86
44-276	115	44-474	116	44-650	117	44-926	190	46-014	90	46-117	86
44-280	115	44-475	116	44-651	117	44-927	190	46-016	90	46-118	86

Numerical Index

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
46-119	86	46-321	88	46-493	83	46-801	92	46-903i	101	48-054	119
46-123	86	46-322	88	46-500	105,96	46-804	94	46-904i	101	48-060	119
46-125	86	46-323	88	46-505	105,96	46-805	94	46-910	96	48-061	119
46-126	86	46-324	88	46-510	105,96	46-806	94	46-912	96	48-062	119
46-127	86	46-325	88	46-511	105,96	46-807	94	46-920	96	48-063	119
46-128	86	46-326	88	46-512	105,96	46-808	94	46-920i	101	48-064	119
46-130	86	46-327	88	46-600	187	46-809	94	46-921	96	48-065	119
46-131	86	46-330	88	46-600	79	46-810	94	46-922	96	48-066	119
46-132	86	46-331	88	46-607	187	46-811	94	46-922A	96	48-067	119
46-134	86	46-333	88	46-607	79	46-812	94	46-922i	101	48-068	119
46-135	86	46-335	88	46-620	187	46-813	94	46-923	96	48-069	119
46-140	86	46-336	88	46-621	187	46-814	94	46-923i	101	48-070	119
46-141	86	46-337	88	46-622	187	46-815	94	46-924	96	48-071	119
46-142	86	46-338	88	46-622L	187	46-816	94	46-924i	101	48-072	119
46-143	86	46-340	89	46-630	187	46-817	94	46-925	96	48-073	119
46-151	86	46-341	89	46-631	187	46-818	94	46-951	95	48-074	119
46-152	86	46-342	89	46-741	93	46-819	94	46-956	95	48-075	119
46-152T	86	46-345	89	46-742	93	46-820	94	46-959	95	48-076	119
46-153	86	46-346	89	46-743	93	46-821	94	46-960	95	48-080	120
46-154	86	46-347	89	46-744	93	46-822	94	46-980	96	48-081	120
46-160	87	46-350	89	46-745	93	46-823	94	46-981	96	48-082	120
46-161	87	46-351	89	46-746	93	46-824	94	47-042	96	48-083	120
46-161T	87	46-352	89	46-747	93	46-825	94	47-043	96	48-084	120
46-162	87	46-355	89	46-748	93	46-826	94	47-776	92	48-085	120
46-165	87	46-356	89	46-752	93	46-827	94	48-001	119	48-086	120
46-166	87	46-357	89	46-753	93	46-830	95	48-002	119	48-087	120
46-166T	87	46-358	89	46-754	93	46-832	95	48-003	119	48-088	120
46-167	87	46-360	89	46-755	93	46-833	95	48-004	119	48-089	120
46-168	87	46-361	89	46-756	93	46-834	95	48-005	119	48-090	120
46-169	87	46-362	89	46-757	93	46-835	95	48-006	119	48-091	120
46-200	105,96,186	46-365	89	46-758	93	46-838	95	48-007	119	48-092	120
46-201	105,96,186	46-366	89	46-759	93	46-839	95	48-008	119	48-094	120
46-202	105,96	46-367	89	46-760	93	46-840	95	48-009	119	48-096	120
46-241	85	46-368	89	46-761	93	46-841	95	48-010	119	48-100	120
46-243	85	46-370	89	46-762	93	46-843	95	48-011	119	48-101	120
46-244	85	46-371	89	46-763	93	46-845	95	48-015	119	48-102	120
46-247	85	46-372	89	46-764	93	46-846	95	48-020	119	48-103	120
46-248	85	46-373	89	46-765	93	46-849	95	48-021	119	48-104	120
46-250	85	46-375	89	46-766	93	46-850	95	48-022	119	48-105	120
46-251	85	46-376	89	46-767	93	46-875	95	48-023	119	48-106	120
46-252	85	46-377	89	46-768	92	46-876	95	48-024	119	48-107	120
46-255	85	46-378	89	46-769	92	46-877	95	48-025	119	48-108	120
46-256	85	46-400	84	46-770	92	46-878	95	48-026	119	48-109	120
46-257	85	46-400M	84	46-771	92	46-880	95	48-027	119	48-110	120
46-260	85	46-401	84	46-774	92	46-881	95	48-028	119	48-111	120
46-270	109	46-401M	84	46-775	92	46-882	95	48-029	119	48-113	120
46-271	109	46-402	84	46-777	92	46-883	95	48-030	119	48-120	120
46-275	109	46-402M	84	46-780	92	46-884	95	48-032	119	48-121	120
46-277	109	46-440	96	46-781	92	46-885	95	48-034	119	48-122	120
46-278	109	46-443	96	46-782	92	46-886	95	48-036	119	48-123	120
46-300	88	46-450	84	46-783	92	46-887	95	48-040	119	48-124	120
46-301	88	46-451	84	46-786	92	46-888	95	48-041	119	48-125	120
46-305	88	46-455	84	46-787	92	46-889	95	48-042	119	48-126	120
46-306	88	46-456	84	46-788	92	46-891	95	48-043	119	48-127	120
46-310	88	46-457	84	46-789	92	46-893	95	48-044	119	48-128	120
46-311	88	46-465	84	46-792	92	46-894	95	48-045	119	48-129	120
46-312	88	46-466	84	46-793	92	46-895	95	48-046	119	48-131	120
46-315	88	46-467	84	46-794	92	46-896	95	48-047	119	48-135	120
46-316	88	46-475	84	46-795	92	46-900	96	48-048	119	48-140	120
46-317	88	46-476	84	46-798	92	46-900i	101	48-049	119	48-141	120
46-318	88	46-485	84	46-799	92	46-902i	101	48-050	119	48-142	120
46-320	88	46-492	83	46-800	92	46-903	96	48-052	119	48-143	120

Numerical Index

48-144

56-129

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
48-144	120	49-048	119	49-166	121	550-216	163	55-162	151	56-055	127
48-145	120	49-049	119	49-167	121	550-248	163	55-163	151	56-056	127
48-146	120	49-050	119	49-168	121	550-280	163	55-164	151	56-060	128
48-147	120	49-060	119	49-169	121	550-312	163	55-165	151	56-061	128
48-148	120	49-061	119	49-186	121	55-060	151	55-166	151	56-062	128
48-149	120	49-062	119	49-203	121	55-061	151	55-167	151	56-063	128
48-151	120	49-063	119	49-208	121	55-062	151	55-168	151	56-064	128
48-152	120	49-064	119	49-225	121	55-063	151	55-174	151	56-065	128
48-160	121	49-065	119	4BARB	43	55-064	151	55-241	151	56-066	128
48-161	121	49-066	119	50-001	35	55-065	151	55-243	151	56-067	128
48-162	121	49-067	119	500-012	163	55-066	151	55-253	151	56-068	128
48-163	121	49-068	119	500-020	163	55-067	151	56-001	127	56-069	128
48-164	121	49-069	119	500-028	163	55-068	151	56-002	127	56-070	128
48-165	121	49-070	119	500-036	163	55-069	151	56-003	127	56-071	128
48-166	121	49-080	120	500-048	163	55-070	151	56-004	127	56-072	128
48-167	121	49-081	120	500-056	163	55-072	151	56-005	127	56-073	128
48-168	121	49-082	120	500-072	163	55-076	151	56-006	127	56-074	128
48-169	121	49-083	120	500-088	163	55-080	151	56-007	127	56-075	128
48-170	121	49-084	120	500-104	163	55-081	151	56-008	127	56-076	128
48-171	121	49-085	120	50-011	35	55-082	151	56-009	127	56-080	128
48-172	121	49-086	120	500-128	163	55-083	151	56-010	127	56-081	128
48-180	121	49-087	120	500-152	163	55-084	151	56-011	127	56-082	128
48-193	121	49-088	120	500-188	163	55-085	151	56-012	127	56-083	128
48-200	121	49-089	120	500-216	163	55-086	151	56-013	127	56-084	128
48-201	121	49-090	120	500-248	163	55-087	151	56-014	127	56-085	128
48-203	121	49-094	120	500-280	163	55-088	151	56-015	127	56-086	128
48-205	121	49-100	120	50-065	187	55-089	151	56-016	127	56-087	128
48-207	121	49-101	120	50-065	79	55-090	151	56-017	127	56-088	128
48-209	121	49-102	120	540402	75	55-100	151	56-020	127	56-089	128
48-213	121	49-103	120	540402S	75	55-101	151	56-021	127	56-090	128
48-220	121	49-104	120	540404	75	55-102	151	56-022	127	56-091	128
48-227	121	49-105	120	540404S	75	55-103	151	56-023	127	56-092	128
49-001	119	49-106	120	540602	75	55-104	151	56-024	127	56-093	128
49-002	119	49-107	120	540602S	75	55-105	151	56-025	127	56-094	128
49-003	119	49-108	120	540604	75	55-106	151	56-026	127	56-095	128
49-004	119	49-109	120	540604S	75	55-107	151	56-027	127	56-096	128
49-005	119	49-120	120	540606	75	55-108	151	56-028	127	56-100	129
49-006	119	49-121	120	540606S	75	55-109	151	56-029	127	56-101	129
49-007	119	49-122	120	540608	75	55-111	151	56-030	127	56-102	129
49-008	119	49-123	120	540804	75	55-115	151	56-031	127	56-103	129
49-009	119	49-124	120	540804S	75	55-120	151	56-032	127	56-104	129
49-010	119	49-125	120	540806	75	55-121	151	56-033	127	56-105	129
49-011	119	49-126	120	540806S	75	55-122	151	56-034	127	56-106	129
49-020	119	49-127	120	540808	75	55-123	151	56-035	127	56-107	129
49-021	119	49-128	120	540808S	75	55-124	151	56-036	127	56-108	129
49-022	119	49-129	120	541006	75	55-125	151	56-037	127	56-109	129
49-023	119	49-140	120	541008	75	55-126	151	56-038	127	56-110	129
49-024	119	49-141	120	541008S	75	55-127	151	56-040	127	56-111	129
49-025	119	49-142	120	541208	75	55-128	151	56-041	127	56-112	129
49-026	119	49-143	120	541212	75	55-129	151	56-042	127	56-113	129
49-027	119	49-144	120	550-012	163	55-140	151	56-043	127	56-114	129
49-028	119	49-145	120	550-020	163	55-141	151	56-044	127	56-115	129
49-029	119	49-146	120	550-028	163	55-142	151	56-045	127	56-120	129
49-030	119	49-147	120	550-036	163	55-143	151	56-046	127	56-121	129
49-040	119	49-148	120	550-048	163	55-144	151	56-047	127	56-122	129
49-041	119	49-149	120	550-056	163	55-145	151	56-048	127	56-123	129
49-042	119	49-160	121	550-072	163	55-146	151	56-049	127	56-124	129
49-043	119	49-161	121	550-088	163	55-147	151	56-050	127	56-125	129
49-044	119	49-162	121	550-104	163	55-148	151	56-051	127	56-126	129
49-045	119	49-163	121	550-128	163	55-149	151	56-052	127	56-127	129
49-046	119	49-164	121	550-152	163	55-160	151	56-053	127	56-128	129
49-047	119	49-165	121	550-188	163	55-161	151	56-054	127	56-129	129

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
56-130	129	56-211	131	56-297	130	57-061	128	57-133	129	57-220	131
56-131	129	56-212	131	56-300	131	57-062	128	57-134	129	57-223	131
56-132	129	56-213	131	56-330	131	57-063	128	57-135	129	57-224	131
56-133	129	56-220	131	56-331	131	57-064	128	57-140	130	57-225	131
56-134	129	56-223	131	56-332	131	57-065	128	57-141	130	57-226	131
56-135	129	56-224	131	56-430	127	57-066	128	57-142	130	57-227	131
56-140	130	56-225	131	56-431	127	57-067	128	57-143	130	57-229	131
56-141	130	56-226	131	56-432	127	57-068	128	57-144	130	57-233	131
56-142	130	56-227	131	56-433	127	57-069	128	57-145	130	57-234	127
56-143	130	56-228	131	57-001	127	57-070	128	57-146	130	57-235	127
56-144	130	56-229	131	57-002	127	57-071	128	57-147	130	57-236	127
56-145	130	56-234	127	57-003	127	57-072	128	57-148	130	57-237	127
56-146	130	56-235	127	57-004	127	57-073	128	57-149	130	57-240	128
56-147	130	56-236	127	57-005	127	57-074	128	57-150	130	57-241	128
56-148	130	56-237	127	57-006	127	57-075	128	57-151	130	57-242	128
56-149	130	56-240	128	57-007	127	57-076	128	57-152	130	57-243	128
56-150	130	56-241	128	57-008	127	57-080	128	57-153	130	57-244	128
56-151	130	56-242	128	57-009	127	57-081	128	57-154	130	57-245	128
56-152	130	56-243	128	57-010	127	57-082	128	57-155	130	57-246	128
56-153	130	56-244	128	57-011	127	57-083	128	57-160	130	57-247	128
56-154	130	56-245	128	57-012	127	57-084	128	57-161	130	57-250	128
56-155	130	56-246	128	57-013	127	57-085	128	57-162	130	57-251	128
56-160	130	56-247	128	57-014	127	57-086	128	57-163	130	57-252	128
56-161	130	56-250	128	57-015	127	57-087	128	57-164	130	57-253	128
56-162	130	56-251	128	57-016	127	57-088	128	57-165	130	57-254	128
56-163	130	56-252	128	57-017	127	57-089	128	57-166	130	57-255	128
56-164	130	56-253	128	57-020	127	57-090	128	57-167	130	57-256	128
56-165	130	56-254	128	57-021	127	57-091	128	57-168	130	57-257	128
56-166	130	56-255	128	57-022	127	57-092	128	57-169	130	57-260	129
56-167	130	56-256	128	57-023	127	57-093	128	57-170	130	57-261	129
56-168	130	56-257	128	57-024	127	57-094	128	57-171	130	57-262	129
56-169	130	56-260	129	57-025	127	57-095	128	57-172	130	57-263	129
56-170	130	56-261	129	57-026	127	57-096	128	57-173	130	57-264	129
56-171	130	56-262	129	57-027	127	57-100	129	57-174	130	57-265	129
56-172	130	56-263	129	57-028	127	57-101	129	57-180	131	57-266	129
56-173	130	56-264	129	57-029	127	57-102	129	57-181	131	57-267	129
56-174	130	56-265	129	57-030	127	57-103	129	57-182	131	57-270	129
56-180	131	56-266	129	57-031	127	57-104	129	57-183	131	57-271	129
56-181	131	56-267	129	57-032	127	57-105	129	57-184	131	57-272	129
56-182	131	56-270	129	57-033	127	57-106	129	57-185	131	57-273	129
56-183	131	56-271	129	57-034	127	57-107	129	57-186	131	57-274	129
56-184	131	56-272	129	57-035	127	57-108	129	57-187	131	57-275	129
56-185	131	56-273	129	57-036	127	57-109	129	57-188	131	57-276	129
56-186	131	56-274	129	57-040	127	57-110	129	57-189	131	57-277	129
56-187	131	56-275	129	57-041	127	57-111	129	57-190	131	57-280	130
56-188	131	56-276	129	57-042	127	57-112	129	57-191	131	57-281	130
56-189	131	56-277	129	57-043	127	57-113	129	57-192	131	57-282	130
56-190	131	56-280	130	57-044	127	57-114	129	57-193	131	57-283	130
56-191	131	56-281	130	57-045	127	57-115	129	57-200	131	57-284	130
56-192	131	56-282	130	57-046	127	57-120	129	57-201	131	57-285	130
56-193	131	56-283	130	57-047	127	57-121	129	57-202	131	57-286	130
56-200	131	56-284	130	57-048	127	57-122	129	57-203	131	57-287	130
56-201	131	56-285	130	57-049	127	57-123	129	57-204	131	57-290	130
56-202	131	56-286	130	57-050	127	57-124	129	57-205	131	57-291	130
56-203	131	56-287	130	57-051	127	57-125	129	57-206	131	57-292	130
56-204	131	56-290	130	57-052	127	57-126	129	57-207	131	57-293	130
56-205	131	56-291	130	57-053	127	57-127	129	57-208	131	57-294	130
56-206	131	56-292	130	57-054	127	57-128	129	57-209	131	57-295	130
56-207	131	56-293	130	57-055	127	57-129	129	57-210	131	57-296	130
56-208	131	56-294	130	57-056	127	57-130	129	57-211	131	57-297	130
56-209	131	56-295	130	57-059	127	57-131	129	57-212	131	57-300	131
56-210	131	56-296	130	57-060	128	57-132	129	57-213	131	57-311	131

Numerical Index

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
57-330	131	58-064	139	58-140	140	58-223	141	590600	75	59-131	140
57-331	131	58-065	139	58-141	140	58-224	141	59-061	139	59-132	140
57-332	131	58-066	139	58-142	140	58-225	141	59-062	139	59-133	140
57-430	127	58-067	139	58-143	140	58-226	141	59-063	139	59-134	140
57-431	127	58-068	139	58-144	140	58-227	141	59-064	139	59-135	140
57-432	127	58-069	139	58-145	140	58-228	141	59-065	139	59-140	140
57-433	127	58-070	139	58-146	140	58-229	141	59-066	139	59-141	140
58-001	139	58-071	139	58-147	140	58-230	141	59-067	139	59-142	140
58-002	139	58-072	139	58-148	140	58-231	141	59-068	139	59-143	140
58-003	139	58-073	139	58-149	140	59-001	139	59-069	139	59-144	140
58-004	139	58-074	139	58-150	140	59-002	139	59-070	139	59-145	140
58-005	139	58-075	139	58-151	140	59-003	139	59-071	139	59-146	140
58-006	139	58-076	139	58-152	140	59-004	139	59-072	139	59-147	140
58-007	139	58-080	140	58-153	140	59-005	139	59-073	139	59-148	140
58-008	139	58-081	140	58-154	140	59-006	139	59-074	139	59-149	140
58-009	139	58-082	140	58-155	140	59-007	139	59-075	139	59-150	140
58-010	139	58-083	140	58-160	141	59-008	139	59-076	139	59-151	140
58-011	139	58-084	140	58-161	141	59-009	139	59-080	140	59-152	140
58-012	139	58-085	140	58-162	141	59-010	139	590800	75	59-153	140
58-013	139	58-086	140	58-163	141	59-011	139	59-081	140	59-154	140
58-014	139	58-087	140	58-164	141	59-012	139	59-082	140	59-155	140
58-015	139	58-088	140	58-165	141	59-013	139	59-083	140	59-160	141
58-016	139	58-089	140	58-166	141	59-014	139	59-084	140	59-161	141
58-017	139	58-090	140	58-167	141	59-015	139	59-085	140	59-162	141
58-020	139	58-091	140	58-168	141	59-016	139	59-086	140	59-163	141
58-021	139	58-092	140	58-169	141	59-017	139	59-087	140	59-164	141
58-022	139	58-093	140	58-170	141	59-020	139	59-088	140	59-165	141
58-023	139	58-094	140	58-171	141	59-021	139	59-089	140	59-166	141
58-024	139	58-095	140	58-172	141	59-022	139	59-090	140	59-167	141
58-025	139	58-096	140	58-173	141	59-023	139	59-091	140	59-168	141
58-026	139	58-100	140	58-174	141	59-024	139	59-092	140	59-169	141
58-027	139	58-101	140	58-180	141	59-025	139	59-093	140	59-170	141
58-028	139	58-102	140	58-181	141	59-026	139	59-094	140	59-171	141
58-029	139	58-103	140	58-182	141	59-027	139	59-095	140	59-172	141
58-030	139	58-104	140	58-183	141	59-028	139	59-096	140	59-173	141
58-031	139	58-105	140	58-184	141	59-029	139	59-100	140	59-174	141
58-032	139	58-106	140	58-185	141	59-030	139	59-101	140	59-180	141
58-033	139	58-107	140	58-186	141	59-031	139	59-102	140	59-181	141
58-034	139	58-108	140	58-187	141	59-032	139	59-103	140	59-182	141
58-035	139	58-109	140	58-188	141	59-033	139	59-104	140	59-183	141
58-036	139	58-110	140	58-189	141	59-034	139	59-105	140	59-184	141
58-040	139	58-111	140	58-190	141	59-035	139	59-106	140	59-185	141
58-041	139	58-112	140	58-191	141	59-036	139	59-107	140	59-186	141
58-042	139	58-113	140	58-192	141	59-040	139	59-108	140	59-187	141
58-043	139	58-114	140	58-193	141	590400	75	59-109	140	59-188	141
58-044	139	58-115	140	58-200	141	59-041	139	59-110	140	59-189	141
58-045	139	58-120	140	58-201	141	59-042	139	59-111	140	59-190	141
58-046	139	58-121	140	58-202	141	59-043	139	59-112	140	59-191	141
58-047	139	58-122	140	58-203	141	59-044	139	59-113	140	59-192	141
58-048	139	58-123	140	58-204	141	59-045	139	59-114	140	59-193	141
58-049	139	58-124	140	58-205	141	59-046	139	59-115	140	59-200	141
58-050	139	58-125	140	58-206	141	59-047	139	59-120	140	59-201	141
58-051	139	58-126	140	58-207	141	59-048	139	59-121	140	59-202	141
58-052	139	58-127	140	58-208	141	59-049	139	59-122	140	59-203	141
58-053	139	58-128	140	58-209	141	59-050	139	59-123	140	59-204	141
58-054	139	58-129	140	58-210	141	59-051	139	59-124	140	59-205	141
58-055	139	58-130	140	58-211	141	59-052	139	59-125	140	59-206	141
58-056	139	58-131	140	58-212	141	59-053	139	59-126	140	59-207	141
58-060	139	58-132	140	58-213	141	59-054	139	59-127	140	59-208	141
58-061	139	58-133	140	58-220	141	59-055	139	59-128	140	59-209	141
58-062	139	58-134	140	58-221	141	59-056	139	59-129	140	59-210	141
58-063	139	58-135	140	58-222	141	59-060	139	59-130	140	59-211	141

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
59-212	141	611-164	160	61-974	190	62-108	122	62-433	123	62-610	124
59-213	141	611-176	160	61-975	190	62-109	122	62-434	123	62-630	124
59-220	141	611-188	160	61-976	190	62-110	122	62-435	123	62-631	124
59-221	141	611-200	160	61-977	190	62-112	122	62-436	123	62-632	124
59-222	141	611-212	160	61-978	190	621200	76	62-437	123	62-633	124
59-223	141	611-224	160	61-981	190	62-160	122	62-438	123	62-634	124
59-224	141	611-248	160	61-982	190	62-161	122	62-440	123	62-635	124
59-225	141	611-270	160	61-983	190	62-162	122	62-441	123	62-636	124
59-226	141	611-312	160	61-984	190	62-163	122	62-442	123	62-637	124
59-227	141	611-332	160	61-985	190	62-164	122	62-445	123	62-638	124
59-228	141	611-390	160	61-986	190	62-165	122	62-446	123	62-653	124
59-229	141	61-911	190	61-987	190	62-166	122	62-448	123	62-654	124
59-230	141	61-912	190	61-988	190	62-167	122	62-449	123	62-655	124
59-231	141	61-913	190	620-006	161	62-168	122	62-450	123	62-656	124
595320	75	61-914	190	620-008	161	62-180	122	62-452	123	62-657	124
600-006	160	61-915	190	620-010	161	62-181	122	62-453	123	62-658	124
600-008	160	61-916	190	620-012	161	62-182	122	62-454	123	62-660	124
600-010	160	61-917	190	620-016	161	62-183	122	62-455	123	62-670	124
600-012	160	61-918	190	620-020	161	62-184	122	62-470	123	62-671	124
600-016	160	61-921	190	620-024	161	62-185	122	62-471	123	62-672	124
600-020	160	61-922	190	620-028	161	62-186	122	62-472	123	62-700	124
600-024	160	61-923	190	620-032	161	62-187	122	62-473	123	62-701	124
600-028	160	61-924	190	620-036	161	62-188	122	62-474	123	62-702	124
600-032	160	61-925	190	620-040	161	62-250	122	62-475	123	62-703	124
600-036	160	61-926	190	620-044	161	62-251	122	62-476	123	62-704	124
600-040	160	61-927	190	620-048	161	62-252	122	62-477	123	62-705	124
600-044	160	61-928	190	620-052	161	62-253	122	62-478	123	62-706	124
600-048	160	61-931	190	620-056	161	62-254	122	62-480	123	62-707	124
600-052	160	61-932	190	620-060	161	62-255	122	62-500	123	62-708	124
600-056	160	61-933	190	620-064	161	62-256	122	62-502	123	62-720	124
600-060	160	61-934	190	620-072	161	62-257	122	62-503	123	62-721	124
600-064	160	61-935	190	620-080	161	62-258	122	62-504	123	62-722	124
600-072	160	61-936	190	620-088	161	62-260	122	62-505	123	62-723	124
600-080	160	61-937	190	620-096	161	62-391	122	62-508	123	62-724	124
600-088	160	61-938	190	620-104	161	62-392	122	62-509	123	62-725	124
600-096	160	61-941	190	620-116	161	62-393	122	62-512	123	62-726	124
600-104	160	61-942	190	620-128	161	62-394	122	62-513	123	62-727	124
611-006	160	61-943	190	620-152	161	62-395	122	62-517	123	62-728	124
611-008	160	61-944	190	620-164	161	62-396	122	62-518	123	62-771	124
611-010	160	61-945	190	620-176	161	62-397	122	62-521	123	62-772	124
611-012	160	61-946	190	620-188	161	62-398	122	62-522	123	62-773	124
611-016	160	61-947	190	620-200	161	62-410B	122	62-524	123	62-774	124
611-020	160	61-948	190	620-212	161	62-411B	122	62-527	123	62-775	124
611-024	160	61-951	190	620-224	161	62-412B	122	62-528	123	62-776	124
611-028	160	61-952	190	620-248	161	62-413	123	62-529	123	62-777	124
611-032	160	61-953	190	620-270	161	62-413B	122	62-530	123	62-778	124
611-036	160	61-954	190	620-312	161	62-414	123	62-531	123	63-100	122
611-040	160	61-955	190	620-332	161	62-414B	122	62-532	123	63-101	122
611-044	160	61-956	190	620-390	161	62-415	123	62-534	123	63-102	122
611-048	160	61-957	190	620400	76	62-415B	122	62-535	123	63-103	122
611-052	160	61-958	190	620532	76	62-416	123	62-538	123	63-104	122
611-056	160	61-961	190	620600	76	62-416B	122	62-539	123	63-105	122
611-060	160	61-962	190	620800	76	62-417	123	62-543	123	63-106	122
611-064	160	61-963	190	62-100	122	62-417B	122	62-600	124	63-107	122
611-072	160	61-964	190	621000	76	62-418	123	62-601	124	63-108	122
611-080	160	61-965	190	62-101	122	62-418B	122	62-602	124	63-109	122
611-088	160	61-966	190	62-102	122	62-419	123	62-603	124	63-110	122
611-096	160	61-967	190	62-103	122	62-420	123	62-604	124	63-112	122
611-104	160	61-968	190	62-104	122	62-421	123	62-605	124	63-160	122
611-116	160	61-971	190	62-105	122	62-430	123	62-606	124	63-161	122
611-128	160	61-972	190	62-106	122	62-431	123	62-607	124	63-162	122
611-152	160	61-973	190	62-107	122	62-432	123	62-608	124	63-163	122

Numerical Index

63-164

64-434

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
63-164	122	63-448	123	63-657	124	63-948	190	64-138	133	64-279	135
63-165	122	63-449	123	63-658	124	63-951	190	64-139	133	64-280	134
63-166	122	63-450	123	63-670	124	63-952	190	64-140	133	64-282	135
63-167	122	63-452	123	63-671	124	63-953	190	64-141	133	64-283	135
63-168	122	63-453	123	63-672	124	63-954	190	64-142	133	64-286	135
63-180	122	63-454	123	63-700	124	63-955	190	64-145	133	64-287	135
63-181	122	63-470	123	63-701	124	63-956	190	64-146	133	64-288	135
63-182	122	63-471	123	63-702	124	63-957	190	64-148	133	64-289	134
63-183	122	63-472	123	63-703	124	63-958	190	64-160	133	64-291	135
63-184	122	63-473	123	63-704	124	63-961	190	64-161	133	64-298	135
63-185	122	63-474	123	63-705	124	63-962	190	64-162	133	64-299	134
63-186	122	63-475	123	63-706	124	63-963	190	64-163	133	64-300	134
63-187	122	63-476	123	63-707	124	63-964	190	64-164	133	64-301	135
63-188	122	63-477	123	63-708	124	63-965	190	64-165	133	64-303	135
63-250	122	63-478	123	63-720	124	63-966	190	64-166	133	64-306	135
63-251	122	63-500	123	63-721	124	63-967	190	64-167	133	64-316	135
63-252	122	63-501	123	63-722	124	63-968	190	64-168	133	64-317	134
63-253	122	63-502	123	63-723	124	63-971	190	64-169	133	64-318	135
63-254	122	63-504	123	63-724	124	63-972	190	64-170	133	64-319	134
63-255	122	63-505	123	63-725	124	63-973	190	64-171	133	64-322	135
63-256	122	63-507	123	63-726	124	63-974	190	64-180	133	64-328	135
63-257	122	63-508	123	63-727	124	63-975	190	64-181	133	64-330	135
63-258	122	63-509	123	63-728	124	63-976	190	64-182	133	64-334	135
63-390	122	63-512	123	63-771	124	63-977	190	64-183	133	64-336	135
63-391	122	63-513	123	63-772	124	63-978	190	64-184	133	64-343	135
63-392	122	63-516	123	63-773	124	63-981	190	64-185	133	64-351	135
63-393	122	63-517	123	63-774	124	63-982	190	64-186	133	64-363	135
63-394	122	63-518	123	63-775	124	63-983	190	64-187	133	64-364	135
63-395	122	63-521	123	63-776	124	63-984	190	64-188	133	64-383	135
63-396	122	63-522	123	63-777	124	63-985	190	64-189	133	64-384	135
63-397	122	63-523	123	63-778	124	63-986	190	64-190	133	64-385	135
63-398	122	63-524	123	63-911	190	63-987	190	64-191	133	64-386	135
63-410B	122	63-528	123	63-912	190	63-988	190	64-192	133	64-390	137
63-411B	122	63-529	123	63-913	190	640400	76	64-200	134	64-391	137
63-412B	122	63-530	123	63-914	190	640600	76	64-201	134	64-392	137
63-413	123	63-531	123	63-915	190	640800	76	64-202	134	64-393	137
63-413B	122	63-534	123	63-916	190	64-100	133	64-203	134	64-394	137
63-414	123	63-535	123	63-917	190	64-101	133	64-204	134	64-395	137
63-414B	122	63-538	123	63-918	190	64-102	133	64-205	134	64-396	137
63-415	123	63-600	124	63-921	190	64-103	133	64-206	134	64-397	137
63-415B	122	63-601	124	63-922	190	64-104	133	64-207	134	64-398	137
63-416	123	63-602	124	63-923	190	64-105	133	64-208	134	64-399	137
63-416B	122	63-603	124	63-924	190	64-106	133	64-209	134	64-400	137
63-417	123	63-604	124	63-925	190	64-107	133	64-210	134	64-401	137
63-417B	122	63-605	124	63-926	190	64-108	133	64-211	134	64-410	134
63-418	123	63-606	124	63-927	190	64-109	133	64-250	134	64-411	134
63-418B	122	63-607	124	63-928	190	64-110	133	64-251	134	64-412	134
63-419	123	63-608	124	63-931	190	64-112	133	64-252	134	64-413	134
63-420	123	63-610	124	63-932	190	64-114	133	64-253	134	64-414	134
63-421	123	63-630	124	63-933	190	641200	76	64-254	134	64-415	134
63-430	123	63-631	124	63-934	190	64-121	133	64-255	134	64-416	134
63-432	123	63-632	124	63-935	190	64-122	133	64-256	134	64-417	134
63-434	123	63-633	124	63-936	190	64-123	133	64-257	134	64-418	134
63-435	123	63-634	124	63-937	190	64-124	133	64-258	134	64-419	134
63-436	123	63-635	124	63-938	190	64-126	133	64-259	134	64-420	134
63-437	123	63-636	124	63-941	190	64-127	133	64-260	134	64-421	134
63-438	123	63-637	124	63-942	190	64-130	133	64-261	134	64-422	134
63-441	123	63-638	124	63-943	190	64-131	133	64-262	134	64-430	136
63-442	123	63-653	124	63-944	190	64-133	133	64-268	135	64-431	136
63-445	123	63-654	124	63-945	190	64-134	133	64-269	135	64-432	136
63-446	123	63-655	124	63-946	190	64-136	133	64-273	135	64-433	136
63-447	123	63-656	124	63-947	190	64-137	133	64-276	135	64-434	136

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
64-435	136	64-525	136	64-772	132	65-166	133	65-303	135	65-446	136
64-436	136	64-527	136	64-773	132	65-167	133	65-306	135	65-447	136
64-437	136	64-528	136	64-773H	132	65-168	133	65-309	135	65-448	136
64-438	136	64-529	136	64-774	132	65-169	133	65-316	135	65-449	136
64-439	136	64-530	136	64-774H	132	65-170	133	65-317	134	65-450	136
64-440	136	64-531	136	64-775	132	65-171	133	65-318	135	65-451	136
64-441	136	64-532	136	64-775H	132	65-180	133	65-319	134	65-452	136
64-442	136	645320	76	64-776	132	65-181	133	65-322	135	65-453	136
64-443	136	64-533	136	64-776H	132	65-182	133	65-327	135	65-454	136
64-444	136	64-534	136	64-777	132	65-183	133	65-328	135	65-456	136
64-445	136	64-535	136	64-777H	132	65-184	133	65-330	135	65-457	136
64-446	136	64-537	136	64-778	132	65-185	133	65-334	135	65-458	136
64-447	136	64-538	136	64-778H	132	65-186	133	65-336	135	65-459	136
64-448	136	64-539	136	64-779	132	65-187	133	65-343	135	65-460	136
64-449	136	64-540	136	64-780	132	65-188	133	65-351	135	65-461	136
64-450	136	64-541	136	64-781	132	65-189	133	65-363	135	65-462	136
64-451	136	64-542	136	650400	76	65-190	133	65-364	135	65-463	136
64-452	136	64-543	136	650600	76	65-191	133	65-383	135	65-464	136
64-453	136	64-546	136	650800	76	65-192	133	65-384	135	65-465	136
64-454	136	64-547	136	65-100	133	65-200	134	65-385	135	65-472	137
64-456	136	64-549	136	65-101	133	65-201	134	65-386	135	65-473	137
64-457	136	64-550	136	65-102	133	65-202	134	65-390	137	65-474	137
64-458	136	64-551	136	65-103	133	65-203	134	65-391	137	65-475	137
64-459	136	64-552	136	65-104	133	65-204	134	65-392	137	65-476	137
64-460	136	64-553	136	65-105	133	65-205	134	65-393	137	65-477	137
64-461	136	64-600	137	65-106	133	65-206	134	65-394	137	65-478	137
64-462	136	64-601	137	65-107	133	65-207	134	65-395	137	65-479	137
64-463	136	64-602	137	65-108	133	65-208	134	65-396	137	65-480	137
64-464	136	64-603	137	65-109	133	65-209	134	65-397	137	65-481	137
64-472	137	64-604	137	65-110	133	65-210	134	65-398	137	65-482	137
64-473	137	64-605	137	65-112	133	65-211	134	65-399	137	65-486	136
64-474	137	64-606	137	65-114	133	65-250	134	65-400	137	65-491	136
64-475	137	64-607	137	65-121	133	65-251	134	65-401	137	65-503	136
64-476	137	64-608	137	65-122	133	65-252	134	65-410	134	65-505	136
64-477	137	64-609	137	65-123	133	65-253	134	65-411	134	65-506	136
64-478	137	64-610	137	65-124	133	65-254	134	65-412	134	65-507	136
64-479	137	64-611	137	65-126	133	65-255	134	65-413	134	65-508	136
64-480	137	64-653	137	65-127	133	65-256	134	65-414	134	65-509	136
64-481	137	64-654	137	65-130	133	65-257	134	65-415	134	65-510	136
64-482	137	64-655	137	65-131	133	65-258	134	65-416	134	65-511	136
64-486	136	64-656	137	65-133	133	65-259	134	65-417	134	65-512	136
64-503	136	64-657	137	65-134	133	65-260	134	65-418	134	65-513	136
64-505	136	64-658	137	65-136	133	65-261	134	65-419	134	65-514	136
64-506	136	64-659	137	65-137	133	65-262	134	65-420	134	65-515	136
64-507	136	64-660	137	65-138	133	65-268	135	65-421	134	65-516	136
64-508	136	64-661	137	65-139	133	65-269	135	65-422	134	65-517	136
64-509	136	64-692	137	65-140	133	65-273	135	65-430	136	65-518	136
64-510	136	64-693	137	65-141	133	65-276	135	65-431	136	65-519	136
64-511	136	64-694	137	65-142	133	65-279	135	65-432	136	65-520	136
64-512	136	64-695	137	65-145	133	65-280	134	65-433	136	65-521	136
64-513	136	64-696	137	65-146	133	65-282	135	65-434	136	65-522	136
64-514	136	64-697	137	65-148	133	65-283	135	65-435	136	65-523	136
64-515	136	64-703	135	65-151	133	65-286	135	65-436	136	65-524	136
64-516	136	64-704	135	65-152	133	65-287	135	65-437	136	65-525	136
64-517	136	64-705	135	65-153	133	65-288	135	65-438	136	65-527	136
64-518	136	64-706	135	65-154	133	65-289	134	65-439	136	65-528	136
64-519	136	64-707	135	65-160	133	65-291	135	65-440	136	65-529	136
64-520	136	64-708	135	65-161	133	65-296	135	65-441	136	65-530	136
64-521	136	64-733	134	65-162	133	65-298	135	65-442	136	65-531	136
64-522	136	64-734	134	65-163	133	65-299	134	65-443	136	65-532	136
64-523	136	64-770	132	65-164	133	65-300	134	65-444	136	655320	76
64-524	136	64-771	132	65-165	133	65-301	135	65-445	136	65-533	136

Numerical Index

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
65-534	136	65-779	132	66-766	138	67-774	138	68-442	142	69-164	142
65-535	136	65-779H	132	66-770	138	67-775	138	68-471	142	69-165	142
65-537	136	65-780	132	66-771	138	680302	76	68-472	142	69-166	142
65-538	136	65-780H	132	66-772	138	680400	76	68-473	142	69-167	142
65-539	136	65-781	132	66-773	138	680402	76	68-474	142	69-168	142
65-540	136	65-781H	132	66-774	138	680404	76	68-475	142	69-181	142
65-541	136	660402	76	66-775	138	680406	76	68-476	142	69-182	142
65-542	136	660404	76	67-470	138	680602	76	68-477	142	69-183	142
65-543	136	660502	76	67-471	138	680604	76	68-478	142	69-184	142
65-545	136	660602	76	67-472	138	680606	76	685320	76	69-185	142
65-546	136	660604	76	67-473	138	680608	76	685321	76	69-186	142
65-547	136	660606	76	67-474	138	680804	76	685322	76	69-187	142
65-549	136	660804	76	67-475	138	680806	76	68-600	142	69-188	142
65-550	136	660806	76	67-500	138	680808	76	68-601	142	69-252	142
65-551	136	660808	76	67-501	138	681006	76	68-602	142	69-253	142
65-552	136	66-470	138	67-502	138	681008	76	68-603	142	69-254	142
65-553	136	66-471	138	67-503	138	68-101	142	68-604	142	69-255	142
65-600	137	66-472	138	67-504	138	68-102	142	68-605	142	69-256	142
65-601	137	66-473	138	67-505	138	68-103	142	68-606	142	69-257	142
65-602	137	66-474	138	67-506	138	68-104	142	68-607	142	69-258	142
65-603	137	66-475	138	67-507	138	68-105	142	68-608	142	69-411	142
65-604	137	66-500	138	67-508	138	68-106	142	690302	76	69-412	142
65-605	137	66-501	138	67-509	138	68-107	142	690400S	76	69-413	142
65-606	137	66-502	138	67-510	138	68-108	142	690402	76	69-414	142
65-607	137	66-503	138	67-511	138	681208	76	690402S	76	69-415	142
65-608	137	66-504	138	67-512	138	681212	76	690404	76	69-416	142
65-609	137	66-505	138	67-513	138	68-161	142	690404S	76	69-417	142
65-610	137	66-506	138	67-630	138	68-162	142	690406	76	69-418	142
65-611	137	66-507	138	67-631	138	68-163	142	690406S	76	69-432	142
65-653	137	66-508	138	67-632	138	68-164	142	690602	76	69-434	142
65-654	137	66-509	138	67-633	138	68-165	142	690602S	76	69-435	142
65-655	137	66-510	138	67-634	138	68-166	142	690604	76	69-438	142
65-656	137	66-511	138	67-635	138	68-167	142	690604S	76	69-441	142
65-657	137	66-512	138	67-636	138	68-168	142	690606	76	69-442	142
65-658	137	66-513	138	67-653	138	68-181	142	690606S	76	69-471	142
65-659	137	665322	76	67-654	138	68-182	142	690608	76	69-472	142
65-660	137	66-630	138	67-669	138	68-183	142	690608S	76	69-473	142
65-692	137	66-631	138	67-670	138	68-184	142	690804	76	69-474	142
65-693	137	66-632	138	67-671	138	68-185	142	690804S	76	69-475	142
65-694	137	66-633	138	67-672	138	68-186	142	690806	76	69-476	142
65-695	137	66-634	138	67-700	138	68-187	142	690806S	76	69-477	142
65-696	137	66-635	138	67-701	138	68-188	142	690808	76	69-478	142
65-697	137	66-653	138	67-702	138	68-252	142	690808S	76	695302	76
65-733	134	66-654	138	67-703	138	68-253	142	691006	76	695320S	76
65-734	134	66-670	138	67-704	138	68-254	142	691006S	76	695322	76
65-770	132	66-671	138	67-705	138	68-255	142	691008	76	69-600	142
65-771	132	66-672	138	67-707	138	68-256	142	691008S	76	69-601	142
65-771H	132	66-700	138	67-708	138	68-257	142	69-101	142	69-602	142
65-772	132	66-701	138	67-709	138	68-258	142	69-102	142	69-603	142
65-772H	132	66-702	138	67-711	138	68-411	142	69-103	142	69-604	142
65-773	132	66-704	138	67-712	138	68-412	142	69-104	142	69-605	142
65-773H	132	66-705	138	67-713	138	68-413	142	69-105	142	69-606	142
65-774	132	66-708	138	67-760	138	68-414	142	69-106	142	69-607	142
65-774H	132	66-709	138	67-761	138	68-415	142	69-107	142	69-608	142
65-775	132	66-712	138	67-762	138	68-416	142	69-108	142	700402	76
65-775H	132	66-713	138	67-763	138	68-417	142	691208	76	700402S	76
65-776	132	66-760	138	67-764	138	68-418	142	691208S	76	700404	76
65-776H	132	66-761	138	67-765	138	68-432	142	691212	76	700404S	76
65-777	132	66-762	138	67-770	138	68-434	142	691212S	76	700406	76
65-777H	132	66-763	138	67-771	138	68-435	142	69-161	142	700602	76
65-778	132	66-764	138	67-772	138	68-438	142	69-162	142	700604	76
65-778H	132	66-765	138	67-773	138	68-441	142	69-163	142	700604S	76

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
700606	76	73-203G1	177	73-953	125	77-130	145	77-247	147	77-359	147
700606S	76	73-203G5	177	73-953	16	77-131	145	77-252	147	77-360	147
700804	76	73-203M1	178	73-954	125	77-132	145	77-253	147	77-361	147
700806	76	73-203M2	178	73-954	16	77-134	145	77-255	147	77-362	147
700808	76	73-203N1	177	73-955	125	77-139	145	77-256	147	77-363	147
705322	76	73-203N5	177	73-955	16	77-140	145	77-258	147	77-364	147
705322S	76	73-203O	178	73-956	125	77-142	145	77-262	147	77-365	147
710402	77	73-203R	177	73-956	16	77-143	145	77-263	147	77-370	147
710402S	77	73-203R1	177	73-957	125	77-144	145	77-264	147	77-382	148
710404	77	73-203R5	177	73-957	16	77-145	145	77-265	147	77-383	148
710404S	77	73-203U	177	73-958	125	77-152	145	77-267	147	77-385	148
710602	77	73-203U1	177	73-958	16	77-153	145	77-268	147	77-387	148
710604	77	73-203U5	177	73-959	125	77-154	145	77-269	147	77-389	148
710604S	77	73-203W	177	73-959	16	77-155	145	77-270	147	77-391	148
710606	77	73-203Y	178	73-960	125	77-156	145	77-271	147	77-392	148
710606S	77	73-204B	177	73-960	16	77-157	145	77-272	147	77-393	148
710608	77	73-204G	177	73-961	125	77-161	146	77-273	147	77-394	148
710804S	77	73-204N1	177	73-961	16	77-162	146	77-274	147	77-395	148
710806	77	73-204N5	177	73-970	125	77-163	146	77-275	147	77-396	148
710806S	77	73-204U	177	73-970	16	77-164	146	77-276	147	77-397	148
710808S	77	73-205B	177	73-971	125	77-165	146	77-277	147	77-398	148
715322	77	73-205B5	177	73-971	16	77-166	146	77-280	147	77-401	148
715322S	77	73-205G	177	73-972	125	77-167	146	77-284	147	77-402	149
720302	77	73-205R	177	73-972	16	77-168	146	77-291	147	77-404	149
720400S	77	73-205U	177	73-973	125	77-169	146	77-292	147	77-405	149
720402	77	73-205Y	178	73-973	16	77-170	146	77-294	147	77-406	149
720402S	77	73-206A	178	73-974	125	77-171	146	77-295	147	77-407	149
720404	77	73-206B	177	73-974	16	77-177	146	77-296	147	77-409	149
720404S	77	73-206B1	177	73-975	125	77-178	146	77-297	147	77-410	149
720406	77	73-206B5	177	73-975	16	77-179	146	77-298	147	77-413	149
720406S	77	73-206G	177	73-976	16	77-180	146	77-299	147	77-416	149
720602	77	73-206N1	177	73-977	16	77-181	146	77-300	147	77-419	149
720602S	77	73-206N5	177	73-978	16	77-182	146	77-303	148	77-420	149
720604	77	73-206R	177	73-979	16	77-183	146	77-306	148	77-423	149
720604S	77	73-206U	177	73-980	16	77-184	146	77-307	148	77-424	149
720606	77	73-206U5	177	73-981	16	77-185	146	77-309	148	77-426	149
720606S	77	73-206W	177	73-982	16	77-201	146	77-312	148	77-427	149
720804	77	73-206Y	178	77-100	145	77-202	146	77-314	148	77-428	149
720804S	77	73-207B	177	77-101	145	77-203	146	77-318	148	77-429	149
720806	77	73-207B5	177	77-102	145	77-204	146	77-320	148	77-430	149
720806S	77	73-207G	177	77-103	145	77-205	146	77-322	148	77-431	149
720808	77	73-207N1	177	77-104	145	77-206	146	77-331	148	77-432	149
720808S	77	73-207N5	177	77-105	145	77-207	146	77-332	148	77-433	149
725320S	77	73-207U	177	77-107	145	77-208	146	77-333	148	77-434	149
725322	77	73-207W	177	77-108	145	77-209	146	77-335	148	77-435	149
725322S	77	73-208B	177	77-109	145	77-210	146	77-337	148	77-436	149
73-200B	177	73-230B	178	77-110	145	77-211	146	77-338	149	77-437	149
73-200M1	178	73-230B1	178	77-111	145	77-212	146	77-339	149	77-452	149
73-200N5	177	73-231B	178	77-112	145	77-214	146	77-340	149	77-453	149
73-200U	177	73-232B	178	77-113	145	77-219	146	77-341	149	77-454	149
73-201B	177	73-232N5	178	77-114	145	77-220	146	77-343	149	77-455	149
73-201G	177	73-233B	178	77-116	145	77-222	146	77-345	149	77-456	149
73-201M1	178	73-234B	178	77-117	145	77-223	146	77-346	149	77-457	149
73-201M2	178	73-238B	178	77-118	145	77-224	146	77-347	149	77-458	149
73-201U	177	73-343B	179	77-119	145	77-225	146	77-349	149	77-459	149
73-202B	177	73-343G	179	77-120	145	77-226	146	77-351	149	77-460	149
73-202M1	178	73-343U	179	77-124	145	77-227	146	77-352	147	77-461	149
73-202M2	178	73-343Y	179	77-125	145	77-238	147	77-354	147	77-462	149
73-202U	177	73-951	125	77-126	145	77-240	147	77-355	147	77-463	149
73-203B	177	73-951	16	77-127	145	77-241	147	77-356	147	77-464	149
73-203B5	177	73-952	125	77-128	145	77-242	147	77-357	147	77-465	149
73-203G	177	73-952	16	77-129	145	77-244	147	77-358	147	77-466	149

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
77-467	150	80-036	188	830-196S	164	88-095	173	91-040	173	940-286	108
77-468	150	80-061	188	830-197	164	88-112	173	91-045	173	940-287	108
77-470	150	80-062	188	830-197S	164	88-138	173	91-051	173	940-288	108
77-473	150	80-063	188	830-198	164	88-165	173	91-056	173	940-289	108
77-474	150	80-064	188	830-198S	164	88-180	173	91-065	173	940-290	108
77-481	150	80-065	188	830-288	164	88-205	173	91-075	173	940-291	108
77-483	150	80-066	188	830-288S	164	88-231	173	91-085	173	940-292	108
77-485	150	80-067	188	840-1088	165	88-256	173	91-707	177,178	940-294	108
77-486	150	80-068	188	840-1288	165	88-282	173	91-707B	177,178	940-295	108
77-488	150	80-069	188	840-131	165	88-307	173	92-008	173	940-296	108
77-489	150	80-080	188	840-150	165	89-014	173	92-009	173	940-297	108
77-490	150	80-100	188	840-175	165	89-017	173	92-010	173	940-298	108
77-492	150	80-101	188	840-188	165	89-020	173	92-011	173	940-299	108
77-493	150	80-102	188	840-200	165	89-024	173	92-012	173	94-030	174
77-496	150	80-103	188	840-225	165	89-028	173	92-013	173	94-033	174
77-498	150	80-104	188	840-238	165	89-032	173	92-014	173	940-352	104
77-499	150	80-201	188	840-250	165	89-038	173	92-015	173	940-353	104
77-500	150	80-202	188	840-256	165	89-044	173	92-016	173	940-354	104
77-501	150	80-463	188	840-263	165	89-050	173	92-017	173	940-355	104
77-502	150	820400	77	840-275	165	89-056	173	93-008	173	940-356	104
77-504	150	820600	77	840-288	165	89-065	173	93-009	173	940-357	104
77-506	150	820800	77	840-300	165	89-075	173	93-010	173	940-358	104
77-507	150	821000	77	840-312	165	89-085	173	93-011	173	940-359	104
77-508	150	830-009	164	840-325	165	89-095	173	93-012	173	94-036	174
77-509	150	830-009S	164	840-350	165	89-112	173	93-013	173	940-360	104
77-510	150	830-060	164	840-375	165	89-138	173	93-014	173	94-038	174
77-511	150	830-060S	164	840-382	165	89-165	173	93-015	173	94-039	174
77-514	150	830-064	164	840-400	165	89-180	173	93-016	173	94-042	174
77-516	150	830-064S	164	840-425	165	89-205	173	93-017	173	94-043	174
77-518	150	830-072	164	840-450	165	89-231	173	935-122	100	94-045	174
77-519	150	830-072S	164	840-475	165	89-256	173	935-123	100	94-046	174
77-521	150	830-080	164	840-500	165	89-282	173	935-124	100	940-461	103
77-522	150	830-080S	164	840-525	165	89-307	173	935-129	100	940-462	103
77-523	150	830-096	164	840-550	165	90-014	174	935-130	100	940-463	103
77-524	150	830-096S	164	840-575	165	90-017	174	940-121	103	940-464	103
77-543	150	830-132	164	840-600	165	90-020	174	940-122	103	940-465	103
77-545	150	830-132S	164	840-625	165	90-024	174	940-123	103	94-047	174
77-546	150	830-152	164	840-650	165	90-028	174	940-130	103	94-048	174
77-547	150	830-152S	164	840-675	165	90-032	174	940-131	103	94-051	174
77-548	150	830-182	164	840-700	165	90-038	174	940-132	103	94-052	174
77-549	150	830-182S	164	840-750	165	90-044	174	940-133	103	940-521	104
77-554	150	830-183	164	840-800	165	90-050	174	940-134	103	940-522	104
77-556	150	830-183S	164	840-850	165	90-056	174	940-135	103	940-523	104
77-559	150	830-184	164	840-888	165	90-065	174	940-136	103	940-523S	104
77-560	150	830-184S	164	860402	77	90-075	174	940-137	103	940-524	104
77-563	150	830-185	164	860404	77	90-085	174	940-138	103	940-524S	104
77-585	150	830-185S	164	860604	77	90-095	174	940-139	103	940-525	104
77-587	150	830-188	164	860606	77	90-112	174	940-140	103	940-525S	104
77-588	150	830-188S	164	860808	77	90-138	174	940-212	99	940-526	104
80-001	188	830-189	164	88-015	173	90-165	174	940-213	99	940-526S	104
80-002	188	830-189S	164	88-017	173	90-180	174	940-214	99	940-527	104
80-003	188	830-190	164	88-022	173	90-205	174	940-215	99	940-527S	104
80-004	188	830-190S	164	88-024	173	90-231	174	940-216	99	940-528	104
80-005	188	830-192	164	88-028	173	90-256	174	940-217	99	940-528S	104
80-006	188	830-192S	164	88-032	173	90-282	174	940-241	99	940-529	104
80-007	188	830-193	164	88-038	173	90-307	174	940-242	99	940-529S	104
80-020	188	830-193S	164	88-044	173	91-015	173	940-243	99	940-530	104
80-031	188	830-194	164	88-050	173	91-017	173	940-244	99	940-530S	104
80-032	188	830-194S	164	88-056	173	91-022	173	940-245	99	94-054	174
80-033	188	830-195	164	88-065	173	91-025	173	940-246	99	94-055	174
80-034	188	830-195S	164	88-075	173	91-028	173	940-284	108	94-056	174
80-035	188	830-196	164	88-085	173	91-032	173	940-285	108	94-058	174

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
94-061	174	944-432	105	949-166	106	97-051	174	973-215	179	973-893	191
94-064	174	944-433	105	949-166L	106	97-055	174	973-216	179	973-894	191
94-071	174	944-434	105	949-167	106	97-059	174	973-217	179	973-895	191
94-074	174	944-435	105	949-167L	106	97-063	174	973-219	179	973-900	191
940-800	186	944-503	105	949-168	106	97-067	174	973-221	179	973-901	191
940-801	186	944-508	105	949-168L	106	97-073	174	973-222	179	973-902	191
940-803	186	946-213	108	949-430	107	97-079	174	973-223	179	973-903	191
940-804	186	948-101	98	949-431	107	97-085	174	973-224	179	973-904	191
940-805	186	948-102	98	949-432	107	97-091	174	973-226	178	973-905	191
940-806	186	948-103	98	95-300	174	97-097	174	973-229	178	973-906	191
942-170	108	948-104	98	95-301	174	97-103	174	973-230	178	973-907	191
942-171	108	948-105	98	95-302	174	97-112	174	973-231	178	973-908	191
943-200	97	948-106	98	95-303	174	97-121	174	973-232	178	973-909	191
943-201	97	948-107	98	95-304	174	97-130	174	973-233	178	973-910	191
943-202	97	948-108	98	95-305	174	97-139	174	973-234	178	973-911	191
943-203	97	948-111	98	95-306	174	97-148	174	973-235	178	973-912	191
943-204	97	948-112	98	95-307	174	971-494	189	973-238	178	973-914	191
943-205	97	948-113	98	95-308	174	971-495	189	973-239	178	973-927	191
943-206	97	948-114	98	95-309	174	971-496	189	973-252	179	973-928	191
943-207	97	948-115	98	95-310	174	971-531	189	973-253	179	973-929	191
943-208	97	948-116	98	95-311	174	971-532	189	973-255	179	973-930	191
943-209	97	948-117	98	95-312	174	971-533	189	973-262	179	973-948	191
943-210	97	948-118	98	95-313	174	971-534	189	973-323	178	973-949	191
943-212	100	948-131	108	95-314	174	971-535	189	973-324	178	973-951	125
943-213	100	948-132	108	95-315	174	971-539	189	973-325	178	973-951	16
944-100	102	948-133	108	95-316	174	97-161	174	973-326	178	973-952	125
944-101	102	948-134	108	95-317	174	97-174	174	973-327	178	973-952	16
944-102	102	948-135	108	95-318	174	97-187	174	973-328	178	973-953	125
944-103	102	949-101	106	95-319	174	97-200	174	973-329	178	973-953	16
944-104	102	949-101L	106	95-320	174	97-213	174	973-332	178	973-954	125
944-106	102	949-102	106	95-321	174	972-171	179	973-333	178	973-954	16
944-107	102	949-102L	106	95-322	174	972-172	179	973-334	178	973-955	125
944-108	102	949-103	106	95-323	174	972-173	179	973-340	179	973-955	16
944-109	102	949-103L	106	95-324	174	972-180	179	973-341	179	973-956	125
944-110	102	949-104	106	95-325	174	972-181	179	973-342	179	973-956	16
944-111	102	949-104L	106	95-326	174	972-182	179	973-343	179	973-957	125
944-112	102	949-105	106	95-327	174	972-183	179	973-345	179	973-957	16
944-114	102	949-105L	106	95-328	174	972-184	179	973-346	179	973-958	125
944-115	102	949-106	106	95-329	174	972-185	179	973-350	179	973-958	16
944-116	102	949-106L	106	95-330	174	972-186	179	973-352	179	973-959	125
944-117	102	949-107	106	95-331	174	972-187	179	973-353	179	973-959	16
944-118	102	949-107L	106	96-301	174	972-190	179	973-850	191	973-965	191
944-120	102	949-108	106	96-302	174	972-191	179	973-851	191	973-966	191
944-122	102	949-108L	106	96-303	174	972-192	179	973-852	191	973-967	191
944-123	102	949-121	107	96-304	174	972-193	179	973-853	191	973-980	191
944-126	102	949-122	107	96-305	174	972-194	179	973-854	191	973-981	191
944-128	102	949-123	107	96-306	174	972-195	179	973-855	191	973-982	191
944-130	102	949-124	107	96-307	174	97-226	174	973-856	191	973-990	125
944-132	102	949-125	107	96-308	174	97-239	174	973-857	191	973-990	16
944-133	102	949-126	107	96-310	174	97-252	174	973-858	191	973-991	125
944-134	102	949-127	107	96-312	174	973-200	177	973-870	191	973-991	16
944-135	102	949-128	107	96-314	174	973-201	177	973-871	191	974-264	191
944-136	102	949-161	106	96-316	174	973-202	177	973-872	191	974-265	191
944-137	102	949-161L	106	96-318	174	973-203	177	973-873	191	974-266	191
944-138	102	949-162	106	96-320	174	973-204	177	973-874	191	974-267	191
944-139	102	949-162L	106	96-322	174	973-205	177	973-875	191	980-100	189
944-140	102	949-163	106	96-323	174	973-206	177	973-876	191	980-101	189
944-142	102	949-163L	106	97-031	174	973-207	177	973-877	191	982-107	189
944-428	105	949-164	106	97-035	174	973-208	177	973-878	191	982-108	189
944-429	105	949-164L	106	97-039	174	973-209	177	973-890	191	982-109	189
944-430	105	949-165	106	97-043	174	973-210	177	973-891	191	982-110	189
944-431	105	949-165L	106	97-047	174	973-211	177	973-892	191	98-915	185

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
98-916	185	98-978	185	FOS-192	168	FLJ-212	170	FS-32	168	KS-20	169
98-917	185	98-979	185	FOS-20	168	FLJ-213	170	FS-4	168	KS-207501	169
98-918	185	98-980	185	FOS-24	168	FLJ-214	170	FS-5	168	KS-24	169
98-919	185	98-981	185	FOS-28	168	FLJ-215	170	FS-6	168	KS-247501	169
98-920	185	98-982	185	FOS-3	168	FLJ-216	170	FS-7	168	KS-28	169
98-921	185	98-983	185	FOS-311	168	FLJ-218	170	FS-8	168	KS-287501	169
98-922	185	98-984	185	FOS-316	168	FLJ-219	170	FS-9	168	KS-3	169
98-923	185	98-985	185	FOS-32	168	FLJ-227	170	HNV-12-F	183	KS-311	169
98-924	185	98-986	185	FOS-325	168	FLJ-243	170	HNV-12-M	183	KS-32	169
98-925	185	990-128	189	FOS-36	168	FLJ-245	170	HNV-14-F	183	KS-327501	169
98-926	185	990-143	189	FOS-40	168	FLJ-246	170	HNV-14-M	183	KS-4	169
98-927	185	990-157	189	FOS-48	168	FLJ-255	170	HNV-18-F	183	KS-5	169
98-928	185	990-540	189	FOS-56	168	FLJ-301	170	HNV-18-M	183	KS-6	169
98-929	185	990-541	189	FOS-64	168	FLJ-302	170	HNV-1-F	183	KS-7	169
98-930	185	990-542	189	FOS-72	168	FLJ-303	170	HNV-1-M	183	KS-8	169
98-931	185	990-543	189	FOS-8	168	FLJ-304	170	HNV-34-F	183	KS-87501	169
98-932	185	990-570	178	FOS-80	168	FLJ-305	170	HNV-34-M	183	KS-9	169
98-933	185	990-571	178	FOS-96	168	FLJ-306	170	HNV-38-F	183	KS-97501	169
98-934	185	ANV-12-F	183	F-10	168	FLJ-307	170	HNV-38-M	183	NV-12-F	183
98-935	185	ANV-12-M	183	F-100	172	FLJ-308	170	K-10	169	NV-12-M	183
98-936	185	ANV-14-F	183	F-11	168	FLJ-309	170	K-107500	169	NV-14-F	183
98-937	185	ANV-14-M	183	F-12	168	FLJ-310	170	K-11	169	NV-14-M	183
98-938	185	ANV-1-F	183	F-14	168	FLJ-311	170	K-117500	169	NV-1-F	183
98-939	185	ANV-1-M	183	F-16	168	FLJ-312	170	K-12	169	NV-1-M	183
98-940	185	ANV-34-F	183	F-18	168	FLJ-313	170	K-127500	169	NV-34-F	183
98-941	185	ANV-34-M	183	F-20	168	FLJ-314	170	K-14	169	NV-34-M	183
98-942	185	ANV-38-F	183	F-24	168	FLJ-315	170	K-147500	169	NV-38-F	183
98-943	185	ANV-38-M	183	F-28	168	FLJ-316	170	K-16	169	NV-38-M	183
98-944	185	F0-10	168	F-3	168	FLJ-318	170	K-167500	169	SG-3750	172
98-945	185	F0-12	168	F-311	168	FLJ-319	170	K-18	169	SG-5000	172
98-946	185	F0-120	168	F-32	168	FLJ-327	170	K-187500	169	SG-6250	172
98-947	185	F0-14	168	F-4	168	FLJ-343	170	K-20	169	SG-7500	172
98-948	185	F0-144	168	F-5	168	FLJ-345	170	K-207500	169	SS-3751	172
98-949	185	F0-16	168	F-6	168	FLJ-346	170	K-24	169	SS-5001	172
98-950	185	F0-168	168	F-7	168	FLJS-203	171	K-247500	169	SS-6251	172
98-951	185	F0-18	168	F-8	168	FLJS-204	171	K-28	169	SS-7501	172
98-952	185	F0-192	168	F-9	168	FLJS-205	171	K-287500	169		
98-953	185	F0-20	168	FF-12-F	183	FLJS-206	171	K-3	169		
98-954	185	F0-24	168	FF-12-M	183	FLJS-207	171	K-311	169		
98-955	185	F0-28	168	FF-14-F	183	FLJS-208	171	K-32	169		
98-956	185	F0-3	168	FF-14-M	183	FLJS-209	171	K-327500	169		
98-957	185	F0-311	168	FF-1-F	183	FLJS-210	171	K-4	169		
98-958	185	F0-316	168	FF-1-M	183	FLJS-211	171	K-5	169		
98-959	185	F0-32	168	FF-34-12-SAE-F	183	FLJS-212	171	K-6	169		
98-960	185	F0-325	168	FF-34-12-SAE-M	183	FLJS-213	171	K-7	169		
98-961	185	F0-36	168	FF-34-F	183	FLJS-214	171	K-8	169		
98-962	185	F0-40	168	FF-34-M	183	FLJS-215	171	K-87500	169		
98-963	185	F0-48	168	FF-38-12-F	183	FLJS-216	171	K-9	169		
98-964	185	F0-56	168	FF-38-12-M	183	FLJS-218	171	K-97500	169		
98-965	185	F0-64	168	FF-38-F	183	FLJS-219	171	KF-PS90	12		
98-966	185	F0-72	168	FF-38-M	183	FLJS-227	171	KS-10	169		
98-967	185	F0-8	168	FLJ-201	170	FS-10	168	KS-107501	169		
98-968	185	F0-80	168	FLJ-202	170	FS-11	168	KS-11	169		
98-969	185	F0-96	168	FLJ-203	170	FS-12	168	KS-117501	169		
98-970	185	FOS-10	168	FLJ-204	170	FS-14	168	KS-12	169		
98-971	185	FOS-12	168	FLJ-205	170	FS-16	168	KS-127501	169		
98-972	185	FOS-120	168	FLJ-206	170	FS-18	168	KS-14	169		
98-973	185	FOS-14	168	FLJ-207	170	FS-20	168	KS-147501	169		
98-974	185	FOS-144	168	FLJ-208	170	FS-24	168	KS-16	169		
98-975	185	FOS-16	168	FLJ-209	170	FS-28	168	KS-167501	169		
98-976	185	FOS-168	168	FLJ-210	170	FS-3	168	KS-18	169		
98-977	185	FOS-18	168	FLJ-211	170	FS-311	168	KS-187501	169		

Hydraulic Index

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
0302-10	201	0403-24	202	1501-20-16	197	1504-24-24	198	1704-16-12	234
0302-12	201	0403-32	202	1501-20-20	197	1504-4-4	198	1704-16-16	234
0302-16	201	0403-4	202	1501-20-24	197	1504-6-4	198	1704-16-20	234
0302-4	201	0403-6	202	1501-2-2	197	1504-6-6	198	1704-16-24	234
0302-6	201	0403-8	202	1501-2-4	197	1504-8-6	198	1704-20-16	234
0302-8	201	070110	202	1501-24-20	197	1504-8-8	198	1704-20-20	234
0304-10	201	070111	201	1501-24-24	197	1601-12-12	198	1704-20-24	234
0304-12	201	070112	201	1501-32-32	197	1601-12-8	198	1704-24-16	234
0304-14	201	070115	202	1501-4-2	197	1601-16-12	198	1704-24-20	234
0304-16	201	140138	213	1501-4-4	197	1601-16-16	198	1704-24-32	234
0304-20	201	1404-12-12	196	1501-4-6	197	1601-20-20	198	1704-24-40	234
0304-24	201	1404-12-16	196	1501-4-8	197	1601-2-2	198	1704-32-24	234
0304-32	201	1404-12-6	196	1501-6-12	197	1601-24-24	198	1704-32-32	234
0304-4	201	1404-12-8	196	1501-6-4	197	1601-4-4	198	1704-8-12	234
0304-5	201	1404-16-12	196	1501-6-6	197	1601-6-4	198	1704-8-8	234
0304-6	201	1404-16-16	196	1501-6-8	197	1601-6-6	198	1800-12-12	234
0304-8	201	1404-16-20	196	1501-8-12	197	1601-6-8	198	1800-12-16	234
0304-C-10	201	1404-16-8	196	1501-8-4	197	1601-8-4	198	1800-16-16	234
0304-C-12	201	1404-20-16	196	1501-8-6	197	1601-8-6	198	1800-16-20	234
0304-C-14	201	1404-20-20	196	1501-8-8	197	1601-8-8	198	1800-20-16	234
0304-C-16	201	1404-20-24	196	1501-LL-12-12	197	1602-12-12	198	1800-20-20	234
0304-C-2	201	1404-2-2	196	1501-LL-16-16	197	1602-12-8	198	1800-20-24	234
0304-C-20	201	1404-2-4	196	1501-LL-4-4	197	1602-16-12	198	1800-24-24	234
0304-C-24	201	1404-24-20	196	1501-LL-6-6	197	1602-16-16	198	1800-32-32	234
0304-C-3	201	1404-24-24	196	1501-LL-8-8	197	1602-20-20	198	1800-8-8	234
0304-C-32	201	1404-32-32	196	1502-12-12	197	1602-2-2	198	1803-12-12	235
0304-C-4	201	1404-4-2	196	1502-12-16	197	1602-24-24	198	1803-12-16	235
0304-C-5	201	1404-4-4	196	1502-12-8	197	1602-4-4	198	1803-16-16	235
0304-C-6	201	1404-4-6	196	1502-16-12	197	1602-6-4	198	1803-16-20	235
0304-C-8	201	1404-4-8	196	1502-16-16	197	1602-6-6	198	1803-20-16	235
0306-10	210	1404-6-12	196	1502-20-20	197	1602-8-6	198	1803-20-20	235
0306-12	210	1404-6-4	196	1502-2-2	197	1602-8-8	198	1803-20-24	235
0306-14	210	1404-6-6	196	1502-2-4	197	1603-12-12	199	1803-24-24	235
0306-16	210	1404-6-8	196	1502-24-24	197	1603-16-16	199	1803-32-32	235
0306-20	210	1404-8-12	196	1502-32-32	197	1603-20-20	199	1803-8-8	235
0306-24	210	1404-8-4	196	1502-4-2	197	1603-2-2	199	1804-12-12	235
0306-32	210	1404-8-6	196	1502-4-4	197	1603-4-4	199	1804-12-16	235
0306-4	210	1404-8-8	196	1502-4-6	197	1603-6-6	199	1804-16-16	235
0306-5	210	1405-12-12	196	1502-6-4	197	1603-8-8	199	1804-16-20	235
0306-6	210	1405-12-16	196	1502-6-6	197	1604-4-4	199	1804-20-16	235
0306-8	210	1405-12-8	196	1502-6-8	197	1604-6-6	199	1804-20-20	235
0318-10	202	1405-16-12	196	1502-8-12	197	1604-8-8	199	1804-20-24	235
0318-12	202	1405-16-16	196	1502-8-4	197	1700-12-12	234	1804-24-24	235
0318-14	202	1405-20-20	196	1502-8-6	197	1700-12-16	234	1804-32-32	235
0318-16	202	1405-2-2	196	1502-8-8	197	1700-16-16	234	1804-8-8	235
0318-2	202	1405-2-4	196	1503-12-12	198	1700-16-20	234	1861-12	235
0318-20	202	1405-24-24	196	1503-12-16	198	1700-16-24	234	1861-16	235
0318-24	202	1405-32-32	196	1503-12-6	198	1700-20-16	234	1861-20	235
0318-3	202	1405-4-2	196	1503-12-8	198	1700-20-20	234	1861-24	235
0318-32	202	1405-4-4	196	1503-16-12	198	1700-20-32	234	1861-32	235
0318-4	202	1405-4-6	196	1503-16-16	198	1700-24-24	234	1861-40	235
0318-5	202	1405-6-4	196	1503-16-20	198	1700-32-32	234	1861-8	235
0318-6	202	1405-6-6	196	1503-20-16	198	1700-40-40	234	1862-12	235
0318-8	202	1405-6-8	196	1503-20-20	198	1700-8-12	234	1862-16	235
0319-10	202	1405-8-12	196	1503-2-2	198	1700-8-8	234	1862-20	235
0319-12	202	1405-8-4	196	1503-2-4	198	1703-12-12	234	1862-24	235
0319-14	202	1405-8-6	196	1503-24-24	198	1703-12-16	234	1862-32	235
0319-16	202	1405-8-8	196	1503-32-32	198	1703-16-16	234	1862-40	235
0319-2	202	1406-12-12	196	1503-4-2	198	1703-16-20	234	1862-8	235
0319-20	202	1406-16-16	196	1503-4-4	198	1703-16-24	234	1900-12	236
0319-24	202	1406-4-4	196	1503-4-6	198	1703-20-16	234	1900-16	236
0319-3	202	1406-6-6	196	1503-6-4	198	1703-20-20	234	1900-20	236
0319-32	202	1406-8-8	196	1503-6-6	198	1703-20-24	234	1900-24	236
0319-4	202	1501-12-12	197	1503-6-8	198	1703-24-40	234	1900-32	236
0319-5	202	1501-12-16	197	1503-8-12	198	1703-32-24	234	1900-40	236
0319-6	202	1501-12-6	197	1503-8-4	198	1703-32-32	234	1900-8	236
0319-8	202	1501-12-8	197	1503-8-6	198	1703-8-12	234	1901-12	236
0403-10	202	1501-16-12	197	1503-8-8	198	1703-8-8	234	1901-16	236
0403-12	202	1501-16-16	197	1504-12-12	198	1704-10-16	234	1901-20	236
0403-14	202	1501-16-20	197	1504-16-16	198	1704-12-12	234	1901-24	236
0403-16	202	1501-16-8	197	1504-20-20	198	1704-12-16	234	1901-32	236
0403-20	202	1501-20-12	197	1504-2-2	198	1704-12-20	234	1901-40	236

Hydraulic Index

1901-48

2502-10-6

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
1901-48	236	2403-10-6	203	2404-5-6	203	2406-24-20	205	2501-3-4	206
1901-8	236	2403-10-8	203	2404-6-12	203	2406-32-24	205	2501-40-40	206
1902-12	236	2403-12	203	2404-6-2	203	2406-6-4	205	2501-4-2	206
1902-16	236	2403-12-10	203	2404-6-4	203	2406-6-5	205	2501-4-4	206
1902-20	236	2403-12-6	203	2404-6-6	203	2406-8-12	205	2501-4-6	206
1902-24	236	2403-12-8	203	2404-6-8	203	2406-8-4	205	2501-4-8	206
1902-32	236	2403-14	203	2404-8-12	203	2406-8-6	205	2501-5-2	206
1903-12-12	236	2403-16	203	2404-8-16	203	2407-12-6	204	2501-5-4	206
1903-16-16	236	2403-16-10	203	2404-8-4	203	2407-12-8	204	2501-5-6	206
1903-20-20	236	2403-16-12	203	2404-8-6	203	2407-16-12	204	2501-6-12	206
1903-24-24	236	2403-2	203	2404-8-8	203	2407-20-16	204	2501-6-2	206
1903-32-32	236	2403-20	203	2404-L-10-8	204	2407-24-20	204	2501-6-4	206
1903-40-40	236	2403-20-12	203	2404-L-12-12	204	2407-6-4	204	2501-6-6	206
1903-48-48	236	2403-20-16	203	2404-L-16-16	204	2407-8-4	204	2501-6-8	206
1903-8-8	236	2403-24	203	2404-L-4-2	204	2407-8-6	204	2501-8-12	206
1961-12	235	2403-24-20	203	2404-L-4-4	204	2408-10	205	2501-8-16	206
1961-16	235	2403-3	203	2404-L-6-4	204	2408-12	205	2501-8-4	206
1961-20	235	2403-32	203	2404-L-6-6	204	2408-14	205	2501-8-6	206
1961-24	235	2403-4	203	2404-L-8-6	204	2408-16	205	2501-8-8	206
1961-32	235	2403-5	203	2404-L-8-8	204	2408-2	205	2501-L-10-8	206
1961-8	235	2403-6	203	2405-10-12	204	2408-20	205	2501-L-12-12	206
1962-12	235	2403-6-4	203	2405-10-6	204	2408-24	205	2501-L-12-8	206
1962-16	235	2403-6-5	203	2405-10-8	204	2408-3	205	2501-L-14-12	206
1962-20	235	2403-8	203	2405-12-12	204	2408-32	205	2501-L-16-16	206
1962-24	235	2403-8-4	203	2405-12-16	204	2408-4	205	2501-L-20-20	206
1962-32	235	2403-8-6	203	2405-12-8	204	2408-5	205	2501-L-24-24	206
1962-8	235	2403-LH-10	203	2405-14-12	204	2408-6	205	2501-L-4-2	206
2061-12	236	2403-LH-12	203	2405-16-12	204	2408-8	205	2501-L-4-4	206
2061-16	236	2403-LH-16	203	2405-16-16	204	2500-10	205	2501-L-5-2	206
2061-20	236	2403-LH-20	203	2405-16-20	204	2500-10-8	205	2501-L-5-4	206
2061-24	236	2403-LH-4	203	2405-20-20	204	2500-12	205	2501-L-6-2	206
2061-32	236	2403-LH-6	203	2405-2-2	204	2500-12-8	205	2501-L-6-4	206
2061-40	236	2403-LH-8	203	2405-24-24	204	2500-14	205	2501-L-6-6	206
2061-48	236	2404-10-12	203	2405-3-2	204	2500-16	205	2501-L-8-4	206
2061-8	236	2404-10-16	203	2405-32-32	204	2500-16-12	205	2501-L-8-6	206
2062-12	237	2404-10-4	203	2405-3-4	204	2500-20	205	2501-L-8-8	206
2062-16	237	2404-10-6	203	2405-4-2	204	2500-2-2	205	2501-LL-10-8	207
2062-20	237	2404-10-8	203	2405-4-4	204	2500-24	205	2501-LL-12-12	207
2062-24	237	2404-12-12	203	2405-4-6	204	2500-32	205	2501-LL-12-8	207
2062-32	237	2404-12-16	203	2405-5-2	204	2500-3-3	205	2501-LL-14-12	207
2161-12-12	237	2404-12-20	203	2405-5-4	204	2500-4-4	205	2501-LL-16-16	207
2161-16-16	237	2404-12-6	203	2405-6-2	204	2500-5-5	205	2501-LL-20-20	207
2161-20-20	237	2404-12-8	203	2405-6-4	204	2500-6	205	2501-LL-24-24	207
2161-24-24	237	2404-14-12	203	2405-6-6	204	2500-6-4	205	2501-LL-4-2	207
2161-32-32	237	2404-14-16	203	2405-6-8	204	2500-8-4	205	2501-LL-4-4	207
2161-8-8	237	2404-16-12	203	2405-8-12	204	2500-8-6	205	2501-LL-5-2	207
2162-12-12	237	2404-16-16	203	2405-8-4	204	2500-8-8	205	2501-LL-5-4	207
2162-16-16	237	2404-16-20	203	2405-8-6	204	2501-10-12	206	2501-LL-6-2	207
2162-20-20	237	2404-16-24	203	2405-8-8	204	2501-10-16	206	2501-LL-6-4	207
2162-24-24	237	2404-20-12	203	2406-10-4	205	2501-10-6	206	2501-LL-6-6	207
2162-32-32	237	2404-20-16	203	2406-10-6	205	2501-10-8	206	2501-LL-8-4	207
2261-12-12	237	2404-20-20	203	2406-10-8	205	2501-12-12	206	2501-LL-8-6	207
2261-16-16	237	2404-20-24	203	2406-12-10	205	2501-12-16	206	2501-LL-8-8	207
2261-20-20	237	2404-2-2	203	2406-12-16	205	2501-12-20	206	2501-LLL-10-8	207
2261-24-24	237	2404-2-4	203	2406-12-4	205	2501-12-6	206	2501-LLL-12-12	207
2261-32-32	237	2404-24-16	203	2406-12-6	205	2501-12-8	206	2501-LLL-16-16	207
2261-40-40	237	2404-24-20	203	2406-12-8	205	2501-14-12	206	2501-LLL-4-2	207
2261-48-48	237	2404-24-24	203	2406-14-10	205	2501-14-16	206	2501-LLL-4-4	207
2261-8-8	237	2404-24-32	203	2406-14-12	205	2501-16-12	206	2501-LLL-6-4	207
2262-12-12	237	2404-3-2	203	2406-14-6	205	2501-16-16	206	2501-LLL-6-6	207
2262-16-16	237	2404-32-16	203	2406-14-8	205	2501-16-20	206	2501-LLL-8-6	207
2262-20-20	237	2404-32-20	203	2406-16-10	205	2501-20-16	206	2501-LLL-8-8	207
2262-24-24	237	2404-32-24	203	2406-16-12	205	2501-20-20	206	2501-RS-6-6	206
2262-32-32	237	2404-32-32	203	2406-16-14	205	2501-20-24	206	2501-RS-6-8	206
2262-40-40	237	2404-3-4	203	2406-16-20	205	2501-2-2	206	2501-S-10-8	207
2262-48-48	237	2404-40-40	203	2406-16-4	205	2501-2-4	206	2501-S-12-12	207
2361-12-12	237	2404-4-2	203	2406-16-6	205	2501-24-20	206	2501-S-4-4	207
2361-16-16	237	2404-4-4	203	2406-16-8	205	2501-24-24	206	2501-S-6-4	207
2361-20-20	237	2404-4-6	203	2406-20-12	205	2501-24-32	206	2501-S-6-6	207
2361-24-24	237	2404-4-8	203	2406-20-16	205	2501-3-2	206	2501-S-8-6	207
2403-10	203	2404-5-2	203	2406-20-8	205	2501-32-24	206	2501-S-8-8	207
2403-10-4	203	2404-5-4	203	2406-24-16	205	2501-32-32	206	2502-10-6	207

Hydraulic Index

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
2502-10-8	207	2601-2-2	208	2606-32-32	209	2705-10-8	211	4404-4-2	247
2502-12-12	207	2601-24-24	208	2606-4-2	209	2705-12-12	211	4404-4-4	247
2502-12-8	207	2601-3-2	208	2606-4-4	209	2705-14-12	211	4404-5-2	247
2502-14-12	207	2601-32-32	208	2606-5-2	209	2705-16-16	211	4404-6-4	247
2502-16-12	207	2601-4-2	208	2606-5-4	209	2705-20-20	211	4404-6-6	247
2502-16-16	207	2601-4-4	208	2606-6-4	209	2705-24-24	211	4404-8-6	247
2502-20-20	207	2601-5-2	208	2606-6-6	209	2705-32-32	211	4404-8-8	247
2502-24-24	207	2601-5-4	208	2606-8-6	209	2705-4-2	211	4501-10-8	247
2502-32-32	207	2601-6-4	208	2606-8-8	209	2705-4-4	211	4501-12-12	247
2502-4-2	207	2601-6-6	208	2611-12-12-12	210	2705-5-2	211	4501-16-12	247
2502-4-4	207	2601-8-4	208	2611-16-16-16	210	2705-6-4	211	4501-16-16	247
2502-4-6	207	2601-8-6	208	2611-20-20-20	210	2705-6-6	211	4501-20-16	247
2502-5-2	207	2601-8-8	208	2611-6-6-6	210	2705-8-6	211	4501-20-20	247
2502-5-4	207	2602-10-8	209	2611-8-6-6	210	2705-8-8	211	4501-24-24	247
2502-6-2	207	2602-12-12	209	2611-8-8-8	210	2706-10-8	211	4501-32-32	247
2502-6-4	207	2602-12-8	209	2650-10	210	2706-12-12	211	4501-4-2	247
2502-6-6	207	2602-14-12	209	2650-12	210	2706-16-16	211	4501-4-4	247
2502-6-8	207	2602-16-16	209	2650-14	210	2706-20-20	211	4501-5-2	247
2502-8-12	207	2602-20-20	209	2650-16	210	2706-24-24	211	4501-6-2	247
2502-8-4	207	2602-2-2	209	2650-20	210	2706-32-32	211	4501-6-6	247
2502-8-6	207	2602-24-24	209	2650-24	210	2706-4-2	211	4501-8-6	247
2502-8-8	207	2602-3-2	209	2650-4	210	2706-4-4	211	4501-8-8	247
2503-10-12	208	2602-32-32	209	2650-5	210	2706-6-4	211	4503-10-8	247
2503-10-6	208	2602-4-2	209	2650-6	210	2706-6-6	211	4503-12-12	247
2503-10-8	208	2602-4-4	209	2650-8	210	2706-8-6	211	4503-16-16	247
2503-12-12	208	2602-5-2	209	2700-10	210	2706-8-8	211	4503-20-20	247
2503-12-16	208	2602-6-4	209	2700-12	210	2708-12-12	211	4503-4-2	247
2503-12-6	208	2602-6-6	209	2700-14	210	2708-4-4	211	4503-6-4	247
2503-12-8	208	2602-8-6	209	2700-16	210	2708-6-6	211	4503-8-6	247
2503-14-12	208	2602-8-8	209	2700-20	210	2708-8-8	211	4601-NWO-10	247
2503-16-12	208	2603-10	209	2700-24	210	4000-10	232	4601-NWO-10-8	247
2503-16-16	208	2603-12	209	2700-32	210	4000-12	232	4601-NWO-12	247
2503-16-20	208	2603-14	209	2700-4-4	210	4000-14	232	4601-NWO-16	247
2503-20-16	208	2603-16	209	2700-5-5	210	4000-16	232	4601-NWO-16-12	247
2503-20-20	208	2603-20	209	2700-6-6	210	4000-20	232	4601-NWO-20	247
2503-2-2	208	2603-2-2	209	2700-8	210	4000-2-2	232	4601-NWO-24	247
2503-24-24	208	2603-24	209	2701-10	210	4000-24	232	4601-NWO-24-20	247
2503-3-2	208	2603-32	209	2701-12	210	4000-32	232	4601-NWO-32	247
2503-32-32	208	2603-3-3	209	2701-14	210	4000-3-3	232	4601-NWO-4	247
2503-40-40	208	2603-4-4	209	2701-16	210	4000-4-4	232	4601-NWO-5	247
2503-4-2	208	2603-5-5	209	2701-20	210	4000-5-5	232	4601-NWO-6	247
2503-4-4	208	2603-6	209	2701-24	210	4000-6-6	232	4601-NWO-8	247
2503-4-6	208	2603-8	209	2701-4	210	4000-8-8	232	4603-NWO-10	248
2503-5-2	208	2605-10-6	209	2701-5	210	4001-10	232	4603-NWO-12	248
2503-5-4	208	2605-10-8	209	2701-6	210	4001-12	232	4603-NWO-16	248
2503-6-12	208	2605-12-12	209	2701-8	210	4001-14	232	4603-NWO-20	248
2503-6-2	208	2605-12-8	209	2702-10	211	4001-16	232	4603-NWO-20-16	248
2503-6-4	208	2605-14-12	209	2702-12	211	4001-20	232	4603-NWO-20-24	248
2503-6-6	208	2605-16-12	209	2702-14	211	4001-2-2	232	4603-NWO-24	248
2503-6-8	208	2605-16-16	209	2702-16	211	4001-24	232	4603-NWO-24-20	248
2503-8-12	208	2605-20-20	209	2702-20	211	4001-32	232	4603-NWO-32	248
2503-8-4	208	2605-2-2	209	2702-24	211	4001-3-3	232	4603-NWO-4	248
2503-8-6	208	2605-24-24	209	2702-4	211	4001-4-4	232	4603-NWO-6	248
2503-8-8	208	2605-3-2	209	2702-5	211	4001-5-5	232	4603-NWO-8	248
2504-10	208	2605-32-32	209	2702-6	211	4001-6-6	232	4604-O-10	248
2504-12	208	2605-4-2	209	2702-8	211	4001-8-8	232	4604-O-10-8	248
2504-16	208	2605-4-4	209	2703-10	211	4004-12	236	4604-O-12	248
2504-20	208	2605-5-2	209	2703-12	211	4004-16	236	4604-O-16	248
2504-6	208	2605-5-4	209	2703-16	211	4004-20	236	4604-O-16-12	248
2504-8	208	2605-6-4	209	2703-20	211	4004-24	236	4604-O-20	248
2505-10-8	208	2605-6-6	209	2703-24	211	4004-32	236	4604-O-20-16	248
2505-12-12	208	2605-8-4	209	2703-32	211	4004-40	236	4604-O-24	248
2505-6-4	208	2605-8-6	209	2703-4	211	4004-48	236	4604-O-24-20	248
2505-8-6	208	2605-8-8	209	2703-5	211	4004-8	236	4604-O-4	248
2601-10-6	208	2606-10-8	209	2703-6	211	4404-10-8	247	4604-O-5	248
2601-10-8	208	2606-12-12	209	2703-8	211	4404-12-12	247	4604-O-6	248
2601-12-12	208	2606-12-8	209	2704-10	211	4404-16-12	247	4604-O-8	248
2601-12-8	208	2606-14-12	209	2704-12	211	4404-16-16	247	5000-12-12	213
2601-14-12	208	2606-16-16	209	2704-16	211	4404-20-20	247	5000-12-6	213
2601-16-12	208	2606-20-20	209	2704-4	211	4404-24-20	247	5000-12-8	213
2601-16-16	208	2606-24-24	209	2704-6	211	4404-24-24	247	5000-16	213
2601-20-20	208	2606-3-2	209	2704-8	211	4404-32-32	247	5000-16-12	213

PRE-APPLIED THREAD SEALANTS!

Features and Benefits of Pre-Applied Thread Sealants

Improves Quality & Performance

- Reduces leaks and improves reliability.
- Inhibits thread corrosion both in storage and in use.
- Resists vibrational loosening.
- Prevents system contamination.

Reduces Costs

- Reduces rejection rate caused by leaks.
- Eliminates "touch-ups" and re-coating due to its tough, resilient coating properties.
- Eliminates the need to re-apply; can be re- inserted up to 8 times without re-coating.
- Reduces application costs when used in conjunction with the ECS II application machine.

Competitive Advantage

- Easily recognized color indicates the fitting is ready for leak-proof installation and service.
- Allows for control of the sealant application eliminating field installation problems.
- Adds value to fittings and increases product recognition.

Everseal™ 183

Approved in both US and Canada for methane, butane, propane, and natural gas applications



Part #	Size	Per End List Price
183	1/8"	15
184	1/4"	15
185	3/8"	18
186	1/2"	21
187	3/4"	24
188	1"	31
189	1-1/4"	40
190	1-1/2"	46
191	2"	57

Viscosity	27,000 cps
Color	Blue
Specific Gravity	1.30 ± 0.05 at 77°F (25°C)
Operating Temperature Range	-65°F to +300°F
Dry Film Properties	-54°C to +149°C
Shelf Life (uncured)	1 year
(cured)	Unlimited
Clean up (uncured)	Soap and water
(cured)	Methanol
Resistance	Pressure
	1/2" NPT (13 mm) up to 10,000 psi (69,000 kpa)
	3" NPT (7.6 cm) up to 3,000 psi (20,700 kpa)
	No leakage for:
	Water at 200° F (93° C)
	Propane at 77° F (25° C)
	Butane at 77° F (25° C)

Everseal™ 283

Approved for use in devices handling gasoline and petroleum oils



Part #	Size	Per End List Price
283	1/8"	15
284	1/4"	15
285	3/8"	18
286	1/2"	21
287	3/4"	24
288	1"	31
289	1-1/4"	40
290	1-1/2"	46
291	2"	57

Viscosity	32,000 cps
Color	Green
Specific Gravity	1.15 ± 0.07 at 77°F (25°C)
Operating Temperature Range	-65°F to +280°F
Dry Film Properties	-54°C to +138°C
Shelf Life (uncured)	1 year
(cured)	Unlimited
Clean up (uncured)	Soap and water
(cured)	Methanol
Resistance	Pressure
	1/2" NPT (13 mm) up to 10,000 psi (69,000 kpa)
	3" NPT (7.6 cm) up to 3,000 psi (20,700 kpa)
	No leakage for:
	Water at 200° F (93° C)
	Gasoline at 77° F (25° C)
	Oil at 300° F (149° C)

Everseal™ 483

Approved for sprinkler and water spray systems containing air, nitrogen, water or propylene glycol or glycerol antifreeze solutions



Part #	Size	Per End List Price
483	1/8"	15
484	1/4"	15
485	3/8"	18
486	1/2"	21
487	3/4"	24
488	1"	31
489	1-1/4"	40
490	1-1/2"	46
491	2"	57

Viscosity	32,000 cps
Color	White
Specific Gravity	1.05 ± 1.40 at 77°F (25°C)
Operating Temperature Range	-65°F to +280°F
Dry Film Properties	-54°C to +138°C
Shelf Life (uncured)	1 year
(cured)	Unlimited
Clean up (uncured)	Soap and water
(cured)	Methanol
Resistance	Pressure
	1/2" NPT (13 mm) up to 10,000 psi (69,000 kpa)
	3" NPT (7.6 cm) up to 3,000 psi (20,700 kpa)
	No leakage for:
	Water at 200° F (93° C)
	Gasoline at 77° F (25° C)
	Oil at 300° F (149° C)

Also Available: Nickel Plating, Chrome plating and much more....Just Ask!

Thread Chart

DASH SIZE	2	3	4	5	6	7	8	10	12	14	16	20	24	32	40	48
O.D. TUBING SIZE	1/8	5/32	3/16	1/4	5/16	3/8	7/16	1/2	5/8	7/8	1	1-1/4	1-1/2	2	2-1/2	3
STANDARD PIPE SIZE N.P.T.F. (DRYSEAL)*	1/8-27		1/4-18		3/8-18		1/2-14		3/4-14		1-11 1/2	1 1/4-11 1/2	1 1/2-11 1/2	2-11 1/2	2 1/2 -8	3-8
S.A.E. 45° FLARE	5/16-24		7/16-20	1/2-20	5/8-18	11/16-16	3/4-16	7/8-14	1 1/16-14	1 1/4-12	1 3/8-12					
INVERTED FLARE	5/16-24		7/16-24	1/2-20	5/8-18	11/16-18	3/4-18	7/8-18	1 1/16-16							
J.I.C. 37° FLARE	5/16-24		7/16-20	1/2-20	9/16-18		3/4-16	7/8-14	1 1/16-12	1 3/16-12	1 5/16-12	1 5/8-12	1 7/8-12	2 1/2-12	3-12	3 1/2-12
COMPRESSION FLARELESS	5/16-24	5/16-24	7/16-24	1/2-24	9/16-24	5/8-24	11/16-20	13/16-18	1 -18	1 1/8-18						
COMPRESSION (PLASTIC TUBE)	5/16-24		3/8-24	7/16-24	1/2-24		11/16-20									
AIR BRAKE - PLASTIC TUBE			7/16-24		17/32-24		11/16-20	13/16-18	1 -18							
AIR BRAKE - COPPER TUBE			7/16-24	1/2-24	17/32-24		11/16-20	13/16-18	1-18							
DOUBLE COMPRESSION STEEL	5/16-24		7/16-24	1/2-20	9/16-20		11/16-16									
COMPRESSION (HIGH PRESSURE)	5/16-24		7/16-20	1/2-20	9/16-18		3/4-16	7/8-14	1 1/16-12	1 3/16-12	1 5/16-12	1 5/8-12	1 7/8-12	2 1/2-12		
S.A.E. O-RING	5/16-24		7/16-20	1/2-20	9/16-18		3/4-16	7/8-14	1 1/16-12	1 3/16-12	1 5/16-12	1 5/8-12	1 7/8-12	2 1/2-12		
INTERNAL O-RING			1/2-20	9/16-18	5/8-18		7/8-14	1 -14	1 1/8-12	1 1/2-12	1 3/4-12	2 -12				
NPSM SWIVEL THREAD	1/8-27		1/4-18		3/8-18		1/2-14		3/4-14		1-11 1/2	1 1/4 -11 1/2	1 1/2 - 11 1/2	2-11 1/2		
FLAT FACE THREAD			9/16-18		11/16-16		13/16-16	1-14	1 3/16-12		1 7/16-12	1 11/16-12	2-12			
BRITISH THREAD BSPP/BSPT	1/8-28		1/4-19		3/8-19		1/2-14		3/4-14		1-11	1 1/4-11	1 1/2-11	2-11		
METRIC THREAD	10	12	14	16	18	20	22	24	26	27	30	33	36	42	48	
CODE 61 FLANGE HEAD O.D	M10X1.0	M12x1.5	M14x1.5	M16x1.5	M18x1.5	M20x1.5	M22x1.5	M24x1.5	M26x1.5	M27x2.0	M30x2.0	M33x2.0	M36x2.0	M42x2.0	M48x2.0	
CODE 62 FLANGE HEAD O.D							1.19	1.335	1.50		1.75	2.00	2.38	2.81	3.31	4.00
CODE 62 FLANGE HEAD O.D							1.25		1.62		1.88	2.12	2.50	3.12		

BALL VALVE PRIVATE LABEL PROGRAM



We will put your company name and logo on our ball valve handle for FREE. Simply place a minimum blanket order of 10 cases per size and we will stock them under a special part # for your access only. Please allow 90-120 days for delivery on the first shipment only. Then have them delivered as you need them!



TEE HANDLES



Part#	Valve Size	List Price
43-200T	1/4" - 3/4"	1.15
43-204T	1"	2.14


LOCKING HANDLES



Part#	Valve Size	List Price
43-200L	1/4" - 3/4"	4.29
43-204L	1" - 1 1/4"	6.43
43-206L	1 1/2" - 2"	10.00

Reversible Handles:

All regular ball valve handles are now reversible. You can take the handle off and "reverse" it, so it turns and opens over the opposite end of the valve in the opposite direction. Please let us know if this is a requirement when you order as some older stock may not have this feature.





QUICK DISCONNECTS: UNIVERSAL, INDUSTRIAL, PARKER, LINCOLN, MINI, HYDRAULIC, MOLD COOLANT-LINE QUICK DISCONNECTS AND PLUGS

page 180-185



PRIVATE LABEL, TEE, LOCKING & REVERSIBLE BALL VALVE HANDLES

page 96B



PEX BRASS FITTINGS

page 63



COPPER FITTINGS

page 144-150

360° Turning



360° TURNING SWIVEL

page 7



1 EAR, 2 EAR, STEPLESS HOSE CLAMPS & KITS

page 166-167




PNEUMATIC CHECK VALVES

page 96



HIGH PRESSURE 2 WAY AND 3 WAY BALL VALVES

page 251



OEM SPECIFIED FITTINGS & VALVES AT GENERIC PRICES

We can produce fittings & valves made to your specifications! Just send a print and/or sample with your delivery requirements, and we will quote a custom price from one of our domestic or overseas factories on your fitting(s) and/or valve(s).

























Any Material, Any Size, Any Shape, Any Volume... Just Ask!

Once you approve our price, we will then require a blanket purchase order based on sample approval. We will then stock these items under a separate part# for your access only. We guarantee delivery on time, everytime!

















Here's what you get:

- Consistent, top quality products!**
- Dedicated Inventory for your access only!**
- Guaranteed on-time delivery everytime!**
















Pipe

90° Elbow  pg.2	45° Elbow  pg.2	Union Tee  pg.2	Cross  pg.3
Coupling  pg.3	Union  pg.3	Cap  pg.3	St. Elbow  pg.4
Hex Bushing  pg.4	Square Plug  pg.5	Countersunk  pg.5	Slotted-head  pg.5
Hex Plug  pg.5	Locknut  pg.5	Close Nipple  pg.6	Long Nipple  pg.6
Hex Nipple  pg.6	45° Elbow  pg.7	Street Tee  pg.7	Extender  pg.7
Male Elbow  pg.8	Branch Tee  pg.8	Male Tee  pg.8	Bulkhead  pg.9

















Hose Barb

Male Adapter  pg.11	Swivel  pg.11	Mender  pg.11	Female Adapter  pg.12
Swivel  pg.12	90° Elbow  pg.12	Tees  pg.13	HB Elbow  pg.13
Female HB  pg.13	Swivel Male  pg.13	45° Elbow  pg.13	Ball End  pg.14
Ballseat Adapt.  pg.14	45° Flare  pg.14	Flare Swivel  pg.14	SS Nipple  pg.16




Push on Hose Barb

Male Adapter  pg.18	Male Swivel  pg.18	F Swivel  pg.18	Splicer  pg.18
Female Adapter  pg.19	Male Elbow  pg.19	Rigid Tube  pg.19	SAE Flare  pg.19
JIC Flare  pg.19	Duel Swivel  pg.20	45° SAE  pg.20	37° JIC  pg.20
Inverted Male  pg.20	Inverted F  pg.20	Ballseat  pg.20	

















Garden Hose

Swivel  pg.21	FGHxFemale  pg.21	Rigid  pg.22	Swivel  pg.22
FGH x Male  pg.22	Rigid FGHxM  pg.22	Rigid FGHxF  pg.22	MGHxM  pg.22
MGHxMGH  pg.22	"Y"  pg.23	Quick Dis.  pg.23	Coupling  pg.24
Ball Valve  pg.25	Shut-Off  pg.26	Nozzle  pg.26	Spray  pg.26

















SAE 45° Flare

Short Rod Nut  pg.28	Extra Heavy  pg.28	Flared Plug  pg.29	Flared Cap  pg.29
Copper Gasket  pg.29	Union  pg.30	Union Tee  pg.30	F Adapter  pg.31
M Adapter  pg.32	90° Elbow  pg.32	90° Elbow  pg.33	Forged Cross  pg.34
90° Flare  pg.34	Flare x M Pipe  pg.35	Swivel  pg.36	Union  pg.36

















Inverted Flare

Steel Nut  pg.38	F Adapter  pg.38	M Adapter  pg.39	St. Elbow  pg.39
45° Elbow  pg.39	Union Tee  pg.39	Steel Plug  pg.39	Branch Tee  pg.40
F Elbow  pg.40	M Run Tee  pg.40	90° Elbow  pg.40	Brake Tee  pg.40
Dual Adapter  pg.41	SAE x Invert  pg.41	Metric Tee  pg.41	Stand/Metric  pg.42

















Compression Fittings

Brass Sleeve  pg.45	Brass Insert  pg.45	Brass Nut  pg.45	Long Nut  pg.46
Sleeve Nut  pg.46	Cap  pg.46	Union  pg.46	Tee  pg.47
Union Elbow  pg.48	F Adapter  pg.48	M Adapter  pg.49	M Elbow  pg.50
F Elbow  pg.50	M Branch Tee  pg.51	45° Elbow  pg.51	Break-Away  pg.52










Flareless

Plastic Sleeve  pg.54	Brass Sleeve  pg.54	Nut/Plastic  pg.54	Nut/Brass  pg.54
Union  pg.55	Union Tee  pg.55	F Connector  pg.55	M Connector  pg.55
Male Elbow  pg.55	Union Elbow  pg.56	M Run Tee  pg.56	M Branch Tee  pg.56
Bulkhead  pg.57	Insert Only  pg.57	Tube X M  pg.57	Insert Only  pg.57

















Push-In Fittings

Union Connect  pg.59	Reducer  pg.59	Union Tee  pg.59	F Connector  pg.59
M Elbow  pg.59	M Connector  pg.60	Swivel Elbow  pg.60	Union Elbow  pg.60
Union "Y"  pg.60	Swivel M Run  pg.61	Swivel M Br  pg.61	F Branch  pg.61
Bulkhead  pg.61	Metric  pg.62	M 90° Adapt  pg.62	Union Tee  pg.62

Pex Fittings

Water Heater  pg.63	Insert Coupling  pg.63	PEX Elbow  pg.63	Adapter  pg.63
Insert Tee  pg.63	Test Plugs  pg.63	Insert Coupling  pg.63	F. Adapter  pg.63
M. Adapter  pg.63			

Steel Grease Fittings

Pipe Thread  pg.64	Pipe Thread  pg.64	Pipe Thread  pg.64	Pipe Thread  pg.64
1/4-28 Taper  pg.64	1/4-28 Taper  pg.64	1/4-28 Taper  pg.64	Drive Type  pg.65
Metric  pg.65	Metric  pg.65	Metric  pg.65	Metric  pg.65
Metric  pg.65	Button Head  pg.65	Whip Hose  pg.65	Gun Coupler  pg.65

Pictorial Index

















Brass Fittings

Valves & Fittings













Air Brake-Nylon Tubing

Sleeve  pg.67	Nut  pg.67	Union  pg.67	Bulkhead  pg.67
Steel Insert  pg.67	Brass Insert  pg.67	Tee  pg.67	Elbow  pg.68
Bulkhead  pg.68	F Adapter  pg.68	M Adapter  pg.68	M Elbow  pg.68
F Elbow  pg.69	M Run Tee  pg.69	M Branch  pg.69	45° Elbow  pg.69













Air Brake - Accessories

Collet  pg.78	Tubing  pg.78	No Hub  pg.79	Seal  pg.79
Hex Foot Chuck  pg.79	1/4 I.D. Barb  pg.79	Dual Foot  pg.79	Angle Chuck  pg.79
Steel Brake  pg.79	Hose  pg.80	Fuel Line  pg.80	Airbrake Tube  pg.80
M Connector  pg.81	90° M Elbow  pg.81	Long Ells  pg.81	Ext. Adapters  pg.81













Instrumentation Valves

Needle  pg.92	Needle  pg.92	Metering  pg.93	Metering  pg.93
Toggle  pg.94	Toggle  pg.94	F X F  pg.95	F X F Angle  pg.95
3 Way Valves  pg.95	M X F  pg.96	Check  pg.96	Check  pg.96




Air Brake - Copper

Sleeve  pg.71	Nut  pg.71	Union  pg.71	Tee  pg.71
Elbow  pg.71	F Adapter  pg.71	M Adapter  pg.71	90° M Elbow  pg.72
90° F Elbow  pg.72	Run Tee  pg.72	Branch Tee  pg.72	45° M Elbow  pg.72

































Drain Cocks

Shut Off  pg.82	Drain Valve  pg.82	Drain Cock  pg.82	Truck Drain  pg.82
Shut Off  pg.82	Lever Handle  pg.82	Internal Seat  pg.82	Internal Seat  pg.82
Long Seat  pg.83	Bibb Needle  pg.83	Needle Valve  pg.83	Radiator Type  pg.83













Ball Valve Handles

Private Label  pg.280	Tee  pg.280	Locking  pg.280
--	--	--









Valves

Full Port  pg.97	MIP x FIP  pg.98	MIP x MIP  pg.98	SWT x SWT  pg.99
Std Port  pg.99	Gas Ball  pg.100	Appliance  pg.100	Flare x Flare  pg.100
Mini FxF  pg.101	Mini MxF  pg.101	Mini FxF  pg.102	Mini MxF  pg.102
Mini MxM  pg.102	Mini MxHB  pg.102	Mini HBxHB  pg.102	Mini FxHB  pg.102
3-Way  pg.103	Gate  pg.103	Y-Strainer  pg.104	Check  pg.104
In-Line Check  pg.105	Check  pg.105	Stainless  pg.106	Stainless  pg.106
Carbon  pg.107	SS In-Line  pg.107	PVC Thread  pg.108	PVC SLIP  pg.108
Hose Bibb  pg.108	Plastic  pg.109	Drum  pg.109	Barrel  pg.109









Air Brake - Hoses/ends

Sleeve  pg.73	Nut  pg.73	Nut  pg.73	Nut / Spring  pg.73
Adapter Body  pg.73	M Adapter  pg.74	M Adapter  pg.74	Spring  pg.74
Union  pg.74	F Connector  pg.74	M Connector  pg.74	Adapter  pg.74

















Shut-Off Cocks

Flare X Male  pg.86	Flare X Flare  pg.86	Flare X F  pg.86	Comp X M  pg.86
Comp X Comp  pg.86	F X F  pg.86	M X F  pg.87	M X M  pg.87













Brass Air Cocks

MIP X BIBB  pg.88	MIP X BIBB  pg.88	MIP X MIP  pg.88	MIP X MIP  pg.88
MIP X BIBB  pg.88	MIP X BIBB  pg.88	FIP X FIP  pg.89	MIP X FIP  pg.89

















D.O.T. Push-In

















Male 45°  pg.75	Male Swivel  pg.75	Plug  pg.75	Union  pg.76
Union Tee  pg.76	Union Elbow  pg.76	F Connector  pg.76	M Connector  pg.76
Male Elbow  pg.76	M Swivel  pg.76	F Swivel  pg.76	M Run Tee  pg.77
M Swivel Run  pg.77	Male Branch  pg.77	Bulk/Union  pg.77	F Bulk/Union  pg.77

































Needle Valves





















Comp X Male  pg.90	Comp X Male  pg.90	Comp X Comp  pg.90	Flare X M  pg.90
Flare X Flare  pg.91	Air Vent  pg.91	M X M Pipe  pg.91	F to FE PIPE  pg.91
M X F Pipe  pg.91	Check Valve  pg.91	Flow Control  pg.91	Needle Valve  pg.91









Brass & Bronze









Nipple  pg.111	90° Elbow  pg.114	90° Street  pg.114	45° Elbow  pg.114
45° Street  pg.115	Tee  pg.115	Reducing  pg.115	Cross  pg.115
Coupling  pg.115	Cap  pg.116	Union  pg.116	Hex Bushing  pg.117
Countersunk  pg.117	Square Head  pg.117	Locknut  pg.118	Hex Nipple  pg.118









Stainless Steel			
Nipple  pg. 119	90° Elbow  pg. 122	90° Street  pg. 122	45° Elbow  pg. 122
Tee  pg. 122	Cross  pg. 122	Machined  pg. 122	Coupling  pg. 123
Cap  pg. 123	Hex Bushing  pg. 123	Union  pg. 124	Hex Head  pg. 124
Hex Nipple  pg. 124	Square Plug  pg. 124	1/2 Coupling  pg. 124	Hose Nipple  pg. 125









Black & Galvanized			
Nipples  pg. 127	Merchant  pg. 132	1/2 Merchant  pg. 132	90° Elbow  pg. 133
90° Street  pg. 133	45° Elbow  pg. 133	45° Street  pg. 134	Tee  pg. 134
Coupling  pg. 134	Reducing  pg. 135	Service  pg. 135	Side Outlet  pg. 135
Hex Bushing  pg. 136	Union  pg. 137	Cored Plug  pg. 137	Cross  pg. 137
Cap  pg. 137	Flange  pg. 137	Hex Bushing  pg. 138	Cap  pg. 138
Solid Plug  pg. 138	Hex Plug  pg. 138	Countersunk  pg. 138	Hex Socket  pg. 138
Extra Heavy  pg. 139	90° Elbow  pg. 142	45° Elbow  pg. 142	90° Street  pg. 142
Tee  pg. 142	Coupling  pg. 142	Cap  pg. 142	Union  pg. 142









Copper Fittings			
90° Ell  pg. 145	90° Street Ell  pg. 145	90° Long Turn  pg. 145	90° Long Turn  pg. 145
45° Ell  pg. 146	Street 45°  pg. 146	Coupling  pg. 146	Coupling  pg. 146
Coupling  pg. 147	Reducer  pg. 147	Reducer  pg. 147	Flush Bushing  pg. 148
Male Adapter  pg. 148	M. Fitting  pg. 148	F. Adapter  pg. 149	Fitting Adapter  pg. 149
Cap  pg. 149	Unions  pg. 149	U-Type Strap  pg. 149	Tee  pg. 150

















3000# Forged Steel			
90° Elbow  pg. 143	Cross  pg. 143	Coupling  pg. 143	45° Elbow  pg. 143
Street Elbows  pg. 143	Half Coupling  pg. 143	Tees  pg. 143	Union  pg. 143

























Plastic Pipe			
PVC Nipple  pg. 151	Hex Plug  pg. 152	Pipe Cap  pg. 152	Hex Nipples  pg. 152
Hex Bushing  pg. 152	Elbow  pg. 153	Tee  pg. 153	Coupling  pg. 153













Plastic Hose			
Female  pg. 153	Male  pg. 153	Elbows  pg. 154	Hose x Fe  pg. 154
Union Elbow  pg. 154	Connector  pg. 154	Barbed Tee  pg. 154	Tees  pg. 154






















Plastic Garden Hose			
Cap  pg. 155	Nut  pg. 155	Adapter  pg. 155	Thread Adap.  pg. 155
MGH  pg. 155	FGH  pg. 155	FGHxF Pipe  pg. 155	Adapter  pg. 155

Plastic Compression			
Ferrule  pg. 155	Insert  pg. 155	Union  pg. 156	Bulkhead  pg. 156
Union Tees  pg. 156	Union Elbow  pg. 156	Connectors  pg. 156	Run Tees  pg. 156

Plastic Push-in			
Connector  pg. 157	Union  pg. 157	Cross  pg. 157	Reducing  pg. 157
Union Elbow  pg. 157	Fixed Elbow  pg. 158	Plug-In  pg. 158	Stem Adapter  pg. 158
Union Tee  pg. 158	Reducing Tee  pg. 158	Bulkhead  pg. 158	Female  pg. 158
2-Way  pg. 159	PL x PL  pg. 159	PL x NPTF  pg. 159	Check Valve  pg. 159

Hose Clamps			
600 Series  pg. 160	611 Series  pg. 160	620 Series  pg. 161	300 Series  pg. 162
325 Series  pg. 162	350 Series  pg. 162	500 Series  pg. 163	550 Series  pg. 163
Oetiker 1-Ear  pg. 166	Oetiker 2-Ear  pg. 166	T-Bolt  pg. 165	F-Clamp  pg. 168
K-Clamp  pg. 169	FLJ-Clamp  pg. 170	FLJS-Clamp  pg. 171	Clamp-It  pg. 172
Tools  pg. 172	Mini-F  pg. 173	Aluzinc  pg. 173	Exhaust  pg. 174
Rubber Clip  pg. 174	Robust  pg. 174	Ferrules  pg. 175	Crimper  pg. 175

Tubing			
Polyethylene  pg. 177	Poly-Metric  pg. 178	Nylon 11  pg. 178	Nylon-Metric  pg. 178
Copper  pg. 179	Soft Copper  pg. 179	Polyvinyl  pg. 179	Polyurethane  pg. 177
Poly-Metric  pg. 179	Aluminum  pg. 179	Tube Cutter  pg. 177	Mini-Cutter  pg. 178

Quick Disconnects			
Industrial Coupler  pg. 180	Industrial Plug  pg. 180	Parker Coupler  pg. 181	Parker Plug  pg. 181
ARO Coupler  pg. 181	ARO Plug  pg. 181	ST Coupler  pg. 182	ST Plug  pg. 182
Lincoln Coupling  pg. 182	Lincoln Plug  pg. 182	Mini Coupler  pg. 183	Mini Plug  pg. 183
ISO-A  pg. 183	Flush Face  pg. 183	ISO-B  pg. 183	AG  pg. 183
Mold-Coolant Plug  pg. 184	Straight Stem  pg. 185	90° Stem  pg. 185	45° Stem  pg. 185
Body Only  pg. 185			













Pneumatic Accessories			
Mufflers  pg.186	Vent  pg.186	Air Manifold  pg.186	Control Valve  pg.186
Water Faucet  pg.186	Air Vent  pg.186	Blow Gun  pg.186	Rubber Nozzle  pg.186
Check Valves  pg.186	Air Chucks  pg.187	Foot Chuck  pg.187	Valves  pg.187
Caps  pg.187	Pencil Gauge  pg.187	Gauges  pg.188	



































Accessories			
Teflon Tape  pg.189	Duct Tape  pg.189	Caution  pg.189	Electrical  pg.189
Beam Clamp  pg.189	Scrubs  pg.189	Zinc-Hanger  pg.189	Brush  pg.189








Hose Accessories			
Cam & Groove  pg.190	Hex Adapter  pg.191	Bronze Tee  pg.191	Elbow  pg.191
Male Adapter  pg.191	Steel Hose Nipple  pg.191	Plated Steel  pg.191	Steel Mender  pg.191












JIC 37° Brass Adapters			
Straight  pg.192	45° Elbow  pg.192	Tube Union  pg.192	90° Elbow  pg.192
Straight Swivel  pg.192	Straight Adapter  pg.192	Straight Union  pg.192	Tube Tee  pg.192







Hydraulic Adapters












Steel Pipe Swivels			
Male Swivel  pg.196	Female Swivel  pg.196	Swivel Union  pg.196	Elbow Swivel  pg.197
Pipe Elbow  pg.197	Swivel Elbow  pg.197	45° swivel  pg.198	45° Swivel  pg.198
M Swivel Tee  pg.198	F Swivel Tee  pg.198	F Swivel  pg.199	Swivel Cross  pg.199













Steel JIC Fittings			
JIC Nut  pg.201	JIC Tube Nut  pg.201	Jic Cap  pg.201	Jic Tube Nut  pg.202
Jic Sleeve  pg.202	No-flare Nut  pg.202	No-flare Sleeve  pg.202	JIC Union  pg.202
JIC Tube Union  pg.203	JIC Hex Union  pg.203	JIC Long  pg.204	JIC Male  pg.203
JIC Female  pg.204	JIC Reducer  pg.204	Reducer/Exp  pg.205	JIC Plug  pg.205
JIC Union  pg.205	JIC M Elbow  pg.206	JIC Restrictor  pg.206	Long Elbow  pg.206
X-Long Elbow  pg.207	XX-Long  pg.207	JIC Swivel  pg.207	JIC Female  pg.207
JIC Male 45°  pg.208	JIC Union 45°  pg.208	JIC Female 45°  pg.208	JIC Branch  pg.208
JIC Branch Tee  pg.209	JIC Union Tee  pg.209	JIC Run Tee  pg.209	JIC F Run Tee  pg.209
JIC Union Cross  pg.210	JIC Tee  pg.210		

JIC Bulkhead Adapters			
Bulk. Union  pg.210	Bulkhead  pg.210	Bulk 45° Elbow  pg.211	Bulkhead Tee  pg.211
Bulkhead Run  pg.211	JIC to Bulkhead  pg.211	JIC Male Bulk  pg.211	

Steel Pipe Fittings			
Pipe Coupling  pg.200	Hex Nipple  pg.214	Pipe Adapter  pg.214	Pipe Cap  pg.215
Hex Plug  pg.215	Hollow Plug  pg.215	Hex Plug  pg.215	Square Plug  pg.215
Pipe Cap  pg.216	Male Elbow  pg.216	Elbow Swivel  pg.216	45° Elbow  pg.216
90° Elbow  pg.216	Elbow Swivel  pg.217	Short Elbow  pg.217	45° Street  pg.217
Female Elbow  pg.217	45° Female  pg.217	M Pipe Tee  pg.218	F Branch Tee  pg.218

























S. Pipe Fittings (cont)			
Street Tee  pg.218	Run Pipe Tee  pg.218	Branch Tee  pg.218	Pipe Tee  pg.218
Pipe Cross  pg.219	Pipe Cross  pg.219		

O-Ring Adapters			
JIC O-Ring  pg.221	Long O-Ring  pg.221	O-Ring Adapter  pg.221	O-Ring Swivel  pg.222
O-Ring Hex  pg.222	Adjust. O-Ring  pg.222	O-Ring Pipe  pg.222	O-Ring Adapt.  pg.223
Hex Plug  pg.223	Hollow Plug  pg.223	O-Reducer  pg.224	













































37° JIC Swivels			
JIC Nut Elbow  pg.224	JIC 45° Swivel  pg.225	Pipe Elbow  pg.225	JIC Connector  pg.225
Swivel Adapter  pg.225	Pipe Adapter  pg.225	Branch Tee  pg.226	Bent Elbow  pg.226
Swivel Bent  pg.226	X-heavy Bent  pg.226	45° Bent  pg.227	Long Bent  pg.227

SAE O-Ring Fittings			
JIC O-Ring  pg.227	Long O-Ring  pg.228	X-long O-Ring  pg.228	XXL O-ring  pg.228
O-Ring Swivel  pg.228	Straight 45°  pg.228	O-Ring Branch  pg.229	O-Ring Run  pg.229
X-long Elbow  pg.229	O-Ring Elbow  pg.230	Straight  pg.230	Pipe Elbow  pg.229
37° JIC Swivel  pg.230	Branch Tee  pg.230	O-Ring Elbow  pg.230	O-Ring Swivel  pg.231
Swivel Tee  pg.231	90° Swivel  pg.231	45° Swivel  pg.232	





Flange Adapters

Viton O-Ring  pg.232	Buna O-Ring  pg.232	Flange 61  pg.234	45° Flange 61  pg.234
90° Flange 61  pg.234	Flange 62  pg.234	45° Flange 62  pg.235	90° Flange 62  pg.235
Split 61  pg.235	Split 62  pg.235	Plug 61  pg.235	Plug 62  pg.235
Flange O-Ring  pg.236	Flange Pad  pg.236	Flange Kit 61  pg.236	Flange Kit 62  pg.236
Flange Kit  pg.236	Split 61  pg.236	Part  pg.237	Part  pg.237
Weld Pad 61  pg.237	Weld Pad 62  pg.237	Female 61  pg.237	Female 62  pg.237



**Hydraulic Face Seal,
Metric, Swivel, and Insert
Adapters**

Locknut  pg.226	Tube Sleeve  pg.239	Tube Union  pg.239	FF Cap  pg.239
FF Plug  pg.239	FF Connector  pg.240	FF Elbow  pg.240	Straight Thread  pg.240
Flat Face 37°  pg.240	Nut Elbow  pg.241	37° Swivel  pg.241	O-Ring Elbow  pg.241
Swivel Nut  pg.241	JIC BSPT  pg.242	Elbow BSPT  pg.242	Male BSPP  pg.242
Elbow BSPP  pg.242	Swivel BSPP  pg.243	Plug BSPP  pg.243	Hollow BSPP  pg.243
Female BSPP  pg.243	Connector  pg.243	Male Elbow  pg.244	Straight Swivel  pg.244
Metric Plug  pg.244	Metric Parallel  pg.244	Female Adapt.  pg.244	M Connector  pg.245
F Connector  pg.245	Tube Adapter  pg.245	Male Elbow  pg.245	Female Elbow  pg.245
Pipe Adapter  pg.245	Pipe Coupling  pg.246	Swivel Elbow  pg.246	Female Swivel  pg.246
Street Elbow  pg.246	O-Ring Elbow  pg.246	Hose Insert  pg.247	90° Insert  pg.247
45° Insert  pg.247	90° O-Ring  pg.247	45° O-Ring  pg.248	O-Ring Hose  pg.248


Quick Disconnect

ISO-A  pg.249	ISO-B  pg.249	Flush Face  pg.250	AG  pg.150
--	--	---	--

Steel Valves

Two-Way  pg.251	Three-Way  pg.251		
--	--	--	--

**Numerical Index
pages 252-274**




**Hydraulic Numerical Index
pages 275-277**



**Thread Sealant Program
pages 278**



**Thread Chart & Profiles
pages 279-Back Cover**



Services

Material used for Brass Fittings

Straight bodies: Barstock CA 360 or CA 345
Shape bodies: Extruded barstock CA 360 or Forged CA 377
Nuts: Barstock CA 360 or Forged CA 377

MATERIAL COMPOSITION

CA360 Barstock Brass



ASTM B16 - 92

Elements	Nominal	Min	Max
Copper	61.5	60	63
Lead	3.1	2.5	3.7
Iron			.35
Other			.50
Zinc	35.4	Balance	

CA377 Forged Brass

ASTM B 124,283

Elements	Nominal	Min	Max
Copper	59.5	58	61
Lead	2	1.5	2.5
Iron			.30
Zinc	38	Balance	



Extruded Barstock Fittings

Hexagon, round and shaped bars are extruded in the configuration required, drawn to size, cut to length and straightened. First a solid round billet (8 to 12 inches in diameter) is heated to the pliable state and forced by pressure of a approximately 80,000 pounds per square inch through a die. The resulting continuous length of bar is cooled and then drawn through dies to the desired external size. (The drawing process also controls the temper.) After straightening, the bar is ready for machining.

The process produces a dense, nonporous material somewhat stronger in the longitudinal direction due to an orientated flow of the grain.







Forged Fittings

Material for forgings is extruded in round bars, cut to length and straightened. (At this point in the process, forging rod differs from round extruded machinable bars only in temper and chemical properties.) After straightening, the bars are cut again into slugs (short lengths), reheated to the pliable state and pressed under a pressure of approximately 25,000 pounds per square inch between upper and lower die cavities. After cooling the flash is trimmed away and the forging blank is ready for machining.

This process of forming under extreme pressure produces a uniformly dense material of exceptional strength. Because grain flow follows the contour, the fitting has high impact strength and is resistant to mechanical shock and vibration.

Index
 Hydraulic Accessories
 Clamps
 Nipples & Fittings
 Valves
 Brass
 Pictorial

PICTORAL TABLE OF CONTENTS

 <p>Barstock and Forged Brass Fittings</p>	<p>Pipe Fittings p. 1-9, Hose Barb Fittings p. 10-17, Push-on Barb Fittings p. 18-20, Garden Hose Fittings p. 21-26, 45° Flare Fittings p. 27-36, Inverted Flare Fittings p. 37-43, Compression Fittings p. 44-52, Flareless Fittings p. 53-57, Push-In Fittings p. 58-62, Pex Fittings p. 63, Grease Fittings p. 64-65, Air rake Fittings p. 66-81 SPECIALTY VALVES AND COCKS: Drain Cocks & Fuel Valves p. 82-83, Shut-Off Cocks p. 86-87, Air Cocks p. 88-89, Needle Valves p. 90-92, Micro Metering Valves p. 93, Toggle Valves p. 94, Instrumentation Valves p. 95, Mini Ball & Check Valves p. 96</p>
 <p>Valves</p>	<p>FORGED BRASS VALVES: Ball Valve Handles p. 96B, Full Port 600WOG Brass Valves FxF p. 97, MxF p. 98, MxM p. 98, SWTxSWT p. 99, Standard Port p. 99, Gas Valves p. 100, Mini Valves p. 101-102, 3 Way Valves p. 103, Gate Valves p. 103, Bronze Y Strainer p. 104, Swing Check Valves p. 104, In-Line Check Valves p. 105 STAINLESS STEEL BALL VALVES: Standard Port p. 106, Full Port p. 106, Check Valves p. 107, Carbon Steel Ball Valves p. 107, PVC Ball Valves p. 108, Drum & Barrel Valves p. 109</p>
 <p>Nipples & Fittings</p>	<p>Brass Nipples p. 110-113, Bronze Fittings p. 114-118, Stainless Steel Nipples p. 119-121, Stainless Steel Fittings p. 122-125, Black and Galvanized Steel Nipples p. 126-131, Merchant Couplings p. 132, Black and Galvanized Malleable fittings p. 133-137, Black and Galvanized Steel Fittings p. 138, Extra Heavy Black and Galvanized Nipples p. 139-142, Extra Heavy Malleable Iron fittings p. 142, 3000# Forged Steel Fittings p. 143, Copper fittings p. 144-150, PVC Nipples p. 151 PLASTIC FITTINGS: Pipe, Hose Barb, Garden Hose and push-in Fittings p. 152-159</p>
 <p>Hose Clamps</p>	<p>WORM GEAR CLAMPS: 600 & 611 Series p. 160, 620 Series p. 161, Mini Clamps p. 162, Quick Release Clamps p. 163, Economy Worm Gear p. 164, T-Bolt Clamps p. 165, 1 Ear & 2 Ear p. 166, Stepless Clamps p. 167, Fast-Lok Clamps p. 168-172, Lined Band Clamps p. 173-174, Hose Ferrules p. 175</p>
 <p>Accessories</p>	<p>Plastic Tubing p. 176-179, Copper & Aluminum Tubing p. 179, Pneumatic Quick Disconnects, Plugs & Quick Couplers p. 180-185, Mufflers & Breather Vents p. 186, Speed Control Valve p. 186, Blowgun p. 186, Water Nozzle p. 186, Tank & Vent Valves & Accessories p. 187, Air Chucks p. 187, 3-in-1 air Manifold p. 187, Gauges p. 188, Tape p. 189 HOSE ACCESSORIES: Cam & Groove Fittings p. 190, Steel Hose Nipples p. 191, Bronze and Steel Insert Fittings for Plastic Pipe p. 192</p>
 <p>Hydraulic Adapters</p>	<p>Steel Pipe Swivels p. 195-199, Steel 37° JIC Adapters p. 200-201 & p. 225-230 Steel Pipe Adapters p. 212-219, O-Ring Adapters p. 220-232, Steel Flange Adapters p. 233-237, O-Ring Face Seal Adapters p. 238-242, Steel Metric Adapters p. 243-244, High Pressure Swivels p. 245-248, Steel Valves p. 251,</p>
<p>Numerical Index - Part # to Page # p. 252-274, Hydraulic Adapter Numerical Index p. 275-278, Thread Sealant p. 278, Thread Chart p. 279, Actual thread and Barb profiles - Inside Back Cover</p>	

Thread Profiles

Profiles


Thread Profiles

Pipe Threads


1/8"-27



Hose Barb Fittings




Push On Fittings




Garden Hose Fittings


Male Garden Hose Threads are 3/4" with O.D. of 1.0625 and 11-1/2 threads per inch




Brass 45° Flared Tube Fittings




Brass Inverted Flare Fittings



Brass Compression Fittings



Tubing O.D. Size



2003

Brass Fittings

Valves



Nipples & Fittings




Hose Clamps



Accessories



"Specials"



Hydraulic Adapters



729 New Products

Fittings, Valves, Clamps & Accessories for Hose, Pipe, and Tube