MATERIAL	SAFE	ΓY D.	ATA	SH	EE'	Т		
OSHA - Meets 29 CFR 1910.1200 Standards			HMIS HAZ	ARD RA	TINGS			
Soap For Hope	HEALTH FLAMMABILIT PHYSICAL HAZ		0	* = Chronio 0 = INSIGN 1 = SLIGH ⁻	IIFICANT	lazard	2 = MODER 3 = HIGH 4 = EXTRE	
Touching a Life one Bubble at a Time		TRAN	ISPORTAT	ION INFO	ORMATIC	DN		
Over 60% of the profits derived from the manufacturing of	PROPER SHIP		Not Regula					
EnviroSpec Cleaning Chemicals are donated nationally to Charities for Children & Animals	HAZARD CLAS	ON NUMBER:	Not regulat		REF: LABEL:	Not Applic		
SECTION 1 - PRODUCT / COMPAN	Y IDENTIFI	CATION					•••••	
IDENTITY (AS USED ON LABEL AND LIST) EMULSIFIER PLUS						F	Page 1 of 2	
MANUFACTURER'S NAME EnviroSpec		EMERGENCY TELEPHONE NUMBER Chemtrec (800) 424-9300 Outside USA (703) 527-3887						
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE NUMBER FOR INFORMATION						
751 MLK Highway (CITY, STATE AND ZIP CODE)		(912) 487-1778 DATE PREPARED: April 11, 2005						
Homerville, GA 31634		DATE PREPARED: April 11, 2005 SUPERSEDES: New						
SECTION 2 - HAZARDOUS INGREL	DIENTS / ID			-	1			
HAZARDOUS COMPONENTS		<u>~////////////////////////////////////</u>	OSHA			H TWA	SARA	RQ
(SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S))	CAS #	/0 (OPTIONAL)	PPM	MG/M3	PPM	MG/M3	TITLE III	LBS
Sodium phosphate, tribasic (STPP) (a)	7758-29-4	60 - 90		ablished		maime	1	5000
NTA Trisodium salt, monohydrate (b,c,d)	18662-53-8	7 - 13	not est	ablished				*****
Ethylene glycol monobutyl ether (e,f)	111-76-2	3 - 7	50	240	20		Yes	
 environment of the Reportable Quantity (RQ for this mixture = (b) NTA Trisodium salt, monohydrate is not listed on the Canalist. All other components of this product identified by CAS nut (c) Indicates substance appears on National Toxicology Prog carcinogens or is regulated by the Occupational Safety and H (d) California Prop 65, Safe Drinking Water and Toxic Enforce person in the course of doing business must warn others who (e) A "Yes" in the SARA TITLE III column in Section 2 indicate Planning and Community Right-To-Know Act of 1986 and of 4 (f) Indicates an employee's skin exposure shall be prevented goggles, or other appropriate equipment. SECTION 3 - HEALTH HAZARD DA ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE INHALATION: Breathing dusts may cause irritation of respirate	adian DSL or NDSI imber are listed on ram (NTP) list of ca ealth Administratio ement Act of 1986, may consume, cor es a toxic chemical 0 CFR 372. or reduced to the e	because it is a the DSL or NDS arcinogens, Inte n (OSHA) as a chemicals know me into contact subject to annu	hydrate. The SL. rnational Age oossible carc vn to the stat with, or other ual reporting y in the circum AND FIRST A cted person t	e CAS num ency for Re inogen. e to cause wise be ex requiremen mstances t AID PROCE to fresh air;	esearch on cancer or posed to t nts of Sect hrough the DURES wash mo	Cancer (I, reproducti this chemic ion 313 of e use of glo uth and na	ARC) list of ve toxicity. A cal. the Emerger oves, covera sal passages	A ncy ills, s with
SKIN: Prolonged contact may cause irritation.		Wash contac with chemica	l agents; if in	ritation pers	sists, seek	medical a	ttention.	
EYES: Contact with eyes will cause irritation.		Check for and remove contact lenses. Immediately flush eyes for 15 minutes in clear running water while holding eyelids open; seek medical attention immediately.						
INGESTION: May cause gastric distress, vomiting and diarrh	Drink large quantities of water or milk; DO NOT induce vomiting; never give anything by mouth to an unconscious person; seek medical attention immediately.							
CARCINOGENICITY NTP? Yes IARC MONOGRAPHS? Yes OSHA REGULATED? Yes NTA Trisodium salt, monohydrate appears on National Toxicology Program (NTP) list of carcinogens, International Agency for Research on Cancer (IARC) list of carcinogens or is regulated by the Occupational Safety and Health Administration (OSHA) as a possible carcinogen.								
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Preexisting skin, eye, or respiratory disorders may become aggravated through prolonged exposure.								

MATERIAL SAFETY DATA SHEET									
IDENTITY (AS USED ON LABEL AND LIST) EMULSIFIER PLUS		Page 2 of 2 Date: April 11, 2005							
SECTION 4 - FIRE FIGHTING MEASURES									
	PA RATING	FLAMMABLE LIMITS							
Non-flammable	None	LEL: Not applicable UEL: Not applical	ble						
EXTINGUISHING MEDIA									
Carbon dioxide, water, water fog, dry chemical, chemical foam.									
SPECIAL FIRE FIGHTING PROCEDURES									
Floor will become slippery if material is released and mixed with water. eyes.	Material is alkaline an	nd will irritate the eyes if product is allowed to directly contain	ct the						
UNUSUAL FIRE AND EXPLOSION HAZARDS									
None									
SECTION 5 - ACCIDENTAL RELEASE MEA	ASURES								
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED									
eyes. Wash small spills to sanitary sewer. Large spills - confine spill, sho									
limits (RQ) notify the National Response Center (800) 424 - 8802; refer to CERCLA 40 CFR 302 for detailed instructions; refer to SARA Title III, Section 313, 40 CFR 372 concerning reporting requirements.									
SECTION 6 - HANDLING AND STORAGE									
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep co	ntainer closed when i	not in use: protect containers from abuse: protect from extr	omo						
temperatures. Store in cool, dry area. Keep this and other chemicals out of		not in use, protect containers not abuse, protect not extra	eme						
SECTION 7 - EXPOSURE CONTROLS / PE	RSONAL PR	OTECTION							
RESPIRATORY PROTECTION (SPECIFY TYPE): None required while the			ds						
limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.13									
VENTILATION LOCAL EXHAUST: Required MECHANICAL (GENERAL): Yes		To maintain minimum TWA and STEL levels. Engineering and work controls as required.							
PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubber gloves with cuff		ECTION: Chemical safety goggles.							
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, o		, , , , , , , , , , , , , , , , , , , ,	n near						
WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimi									
SECTION 8 - PHYSICAL / CHEMICAL PROP	ERTIES								
BOILING POINT	SPECIFIC	GRAVITY (WATER = 1)	<u></u>						
Not applicable	2.5 - 2.8								
VAPOR PRESSURE (MM Hg)	pН								
Not applicable	11.5 - 12.	.5 (2% aqueous solution)							
VAPOR DENSITY (AIR = 1)		TION RATE (WATER = 1)							
Not applicable SOLUBILITY IN WATER	Not applie	LE (BY WEIGHT)							
Complete	< 7%								
APPEARANCE AND ODOR									
Yellow free flowing powder, characteristic odor									
SECTION 9-STABILITY AND REACTIVITY	/								
STABILITY UNSTABLE:		IS TO AVOID: Avoid generating airborne dust.	<u></u>						
STABLE: XXX									
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong ac	ids, strong alkalies.								
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition wil	I not occur if handled	and stored properly. In case of a fire, oxides of carbon,							
hydrocarbons, fumes or vapors, and smoke may be produced.	7								
HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: XXX	CONDITION	IS TO AVOID: None							
SECTION 10 - DISPOSAL CONSIDERATIO									
WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations for alkaline materials. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals.									
	monted to be an		har at						
The information contained herein is believed to be accurate but is not wa manufacturer of the product and manufacturers of the components of the p applicable and suited to the circumstances of use. Vendor assumes no res reasonable safety procedures are not adhered to as stipulated in the data she of this material even if reasonable safety procedures are followed. Any que described in Section 1.	roduct. Users are ad ponsibility for injury eet. Furthermore, ver	lvised to confirm in advance of need that information is c to vendee or third persons proximately caused by the mat ndor assumes no responsibility for injury caused by abnorm	urrent, ierial if ial use						