MATERIAL	SAFE	ΓΥ D	ATA	SH	[EE	Т		
OSHA - Meets 29 CFR 1910.1200 Standards		HMIS HAZARD RATINGS						
Soap For Hope	HEALTH FLAMMABILIT [\] PHYSICAL HAZ	ZARD	0	* = Chroni 0 = INSIGN 1 = SLIGH	NIFICANT T		2 = MODEF 3 = HIGH 4 = EXTRE	
Touching a Life one Bubble at a Time Over 60% of the profits derived from the manufacturing of EnviroSpec Cleaning Chemicals are donated nationally to Charities for Children & Animals	PROPER SHIP HAZARD CLAS IDENTIFICATIO	PING NAME: SS / PKG GRP: DN NUMBER:	Not Regula	ted ed	REF: LABEL:	Not Applic None Rec		<u></u>
SECTION 1 - PRODUCT / COMPAN IDENTITY (AS USED ON LABEL AND LIST) FOAMN-SHINE	I IDENTIFI	CATION		<u></u>		F	Page 1 of 2	<u></u>
MANUFACTURER'S NAME EnviroSpec		EMERGENCY TELEPHONE NUMBER Chemtrec (800) 424-9300 Outside US				SA (703) 527-3887		
ADDRESS (NUMBER, STREET, P.O. BOX) 751 MLK Highway		TELEPHONE NUMBER FOR INFORMATION (912) 487-1778						
(CITY, STATE AND ZIP CODE) Homerville, GA 31634		DATE PREPARED: September 1, 2006 SUPERSEDES: New						
SECTION 2 - HAZARDOUS INGREL	DIENTS / ID							
HAZARDOUS COMPONENTS	CAS #	%	OSHA			H TWA	SARA	RQ
(SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S))	7750.00.4	(OPTIONAL)		MG/M3	PPM	MG/M3	TITLE III	LBS
Sodium phosphate, tribasic (STPP) (a) NTA Trisodium salt, monohydrate (b,c,d)	7758-29-4 18662-53-8			ablished ablished				5000
 (c) Indicates substance appears on National Toxicology Prograrcinogens or is regulated by the Occupational Safety and He (d) California Prop 65, Safe Drinking Water and Toxic Enforce person in the course of doing business must warn others who (e) A "Yes" in the SARA TITLE III column in Section 2 indicate Planning and Community Right-To-Know Act of 1986 and of 4 (f) Indicates an employee's skin exposure shall be prevented goggles, or other appropriate equipment. SECTION 3 - HEALTH HAZARD DA ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE INHALATION: Breathing dusts may cause irritation of respirate 	ealth Administratio ement Act of 1986, may consume, cor es a toxic chemical 0 CFR 372. or reduced to the e	n (OSHA) as a chemicals kno me into contact I subject to ann extent necessar EMERGENCY Remove affe	possible carc wn to the stat with, or other ual reporting	inogen. e to cause wise be ex requiremen mstances t AID PROCE to fresh air;	cancer or cposed to nts of Sec hrough th DURES wash mo	reproducti this chemic tion 313 of e use of glo buth and na	ve toxicity. A al. the Emerger oves, covera sal passages	ncy Ils, s with
SKIN: Prolonged contact may cause irritation.		Wash contacted area with soap and water; DO NOT attempt to neutralize with chemical agents; if irritation persists, seek medical attention.						
EYES: Contact with eyes will cause irritation.		Check for and remove contact lenses. Immediately flush eyes for 15 minutes in clear running water while holding eyelids open; seek medical attention immediately.						
INGESTION: May cause gastric distress, vomiting and diarrhea.		Drink large quantities of water or milk; DO NOT induce vomiting; never give anything by mouth to an unconscious person; seek medical attention immediately.						
CARCINOGENICITY NTP? Yes IARC MONOGRAPHS? Yes OSHA REGULATED? Yes NTA Trisodium salt, monohydrate appears on National Toxicology Program (NTP) list of carcinogens, International Agency for Research on Cancer (IARC) list of carcinogens or is regulated by the Occupational Safety and Health Administration (OSHA) as a possible carcinogen.								
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EX prolonged exposure.	(POSURE: Preex	isting skin, eye,	, or respirator	y disorders	s may bec	ome aggrav	vated throug	h

MATERIAL SAFETY DATA SHEET									
IDENTITY (AS USED ON LABEL AND LIST)		Page							
		Date:	September 1, 2006						
SECTION 4 - FIRE FIGHTING MEASURES	DATINO								
	RATING Ione	FLAMMABLE LIMITS LEL: Not applicable	UEL: Not applicable						
EXTINGUISHING MEDIA	NOTICE								
Carbon dioxide, water, water fog, dry chemical, chemical foam.									
SPECIAL FIRE FIGHTING PROCEDURES									
Floor will become slippery if material is released and mixed with water. Mate eyes.	terial is alkaline and	d will irritate the eyes if product i	s allowed to directly contact the						
UNUSUAL FIRE AND EXPLOSION HAZARDS									
None									
SECTION 5-ACCIDENTAL RELEASE MEAS									
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Material is alkaline and will irritate the eyes if product is allowed to directly contact the									
eyes. Wash small spills to sanitary sewer. Large spills - confine spill, shovel product into approved container for disposal. For spills in excess of allowable limits (RQ) notify the National Response Center (800) 424 - 8802; refer to CERCLA 40 CFR 302 for detailed instructions; refer to SARA Title III, Section 313, 40									
CFR 372 concerning reporting requirements.									
SECTION 6 - HANDLING AND STORAGE									
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep conta	iner closed when n	ot in use; protect containers fror	m abuse; protect from extreme						
temperatures. Store in cool, dry area. Keep this and other chemicals out of reach of children.									
SECTION 7-EXPOSURE CONTROLS/PER									
RESPIRATORY PROTECTION (SPECIFY TYPE): None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.									
VENTILATION LOCAL EXHAUST: Required MECHANICAL (GENERAL): Yes		To maintain minimum TWA and Engineering and work controls							
PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubber gloves with cuffs.		CTION: Chemical safety goggle							
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, or other equipment should be worn to prevent skin contact, safety eyewash station near									
WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.									
SECTION 8 - PHYSICAL / CHEMICAL PROPER									
BOILING POINT		GRAVITY (WATER = 1)							
Not applicable VAPOR PRESSURE (MM Hg)	2.5 - 2.8 pH								
Not applicable		2 (2% aqueous solution)							
VAPOR DENSITY (AIR = 1)		TION RATE (WATER = 1)							
Not applicable	Not applic								
SOLUBILITY IN WATER		E (BY WEIGHT)							
Complete APPEARANCE AND ODOR	< 7%								
RED free flowing powder, characteristic odor									
SECTION 9 - STABILITY AND REACTIVITY									
STABILITY UNSTABLE:	CONDITIONS	STO AVOID: Avoid generating	airborne dust.						
STABLE: XXX									
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids	, strong alkalies.								
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.									
HAZARDOUS POLYMERIZATION MAY OCCUR:	CONDITIONS	STO AVOID: None							
WILL NOT OCCUR: XXX SECTION 10 - DISPOSAL CONSIDERATIONS	 ♀								
WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. Refer to "40 CFR Protection of Environment Parts 260 -									
299" for complete waste disposal regulations for alkaline materials. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals.									
The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material is easenable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.									