OSHA - Meets 29 CFR 1910.1200 Standards			AIA	SH	EE	T		
		<u> </u>	IMIS HAZA	ARD RAT	INGS			
	HEALTH		1 *	= Chronic	Health H	lazard	2 = MODE	RATE
	FLAMMABILIT	Υ	0 0) = INSIGN	IFICANT		3 = HIGH	
	PHYSICAL HA	ZARD	0 1	I = SLIGHT	Γ		4 = EXTRI	EME
		TRAN	SPORTATI	ON INFO	PRMATIC	NC		
	PROPER SHIF		Not Regular					
		SS / PKG GRP:	Not regulate		REF:	Not Applic	cable	
	IDENTIFICATION	ON NUMBER:	None		LABEL:	None Rec		
CECTION 1 DDODUCT / COMBAN	1							
SECTION 1 - PRODUCT / COMPAN	T IDENTIF	ICATION						
IDENTITY (AS USED ON LABEL AND LIST) BLAST-OFF						F	Page 1 of 2	!
MANUFACTURER'S NAME TLS SALES		EMERGENO Chemtre	CY TELEPH ec (800) 424			ISA (70	3) 527-388	17
ADDRESS (NUMBER, STREET, P.O. BOX)							0) 027-000	, , <u> </u>
P.O. BOX 1282		TELEPHONE NUMBER FOR INFORMATION (229) 242-2013						
(CITY, STATE AND ZIP CODE) VALDOSTA, GA 31603	DATE PREPARED: April 23, 2009 SUPERSEDES: New							
SECTION 2 - HAZARDOUS INGRE	DIENTS / IF	ENTITY II	VFORM	ATION				
		%	OSHA	<u> </u>		H TWA	SARA	DΩ
HAZARDOUS COMPONENTS	CAS#							RQ LBS
(SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S))		(OPTIONAL)	PPM	MG/M3	PPM	MG/M3	TITLE III	LDS
Sodium Metasilicate (a)	6834-92-0	3 -5	not est	ablished				5000
NTA Trisodium salt, monohydrate (b,c,d)	18662-53-8	1 - 4	not est	ablished				
(a) The Comprehensive Environmental Response, Compensenvironment of the Reportable Quantity (RQ for this mixture to NTA Trisodium salt, monohydrate is not listed on the Carlist. All other components of this product identified by CAS not (c) Indicates substance appears on National Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety and Heading Toxicology Procarcinogens or is regulated by the Occupational Safety Procarcinogens or is regulated by the Occupational Safety Procarcinogens or	> 24,000 lbs) or gre nadian DSL or NDS	ater amounts, ac	ccording to 4	0 CFR 302	-		spills to the	
(d) California Prop 65, Safe Drinking Water and Toxic Enforce person in the course of doing business must warn others who SECTION 3 - HEALTH HAZARD DO ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE INHALATION: Irritating to upper respiratory tract and mucous may cause headache, dizziness, nausea, vomiting and malain	lealth Administratic sement Act of 1986 o may consume, co 47/A s membranes;	arcinogens, Inter on (OSHA) as a p , chemicals know	national Age possible carc on to the state with, or other AND FIRST A	ency for Re inogen. e to cause wise be exp NID PROCEI o fresh air;	search on cancer or posed to t	reproducti	ARC) list of ve toxicity.	A ses with
(d) California Prop 65, Safe Drinking Water and Toxic Enforce person in the course of doing business must warn others who SECTION 3 - HEALTH HAZARD DO ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE INHALATION: Irritating to upper respiratory tract and mucous	lealth Administration sement Act of 1986 or may consume,	arcinogens, Inter on (OSHA) as a p , chemicals know me into contact v	rnational Age possible carc in to the state with, or other and FIRST A sted person tedly; if breath red area with agents; if irr	ency for Re inogen. e to cause wise be expended to fresh air; ing difficult soap and vitation persentact lenses	cancer or posed to t DURES wash more ties persis water; DO sists, seek	reproducti this chemic uth and na t seek med	ARC) list of ve toxicity. cal. sal passage dical attention mpt to neutr ttention.	es with on.
(d) California Prop 65, Safe Drinking Water and Toxic Enforce person in the course of doing business must warn others who SECTION 3 - HEALTH HAZARD DOING SECT	lealth Administratic sement Act of 1986 or may consume, co of 47.4 Is membranes; se. Italy cause triva. Is severe triva. Is tress, stomach it cell hemolysis.	arcinogens, Inter on (OSHA) as a p , chemicals know me into contact v EMERGENCY Remove affect water repeate Wash contact with chemical Check for and in clear runnir immediately. Drink large quanything by mimmediately.	antities of worth to an under the substitution of the state of the sta	ency for Re inogen. e to cause wise be exp ND PROCEI o fresh air; ing difficult soap and v itation pers e holding e ater or milk nconscious	search on cancer or posed to	reproduction in the control of the c	ARC) list of ve toxicity. cal. sal passage dical attention. eyes for 15 nedical attention.	A ses with on. allize minutes tion er give
(d) California Prop 65, Safe Drinking Water and Toxic Enforce person in the course of doing business must warn others who SECTION 3 - HEALTH HAZARD DO ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE INHALATION: Irritating to upper respiratory tract and mucous may cause headache, dizziness, nausea, vomiting and malai SKIN: Irritation may result from contact; prolonged contact memoderate reddening, swelling and possible necrosis. EYES: Contact with eyes is painful and irritating and may cal irritation, associated with redness and swelling of the conjunction in the conjunction of the conjunction of the conjunction in the conjunction of the conjunction is a second contact may be supported by the conjunction of the conjunction in the conjunction of the conjunction is a second contact may be supported by the conjunction of	lealth Administratic tement Act of 1986 of may consume, co the property of the	arcinogens, Inter on (OSHA) as a p on the contact of the contact o	antities of whould be consible care. AND FIRST Anted person to the dily; if breath agents; if irrulations are with a possible care.	ency for Re inogen. e to cause wise be expended to fresh air; ing difficult soap and vitation personate holding eater or milk neonscious DGRAPHS? Itional Agerarcinogen.	search on cancer or posed to	o NOT atter medical a medical a medical a medical a	ARC) list of ve toxicity. cal. sal passage dical attention mpt to neutr ttention. eyes for 15 nedical attention miting; never cal attention REGULATED? Cancer (IAI	A ss with on. alize minutes tion er give Yes RC) list

MATERIAL SAFETY DATA SHEET IDENTITY (AS USED ON LABEL AND LIST) Page 2 of 2 **BLAST-OFF** Date: April 23, 2009 SECTION 4 - FIRE FIGHTING MEASURES FLASH POINT (METHOD USED) NFPA RATING FLAMMABLE LIMITS Non-flammable None LEL: Not applicable UEL: Not applicable **EXTINGUISHING MEDIA** Carbon dioxide, water, water fog, dry chemical, chemical foam. SPECIAL FIRE FIGHTING PROCEDURES Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released. Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes. UNUSUAL FIRE AND EXPLOSION HAZARDS SECTION 5 - ACCIDENTAL RELEASE MEASURES STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes. Wash small spills to sanitary sewer. Large spills - confine spill, soak up with approved absorbent, shovel product into approved container for disposal. This is a regulated product, refer to CERCLA 40 CFR 302 for detailed instructions concerning reporting requirements. SECTION 6 - HANDLING AND STORAGE PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Keep this and other chemicals out of reach of children. SECTION 7 - EXPOSURE CONTROLS / PERSONAL PROTECTION RESPIRATORY PROTECTION (SPECIFY TYPE): None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations. VENTILATION LOCAL EXHAUST: SPECIAL: To maintain minimum TWA and STEL levels. Required MECHANICAL (GENERAL): OTHER: Engineering and work controls as required. PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubber gloves with cuffs. EYE PROTECTION: Chemical safety goggles OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, or other equipment should be worn to minimize skin contact, safety eyewash station near WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general. SECTION 8 - PHYSICAL / CHEMICAL PROPERTIES **BOILING POINT** SPECIFIC GRAVITY (WATER = 1) 212° F (100° C) 1.031 VAPOR PRESSURE (MM Hg) рΗ 17 mm Hg @ 20° C 11.5 - 12.5 **EVAPORATION RATE (WATER = 1)** VAPOR DENSITY (AIR = 1) > 1 SOLUBILITY IN WATER % VOLATILE (BY WEIGHT) Complete 90.2 % APPEARANCE AND ODOR Clear brownish liquid, characteristic odor SECTION 9 - STABILITY AND REACTIVITY **STABILITY** UNSTABLE: CONDITIONS TO AVOID: Extreme temperatures.

STABLE: XXX CONDITIONS TO AVOID. Extreme temperature:

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.

HAZARDOUS POLYMERIZATION MAY OCCUR: CONDITIONS TO AVOID: None WILL NOT OCCUR: XXX

SECTION 10 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations for alkaline materials. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals.

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.