

*C*¹⁻⁸⁰⁰⁻³⁴⁶⁻⁴⁸⁷⁶

is a John & Shelley Allison Charity made possible by EnviroSpec

What do you really know about EnviroSpec?

Meet Suzie who inspired the Allison's to build Suzie's Friends Animal Shelter



Want to see it? Go to www.suziesfriends.org and 'click' on the video link. You WILL BE touched!

#CD1511C 3500 - 4.0

EnviroSpec Is the Industry's Price Leader... <u>AGAIN</u>!

Just when fuel prices surge to all-time highs and just when the buying power of the dollar has reached it's all-time low EnviroSpec has rolled back most pricing to where they were 5 years ago.

And - on top of that - if you should happen to find it for less elsewhere we will beat their price by another 5%.
We don't think you will but here is the offer anyway.

Also, remember that 100% of all after tax profits from your purchase go to fund Suzie's Friends Animal Shelter as well as our Spay/Neuter and adoption programs in other communities

Unheard of Quality at unheard of prices!



LIFAN 13



Distinguishing Features Patented Cooling Technology Cool Air Ventilation Slots Perm-A-Line Belt Tension System Laser Aligned Pulley Fanning System Quick-Release Belt Guard Knobs Flat-Free Foam Filled Tires Industrial Aluminum Mags Block Mounted Unloader

Last much, much longer with the help of Special Cooling Fins that are attached to the pulley keeping clean, cool air passing over the pump and engine.

Comes standard with GENERAL PUMPS

that safely shuts down the engine in the event you leave the machine in by-pass to long causing the pump head to overheat.

Master Card, Visa, AMEX, Discover - 1-800-346-4876 - Minimum Order \$50.00

\$1,125.18

General TS1511

PRODIGY

Prodigy is, by far, one of the highest, non-caustic detergent concentrations available in the industry.

Prodigy exhibits excellent wetting, chelating, rinsing, and emulsification properties due to its high concentration of our SuperFlo Polymer Complex System. This exotic complex is formulated from a variety of unique dispersants, hydrotopes, and surfactants, which are not commonly found in detergent formulations.

The general rule of thumb in detergent formulation is as follows: Approximately 1 gallon of water will hold approximately 1 pound of powder before separation begins. If your product begins to separate using this method, more often than not, your product has been camouflaged with what is known in our industry as "fillers". Fillers provide little to no value to the products integrity and/or performance. They are used primarily to add weight and increase the bottom line profit for the manufacturer. Using the 1 pound per 1 gallon rule, you can see the potency of **Prodigy** when you consider that we are able to thoroughly dissolve up to 2.3 pounds of Prodigy into 1 gallon of water without separation. To our knowledge, no other company can make this claim. The advantage of these concentration levels are twofold: 1) the contractor is now able to clean substrates that normally require the use of caustic cleaners and 2) work faster and safer, which increases your bottom line.

As the leader in contract cleaner formulations, EnviroSpec goes to great lengths in providing products that are both environment friendly as well as effective, an attitude not commonly found in such a demanding industry.

Since **PRODIGY** came out in 1986 it has grown to the most asked for Truck Wash Detergent in the Professional Mobile Wash Industry.

This formula was a result of years of testing by professional mobile washers in the Northeast.

Makes Up to 110 Gallons of Concentrate #ZPPRO \$98.95 Sale Price \$74.95 (40 Lbs)



includes Slide Hammer that attaches to extractor sockets that fit: 5mm, 18mm, 20mm (ex. TS2021), 22mm & 24mm. #100783 \$49.95

	Jaure	K H	
Connects			
Brass Couplers			
Part #	DESCRIPTION	SALE	
QCS4F	1/4" FPT	\$1.85	
QCS4M	1/4" MPT	\$1.85	
QCS8F	3/8" FPT	\$2.20	
QCS8M	3/8" MPT	\$2.20	
Stainless Couplers			
QCS4FS	1/4" FPT	\$3.35	
QCS4MS	1/4" MPT	\$3.35	
QCS8FS	3/8" FPT	\$4.10	
QCS8MS	3/8" MPT	\$4.10	
Plated Steel Plugs			
Part #	DESCRIPTION	SALE	
QCP4F	1/4" FPT	\$.80	
QCP4M	1/4" MPT	\$.80	
QCP8F	3/8" FPT	\$.90	
QCP8M	3/8" MPT	\$.90	
Stainless	Plugs		
QCP4FS	1/4" FPT	\$1.55	
QCP4MS	1/4" MPT	\$1.55	
QCP8FS	3/8" FPT	\$1.80	
QCP8MS	3/8" MPT	\$1.80	

Coulck

ŵ

Our Supplier was **Overstocked** and made us a generous offer which allow us to make you the following *incredible* offer.

ROTOJET TURBO - 3,600 PSI



*New Higher Pressure Rating ROTOJET TURBO - 4,500 PSI Overstocked Sale \$44.95 While Supply last NOZ AVAILABLE PART # 203 6136 4.5 90 6138 5.5

INCLUDES HIGH PRESSURE FILTER *New Higher Pressure Rating



*New Higher Pressure Rating



1-800-346-4876 - Minimum Order \$50.00 - Master Card, VISA, AMEX & Discover

LIMONENE

The Industry's #1 SELLING Exterior House Wash

Contains Orange Peel Solvents &Gloss Enhancers

With the evolution of the environment conscious homeowner more and more contractors are looking for an effective alternative to the less friendly bleach and solvents commonly found in surface chemistry dealing with wood, aluminum and vinyl siding.

These solvents, coupled with specific pH balanced surfactants and builders, provide the contractor with excellent command of the "ever changing" exterior house washing market.

Limonene has excellent hydrotoping characteristics through the use of a unique dispersant complex which is not commonly found in detergent chemistry. This complex, known as **SuperFlo Polymer**, has been developed by EnviroSpec and is found throughout our detergent formulary because of its tremendous emulsifying capabilities.

At the onset of the formulation process we took into consideration that many contractors use cold water pressure washers. Generally speaking, the use of cold water systems will result in a difficult rinsing process with most detergents. You will find that **Limonene** has superior rinsing qualities in both hot and cold water environments. The end result? You will clean faster and safer with **Limonene**.

Limonene is another step that has been taken by EnviroSpec to provide our customer with environment friendly, Top Shelf cleaning products without sacrificing aggressive surface activity required by the professional.

Makes Up to 110 Gallons of Concentrate #ZPLIM \$99.95 Sale Price \$81.95 (53 Lbs.)

Best Price Anywhere Rew GUARANTEED!

\$499.95

MUD-CAT

Under Carriage Cleaner



Increase your bottom line for offering more services such as this.

Includes 7500 PSI Ball Valve
Collapses for easy storage

- Spins up to 3,000 RPM at 4,000 PSI
- Has 2 each 0° Nozzles for ripping heavy build-up and 2 each 15° Nozzles that rinse it away

EMULSIFIER PLUS Bleach Friendly **DETERGENT**

For the very best of all worlds add 3 gallons of product to 2 Gallons of Bleach

Contains Gloss Enhancers

Emulsifier Plus - is one of the Original House Wash Formulas developed by EnviroSpec. Knowing that Bleach works better than anything for killing and cleaning Mildew and taking into account that Bleach does absolutely nothing about cleaning carbon type pollutants such as acid rain, exhaust carbons, dirt, grease and grime the dilemma was - how to do both at the same time!

Bleach, for the most part, does not like to be blended with other chemical products and many of the chemical products found in the professional mobile wash industry can create a serious explosive situation when mixed with sodium hypochlorite (bleach). **Emulsifier Plus**, on the other hand, is the answer to both the safety issue as well as the cleaning problem. These two products work extremely well together when blended and applied in accordance with the EnviroSpec instructions. Have the best of both worlds - Clean and Kill Mildew and Clean All the other Pollutants typically found on an exterior substrate. And do it all in one pass!

Emulsifier Plus has a pH of around 11.8 to 12.0 in a 1% solution. This unique blend of Surfactants & Builders has been specifically formulated for the House Wash Industry as a stand alone detergent or a detergent additive to be blended together with Bleach.

Emulsifier Plus works great on removing heavy build-ups of grease, grime and general fallout pollutants generally found in high traffic areas and exhibits excellent wetting, chelating, rinsing, and emulsification properties. Its ability to hold pollutants in suspension during the wash process makes it an ideal product when using either hot or cold water pressure washers.

Emulsifier Plus comes packaged in a single very moist powdered system which is loaded with specialty solvents and gloss enhancers.

Makes Up to 110 Gallons of Concentrate #ZPEMUP \$84.95 Sale Price \$68.95 (40 Lbs.)



Do you want the absolute lowest Chemical prices in 2008?

Be sure and ask your sales rep. about our guaranteed "blanket order" price program that will "<u>lock down</u>" your Chemical prices in for the next 6 months.



ALLISON 'SUDS SUCKER' 'DOUBLE GULP' INJECTORS



2-5 GPM

#CI58N 5-8 GPM

Kit for either

#CIRK

Another EnviroSpec Exclusive!



#CI35A 2-5 GPM



As the old saying goes... ...if you can't get enough product on the surface you may as well stay at home.

What makes this injector different from the others? **SOLID MACHINED BRASS**

CERAMIC BALL STANDARD

VITON O'RING STANDARD HARDENED STAINLESS

Nozzle Standard

UP TO 63% MORE CHEM DRAW WITH BOTH LINES IN THE SAME SOLUTION.

For over 20 years John Allison operated a Mobile Wash company. During this time he recognized that all chemical injectors had one thing in common. None of them could get enough chemical on the surface. Since that time Mr. Allison has designed some of the finest injectors in the industry under the "Super Suds Sucker" logo. However, in the past the manufacturing cost was so high that it made it to difficult to bring them to market.

But now you can experience the precision of these high induction injectors at a much more affordable price.

12 Volt, High Volume CHEMICAL INJECTOR INDUCTION SYSTEM

The biggest complaints "EVER" with chemical injectors are:

- 1. With more than 125' of hose they won't draw chemical!
- 2. Although it is a 20% injector it doesn't draw enough chemical!
- 3. I wish I didn't have to use a 'pump-up' to apply bleach!

NOW YOUR HEADACHES ARE BEHIND YOU!

The **Allison Chem-Inductor** which includes the Allison Super Suds Sucker Injector allows you to draw an incredible amount of chemical.


The following test was based on using an injector advertised to draw at 20% (<u>NOT OURS</u>) mounted on a TS-2021 General running at 5.6 GPM.

1. With 100' of hose - Injector Only63 oz. of chem per min.2. With 100' of hose - WITH INDUCTOR204 oz. of chem per min.

Now Check This Out!

- 3. With 500' of hose -Competitors 20% Injector $\,$ 0 oz. of chem per min.
- 4. With 500' of hose WITH INDUCTOR 204 oz. of chem per min.

This means that regardless of which problem you are having you will still induct almost 2 gallons of chemical per minute into the system. Never again will you have to apply the product 2 or 3 times to get the job done. Now you'll be on your way after the first pass. Roof Cleaners using bleach really love this system. No more 'pump-up' or 'back-pac' sprayers to lug around!



E-Mail to soap4hope@envirospec.com o FAX to 1-888-851-7278



America's Favorite Pressure Washers are now equipped with

HI-TEMP GENERAL PUMPS

This 'ready to go system' is equipped as follows:

- 13 HP Engine with easy start and low oil shut-down · General Pump with
- hi-heat system
- Unloader
- Safety relief Valve • Chemical Injection
- Gun. Hose & Lance
- o 5 Quick Connect Nozzles 'Tuff-Coat' Frames

MODEL	PSI/GPM	ENGINE/HP
#2021H	2600 - 5.6	Honda 13
#2021C	2600 - 5.6	LIFAN 13
#1511H	3500 - 4.0	Honda 13
#1511C	3500 - 4.0	LIFAN 13

PUMP PRICE General TS2021 \$1,514.38 General TS2021 \$1,192.47 General TS1511 \$1,386.94 \$1,085.03 General TS1511

These Hi-Temp General Pumps are designed to Shut-down a gas engine in the event the pump head overheats. This is a common occurrence when the trigger is released and the pump goes into by-pass. Typically the pump head will begin to overheat within 3 minutes from the time the trigger gun is released. This will spike the pump head to approximately 150°. Here is where you start loosing packing life. Within 4-5 minutes without introducing fresh water into the system you have lost approximately 10-20% of you packing life expectancy. At \$ \$150 to \$400.00 a pump head rebuild you can see where these units will pay for them selves in a short period of time.



\$599.00 **OUR #1 SELLING** 4.0 GPM Unloader 13 HP Safety Valves **Cold Water** GPM Lo-Oil Shutdown Does not include: Hose, Gun, Nozzles Pressure Washer General Pump Minor Assembly 3500 PSI 2 Wheel Cart Required REGULAR PRICE \$1,295.00 Add \$50.00 for Hi-Temp #UBI-4035 General Pump Shut-down **#1 HIGH VOLUME** 2,600 PSI **Chem Injector** \$799.00 5.5 GPM Unloader **Cold Water** 13 HP Safety Valves Does not include: Lo-Oil Shutdown Pressure Washe Hose, Gun, Nozzles A-R Pump Minor Assembly REGULAR PRICE \$1,795.00 2600 PSI 2 Wheel Cart Required #UBI-5526




As the industry's most trusted supplier EnviroSpec sells only first line - brand new products. We do not refurbish used products and sell them as new. We have a total of 25,000 square feet of industrial space and we will not show you pictures of our suppliers/manufacturers facilities to mislead you in to thinking theirs are ours.

...and remember - when you see the



you will save and additional 5% off on that item if you e-Mail or Fax your order to us.





1-800-346-4876 - Minimum Order \$50.00 - Master Card, VISA, AMEX & Discover



Minimum Order \$50.00 - Revised Date: 4-1-08

CATALOG 05070901