

ALLISON IRON HORSE

HOMEOWNERS-CHOICE



HC2500HA

SEMI-PRO



SP2700HC



S/SP2700RGI

SKID MOUNT

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: All units are packaged in UPS Shipping Carton: No Extra Charge Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly.

HOMEOWNERS CHOICE STANDARD ACCESSORIES

- Gun/wand assembly
- Adjustable vario-nozzle
- 30' hose w/ 22 mm twist lock couplers
- Chemical injector

SEMI-PRO STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 30' high pressure hose w/quick connects
- Chemical injector assembly
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

Skid Mount - precede model with S/
Example: S/SP2700HA

HOMEOWNERS-CHOICE MODELS

HC2500HA	2.5 GPM @ 2500 PSI	GC160	Honda	AR RMV Pump	\$ 1,058.00
HC2500HC	2.5 GPM @ 2500 PSI	GC160	Honda	CAT 3DX Pump	\$ 1,278.00
HC2500HGI	2.5 GPM @ 2500 PSI	GC160	Honda	GP TP Pump	\$ 1,249.00

SEMI-PRO MODELS

SP2700HA	2.5 GPM @ 2700 PSI	GC190	Honda	AR SJV Pump	\$ 1,326.00
SP2700HC	2.5 GPM @ 2700 PSI	GC190	Honda	CAT 3DX Pump	\$ 1,373.00
SP2700HGI	2.5 GPM @ 2700 PSI	GC190	Honda	GP TP Pump	\$ 1,344.00
SP2700RA	2.5 GPM @ 2700 PSI	EX170	Subaru	AR SJV Pump	\$ 1,406.00
SP2700RC	2.5 GPM @ 2700 PSI	EX170	Subaru	CAT 3DX Pump	\$ 1,453.00
SP2700RGI	2.5 GPM @ 2700 PSI	EX170	Subaru	GP TP Pump	\$ 1,424.00

BANSHEE SERIES

ALLISON IRON HORSE



E4032LDG

DIESEL ENGINE DIRECT DRIVE

Don't see exactly what you need?
Call Your Pressure-Pro.

We welcome
CUSTOM ORDERS!

See pages 22 & 23 for the
full line of Whisper Wash
flat surface cleaners



EG3020HCP

GAS ENGINE GEAR DRIVE

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Commercial /Industrial grade engines
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS: ALL MODELS

Skid Mount - precede model with S/
Example: S/E4032LDG

NOTE: Diesel Skid units include powder coated steel skid with four rubber feet.

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. * All
electric start models include battery and
marine battery box. List: \$659.00

DIESEL ENGINE DIRECT DRIVE MODELS

E4032LDG	4.0 GPM @ 3200 PSI	15LD400	Lom.	GP Pump
E4032LDGE	4.0 GPM @ 3200 PSI	15LD400ES	Lom.*	GP Pump

GAS ENGINE GEAR DRIVE CAT PUMP MODELS

EG3020HCP	3.0 GPM @ 2000 PSI	GX160	Honda	CAT Pump
EG4035HCP	4.0 GPM @ 3500 PSI	GX390	Honda	CAT Pump

TOMCAT SERIES

ALLISON IRON HORSE



E4040HG



S/E3027RA

SKID MOUNT

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Commercial /Industrial grade engines
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS: ALL MODELS

Skid Mount - precede model with S/
Example: S/E4040HG

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. All electric start models include battery and marine battery box. List: \$659.00

AVAILABLE OPTIONS: E3024 & E3027 MODELS

UPS-Shipping Carton: No Extra Charge
Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly. Order standard model and add UPS suffix after model.
Example: E3027HA-UPS

GAS ENGINE DIRECT DRIVE MODELS

E3024HA	3.0 GPM @ 2400 PSI	GX160	Honda	AR Pump
E3024HC	3.0 GPM @ 2400 PSI	GX160	Honda	CAT Pump
E3024HG	3.0 GPM @ 2400 PSI	GX160	Honda	GP Pump
E3027HA	3.0 GPM @ 2700 PSI	GX200	Honda	AR Pump
E3027HC	3.0 GPM @ 2700 PSI	GX200	Honda	CAT Pump
E3027HG	3.0 GPM @ 2700 PSI	GX200	Honda	GP Pump
E3027HGI	3.0 GPM @ 2700 PSI	GX200	Honda	GP Pump/Int UL
E3027RA	3.0 GPM @ 2700 PSI	EX170	Subaru	AR Pump
E3027RC	3.0 GPM @ 2700 PSI	EX170	Subaru	CAT Pump
E3027RG	3.0 GPM @ 2700 PSI	EX170	Subaru	GP Pump
E3032HA	3.0 GPM @ 3200 PSI	GX270	Honda	AR Pump
E3032HC	3.0 GPM @ 3200 PSI	GX270	Honda	CAT Pump
E3032HG	3.0 GPM @ 3200 PSI	GX270	Honda	GP Pump
E3032RA	3.0 GPM @ 3200 PSI	EX270	Subaru	AR Pump
E3032RC	3.0 GPM @ 3200 PSI	EX270	Subaru	CAT Pump
E3032RG	3.0 GPM @ 3200 PSI	EX270	Subaru	GP Pump
E4035HA	4.0 GPM @ 3500 PSI	GX390	Honda	AR Pump
E4035HC	4.0 GPM @ 3500 PSI	GX390	Honda	CAT Pump
E4035HG	4.0 GPM @ 3500 PSI	GX390	Honda	GP Pump
E4040HA	4.0 GPM @ 4000 PSI	GX390	Honda	AR Pump
E4040HC	4.0 GPM @ 4000 PSI	GX390	Honda	CAT Pump
E4040HG	4.0 GPM @ 4000 PSI	GX390	Honda	GP Pump
E4040HGI	4.0 GPM @ 4000 PSI	GX390	Honda	GP Pump/Int UL
E4040RG-14	4.0 GPM @ 4000 PSI	EX400	Subaru	GP Pump

CRUSADER SERIES

ALLISON IRON HORSE



EB4040HG



S/EB4040HG

SKID MOUNT

GAS ENGINE V-BELT DRIVE MODELS

EB3025HA	3.0 GPM @ 2500 PSI	GX200	Honda	AR Pump
EB3025HC	3.0 GPM @ 2500 PSI	GX200	Honda	CAT Pump
EB3025HG	3.0 GPM @ 2500 PSI	GX200	Honda	GP Pump
EB4035HA	4.0 GPM @ 3500 PSI	GX390	Honda	AR Pump
EB4035HC	4.0 GPM @ 3500 PSI	GX390	Honda	CAT Pump
EB4035HG	4.0 GPM @ 3500 PSI	GX390	Honda	GP Pump
EB4035HGZ	4.0 GPM @ 3500 PSI	GX390	Honda	GP EZ Pump
EB4040HA	4.0 GPM @ 4000 PSI	GX390	Honda	AR Pump
EB4040HG	4.0 GPM @ 4000 PSI	GX390	Honda	GP Pump
EB4040RG-14	4.0 GPM @ 4000 PSI	EX400	Subaru	GP Pump

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial /Industrial grade engines

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS: ALL MODELS

Skid Mount - precede model with S/
Example: S/EB4040HG


AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. All electric start models include battery and marine battery box. List: \$659.00

PHANTOM SERIES

ALLISON IRON HORSE

18 HP and above are Hot Water Ready with 20 to 25 AMP Recharging Systems!



SYSTEM SPECIFICATIONS

- Industrial Triplex Pumps
- Up to 4,000 PSI & 12 GPM
- Industrial Unloader
- Safety Pressure Relief Valve
- Aircraft Aluminum Carts
- Injector, Gun, Hose, Lance and Nozzles sold separately
- Completely Assembled

MODEL	PSI/GPM	ENGINE/HP	DRIVE	NET PRICE	MOUNTING
RBC354013H	3500 - 4.0	13 Honda	Belt	\$ 1,295.00	2-Wheel Cart
RBC304513H	3000 - 4.5	13 Honda	Belt	\$ 1,295.00	2-Wheel Cart
RBC255513H	2500 - 5.5	13 Honda	Belt	\$ 1,295.00	2-Wheel Cart
RBC355518V	3500 - 5.5	18 Vanguard	Belt	\$ 1,695.00	2-Wheel Cart
RBC355518K	3500 - 5.5	18 Kohler	Belt	\$ 1,850.00	2-Wheel Cart
RBC405520H	4000 - 5.5	20 Honda	Belt	\$ 2,250.00	2-Wheel Cart
RGC355518V	3500 - 5.5	18 Vanguard	Gear	\$ 1,695.00	2-Wheel Cart
RGC355518K	3500 - 5.5	18 Kohler	Gear	\$ 1,850.00	2-Wheel Cart
RGC405520H	4000 - 5.5	20 Honda	Gear	\$ 2,250.00	2-Wheel Cart
RGC328024H	3200 - 8.0	24 Honda	Gear	\$ 2,395.00	2-Wheel Cart
RGP355518V	3500 - 5.5	18 Vanguard	Gear	\$ 1,695.00	Base Plate Shown
RDP355518V	3500 - 5.5	18 Vanguard	Direct Drive	\$ 1,595.00	Base Plate Shown
RGP355518K	3500 - 5.5	18 Kohler	Gear	\$ 1,850.00	Base Plate Shown
RDP355518K	3500 - 5.5	18 Kohler	Direct Drive	\$ 1,750.00	Base Plate Shown
RGP405520H	4000 - 5.5	20 Honda	Gear	\$ 2,195.00	Base Plate Shown
RGP328024H	3200 - 8.0	24 Honda	Gear	\$ 2,295.00	Base Plate Shown
RGP408030K	4000 - 8.0	30 Kohler	Gear	\$ 3,195.00	Base Plate Shown
RGP388530K	3800 - 8.5	30 Kohler	Gear	\$ 3,195.00	Base Plate Shown
RGP301030K	3000 - 10.0	30 Kohler	Gear	\$ 3,195.00	Base Plate Shown
RGP251230K	2500 - 12.0	30 Kohler	Gear	\$ 3,195.00	Base Plate Shown
RGB355518V	3500 - 5.5	18 Vanguard	Gear	\$ 1,650.00	Bare System - No Cart or Base Plate
RDB355518V	3500 - 5.5	18 Vanguard	Direct Drive	\$ 1,550.00	Bare System - No Cart or Base Plate
RGB355518K	3500 - 5.5	18 Kohler	Gear	\$ 1,795.00	Bare System - No Cart or Base Plate
RDB355518K	3500 - 5.5	18 Kohler	Direct Drive	\$ 1,650.00	Bare System - No Cart or Base Plate
RGB405520H	4000 - 5.5	20 Honda	Gear	\$ 2,150.00	Bare System - No Cart or Base Plate
RGB328024H	3200 - 8.0	24 Honda	Gear	\$ 2,295.00	Bare System - No Cart or Base Plate
RGB408030K	4000 - 8.0	30 Kohler	Gear	\$ 3,150.00	Bare System - No Cart or Base Plate
RGB388530K	3800 - 8.5	30 Kohler	Gear	\$ 3,150.00	Bare System - No Cart or Base Plate
RGB301030K	3000 - 10.0	30 Kohler	Gear	\$ 3,150.00	Bare System - No Cart or Base Plate
RGB251230K	2500 - 12.0	30 Kohler	Gear	\$ 3,150.00	Bare System - No Cart or Base Plate

HOSE PACK INCLUDES:

- Allison Injector
 - Brass/Stainless Chem Filter
 - 50'/4000 PSI HOSE
 - Set up with Quick Connects
 - Our best Trigger Gun
 - Gun has ceramic check ball
 - 48" Insulated Lance
 - 5 Nozzles Nozzles
 - Trombone Nozzle Holder
- #PWGP-4000 - \$97.22**



- **BARE SYSTEMS** are ideal if you already have a base plate or just want to bolt the engine directly to the floor.

- **GEAR SYSTEMS** are the preferred system in the industry. These are the finest gear/transmission drives on the market and feature 'dual', matched and balanced roller bearings. We have been building gear driven pressure washers for over 25 years with '0' gear failures to date.

- **PLEASE NOTE:** These systems are not the typical pressure washers found in 'box stores' or in discount catalogs. These are industrial/professional systems designed and engineered to provide years of dependable service by utilizing the industry's most dependable components.

RENEGADE SERIES

ALLISON IRON HORSE




**When you buy an Iron Horse
you buy a reputation!**

**Sewer Jetter Valves
available on
most systems**

**9 Gallon Tank & Battery Box
Standard on 18 HP
and above.**

**Engine Shuts Down
if Pump Overheats**

**Renegades Professional Pressure Washers are built for the 'long haul' Unlike many manufacturers who are driven by price - Allison Iron Horse Systems are built with the very best components money can buy and the bonus to you is that...
...because you buy factory direct you can purchase an Iron Horse for a fraction over what you would pay for a system of much lesser quality.**



RENEGADE SERIES

ALLISON IRON HORSE



VB5535HGEA311

Don't see exactly what you need?
Call Your Pressure-Pro.
 We welcome
CUSTOM ORDERS!

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- EZ-Start
- Adjustable pressure unloader
- Low oil shutdown
- Engine and pump oil drains offer easy maintenance
- Oversize pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- 4-V Belt drive
- Commercial /Industrial grade engines
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- Remote six gallon poly fuel tank
- All units feature electric start and include battery & marine battery box

NOTE: 8 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: Chemical injector & nozzle are not included on 5000, and 6000 PSI models. (See Available Options)

AVAILABLE OPTIONS:

Skid Mount - Precede model with S/
 Example: S/VB5540HGEA311
 ACI5000 5000 PSI Chemical Injector Assembly. List: \$118.79
 ACI6000 6000 PSI Chemical Injector Assembly. List: \$185.99

GAS ENGINE V-BELT DRIVE MODELS

VB8030HAEA306	8.0 GPM @ 3000 PSI	GX620	Honda	AR Pump
VB8030HGEA306	8.0 GPM @ 3000 PSI	GX620	Honda	GP Pump
VB5535HGEA311	5.5 GPM @ 3500 PSI	GX620	Honda	GP Pump
VB8035HAEA306	8.0 GPM @ 3500 PSI	GX670	Honda	AR Pump
VB8035HGEA306	8.0 GPM @ 3500 PSI	GX670	Honda	GP Pump
VB5040HCEA311	5.0 GPM @ 4000 PSI	GX620	Honda	CAT Pump
VB5540HAEA309	5.5 GPM @ 4000 PSI	GX620	Honda	AR Pump
VB5540HGEA311	5.5 GPM @ 4000 PSI	GX620	Honda	GP Pump
VB4550HGEA510	4.5 GPM @ 5000 PSI	GX620	Honda	GP Pump
VB5550HGEA510	5.5 GPM @ 5000 PSI	GX670	Honda	GP Pump
VB4560HGEA600	4.5 GPM @ 6000 PSI	GX670	Honda	GP P

VIGILANTE SERIES

ALLISON IRON HORSE

NEW



HEAVY-DUTY COMMERCIAL

PKW005
HRK-HDC
HDC8030HA

SHOWN WITH
OPTIONAL
HOSE REEL &
WHEEL KITS



HDCV8035HG

STANDARD FEATURES

- Rugged powder coated steel frame
- Removable roll cage w/ hose reel platform
- On board 15 gallon poly fuel tank
- Full sized battery w/ marine battery box
- Skid mount or portable
- 20 HP to 40 HP Commercial /Industrial gasoline engines
- Engine and pump oil drains offer easy maintenance
- Polychain or V-belt drive
- Adjustable pressure unloader
- Many flow rates and pressures available

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- Tank feed plumbing
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/ quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: Chemical injector & nozzle are not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

HRK-HDC (Polychain) or HRK-HDCV (V-Belt) Hose Reel Kits, 350' x 3/8" max. w/ no add'l hose. List: \$528.50
PKW005 Wheel Kit w/ Handle Assembly. List: \$383.32
ACI5000 5000 PSI Chemical Injector Assembly. List: \$118.79
ACI6000 6000 PSI Chemical Injector Assembly. List: \$185.99
Jetter Valve Kit - Call factory for price & availability.

NOTE: Portable units come with bypass plumbing.

HEAVY-DUTY POLYCHAIN DRIVE GAS ENGINE MODELS

HDC8030HG	8.0 GPM @ 3000 PSI	GX620	Honda	GP Pump
HDC8035HG	8.0 GPM @ 3500 PSI	GX670	Honda	GP Pump
HDC5540HG	5.5 GPM @ 4000 PSI	GX620	Honda	GP Pump
HDC5550HG	5.5 GPM @ 5000 PSI	GX670	Honda	GP Pump
HDC4560HG	4.5 GPM @ 6000 PSI	GX670	Honda	GP Pump
HDC4070HG	4.0 GPM @ 7000 PSI	GX670	Honda	GP Pump
HDC6070KA	6.0 GPM @ 7000 PSI	CH1000	Kohler	AR Pump

HEAVY-DUTY V-BELT DRIVE GAS ENGINE MODELS

HDCV8030HG	8.0 GPM @ 3000 PSI	GX620	Honda	GP Pump
HDCV5535HG	5.5 GPM @ 3500 PSI	GX620	Honda	GP Pump
HDCV8035HG	8.0 GPM @ 3500 PSI	GX670	Honda	GP Pump
HDCV5540HG	5.5 GPM @ 4000 PSI	GX620	Honda	GP Pump
HDCV5550HG	5.5 GPM @ 5000 PSI	GX670	Honda	GP Pump
HDCV4560HG	4.5 GPM @ 6000 PSI	GX670	Honda	GP Pump

SCORPION SERIES

ALLISON IRON HORSE



B5550HGEA511

See pages 22 & 23 for the full line of Whisper Wash flat surface cleaners

Don't see exactly what you need?
Call Your Pressure-Pro.
 We welcome
CUSTOM ORDERS!

GAS ENGINE POLYCHAIN BELT DRIVE HP MODELS

B4550HAEA511	4.5 GPM @ 5000 PSI	GX620	Honda	AR Pump
B4550HCEA511	4.5 GPM @ 5000 PSI	GX620	Honda	CAT Pump
B4550HGEA511	4.5 GPM @ 5000 PSI	GX620	Honda	GP Pump
B5550HAEA515	5.5 GPM @ 5000 PSI	GX670	Honda	AR Pump
B5550HGEA511	5.5 GPM @ 5000 PSI	GX670	Honda	GP Pump
B4560HGEA600	4.5 GPM @ 6000 PSI	GX670	Honda	GP Pump
B5060KGEA600	5.0 GPM @ 6000 PSI	CH740	Kohler	GP Pump
B4070HAEA700	4.0 GPM @ 7000 PSI	GX670	Honda	AR Pump
B4070HGEA700	4.0 GPM @ 7000 PSI	GX670	Honda	GP Pump
B6070KAEA700	6.0 GPM @ 7000 PSI	CH1000	Kohler	AR Pump

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (2 year warranty)
- 50 mesh inlet water filter
- EZ-Start
- Adjustable pressure unloader
- Low oil shutdown
- Engine oil drain offers easy maintenance
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel axle
- Commercial /Industrial grade engines
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- Remote six gallon poly fuel tank
- All 20 HP – 40 HP units feature electric start and include battery & marine battery box

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- 4 QC spray nozzles

NOTE: Chemical injector is not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
 Example: S/B4550HGEA511
 ACI5000 5000 PSI Chemical Injector Assembly. List: \$118.79
 ACI6000 6000 PSI Chemical Injector Assembly. List: \$185.99

INTRUDER SERIES

ALLISON IRON HORSE



B5535HGEA303



POLYCHAIN DRIVE



S/B1228KGEA105

SKID MOUNT

GAS ENGINE POLYCHAIN BELT DRIVE MODELS

B1520KCEA125	15.0 GPM @ 2000 PSI	CH740	Kohler*	CAT Pump
B1228KGEA105	12.0 GPM @ 2800 PSI	CH750	Kohler*	GP Pump
B8030HAEA306	8.0 GPM @ 3000 PSI	GX620	Honda*	AR Pump
B8030HGEA306	8.0 GPM @ 3000 PSI	GX620	Honda*	GP Pump
B1030KCEA105	10.0 GPM @ 3000 PSI	CH740	Kohler*	CAT Pump
B1030KGEA390	10.8 GPM @ 3000 PSI	CH740	Kohler*	GP Pump
B4035HCP307	4.0 GPM @ 3500 PSI	GX390	Honda	CAT Pump
B4035HG303	4.0 GPM @ 3500 PSI	GX390	Honda	GP Pump
B5535HAEA309	5.5 GPM @ 3500 PSI	GX610	Honda*	AR Pump
B5535HGEA303	5.5 GPM @ 3500 PSI	GX610	Honda*	GP Pump
B8035HAEA306	8.0 GPM @ 3500 PSI	GX670	Honda*	AR Pump
B8035HGEA306	8.0 GPM @ 3500 PSI	GX670	Honda*	GP Pump
B4040HG303	4.0 GPM @ 4000 PSI	GX390	Honda	GP Pump
B5540HAEA309	5.5 GPM @ 4000 PSI	GX620	Honda*	AR Pump
B5540HGEA303	5.5 GPM @ 4000 PSI	GX620	Honda*	GP Pump

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (2 year warranty)
- 50 mesh inlet water filter
- EZ-Start
- Adjustable pressure unloader
- Low oil shutdown
- Engine oil drain offers easy maintenance
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel axle
- Commercial /Industrial grade engines
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)

NOTE: 8 thru 15 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

*NOTE: Electric start is standard on 18 HP - 30 HP V-Twin engine models and include battery, marine battery box, and remote six gallon poly fuel tank.

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
Example: S/B5540HAEA309
Block Mounted K7 Unloader. 3500 psi max. List: \$200.00

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. * All electric start models include battery and marine battery box. List: \$659.00

INTRUDER SERIES

ALLISON IRON HORSE

**CST050-GATOR
AHR250-G
RCS/G1050HH
266693
4465-1702 200'**



NEW

**AST050-GATOR
AHR100-1
RCS/E3027HG-TF
KBP100**



Gator ATV NOT INCLUDED

TANK, ALUMINUM SKID & INLET PLUMBING KITS

AST050-GATOR Assy. Skid/Tank, 50 Gal., Inlet Plumbing
CST050-GATOR Assy. Chem. Skid/Tank, 50 Gal., w/ Inlet Plumbing & Bypass

OPTIONS

KBP100 Tank Feed Unloader Bypass Return & Hose Assy.
(CST050-GATOR already has Bypass)
266693 Ag. Spray Gun, compare to JD9
4465-1702 Ag. Hose, 3/8", Yellow, Select 200' or 400' (Price is per foot)
KTF100 Float Valve Assembly – (shuts water off when tank is full)
KTD075 Tank Drain, 3/4"
LWS100 Low Water Shutdown – (shuts engine off when water level is low)

HOSE REELS

AHR100-1 GP Hose Reel with Hardware, 100' x 3/8" maximum
AHR200-1 GP Hose Reel with Hardware, 200' x 3/8" maximum
AHR250-1 Hosetract Hose Reel w/ Hardware, 250' x 3/8" max. (High Pressure Jumper Hose)
AHR250-G Hosetract Hose Reel w/ Hardware, 250' x 3/8" max. (Yellow AG Jumper Hose)
AHR250-3 Titan S.S. Hose Reel with Hardware, 250' x 3/8" maximum

POWER UNITS

RCS/E3027HG-TF Direct Drive, 3.0 GPM @ 2700 PSI, GX200 Honda, GP Pump, Tank-Fed, Roll Cage
RCS/G1050HH Gear Drive Chem. Sprayer, 10 GPM @ 500 PSI, GX160 Honda, Hypro Roll Cage Skid

Pro-ATV Skid units can be combined with various cold water pump/engine units to achieve a "Totally Self Contained" 50 gallon tank feed system. Available pressures from 500 PSI to 4000 PSI and flow rates up to 10 GPM in gear, and direct drive configurations. Add the tank/skid model with desired equipment and options listed to design a custom Honda powered unit built to your specifications. All skids are constructed of aircraft grade aluminum which are chemical resistant and rustproof. These units mount quickly and securely into Gator, Rhino, Mule or other ATV vehicles.

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

AST050-GATOR

Dimensions: (with AHR100-1)
38" W x 48" L x 44" H

CST050-GATOR

Dimensions: (with AHR250-G)
38" W x 48" L x 49" H

Call factory for more configurations.

PROWLER SERIES

ALLISON IRON HORSE



AST200
ASR100
KBP100
AHR250-1
TS/D4040HG311

Don't see exactly what you need?
Call Your Pressure-Pro.
 We welcome
CUSTOM ORDERS!

See pages 22 & 23 for the full line of Whisper Wash flat surface cleaners

TANK, ALUMINUM SKID & INLET PLUMBING KITS

AST100 100 Gallon Tank, Bands, Aluminum Skid, and Inlet Plumbing
AST200 200 Gallon Tank, Bands, Aluminum Skid, and Inlet Plumbing

OPTIONS

ASR100 Aluminum Hose Reel Support Assembly with Mounting Hardware
KBP100 Tank Feed Unloader Bypass Return and Hose Assembly
KTF100 Float Valve Assembly – (shuts water off when tank is full)
KTD075 Tank Drain, 3/4"
LWS100 Low Water Shutdown – (shuts engine off when water level is low)

HOSE REELS

AHR100-1 GP Hose Reel with Hardware, 100' x 3/8" maximum
AHR200-1 GP Hose Reel with Hardware, 200' x 3/8" maximum
AHR250-1 Hosetract Heavy Duty Hose Reel with Hardware, 250' x 3/8" maximum
AHR250-3 Titan S.S. Hose Reel with Hardware, 250' x 3/8" maximum

PRESSURE WASHER POWER UNITS

TS/D3024HG332	Direct Drive	3.0 GPM @ 2400 PSI	GX160	Honda	GP Pump	Tank-Fed
TS/D3027HG332	Direct Drive	3.0 GPM @ 2700 PSI	GX200	Honda	GP Pump	Tank-Fed
TS/D3032HG331	Direct Drive	3.0 GPM @ 3200 PSI	GX270	Honda	GP Pump	Tank-Fed
TS/D4040HG331	Direct Drive	4.0 GPM @ 4000 PSI	GX390	Honda	GP Pump	Tank-Fed
TS/VB4040HG331	Belt Drive	4.0 GPM @ 4000 PSI	GX390	Honda	GP Pump	Tank-Fed
TS/VB535HG331	Belt Drive	5.5 GPM @ 3500 PSI	GX620	Honda	GP Pump	Tank-Fed

Pro-Skid units can be combined with various cold water pump/engine units to achieve a "Totally Self Contained" 100 or 200 gallon tank feed system. Available pressures of 2400 PSI to 4000 PSI and flow rates up to 10 GPM in belt, gear, and direct drive configurations. Add the tank/skid model with desired equipment options listed to design a custom Honda powered unit built to your specifications. All skids are constructed of aircraft grade aluminum which are chemical resistant and rustproof. All units feature adjustable pressure unloader valve. These skid units mount quickly and securely into truck beds, trailers or other vehicles.

NOTE: All units are factory assembled, tested in the USA, and delivered ready to operate.

Dimensions: (with AHR250)
 39" W x 62" L x 44" H
 (w/o hose reel)
 39" W x 62" L x 31" H


Call factory for more configurations.

PROWLER SERIES

ALLISON IRON HORSE



HC/EE2015G



WM/EE2015G

Don't see exactly what you need?
Call Your Pressure-Pro.
 We welcome
CUSTOM ORDERS!

See pages 22 & 23 for the
**full line of Whisper Wash
 flat surface cleaners**

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with lifetime warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial /Industrial grade motors
- 115 volt units include GFCI w/36' cord w/plug
- 230 volt units include 12' cord (no plug)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate. All units are single phase electric power.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

UPS-Shipping Carton: No Extra Charge Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly. Order standard model and add UPS suffix after model.

Example: HC/EE3010G-UPS

NOTE: Only 1.5 HP, 2 HP and 3 HP models can ship UPS

ELECTRIC HAND CARRY DIRECT DRIVE MODELS

HC/EE2012G	2.0 GPM @ 1200 PSI	1.5 HP	115V/1PH/13A	GP Pump
HC/EE2015G	2.0 GPM @ 1500 PSI	2.0 HP	115V/1PH/18A	GP Pump
HC/EE3010G	3.0 GPM @ 1000 PSI	2.0 HP	115V/1PH/18A	GP Pump

ELECTRIC WALL MOUNT DIRECT DRIVE MODELS

WM/EE2015G	2.0 GPM @ 1500 PSI	2.0 HP	115V/1PH/18A	GP Pump
WM/EE3010G	3.0 GPM @ 1000 PSI	2.0 HP	115V/1PH/18A	GP Pump
WM/EE3015G	3.0 GPM @ 1500 PSI	3.0 HP	230V/1PH/12A	GP Pump
WM/EE4020G	4.0 GPM @ 2000 PSI	6.0 HP	230V/1PH/26A	GP Pump

COUGAR AC SERIES

ALLISON IRON HORSE



EE2015G



S/EE3035A

SKID MOUNT

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial/Industrial grade motors
- 115 volt units include GFCI w/36' cord w/plug
- 230 volt units include 12' cord (no plug)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate. All units are single phase electric power.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
Example: S/EE3035A

UPS-Shipping Carton: No Extra Charge
Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly. Order standard model and add UPS suffix after model. Example: EE3015G-UPS
NOTE: Only 1.5 HP, 2 HP and 3 HP cart models can ship UPS

ELECTRIC DIRECT DRIVE MODELS


EE2012G	2.0 GPM @ 1200 PSI	1.5 HP	115V/1PH/13A	GP Pump
EE2015G	2.0 GPM @ 1500 PSI	2.0 HP	115V/1PH/18A	GP Pump
EE3015G	3.0 GPM @ 1500 PSI	3.0 HP	230V/1PH/12A	GP Pump
EE4020G	4.0 GPM @ 2000 PSI	6.0 HP	230V/1PH/26A	GP Pump
EE3030A	3.0 GPM @ 3000 PSI	6.0 HP	230V/1PH/26A	AR Pump
EE3530G	3.5 GPM @ 3000 PSI	7.5 HP	230V/1PH/35A	GP Pump
EE3035A	3.0 GPM @ 3500 PSI	7.5 HP	230V/1PH/35A	AR Pump
EE4035A	4.0 GPM @ 3500 PSI	10 HP	230V/1PH/44A	AR Pump
EE3540A	3.5 GPM @ 4000 PSI	10 HP	230V/1PH/44A	AR Pump

ELECTRIC DIRECT DRIVE - 50 HZ MODELS

EE3020G50HZ	3.0 GPM @ 2000 PS	5.0 HP	230V/1PH/25A	GP Pump
EE3030G50HZ	3.0 GPM @ 3000 PSI	6.0 HP	230V/1PH/37A	GP Pump
EE3530G50HZ	3.5 GPM @ 3000 PSI	7.5 HP	230V/1PH/42A	GP Pump

MUSTANG AC SERIES

ALLISON IRON HORSE



B4030E1CP307

ELECTRIC POLYCHAIN BELT DRIVE MODELS

B4020E1A303	4.0 GPM @ 2000 PSI	5.0 HP	230V/1PH/25A	AR Pump
B4020E1CP307	4.0 GPM @ 2000 PSI	5.0 HP	230V/1PH/25A	CAT Pump
B4020E1G303	4.0 GPM @ 2000 PSI	5.0 HP	230V/1PH/25A	GP Pump
B4020E3A303	4.0 GPM @ 2000 PSI	5.0 HP	230V/3PH/12A	AR Pump
B4020E3CP307	4.0 GPM @ 2000 PSI	5.0 HP	230V/3PH/12A	CAT Pump
B4020E3G303	4.0 GPM @ 2000 PSI	5.0 HP	230V/3PH/12A	GP Pump
<hr/>				
B4030E1A303	4.0 GPM @ 3000 PSI	7.5 HP	230V/1PH/33A	AR Pump
B4030E1CP307	4.0 GPM @ 3000 PSI	7.5 HP	230V/1PH/33A	CAT Pump
B4030E1G303	4.0 GPM @ 3000 PSI	7.5 HP	230V/1PH/33A	GP Pump
B4030E3A303	4.0 GPM @ 3000 PSI	7.5 HP	230V/3PH/17A	AR Pump
B4030E3CP307	4.0 GPM @ 3000 PSI	7.5 HP	230V/3PH/17A	CAT Pump
B4030E3G303	4.0 GPM @ 3000 PSI	7.5 HP	230V/3PH/17A	GP Pump
<hr/>				
B4035E3A303	4.0 GPM @ 3500 PSI	10 HP	230V/3PH/23A	AR Pump
B4035E3CP307	4.0 GPM @ 3500 PSI	10 HP	230V/3PH/23A	CAT Pump
B4035E3G303	4.0 GPM @ 3500 PSI	10 HP	230V/3PH/23A	GP Pump
B5535E3A309	5.5 GPM @ 3500 PSI	15 HP	230V/3PH/34A	AR Pump
B5535E3G303	5.5 GPM @ 3500 PSI	15 HP	230V/3PH/34A	GP Pump
B8035E3G100	8.0 GPM @ 3500 PSI	20 HP	230V/3PH/46A	GP Pump
<hr/>				
B4040E3G303	4.0 GPM @ 4000 PSI	15 HP	230V/3PH/34A	GP Pump
B4540E3C307	4.5 GPM @ 4000 PSI	15 HP	230V/3PH/34A	CAT Pump

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (two year warranty)
- 50 mesh inlet water filter
- Adjustable pressure unloader
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel axle
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- TEFC Commercial/Industrial motors
- Mag Starter assembly, w/thermal overload, and start-stop buttons in NEMA enclosure w/12' power cord (no plug)

NOTE: 8 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
Example: S/B5535E3G303

Block Mounted K7 Unloader.

3500 psi max. List: \$200.00

*Auto Start/Stop (230V).

List: \$535.00

*Auto Start/Stop w/time delay-consult factory

*460V available – consult factory

***NOTE:** Review specs for models with Auto Start/Stop options as these units are custom made and

NONCANCELABLE & NONRETURNABLE

AVENGER AC SERIES

ALLISON IRON HORSE



B5550E3G511

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (two year warranty)
- 50 mesh inlet water filter
- Adjustable pressure unloader
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel axle
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- TEFC Commercial/Industrial motors
- Mag Starter assembly, w/thermal overload, and start-stop buttons in NEMA enclosure w/12' power cord (no plug)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- 4 QC spray nozzles

NOTE: Chemical injector is not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
Example: S/B5550E3G511

ACI5000 5000 PSI Chemical Injector Assembly. List: \$118.79

ACI6000 6000 PSI Chemical Injector Assembly. List: \$185.99

*Auto Start/Stop (230V).

List: \$535.00

*Auto Start/Stop w/time delay-consult factory.

*460V available – consult factory

***NOTE:** Review specs for models with Auto Start/Stop options as these units are custom made and **NONCANCELABLE & NONRETURNABLE.**

See pages 22 & 23 for the full line of Whisper Wash flat surface cleaners

**Don't see exactly what you need?
Call Your Pressure-Pro.
We welcome
CUSTOM ORDERS!**

ELECTRIC POLYCHAIN BELT DRIVE HP MODELS

B4550E3G511	4.5 GPM @ 5000 PSI	20 HP	230V/3PH/46A	GP Pump
B5550E3G511	5.5 GPM @ 5000 PSI	20 HP	230V/3PH/46A	GP Pump
B4560E3G600	4.5 GPM @ 6000 PSI	20 HP	230V/3PH/46A	GP Pump
B4070E3A700	4.0 GPM @ 7000 PSI	20 HP	230V/3PH/46A	AR Pump
B4070E3G700	4.0 GPM @ 7000 PSI	20 HP	230V/3PH/46A	GP Pump

HERCULES AC SERIES