

ALL PUMPS LISTED REPRESENT 99% OF ALL THE PUMP SPECIFICATIONS ON ALL PROFESSIONAL EQUIPMENT

Back to
Pump Index

Next time you should try one of...

...A-R's 185° HARD WORKING - LONG LASTING PUMPS

1450 RPM Pumps for Belt Drive

	GPM	PSI	Check Valves	Regular Packings	Hi-Temp Packings	Oil Seals	Req'd Gas HP
RW15	4.0	3500	E2864	E42171	A2878	E42170	13
RW21	5.5	3500	E2864	E42171	A2878	E42170	18
SXW2135	5.5	5100	E2871	N/A	A2874	E2873	26
XWM2128	5.5	4100	E2780	E2278	A5566	E2781	21
XWM2623	6.9	3000	E2780	E2278	A5566	E2781	19
XWL4121	10.8	3000	E2780	E1853	A5567	E2781	30
XWL4215	11.1	2200	E2780	E1853	A5567	E2781	23
XWL5015	13.2	2200	E2780	E1853	A5567	E2781	27

ORDER w/Hi-TEMP PACKINGS **ORDER w/Std. PACKINGS**

[Hi-Temp](#) [Std.](#)
[Hi-Temp](#) [Std.](#)
[Hi-Temp](#) [Std.](#)
[Hi-Temp](#) [Std.](#)
[Hi-Temp](#) [Std.](#)
[Hi-Temp](#) [Std.](#)
[Hi-Temp](#) [Std.](#)



When ordering the **Hi-Temp** version add the extension **HT** at the end.

1750 RPM Pumps for Gear Drive

Click Part Number to buy



Gear Box sold separately.

	GPM	PSI	Check Valves	Regular Packings	Hi-Temp Packings	Oil Seals	Req'd Gas HP
XWAM55G40	5.5	4000	E2780	E2278	A5566	E2781	20
SXWA55G50	5.5	5000	E2871	N/A	A2874	E2873	25
XWAM7G40	7.0	4000	E2780	E2278	A5566	E2781	26
SXWA7G50	7.0	5000	E2871	N/A	A2874	E2873	32
XWAM8G35	8.0	3500	E2780	E2278	A2874	E2781	26
XWA9G30	9.0	3000	E2780	E2783	A5568	E2781	25

ORDER w/Hi-TEMP PACKINGS **ORDER w/Std. PACKINGS**

[Hi-Temp](#) [Std.](#)
[Hi-Temp](#) [Std.](#)
[Hi-Temp](#) [Std.](#)
[Hi-Temp](#) [Std.](#)
[Hi-Temp](#) [Std.](#)
[Hi-Temp](#) [Std.](#)

When ordering the **Hi-Temp** version add the extension **HT** at the end.

Back to
Pump Index

A-R DIRECT DRIVE PUMPS

To replace an EZ4040G use **RKV4G40** - it's a super easy switch over!
 or bolt on another 'powerhouse' to your 18HP engine and get 5.5 GPM at 4,000 PSI
 or using your 13 HP Honda you can get 5.5 GPM @ 2,500 PSI with the **RKV55G40!**

Click Part Number to buy

RKV4G40

Direct Drive @ 3600 RPM

Max PSI 4,000


Max GPM 4.2

Bolts directly to engine w/1" shaft.

Valve Kit [#AR1828](#)

Packings [#AR1857](#)

Oil Seals [#AR1856](#)



BETTER BEARINGS MEANS LONGER SERVICE!

Click Part Number to buy

RKV55G40

Direct Drive @ 3600 RPM

Max PSI 4,000

Max GPM 5.8

Bolts directly to engine w/1" shaft

Valve Kit [#AR1828](#)

Packings [#AR1857](#)


Oil Seals [#AR1856](#)

Back to
Pump Index

210° Allison PUMPS

just how many
REASONS
can you think of
to not buy the best?

Here are **9** reasons why you should!



KEVLAR®

210° - SUPER HIGH TEMP - BULLET PROOF PACKINGS


MODEL TS-1130-K

BELT DRIVE THIS PUMP
at 1450 RPM to achieve
9.0 GPM @ 3,600 PSI

BELT DRIVE THIS PUMP
at 1750 RPM to achieve
11.0 GPM @ 3,000 PSI

GEAR DRIVE THIS PUMP
with a gas engine running
at 3600 RPM to achieve
11.0 GPM @ 3,000 PSI

Weights 45 lbs.



Check
Valves
50250025

Oil Seals
50190675

Kevlar
Packings
50190622

MODEL TS-5735-K

BELT DRIVE THIS PUMP
at 1450 RPM to achieve
4.7 GPM @ 3,500 PSI

BELT DRIVE THIS PUMP
at 1750 RPM to achieve
5.7 GPM @ 3,500 PSI

GEAR DRIVE THIS PUMP
with a gas engine running
at 3600 RPM to achieve
5.7 GPM @ 3,500 PSI

Weights 27 lbs

Back to Pump Index


Back to
Pump Index

ALL PUMPS LISTED REPRESENT 99% OF ALL THE PUMPS FOUND ON PROFESSIONAL CONTRACTOR EQUIPMENT


COMET PUMPS

We carry all COMET Pumps. If yours is not listed below call 800-346-4876


CLICK P/N	GPM	PSI	RPM	Req'd Gas HP	Click Part Number to buy		
					Check Valves	Oil Seals	Std. Packings
RW5535S	5.5	3500	1450	18	50250025	50190675	50190672
TW8036S	8.6	3600	1450	29	50250020	50190644	50190646
TW10025S	10.0	2500	1450	23	50250020	50190655	50190647
TW11025S	11.0	2500	1450	25	50250020	50190655	50190647



WE ALSO CARRY THE COMPLETE LINE OF CAT & UDOR PUMPS



**CALL FOR
PRICING**



Back to Pump Index

GENERAL PUMPS

We carry all GENERAL Pumps. If yours is not listed below call 800-346-4876

CLICK P/N	GPM	PSI	RPM	Click Part Number to buy			Req'd Gas HP
				Check Valves	Packings	Oil Seals	
EZ4040G	4.0	4000	3400	K123	K153	K23	15*
TS-2021	5.5	3500	1450	K01	K08	K02	18
TSF-2019	6.3	3600	1450	K169	K170	K02	21
TSF-2021	7.0	3600	1450	K169	K170	K02	23
TSF-2219	7.7	3000	1450	K169	K172	K02	21
TSF-2221	8.5	3000	1450	K169	K172	K02	24
TSF-2421	10.0	3000	1450	K169	K181	K02	28



* When you run this pump on a 13 HP Honda you will get 3500 PSI / on a 14 KOHLER you will get 3850 PSI