

ELECTRICAL COMPONENTS

Legacy 500 Flow Switch

Legacy

Vertical mounting or versatile mounting.



- Viton seals
- For solenoid control only
- 1-8 GPM
- 4350 PSI
- 3/8" FPT Inlet / Outlet
- 190°F
- 1 Amp switch
- 2 Wire Reed
- Heavy-duty machine brass internals
- 63" Wire length

Part No.	Original No.	Description	List Price
8.712-244.0	410305A	Vertical Mount Only	\$53.99
8.712-247.0		Mount in Any Position (Gray)	\$56.55
9.803-266.0	109672	Reed Switch Only (2 wire)	\$30.00

Legacy Flow Switch

Legacy

Allows for mounting versatility.



- 4050 PSI
- 3500 rated pressure
- Horizontal or vertical mount
- Forged brass body
- 48" Wire length
- 2 Wire Reed
- 3/8" MPT inlet/outlet
- 8 GPM
- 190°F
- One Amp switch
- Solenoid control

Part No.	Original No.	Description	List Price
8.712-246.0	410307P	Flow Switch	\$56.09
9.803-266.0	109672	Reed Switch Only	\$30.00

Flow Switch

SUTTNER



- Brass body
- 8 GPM
- 3600 PSI
- 3 Amp reed switch
- 180°F
- 3/8" inlet/outlet ports

Part No.	Orig. No.	Description	List Price
8.712-243.0	410305	ST-5 – Vertical Mnt Only (48" wire length)	\$46.50
8.712-245.0	410306	ST-6 – Horiz. or Vert. Mnt (47" wire length)	\$54.00
9.803-266.0	109672	Reed Switch (AP) (2 wire)	\$30.00
8.704-122.0	109675	ST-5 – Reed Switch	\$28.72
8.704-121.0	109673	ST-6 – Reed Switch	\$28.92

Phoenix Flow Switch w/ Pilot



- .75-16.0 GPM
- 4000 PSI
- 165°F
- 3 Amp-250 Volts
- 96" Reed Cord
- Includes 8mm Pilot
- 3/8" F inlet/outlet
- 2.5 lbs
- Mounting Hole

Part No.	Original No.	Description	List Price
8.712-252.0	410320	Switch with Pilot	\$239.39
8.712-253.0	410322	Reed Switch	\$94.35

7300 PSI SS Flow Switch

SUTTNER



- 7300 PSI
- Stainless Steel
- 300°F
- 3/8" inlet/outlet
- 47" wire length
- 1 - 8 GPM

Part No.	Original No.	Description	List Price
8.723-665.0	87236650	ST-505 Flow Switch	\$267.35

VAC Switch - Burner Control

Normally open (NO) switch closes when pump vacuum begins drawing water and opens when vacuum is broken due to pump shut down or empty water tank.



- 1/4" FPT connect
- Heavy-duty 16 Amp contacts
- 140°F max water temperature

Part No.	Original No.	Description	List Price
8.712-391.0	413031	1.5" (HG) Vac Switch	\$26.56
8.712-392.0	413032	2.5" (HG) Vac Switch	\$27.32
8.712-393.0	413034	4.5" (HG) Vac Switch	\$26.56

Pressure Switch

Legacy

Operation without opening switch case – Blue = Common
CONNECT: Red/Blue = N/C, Blue/Brown = N/O



- 200°F
- Stainless steel plunger
- 3600 PSI
- 1/4" MPT nipple
- 15 Amp – 115 or 230V AC
- 3-wire – Internally wired for either N/O or N/C
- 42" wire length

Part No.	Original No.	Description	List Price
8.712-261.0	411060	Pressure Switch (Switches@360 PSI)	\$28.00
8.712-262.0	411060-40	Pressure Switch (Switches@580 PSI)	\$31.46
8.701-311.0	082023	Micro Switch (15 Amp 115/230VAC)	\$18.15

NOTE: 10 AMP 28 VDC Micro Switch available. Excellent for use on 12 VDC Hot Pressure Washers.

Compact Pressure Switch

Three Amp rating provides the switching power to control fuel solenoids just like the large switches. Body measures 1" x 1-1/4" x 2" (Not including wire or connector)



- 3600 PSI max rating
- 580 PSI switch pressure
- 200°F
- 1/4" brass MPT connect SS plunger
- 3 Amp switch rating –
- 250V
- 48" – 3-wire cable for use in either NC or NO application: Blue = Common Brown = NO; Red = NC

Part No.	Original No.	Description	List Price
8.712-260.0	411050	Compact Pressure Switch	\$26.18

Black Pressure Switch



- Brass stem and stainless steel nipple
- 3600 PSI
- 580 PSI switching pressure
- 45" wire length
- 195°F
- 1/4" male inlet
- 15 Amp
- Weight: 8 oz
- 250 volts



Part No.	Original No.	Description	List Price
9.802-458.0	6-021720	Black Pressure Switch	\$33.24

Red Pressure Switch



- All stainless steel construction
- 5800 PSI
- 640 PSI switching pressure
- 44" Wire length
- 195°F
- 3/8" male inlet
- 15 Amp
- Weight: 10 oz
- 250 volts



Part No.	Original No.	Description	List Price
8.712-267.0	411065	Red Pressure Switch	\$93.38
8.704-572.0	111459	Heavy-duty Micro Switch	\$17.05

Toggle / Push Button Switch



- 7/16" mounting bushing
- 1/2" diameter mounting hole required
- Mounting hardware included

Part No.	Original No.	Description	HP*	Connects	List Price
8.712-319.0	411605*	SPST, 20A/110V	1.0	m/spade	\$6.52
8.712-320.0	411607	DPST, 20A/110V		m/spade	\$15.18
8.709-705.0	337206*	DPST, 20A/125V	1.5	screw	\$14.51
8.709-704.0	337205*	DPST, 20A/250V	2.0	screw	\$24.89
8.709-054.0	285140*	SPST, 20A/120V	3/4	m/spade	\$11.42
8.709-065.0	285189*	DPST, 20A/120V	3/4	screw	\$18.59
8.709-706.0	337207	Switch Guard			\$1.27

Push Button Switches

8.709-053.0	285139	SPST, 5A/120V Push on/ push off		screw	\$23.17
8.709-064.0	285187	SPST, 15A/120V Push and hold on/ release off		screw	\$16.13

*Motor rated

Accura High Limit Switch



411264

- Operates as safety device to shut off burner to prevent machine (water) overheating flashing to steam
- Does not turn back on until water has cooled 50° - 70°F
- Normally used with other adjustable or fixed range thermostat which regulates water temperature
- 15 Amp @110V/10 Amp @ 220V
- Heavy-duty brass housing (7000 PSI collapse rating)
- UL - CSA rated, bimetal switch components
- 1/4 male spade lug terminals
- 1/2" MPT external thread connects for attaching conduit or PVC wire connectors

Part No.	Original No.	Probe MPT	Temperature	List Price
8.712-300.0	411250	3/8"	110°F	\$26.02
8.712-301.0	411254	3/8"	120°F	\$25.54
8.712-302.0	411256	3/8"	140°F	\$25.06
8.712-304.0	411262	3/8"	170°F	\$25.54
8.712-306.0	411266	3/8"	180°F	\$24.59
8.712-309.0	411272	3/8"	210°F	\$25.06
8.712-311.0	411276	3/8"	230°F	\$24.59
8.712-305.0	411264	1/2"	180°F	\$24.59
8.712-307.0	411268	1/2"	200°F	\$24.59
8.712-308.0	411270	1/2"	210°F	\$25.06
8.712-298.0	411232	1/2"	230°F	\$25.00
8.712-313.0	411278	1/2"	250°F	\$25.54
8.712-316.0	411332	1/2"	330°F	\$25.26
8.705-351.0	141538	1/2"	PVC Coupler	\$1.07

Accura High Limit Switch w/ Wire Lead



- Operates as safety device to shut off burner to prevent machine (water) overheating flashing to steam
- Does not turn back on until water has cooled 50° - 70°F
- Normally used with other adjustable or fixed range thermostat which regulates water temperature
- 15 Amp @110V/10 Amp @ 220V
- Heavy-duty brass housing (7000 PSI collapse rating)
- UL - CSA rated, bimetal switch components
- 1/4 male spade lug terminals
- 1/2" MPT external thread connects for attaching conduit or PVC wire connectors

Part No.	Original No.	Probe MPT	Wire Lead	Temperature	List Price
8.712-310.0	411274	1/2"	36" (two wire)	210°F	\$25.31
8.712-297.0	411231	1/2"	42"	230°F	\$38.00
8.712-299.0	411233	1/2"	80"	230°F	\$28.95
8.712-315.0	411331	1/2"	80"	330°F	\$28.64

ELECTRICAL COMPONENTS

Magnetic Motor Starters

For pressure washer and carwash applications.



Contactor



Overload



Coil

- 24VAC Control
- 1Ø - 240V, 3Ø - 240V or 480V Contactor
- Componentized for flexibility
- Thermal overloads adjustable within range shown
- Electrical life: 1,000,000+ cycles
- Mechanical life: 20,000,000+ cycles
- Contacts: 90% silver, 10% cad-oxide

Type	24V Coil Part No.	24V Coil Orig. No.	120V Coil Part No.	120V Coil Orig. No.	220V Coil Part No.	220V Coil Orig. No.	FL Amp	220V 1Ø HP	220V 3Ø HP	440V 3Ø HP	List Price
Contactors										UL Rating	
A	8.708-753.0	260265	8.902-527.0	260290	8.902-532.0	260295	22	2	3	5	\$90.78
B	8.708-754.0	260266	8.902-528.0	260291	8.902-533.0	260296	24	2	5	7.5	\$125.92
C	8.902-523.0	260267	8.902-529.0	260292	8.902-534.0	260297	32	3	5	10	\$108.82
D	8.902-524.0	260268	8.902-530.0	260293	8.902-535.0	260298	40	5	7.5	15	\$135.99
E	8.902-526.0	260269	8.902-531.0	260294	8.902-536.0	260299	52	7.5	10	20	\$191.70
F	8.708-790.0	260351	8.708-791.0	260352	8.708-792.0	260353	90	10	15	30	\$277.94

Part No.	Original No.	Voltage	Fits Contactor	List Price
Coils Only				
8.708-764.0	260274	24V	A,B,C,D	\$41.55
8.708-762.0	260272	120V	A,B,C,D	\$43.73
8.708-763.0	260273	220V	A,B,C,D	\$43.73
8.708-765.0	260275	480V	A,B,C,D	\$42.46
8.708-766.0	260277	120V	E	\$53.21
8.708-767.0	260278	220V	E	\$53.21

Part No.	Original No.	Type	Amp Range	Fits Contactor	List Price
Thermal Overloads					
8.708-749.0	260253	Man	9.0-15	A,B,C,D	\$83.25
8.708-758.0	260270	Man	14-23	A,B,C,D	\$87.32
8.708-760.0	260271	Man	17-26	A,B,C,D	\$98.62
8.708-742.0	260247	Man	20-33	C,D	\$135.70
8.708-744.0	260248	Man	28-42	C,D	\$173.88
8.708-746.0	260249	Man	35-50	E,F	\$172.74
8.708-802.0	260433AUTO	Auto	2.0-3.3	A,B,C,D	\$99.89
8.708-803.0	260437AUTO	Auto	4.5-7.5	A,B,C,D	\$87.20
8.708-804.0	260440AUTO	Auto	6.0-10	A,B,C,D	\$87.20
8.708-750.0	260253AUTO	Auto	9.0-15	A,B,C,D	\$85.30
8.708-759.0	260270AUTO	Auto	14-23	A,B,C,D	\$99.87
8.708-761.0	260271AUTO	Auto	17-26	A,B,C,D	\$115.55
8.708-743.0	260247AUTO	Auto	20-33	C,D	\$158.23
8.708-745.0	260248AUTO	Auto	28-42	C,D	\$180.02
8.708-747.0	260249AUTO	Auto	35-50	F	\$184.75

- Used to mount Overload to Motor Starter Contactors

Part No.	Original No.	Description	List Price
Thermal Overload Connector Kits			
8.708-768.0	260281	A,B,C,D	\$23.54
8.708-770.0	260284	E	\$8.50
8.708-789.0	260349	F	\$56.02

Ground Fault Circuit Interrupters (GFCI)

GFCI's protect people and equipment by interrupting potentially lethal ground circuits exceeding 6mA. The dangers of electrical shocks have been long known – GFCI's are the only real way to be safe. Most city & county codes now require GFCI protection on power cleaning equipment.



- U.L. listed
- Three wire circuits
- Transient voltage protection
- 4 - 6mA ground fault protection
- Grounded neutral protection
- Mechanical trip indicator
- Compact size
- Rugged construction
- Radio frequency interference suppression

Part No.	Original No.	Volt	Amp	Length	Plug Included	List Price
8.709-850.0	337626	120V	15A	12 ft	yes	\$68.52
8.709-842.0	337607	120V	20A	12 ft	no	\$85.69
8.903-807.0	337608	120V	20A	12 ft	yes	\$95.65
8.709-843.0	337609	120V	20A	35 ft	yes	\$129.79
9.802-433.0	6-010631	240V	20A	36 ft	yes	\$208.85
8.709-853.0	337632	240V	30A	6 ft	yes	\$267.54
8.709-860.0	337645	240V	30A	6 ft	no	\$228.22
8.709-861.0	337647	240V	30A	12 ft	no	\$263.93
8.709-854.0	337634	240V	30A	12 ft	yes	\$296.05
8.709-862.0	337649	240V	30A	35 ft	no	\$266.43
8.709-855.0	337635	240V	30A	35 ft	yes	\$306.58
GFCI Plug without Cord						
8.709-847.0	337615	120V	15A	N/A	yes	\$60.31
8.709-846.0	337614	120V	20A	N/A	yes	\$72.06

NOTE: User-attached plug also includes the sealant necessary to attach the power cord per UL Specification.

GFCI Module 20 Amp - 120V or 240V

Not recommended for field service.



- Using 120V or 240V shop attachable module; attach your power cord length as required
- Use with 16–12 gauge SJ, SJO or SJT 3-wire cords
- 20 Amp rating at 120V or 240V 60 Hz

Part No.	Original No.	Description	List Price
8.709-858.0	337642	GFCI Module 1PH	\$119.96
8.709-859.0	337643	GFCI Module 3PH (not pictured)	\$115.66

Enclosure Box for Magnetic Motor Starter Sets



- NEMA 65 non-metallic enclosure Dim: 4-1/3" W, 4" D x 6" H
- 8 (1/2"-3/4") wiring knockouts on box
- Holes pre-drilled for mounting contactor and overloads with mounting screws included

Part No.	Original No.	Description	List Price
8.902-525.0	260268X	Box, Toggle & Hardware	\$68.36

30 AMP Toggle Switch



- 30 Amp 600 Volt - DPST
- With or without box
- Rated for:
2 HP motor @ 115V
3 HP Motor @ 230V

Part No.	Orig. No.	Description	List Price
8.709-696.0	337187	Switch only	\$27.64
8.903-802.0	337188	Switch & Rain Tight Box	\$41.15
8.709-708.0	337210*	Switch w/ NEMA 1 Box	\$83.71

*Not Rain Tight (Baldor Replacement)

Manual Motor Starter w/ Sealed Box



- 25 Amp with adjustable overload
- Adjustment range 20-25 Amps
- Sealed box 3-1/4"W x 3-1/2"D x 6-1/2"H
- 110-500 Volt IEC rated
- 2 cord grips fit 1/2" threaded knockouts
- Protective cover over buttons
- Single & 3-phase wiring instructions

Part No.	Original No.	Description	List Price
8.709-709.0	337212	Motor Starter	\$122.21

Machine Control Cam Switches - 3 Position



- Heavy-duty rotary cam switches
- Legend plate reads Off/Pump/Burner
- Quick Make/Break action reduces arcing
- Wiring boot included (except 410242-3)
- Legend plate 2-1/2" square
- Four-screw mounting

Part No.	Original No.	Model	AMP Rating	Voltage	Phase	List Price
8.712-219.0*	410210	S220-1686	20	110V	1Ø	\$51.53
8.712-224.0*	410221	S220-1687	20	220V	1Ø	\$60.75
8.712-225.0*	410223	S220-1688	20	220V	3Ø	\$80.67
8.712-227.0*	410231	S225-1686	30	110V	1Ø	\$75.73
8.712-228.0*	410232	S225-1687	30	220V	1Ø	\$80.62
8.712-229.0*	410233	S225-1688	30	220V	3Ø	\$135.59
8.712-234.0	410242	S432-4095	40	240V	1Ø	\$188.99
8.712-235.0	410243	S432-1402	40	480V	3Ø	\$217.11

Single Hole Mounting - requires 1 22mm (7/8" Dia) hole

8.712-218.0	410208	220-1789	20	110V	1Ø	\$64.36
-------------	--------	----------	----	------	----	---------

Replacement Knob - fits those part numbers above marked with an asterisk ()

8.700-258.0	075052	Replacement Knob				\$13.84
-------------	--------	------------------	--	--	--	---------

"Big Boot" Cam Switch - 3 Position

Large rectangular boot for easier wiring.



- Mounting configuration and electrical ratings same as "S" switches above

Part No.	Original No.	Model	AMP Rating	Voltage	Phase	List Price
8.712-238.0	410260	T225-1686	30	110V	1Ø	\$83.64
8.712-239.0	410262	T225-1687	30	240V	1Ø	\$86.51
8.712-241.0	410265	T225-1688	30	240V	3Ø	\$142.42

Single Hole Mounting - requires 1 22mm (7/8" Dia) hole

8.712-223.0	410219	220-1843	20	220V	1Ø	\$80.20
-------------	--------	----------	----	------	----	---------

On / Off Cam Switch



- Legend plate: On/Off
- Tear drop-shaped knob
- Face plate 2-1/2" square
- Motor Ratings:
410202 – 1-1/2 HP/ 110V
410204 – 6 HP/ 240V

Part No.	Original No.	Description	List Price
8.712-213.0	410202	20 Amp/ 110 Volt	\$70.59
8.712-215.0	410204	28 Amp/ 240 Volt	\$83.21

ELECTRICAL COMPONENTS

Universal "Elektra"

UL/CSA Rated Machine control cam switches



8.712-236.0

8.712-237.0

8.712-240.0

- Position - "Off" - "Pump Burner"
- Quick make/break action - reduces arcing
- 2 or 4 screw mount (2-1/2" square legend plate)
- (Matches: Salzer/Kraus - Naimer/ Bremas & Klockner - Moeller mounts)
- "Boot" has plenty of wiring room
- Screw to screw/terminal to terminal replacement for salzer "S" & "J" type switches above
- "Tite Boot" excellent dust & moisture seal
- Contacts UL/CSA Rated: 25 Amp vs 20 Amp, 35 Amp vs 30 Amp, 50 Amp vs 40 Amp

Part No.	Orig. No.	AMP Rating	Wiring Poles	Phase	Voltage	HP Rating	List Price
8.712-236.0	410251	25	1	1	120	1.5	\$89.64
8.712-237.0	410253	25	2	1	120/240	1.5/2.0	\$108.54
8.712-240.0	410263	35	2	1	120/240	2/3	\$123.49
8.712-242.0	410267	50	2	1	120/240	3/7.5	\$162.03

NOTE: None of the ELEKTRA switches are for use on 3 phase motors without adding fuses or thermal overload.



"Elektra" On - Off Switch with box UL/CSA Rated 25 & 35 Amp. Compact 3-1/4" Square x 3-3/4" Deep Enclosure "Versatile Mount".

Part No.	Orig. No.	AMP Rating	Wiring Poles	Phase	Voltage	HP Rating	List Price
8.712-214.0	410203	25A	2	1	120/240	1.5/2	\$136.30
8.712-216.0	410205	35	2	1	120/240	2/3	\$188.11

NOTE: None of the ELEKTRA switches are for use on 3 phase motors without adding fuses or thermal overload.

60 AMP On / Off Cam Switch & Box

Cam Action Fast "Make-Break" to reduce arcing.



- 60 Amp disconnect rating
- Four 1/2" knock-outs
- Versatile mounting
- Motor Ratings:
7.5 HP @ 240vt 1Ø
5.0 HP @ 240vt 3Ø
30 HP @ 480vt 3Ø

Part No.	Orig. No.	Description	List Price
8.712-217.0	410206	60 Amp Switch w/ Large Box 4-1/2" w x 7" H x 3-3/4" D	\$160.71
8.712-211.0	410190	60 Amp Switch only	\$104.72
8.712-212.0	410192	Box only 3-7/8" x 4-7/8" x 2-3/4" for 410190 switch using 10 gage/smaller wire	\$49.68
8.700-489.0	076521	Knob	\$8.52

NOTE: Switch does not have thermal overload protection

Winco AC Generator

2000 Watt, 120 VT, 3600 RPM, 16.7 Amp.



- Industrial-duty - 3 carbon brushes
- The STANDARD in the pressure washing industry: WINCO 2FSM2PC-1
- Starts & runs 1/2 HP motor
- 5/8" diameter shaft rotates either direction
- Extra slip ring for smoother power curve during motor starting
- Dual sealed permanent bearings
- 15" L x 6.5" W x 6.75" H
- 59 lbs weight

Part No.	Original No.	Description	List Price
8.716-610.0	337440	Winco AC Generator	\$863.16

- Genuine Winco parts
- Save downtime—we stock below items & more!

Part No.	Original No.	Description	No. Req'd	List Price
Winco Repair Parts				
8.700-603.0	078451	Bearings	2	\$19.93
8.716-615.0	078452	Brushes	3	\$15.86
8.700-607.0	078455	Rectifier	1	\$85.59
8.700-609.0	078457	Receptacle	2	\$12.70
8.700-611.0	078459	Fan	1	\$11.23

Voltmaster Generator

2500 Watt/120V/21.6 Amp @ 3600 RPM.



- Industrial-type watertight enclosure (11-5/8" x 7-1/2" diameter)
- Brushless design
- All copper windings - High surge capacity
- Circuit breaker protection (standard)
- Shaft rotates either direction
- 7/8" shaft, 2 sealed (ball) bearings
- 36.5 lbs weight
- Adapter plate for replacement of Winco model 2FS2PC-1 available

Part No.	Original No.	Description	List Price
8.709-810.0	337441	2500 Watt Generator	\$698.00
8.903-806.0	337443	Adapter Plate & Fasteners	\$57.20

Adjustable Thermostat



With panel-mount controls.



- 4000 PSI
- 302°F
- 3 1/2" immersion bulb w/ 60" capillary tube
- Accuracy ± 2.5%
- Temperature change response within ± 6°F
- 16 Amp - 250 volt
- Large easy read dial
- Seal, nut & 1/2" transition coupling included

Part No.	Original No.	Description	List Price
8.712-494.0	430050	0-194°F Thermostat	\$49.25
8.712-497.0	430058	0-248°F Thermostat	\$48.00
8.904-557.0	430060	0-302°F Thermostat	\$46.56

Adjustable Flow Thru Thermostat



8.700-501.0



8.914-555.0

- Stainless Steel Case
- Silver Contacts
- Ceramic Insulation
- Stop Collar
- Tension Adjusting Screw
- 3000 PSI
- 10 Amps - 110 Volts
- 5 Amps - 220 Volts
- Adjustable 85° - 195°
- 1/2" inlet, 3/8" outlet
- Fenwall Inside

Part No.	Original No.	Description	List Price
8.904-555.0	430027	Thermostat	\$143.56
8.700-501.0	076731	Switch Only	\$88.35

Brass In Line Thermostat

In Line Controls for Pressure Washers and Steamers.



- Positive bimetal temperature control
- 1/2" inlet/outlet FPT ports
- 3000 PSI max working pressure
- Universal 1/4" spade terminal connection

Part No.	Original No.	Description	List Price
8.712-492.0	430025	60-230°F	\$80.07
8.712-493.0	430035	60-340°F	\$93.25

Digital Monitor

Provides accurate testing and monitoring of electrical outlets and systems.



- Constantly monitors voltage and frequency indicated potential improper polarity and ground wiring
- Accurate testing and monitoring of all AC power sources
- RMS voltage and frequency meter
- Multi-tone fault alarm
- Hands-free auto reset
- Advanced microelectronics
- One button operation

Part No.	Description	List Price
8.749-947.0	Digital Monitor	\$130.41

RainTite Switch Box



- UL 728A
- 2-3/4" x 5-1/2" x 2" box
- Three 1/2" tapped holes
- Box includes 2 plugs, ground screw & mounting lugs
- Cover includes gasket

Part No.	Original No.	Description	List Price
8.709-702.0	337203	RainTite Switch Box	\$7.98
8.709-703.0	337204	Switch Box Cover	\$3.13

Cord Caps / Plugs



8.709-653.0 8.709-655.0 8.709-656.0

8.709-659.0

- Industrial quality
- Dead front cord caps – Nylon body straight plugs & "Auto-Clamp" for cord
- 337013 angle plug has vinyl body and both 30A & 50A neutral leg

Part No.	Original No.	Description	List Price
8.709-653.0	337000	15A/120V, Black Nylon	\$8.85
8.709-655.0	337004	20A/120V, Black Nylon	\$12.98
8.709-656.0	337006	20A/250V, Black Nylon	\$14.64
8.709-659.0	337013	30A-50A/250V, Black Vinyl	\$27.08

Romex Connectors (Metal)



Part No.	Original No.	Description	List Price
8.709-663.0	337020	1/2" Strt. Connector	\$0.69
8.709-664.0	337021	3/4" Strt. Connector	\$1.67
8.709-660.0	337017	1/2" Lock Nut Only	\$0.19
8.709-661.0	337018	3/4" Lock Nut Only	\$0.24

ELECTRICAL COMPONENTS

Liquid-Tight Strain Relief Connector for Cable, Wire & Tubing

Keep water-tight NEMA-4 & 4x enclosures water-tight with these unique fittings.



DOME NUT WITH INSIDE TAPER As the dome nut is tightened, the seal ring grips, holding the cable wire or tubing positively in place.

LEAD SCREW THREAD The dome nut can be firmly tightened due to the high strength lead screw thread.

Part No.	Type	Thread	Cord Size	Cord OD	Length	List Price
8.709-687.0	Dome	1/2" NPT	14/3-12/3	.230"-.470"	1.8"	\$3.63
8.709-688.0	Dome	3/4" NPT	14/3-12/3	.350"-.630"	2.0"	\$8.38
8.709-689.0	Dome	3/4" NPT	12/3-10/4	.510"-.710"	2.0"	\$6.66

PLASTIC JAM NUTS

Part No.	Thread	List Price
8.709-697.0	337190 1/2" NPT	\$1.46
8.709-698.0	337192 3/4" NPT	\$1.66



CLAMPING SPLINES Various sizes and odd-shaped cables, wires and tubing can be accommodated due to overlapping diagonally split clamping splines.

Part No.	Type	Thread	Cord Size	Cord OD	Length	List Price
8.709-690.0	Flex	1/2" NPT	14/3-12/3	.230"-.470"	4.3"	\$5.83
8.709-692.0	Flex	3/4" NPT	12/3-10/4	.51"-.71"	5.2"	\$13.43

Vinyl Electrical Tape



- Premium grade - 7 mil
- UL approved
- 3/4" x 60'

Part No.	Original No.	Description	List Price
8.704-706.0	118910	Roll 3/4" x 60'	\$2.30

Wire Loom - for wiring harnesses



- Protects wires from abrasion and crushing
- Controls bundles of wires and allows for multiple exits at wiring points
- "Factory Perfect" look for all machines

Part No.	Original No.	Description	List Price
8.709-679.0	337120	1/4" ID 100' Roll	\$37.01
8.709-680.0	337121	3/8" ID 100' Roll	\$44.55
8.709-681.0	337122	1/2" ID 100' Roll	\$48.21
8.709-682.0	337123	5/8" ID 100' Roll	\$56.46

If you don't find it in the Catalog,
CALL we likely have it.
 If not, we can get it!

Molded Plastic Float Tanks



- Molded polypropylene
- 7 liter size: 13" x 5" x 6"
- 1 gallon size: 10" x 5" x 8"
- No holes for max flexibility
- 1 gallon tank has tight-fitting lid, included
- 7 liter tank lid is snap-on & sold separately

Part No.	Original No.	Description	List Price
8.710-026.0	343002	7-Liter Tank Only	\$17.37
8.710-027.0	343003	7-Liter Tank Lid	\$7.97
8.710-028.0	343004P	1-Gallon Tank w/ Lid	\$19.44

Stainless Steel Float Tank



- Fully welded and water tight
- 2.8 gallon capacity
- 12" x 9" x 6"
- 16 gauge #303 stainless steel
- 1/2" full coupling (SS) inlet/outlet
- Convenient mounting tabs

Part No.	Original No.	Description	List Price
8.710-029.0	343006	Stainless Steel Float Tank	\$216.77
8.710-034.0	343016	Stainless Steel Lid	\$45.29

9 Gallon Fuel Tank



- Strap or Bolt mount (4/5/16" inserts in bottom)
- Metal inset 3/8" inlet/return lines
- Black - Crosslinked PE
- Vented fuel cap
- Filler neck doesn't extend beyond tank wall
- Compact Size: 19-3/4" L x 12" W x 10-1/2" H

Part No.	Original No.	Description	List Price
8.710-142.0	344735	9 Gallon Fuel Tank - Plastic	\$137.90

NOTE: Includes fuel cap

Fuel Caps



- For gas or diesel fuel tanks
- Fits standard 2-1/4" fuel necks

Part No.	Original No.	Description	List Price
8.710-137.0	344725	Fuel Cap	\$13.74
8.701-700.0	091520	Fuel Cap with Gauge 10"	\$50.38

Fuel Tanks



8.749-322.0



8.749-324.0



8.749-321.0



8.749-323.0

- Seamless one-piece construction of marine grade, UV-protected polyethylene
- Built-in reserve (When gauge reads Empty, tilt to access additional fuel!)
- Rugged fill neck cap with vent
- 90° fuel withdrawal fitting
- Easy-to-read sight gauge
- 4 shapes & capacities from which to choose

Part No.	Gallons	Height	Length	Width	List Price
8.706-624.0	6.5	10.0"	21.50"	13.75"	\$70.32
8.749-324.0	9.0	10.0"	29.5"	13.75"	\$100.81
8.749-321.0	12.0	14.5"	23.0"	14.0"	\$118.91
8.749-323.0	12.0	11.5"	24.0"	18.0"	\$121.18

CHASSIS COMPONENTS

Battery Boxes with Cover, Marine Style

Protect batteries on pressure washers, boats or other industrial equipment.



- Attractive molded polypropylene
- Complete with hold-down cleats and strap for cover

Small:
L: 8-1/2" W: 6" H: 8-1/2"
Large: L: 11-1/4"
W: 7-3/4" H: 10-3/4"

Part No.	Original No.	Description	List Price
9.802-090.0	306625	Small Box	\$21.27
9.802-075.0	306627	Large Box	\$18.48

Hand Tote II



- Strong 1" square steel tubing
- Rubber mounting feet for stability
- Compact size – 12" W x 19" H x 17" D
- Durable gloss black polyurethane finish

Electric: 1.5 HP - 5.0 HP
56C Motor

Gas Eng:
4.0 HP - 6.5 HP Honda
3.0 HP - 6.0 HP B&S /
B&S Vanguard engines

Part No.	Original No.	Description	List Price
8.905-567.0	565230X	Hand Tote II	\$91.64

Complete Wheels



8.711-901.0



9.802-270.0

- High quality pneumatic, and semi pneumatic
- Fits 5/8" shaft



9.802-271.0



8.712-762.0

Part No.	Original No.	Description	List Price
8.711-901.0	4-0304	10" Mag	\$46.38
9.802-270.0	4-0303	10" Steel Rim w/ Tube	\$14.38
9.802-271.0	4-0307	13" Steel Rim	\$20.40
8.712-762.0	480115	10" White steel rim, 3/4" Hub Tubeless	\$32.80



Interchangeable Bearings

Part No.	Original No.	Description	List Price
8.700-484.0	076504	5/8" Bore Bearing	\$2.10
8.700-486.0	076505	3/4" Bore Bearing	\$1.94
8.700-485.0	076504P	5/8" Nylon Bearing	\$2.20

Hub Caps

Part No.	Original No.	Description	List Price
8.700-183.0	071625	3/4" Hub cap	\$1.29
8.700-184.0	071627	5/8" Hub cap	\$0.94

For best value,
look for Legacy and A+ products
throughout the catalog



Legacy Undercarriage Cleaner



Legacy is proud to offer the Undercarriage Cleaner, an ideal way to clean under vehicles and heavy equipment.

- No more crawling under a vehicle
- Simply connect to your hot or cold water pressure washer
- Easy to handle & maneuver
- Removes road grime, fuel & oil contaminants
- Removes snow sludge & ice
- Provides a clean working environment for technicians
- Stainless steel rotating assembly built to withstand pressures up to 4000 PSI and 250°F
- 5.5" Required Clearance
- 7250 PSI Carbon Steel Ball Valve
- 4 Nozzles: (2) 0° #2.0, (2) 25° #2.0



Chosen by readers as one of the **Top 10 Tools for 2008** Undercar Digest magazine



Part No.	Description	List Price
8.749-303.0	Undercarriage Cleaner	\$998.00

PRESSURE WASHER ACCESSORIES

Cyclone Rotary Surface Cleaner



The "Cyclone" rotary surface cleaner can be used with most hot and cold water washers. It reduces overspray and zebra striping. Great for warehouse floors, sidewalks, pool decks, parking lots, etc.

- 4-10 GPM
- 2000 - 3500 PSI
- 200°F
- Polyethylene housing
- Collapsible handle
- Pneumatic tires
- 20" diameter surface cleaning
- Up to 5 gpm
- Weight: 35 lbs

Part No.	Original No.	Description	List Price
8.903-608.0	30-587	"Cyclone" Surface Cleaner	\$1,168.00

Whisper Wash Flat Surface Cleaners

- Saves labor, fuel & water
- Eliminates overspray and zebra striping
- Use with conventional pressure washers
- Use with cold or hot water
- Balanced spray bar
- Quick connection
- 2,000 to 4,000 PSI
- 2500 RPM

Applications:

- Service Stations
- Pool & Patio Decks
- Warehouse Floors
- Loading Docks
- Parking Lots
- Public Facilities
- Restaurants
- Gondolas
- Stadiums
- Marina Docks
- Driveways
- Sidewalks
- School Yards
- And lots more!!

The "Maxima 36"

- Portable Breakaway Handle
- 212°F
- 4-10 GPM
- 2500 RPM
- Dimensions:
 - Cover: 36"
 - Handle: 77"
- Weight 37 lbs



Part No.	Original No.	Description	List Price
8.710-089.0	343636	Maxima 36	\$2,100.54

Ground Force

- Flip and fold handle
- Choice of 2 or 4 nozzles
- Rebuildable swivel
- 212°F
- 4-10 GPM
- Dimensions: 24" x 60" x 9"
- Weight 29 lbs



Part No.	Original No.	Description	List Price
8.710-076.0	343608	Ground Force	\$1,632.13

Whisper Wash Flat Surface Cleaners - continued

The "Big Guy"

- Powder coated aluminum housing
- Oversized, self-lubricating twin thrust bearings
- Choice of 2 or 4 nozzles
- 10" pneumatic tires, 4" caster
- Crafted with durable stainless steel & aircraft aluminum
- 212°F
- 4-10 GPM
- Dimensions: 28" x 44" x 12"
- Weight 48 lbs



Part No.	Original No.	Description	List Price
8.710-074.0	343606	Whisper Wash Big Guy 2 Nozzles	\$1,645.78
8.710-075.0	343607	Whisper Wash Big Guy 4 Nozzles	\$1,670.59
8.750-604.0	092110	Swivel, Complete Big Guy & Classic	\$508.00
8.701-879.0	092105	Repair Kit, Seal, Big Guy & Classic	\$78.76
8.701-874.0	092101	Spraybar, 4 Nozzle, Big Guy	\$155.40
8.701-876.0	092102	Spraybar, 2 Nozzle, Big Guy	\$178.29

The Classic

- Portable breakaway handle
- ABS Housing
- 2" nylon brush
- 212°F
- 4-10 GPM
- Dimensions: 19" x 77" x 12"
- Weight 28 lbs



Part No.	Original No.	Description	List Price
8.710-073.0	343605	Whisper Wash Classic	\$1,415.81
8.750-604.0	092110	Swivel, Complete Big Guy & Classic	\$508.00
8.701-879.0	092105	Repair Kit, Seal, Big Guy & Classic	\$78.76

The Ultra Clean WW

- ABS Housing
- Four 3" casters
- Powder coated handle
- 185°F
- 3-6 GPM
- 2500 RPM
- Dimensions: 19" x 43" x 9"
- Weight 23 lbs



Part No.	Original No.	Description	List Price
8.710-072.0	343604	Whisper Wash Ultra Clean WW	\$1,055.62

Whisper Wash Flat Surface Cleaners
- continued

The Ultra Clean HC



- ABS Housing
- 2" nylon brush
- Powder coated handle
- 185°F
- 3-6 GPM
- Dimensions: 16" x 43" x 9"
- Weight 19 lbs

Part No.	Original No.	Description	List Price
8.710-071.0	343603	Whisper Wash Ultra Clean HC	\$935.06

Repair Kits

Part No.	Original No.	Description	List Price
8.701-879.0	092105	Seal Kit; Classic, Big Guy & Ground Force	\$78.76
8.701-882.0	092108	Seal Kit; Ultra Clean	\$81.87
8.701-883.0	092109	Complete Swivel Kit; Ultra Clean	\$415.00
8.750-604.0	092110	Complete Swivel Kit; New Style Classic, Big Guy & Ground Force	\$508.00
8.707-653.0	251119	2.5 x 25° 1/4" nozzle fits All Models	\$6.22

SideWinder Surface Cleaner



8.739-432.0

- 2000-4000 psi
- 12 GPM max
- 210°F
- Available in collapsible & fixed models



8.739-431.0

- Available in both black and red
- Heavy duty aluminum handle
- 20" deck
- 19 lbs.

2-Year Mfg. Warranty

Part No.	Original No.	Description	List Price
8.739-431.0	343690	SideWinder 105F Fixed Black	\$1,333.77
8.739-432.0	343691	SideWinder 105C Collapsible Black	\$1,525.20

Mosmatic Gun Swivel



Mounts to your high pressure gun or lance for an easy turning, low maintenance gun swivel



- 4000 PSI
- 250°F
- 30 RPM

Part No.	Original No.	Description	List Price
8.712-467.0	421057	1/4" MPT / 1/4" FPT Gun Swivel	\$53.80
8.712-466.0	421056	3/8" MPT / 3/8" FPT Gun Swivel	\$53.80

Mosmatic Surface Cleaners & Duct Cleaner



Turbo Surface Cleaner

Delivers high-pressure performance with low maintenance for any hot or cold pressure washer. Completely stainless steel design makes this the toughest surface cleaner available in the pressure cleaning market.



- 250°F
- 4000 PSI
- 6.5lbs

Swiss engineered with high RPM Swivel features reinforced self-lubricated stainless steel ball bearings and dual spring based carbide seal bushings for long-lasting operation under tuff conditions.

Ideal for Pressure Washer Contractor to clean Walls, Ceilings, Public Facilities, Tile Floors and other hard to reach areas. Uses 1/8" meg 1503 nozzles.



- 250°F
- 4000 PSI
- 2lbs
- Inlet Ports: 3/8" NPTF

Duct Cleaner

Designed as an accessory for use with high pressure pumps or pressure washers. Cleans Ducts, Chutes, Vents, Restaurant Exhausts, Tanks, etc.

Self rotating and feeding stainless steel triple bearing system for constant easy turning. Nozzle holders are 1/8" NPTF. Nozzles are sold separate.

12" Surface Cleaner

Designed for effortless cleaning of small areas including walls and angled surfaces.

High RPM swivel with integrated toggle joint and adjustable tension system.



- 250°F
- 4000 PSI
- 9lbs
- 12" SS Cover




Part No.	Original No.	Description	PSI	List Price
8.712-284.0	411171A	Turbo Cleaner - 8"	4000	\$590.43
8.712-285.0	411172	Toggle Joint KGK	4000	\$149.33
8.712-280.0	411156	Duct Cleaner TXR-2s, Adjustable	4000	\$530.43
8.712-279.0	411155	Duct Cleaner TXR-2s, Fixed	4000	\$487.53
8.749-911.0		Surface Cleaner - 12"	4000	\$640.00

Mosmatic Roof Cleaner



Industrial quality tool specially designed for efficient, high pressure roof cleaning while keeping the operator in a safe area.

- 21-inch
- 4000 PSI
- 250°F
- 31.9 lbs.
- Pressure gauge
- Ball valve
- Adjustable Wheels (height & width)
- Safety eye connection for rope or cable
- (2) 1/8" nozzles sold separately



Part No.	Description	List Price
8.749-910.0	Mosmatic Roof Cleaner	\$2,249.17

PRESSURE WASHER ACCESSORIES

Undercarriage Cleaner



- No more crawling under a vehicle
- Simply connect to your hot or cold water pressure washer
- Easy to handle & maneuver
- Removes road grime, fuel & oil contaminants
- Removes snow sludge & ice
- Provides a clean working environment for technicians
- Stainless steel rotating assembly built to withstand pressures up to 4000 PSI and 250°F
- 5.5" Required Clearance
- 7250 PSI Carbon Steel Ball Valve
- 4 Nozzles: (2) 0° #2.0, (2) 25° #2.0



Part No.	Description	List Price
8.749-303.0	Undercarriage Cleaner	\$998.00

Oil-Fired Hot Box



Add hot water cleaning economically! Portable water heater add-on for existing cold water pressure washers. Quick Connect to cold water washer, supply fuel and power to Euro-Heat for hot water cleaning applications - USE ONLY WHEN NEEDED and keep the convenience of the portable cold water washer.




- 3000 PSI
- Quick Hookup - 3/8" QC inlet/outlet
- Easy service access to burner parts
- Efficient vertical combustion configuration
- Diesel, Kerosene, #1 Heating Oil
- 10" Easy roll tubed pneumatic wheels
- 5 gallon plastic fuel tank
- Compact size - 37" W x 27" L x 39" H
- 36' Ground Fault Interrupter plug
- Thermostat temperature control


Part No.	Original No.	Description	List Price
1.103-910.0	HR-5030D	5 GPM / 3000 PSI - 120V	\$3,090.00

Goff's Curtain Walls

Build a Power Wash Cell to meet your needs. Goff's Curtain Walls™ increase useable floor space while controlling overspray, contaminants, climate, and noise levels. Curtain Walls™ glide easily on steel track and dual-wheeled rollerhooks. Made from a combination of 14-oz. heavy-duty, reinforced vinyl and double-polished 20-mil clear PVC material. Reinforced hems and chain-weighted lower hems add durability. Hook and loop fasteners on side hems attach to adjacent panels. Meet NFPA-701 requirements for flame retardancy. Curtains are also rot and mildew resistant. Standard model has a white vinyl top, clear PVC center, and blue vinyl bottom.



- #2 Brass tooth grommets on 1' centers
- 14 oz. reinforced vinyl white top section
- All seams double locked stitched
- Hook & Loop Fasteners allow adjacent panels to be easily attached to one another
- 20 mil. double polished clear window
- All sections joined together using mildew/rot resistant thread
- 14 oz. reinforced colored vinyl section (your choice of over 12 different colors)
- Chain weighted lower hem



Part No.	Original No.	Description	PSI	List Price
Single				
9.841-694.0	681133	6' width x 12' high	1500	\$390.60
8.717-007.0	681083	12' width x 8' high	1500	\$533.48
8.717-008.0	681084	12' width x 9' high	1500	\$568.07
8.739-485.0	681082	12' width x 12' high	1500	\$671.93
8.717-009.0	681086	24' width x 10' high	1500	\$1,205.38
8.739-486.0	681087	24' width x 12' high	1500	\$1,341.79
Station				
9.841-695.0	681145	4-sided x 12' high	1500	\$4,602.14

includes hardware, track & rollers (white top, clear center & blue bottom panel)
All 2,3 & 4-sided stations are 12' wide x 24' long (see diagram above)

Other sizes available - call for details

Water Broom 16"



- 4000 PSI
- Fits any 1/4" wand
- Requires (4) 1/4" nozzles and wand

Part No.	Original No.	Description	List Price
8.710-082.0	343615	Water Broom 16"	\$59.05

Professional Sandblast Head



- Long-wearing Carbide sand nozzle
- 1/4" FPT water inlet
- 200°F
- 10 GPM
- 3500 PSI
- Sand probe weight 6 oz, length 16"
- Head weight 13 oz

Nozzle Size	Part No.	Original No.	List Price
3.5	8.711-242.0	391631	\$118.74
4.0	8.711-243.0	391632	\$118.74
4.5	8.711-244.0	391633	\$118.74
5.0	8.904-403.0	391634	\$118.74
5.5	8.711-245.0	391635	\$118.74
6.0	8.904-404.0	391636	\$118.74
8.0	8.711-246.0	391637	\$118.74

Part No.	Original No.	Description	List Price
8.711-247.0	391640	Sand Probe	\$14.01
8.901-264.0	121041	1/2" ID Polybraided Tubing, 25'	\$16.64

Sandblast Kit - Carbide Nozzle Industrial Grade



A Venturi orifice creates a uniform blast pattern, doubles sand velocity and produces up to 45% more work with 20% less sand.



- 5500 PSI Max Working Pressure
- 10 GPM Max Flow
- 200°F
- 10 lbs.
- Nozzle tips sold separately

Part No.	Original No.	Description	List Price
8.701-485.0	084079	Sand Blast Kit DWSDBTK	\$185.00

Sandblast Nozzles Tips



Replacement tips for Sandblaster Kit (part no. 8.701-485.0 - Original no. 084079)

- Use 1/4" meg 5° spray tip

Part No.	Original No.	Description	List Price
8.707-668.0	251159	4.0 x 5° Tip	\$6.22
8.707-685.0	251198	5.0 x 5° Tip	\$6.22
8.707-696.0	251221	5.5 x 5° Tip	\$6.22
8.707-701.0	251237	6.0 x 5° Tip	\$6.22
8.707-709.0	251256	6.5 x 5° Tip	\$6.22

Sandblast Kit - Carbide Nozzle Industrial Grade



A Venturi orifice creates a uniform blast pattern, doubles sand velocity and produces up to 45% more work with 20% less sand.



8.701-617.0

- Solid carbide blast nozzle
- Venturi orifice design
- Volume control sand feed valve
- Up to 3500 PSI
- Up to 750 lbs of sand per hour

Kit contents: Sand head with carbide nozzle, 20" lance, Sand probe, 13-1/2' sand hose, Sand flow regulator valve

Orifice Size	Part No.	Original No.	List Price
4.0	8.904-397.0	391554X	\$318.18
4.5	8.904-396.0	391553X	\$318.18
5.0	8.904-398.0	391555X	\$318.18
5.5	8.904-395.0	391550X	\$318.18
6.0	8.904-399.0	391556X	\$318.18
7.0	8.904-400.0	391557X	\$318.18
10.0	8.904-402.0	391560X	\$318.18

Part No.	Original No.	Description	List Price
8.701-620.0	086941	Solid Carbide Nozzle only	\$152.19
8.701-617.0	086930	Probe only	\$77.53

Tip-Jet Nozzles for water nozzle replacement or for system volume changes

Orifice Size	Part No.	Original No.	List Price
3.0	8.708-016.0	253316	\$12.90
4.0	8.708-019.0	253330	\$12.90
4.5	8.708-023.0	253338	\$12.90
5.0	8.708-027.0	253346	\$12.90
5.5	8.708-031.0	253355	\$12.90
6.0	8.708-035.0	253365	\$12.90
6.5	8.708-039.0	253375	\$12.90
7.0	8.708-042.0	253383	\$12.90
7.5	8.708-046.0	253392	\$12.90
8.0	8.708-050.0	253400	\$12.90
9.0	8.708-054.0	253415	\$12.90
10.0	8.708-058.0	253456	\$12.90

PRESSURE WASHER ACCESSORIES

Dual Chemical Systems



- New deep-ribbed Yellow casing, stays flexible even in cold temperature
- Hose assembly complete with gun and amphenol connectors pre-wired
- Fully compatible with Power Blaster, Two-Step, Chemex and most other cold water dual chemical systems

Part No.	Original No.	Description	List Price
Complete Hose Assembly			
8.709-044.0	285116	80' R2 Electric (5 wire)	\$1,206.19
8.709-045.0	285120	100' R2 Electric (5 wire)	\$1,396.37
Lance Attachment Parts			
8.709-049.0	285136	Female Receiver	\$16.25
8.709-050.0	285137	Male Lance Swivel	\$20.45
8.709-051.0	285138	Retainer Nut	\$19.61
Complete Remote Gun Unit			
8.709-046.0	285125	Gun, Electric	\$280.08
Remote Gun/Hose Parts			
8.709-048.0	285135	Gun Housing	\$171.09
8.709-053.0	285139	Switch P/B	\$23.17
8.709-054.0	285140	Switch, Chemical	\$11.42
8.709-056.0	285142	Switch Plate	\$11.12
8.903-083.0	285144	O-ring, Nipple (2 req'd)	\$0.45
8.903-084.0	285145	O-ring, Nipple (Bags of 50)	\$9.39
8.709-060.0	285175	Swivel Adapter	\$9.59
8.709-061.0	285177	Cord Grip	\$26.36
8.709-063.0	285181	Oetiker clamp	\$18.59
8.709-064.0	285187	Switch - Push Button Trigger	\$16.13
8.709-065.0	285189	Toggle, DPDT (Trig) On/Off/On	\$18.59

Stainless Steel Sewer Nozzles



- 4100 PSI
- Corrosion Resistant Stainless steel
- One Forward Orifice
- Three Rear Orifices

Part No.	Original No.	FPT	Size	List Price
8.710-905.0	373075	1/8"	5.0	\$15.65
8.710-906.0	373076	1/8"	5.5	\$15.65
8.710-907.0	373077	1/8"	6.0	\$15.65
8.710-908.0	373078	1/4"	6.5	\$17.34
8.710-909.0	373079	1/4"	7.0	\$17.34
8.710-910.0	373080	1/4"	9.5	\$17.34


Sewer / Tube Cleaning Nozzles **SUTTNER**

The reverse jets on the fixed and rotary nozzles pull the hose through the tube or sewer line and blast debris from line or tube walls.



- Backward ports drive the nozzle forward and flush debris
- Forward ports blast into pipe and breaks up clogs & debris
- Physically small for cornering ability
- 4200 PSI
- Corrosion resistant stainless steel construction
- Orifice size indicated on non-rotating styles
- Rotating style adds extra agitation and surface cleaning

Part No.	Original No.	Nozzle Size	O.D.	Ports	List Price
Non-Rotating Sewer Nozzles					
8.710-875.0	373024	1/8"	4.5	.580" 0-forward, 3 back	\$22.93
8.710-874.0	373023	1/8"	5.5	.580" 1-forward, 3 back	\$21.84
8.710-878.0	373027	1/4"	4.5	.730" 1-forward, 3 back	\$20.81
8.710-876.0	373025	1/4"	5.5	.730" 1-forward, 3 back	\$20.81
8.710-877.0	373026	1/4"	6.0	.730" 1-forward, 4 back	\$21.43
8.710-880.0	373029	1/4"	7.5	.730" 1-forward, 4 back	\$21.84
8.710-879.0	373028	1/4"	8.0	.730" 1-forward, 3 back	\$21.84
8.710-881.0	373032	1/4"	12	.730" 1-forward, 3 back	\$21.84
8.710-885.0	373038	3/8"	4.0	.920" 1-forward, 3 back	\$45.78
8.710-884.0	373037	3/8"	5.5	.920" 1-forward, 3 back	\$45.78
8.710-886.0	373039	3/8"	8.5	.920" 1-forward, 4 back	\$45.78
8.710-883.0	373036	3/8"	12	.920" 1-forward, 4 back	\$45.78
8.710-882.0	373035	3/8"	14	.920" 1-forward, 4 back	\$45.78



- Rotating sewer nozzle
- Adds extra agitation
- 4000 PSI
- **Back Jet Only**

Part No.	Original No.	Rotating Nozzle	Size	Ports	List Price
Rotating Sewer Nozzles					
8.710-899.0	373062	1/8"	5.5	0-forward, 3 back	\$43.93
8.710-898.0	373061	1/4"	5.5	0-forward, 3 back	\$44.76
8.710-900.0	373064	1/4"	8.0	0-forward, 3 back	\$43.93
8.710-887.0	373040	1/4" Duct Clnr*	5.5	0-forward, 2 side	\$46.05

*Duct Cleaner jet to sides instead of reverse



Sewer Hose

SUPER FLEXIBLE SEWER LINE HOSE Hose and couplings have small outside diameter, allowing hose and nozzles to fit through sewer line. Sewer line has Super Tough poly-ether cover over ultra-flexible nylon tube. (1/8" sewer nozzle and hose will operate through many 1-1/2" lines.)
(Nozzles not included.)



- 160°F
- Nylon tube, poly-ether cover

Part No.	Original No.	Description	List Price
1/8" hose – 4800 PSI, 1/4" inlet/1/8" outlet			
8.705-601.0	150960	1/8" x 25'	\$74.28
8.705-602.0	150963	1/8" x 50'	\$99.16
8.705-603.0	150964	1/8" x 100'	\$171.96
1/4" Hose – 2600 PSI, 1/4" inlet/1/4" outlet			
8.705-607.0	150968	1/4" x 50'	\$67.45
8.705-608.0	150970	1/4" x 100'	\$141.10
1/4" Hose – 4400 PSI, 1/4" inlet/1/4" outlet			
8.705-610.0	150972	1/4" x 50'	\$93.69
8.705-611.0	150973	1/4" x 100'	\$172.91

Foot Controlled Pressure Valve



Operators of sewer and tube cleaning equipment need both hands free to feed or retract the hose in the sewer line. Foot operated valve allows hands-free control.



- Inlet 3/8" - outlet 1/4"
- Brass body – Stainless steel valve
- Steel cover for safety
- Up to 12 GPM
- Up to 5000 PSI

Part No.	Original No.	Description	PSI	List Price
8.710-134.0	344200	Sewer Cleaner Foot Valve	3000	\$112.02
8.709-972.0	342024*	Foot Valve w/ ST-2305	5000	\$281.38
8.701-657.0	089006	Repair Kit - Foot valve		\$19.07
8.701-673.0	089850	Repair Kit ST-2305		\$12.40
8.711-526.0	4-0193	Kit, 25' Hose, #4.5 Nozzle, Foot Valve		\$186.79

*Heavy gauge steel construction for durability and stability

ST-36 Pit Boss Sludge Sucker **SUTTNER**

Sludge Sucker uses a high pressure water stream (1000-3000 PSI) to suck the sludge off the bottom of pits or tanks and eject it through a 1-1/2" (15' long) hose to a disposal tank.

The base unit attaches to the end of a pressure washer lance with a quick coupler for extension to the bottom of the pit. Uses a 0° tip for suction/power ejection.



- Uses standard 1/4" MPT nozzle
- Easy to change for different plumbing system flows and pressures

Part No.	Original No.	Description	List Price
8.711-112.0	376137	ST-35 Pit Boss, 5.5 Nozzle/ 15' Hose	\$159.98
8.711-110.0	376126	(Base unit only)	\$93.89

*w/o hose, nozzle or quick coupler (3/8" inlet port)

Drum Tool Accessories

The Indispensable Tools.



8.712-534.0



8.704-691.0



8.704-689.0



8.707-474.0



8.704-692.0

Part No.	Orig. No.	Description	List Price
8.712-534.0	449339	Drum Plug Wrench	\$27.34
8.704-689.0	118400	Lid-Off	\$10.23
8.704-691.0	118404	Funnel, 7" x 10"	\$20.22
8.704-692.0	118407	3/4" Faucet	\$4.15
8.704-693.0	118408	2" Faucet	\$33.19
Load Cincher Tie Downs			
8.707-473.0	249938	7/8" x 5-1/2' (Non-Ratchet) "Quick Lock"	\$10.70
8.707-474.0	249939	1" x 15' (Ratchet) "Tight Lock"	\$15.29

PRESSURE WASHER ACCESSORIES

Fiberglass "Super Handles"



- Tough - durable - lightweight
- No cracking - splintering
- No kinks - dents
- Safer around electrical hazards
- Easy-Twist cam lock extension
- Super heavy-duty aluminum alloy threads
- Standard 3/4" Acme thread fits: Brooms, brushes, utility tools
- Optional reduction adapter for 3/4" to Acme standard

Part No.	Original No.	Description	List Price
Super Handles			
8.709-306.0	306864	48" Length (4 ft)	\$18.80
8.709-307.0	306865	60" Length (5 ft)	\$20.83
8.709-308.0	306866	72" Length (6 ft)	\$24.03
Super-Extension Handles			
8.709-309.0	306868	4 ft to 8 ft Ext	\$43.89
8.709-310.0	306869	6 ft to 12 ft Ext	\$54.88
8.709-311.0	306870	8 ft to 16 ft Ext	\$73.35
8.700-308.0	075271	Threaded Adapter	\$3.63

Drum / Tank Pump - Crank Type

Chemical-resistant, lightweight pump, ideal for dispensing chemicals, pesticides and oils. **Polypropylene** for most alkalis, dilute acids, pesticides, and most oils & solvents. **Ryton** for extremely aggressive acids, aromatic and aliphatic hydrocarbons.



SPECIFICATION:

- 11 oz per revolution
- 6 GPM @ 70 RPM
- Viton seals
- Polypropylene gasket
- 2" bung adapter
- Outlet 3/4" barb 2 piece
- 47" suction tube
- Weight 2.6 lbs

Part No.	Original No.	Description	List Price
8.704-700.0	118435	Polypropylene Pump (Standard)	\$151.24
8.704-701.0	118438	Ryton Pump (Deluxe)	\$229.47
8.700-526.0	076975	Replacement Handles	\$17.78

Siphon Pumps

Siphon liquids from higher to lower levels. Simply pump the bellows a few times to prime and start flow. Loosen air lock to stop.



- Drum pump fits 15, 30 & 55 gallon drums
- Fit 2" bung opening
- Excellent for: Alkaline & acidic chemicals, diesel fuel, & oils
- Not for use with solvents!

Part No.	Original No.	Description	List Price
8.704-699.0	118431	Super Duty "PE/PVC" 7 GPM	\$30.00
8.704-698.0	118429	Red Hex Head (Heavy-duty)	\$17.50
8.704-696.0	118423	Red Head (Standard duty)	\$17.73
8.704-694.0	118420	Pail Pump (5 Gallon)	\$9.24

Brushes



Rotating Brush - Natural Bristle (soft) used for painted surfaces. Nylon Bristle (stiff) used for removing scum and grime on fiberglass boats, etc.



- Internal nozzle = size 20
- 8 GPM

Part No.	Original No.	Description	List Price
Brush Unit Complete			
8.709-312.0	306925	Natural	\$66.72
8.709-314.0	306935	Nylon	\$58.11
Replacement Brushes			
8.709-313.0	306927	Natural	\$35.74
8.709-316.0	306937	Nylon	\$30.91

Truck Wash Brush



- Flag-tipped
- Soft bristle
- ACME thread for Super Handles, or broom handles

Part No.	Original No.	Description	List Price
8.709-298.0	306800	2-1/2" Bristle w/Bumper x 10"	\$22.18
8.709-303.0	306818	2-1/2" Bristle x 18"	\$22.18
8.709-304.0	306824	2-1/2" Bristle x 24"	\$26.06
8.709-305.0	306860	60" Flow Thru Lance*	\$27.84

*with Acme Thread & Garden Hose Attachment

Deck Scrub Brush - Over / Under - Unique Heavy-duty Scrub Brush with Multi-Level/Angle.



- Trimmed for cleaning hard-to-reach areas
- 10" molded polypropylene foam block does not warp or absorb water
- Stiff polypropylene bristle for aggressive cleaning
- Excellent chemical resistance
- Use with threaded handle
- Not a Flow Thru

Part No.	Original No.	Description	List Price
8.709-302.0	306812	Deck Scrub Brush	\$21.83

Tractor Brush - Soft for gentle cleaning of fine finishes.



Part No.	Original No.	Description	List Price
8.709-300.0	306802	Flag Tip Window 10"	\$19.19

Compact Foamer



Generates a high density clinging foam for extended dwell time to increase chemical action



- Stainless steel, aluminum and brass
- 5" long, 1" diameter
- 4 and 6.5 nozzle included
- 1 to 5 GPM
- 195°F
- 2500 PSI

Part No.	Original No.	Description	List Price
8.903-998.0	344022V	1/8" F Inlet	\$55.24
8.903-999.0	344023V	1/4" F Inlet	\$51.43

NOTE: Most cleaning chemicals perform best when applied at 120° - 150°F and can be applied as a foam by adding a foaming agent. See your chemical supplier to obtain the correct product.

Foam Cannon

The Ideal Foam Generator Application Accessory meters the foaming chemical for customized foam type and applies the foam to match the application.



- Stainless Steel 1.5mm orifice (#5.5 nozzle equivalent)
- Brass meter valve
- 3000 PSI max pressure
- High impact glass-filled body
- 4.8 GPM max flow
- SS Foam Turbulator
- 176°F max temperature
- 1/4" FPT lance connect

Part No.	Original No.	Description	List Price
8.710-125.0	344030	Foam Cannon/ Injector	\$89.82
8.710-126.0	344032	Foam Cannon/ Injector/Bottle	\$106.48

Air Power Sprayers



- Pump-up style
- Heavy-duty plastic sprayers for chemical applications
- Both models have Adj. Nozzle – from mist to solid stream
- 2 gallon unit has 2' hose and hand trigger
- Excellent chemical resistance
- Locking hand pump handle serves as carrying handle

Part No.	Original No.	Description	List Price
8.704-703.0	118842	Thumb Button 3 Pint	\$32.64
8.704-702.0	118835	2 Gallon Sprayer	\$66.47

Foam Jet Kit



Long distance foam applicator. Shoots OVER 20 FEET of dense foam. Suction at 30 feet of height. Variable spray pattern.



- 5000 PSI
- 5.6 GPM
- 14" inlet
- 140° F

Part No.	Description	List Price
8.750-296.0*	Kit, Foam Jet, 5000 PSI, 5.6 GPM	\$120.90
8.750-429.0	Kit, Repair, Foam Jet Orings/ SS Filter	\$15.80
8.750-430.0	Kit, Repair, Foam Jet, Hose/ Valve/ Filter	\$47.01

* Includes tubing and fittings as shown

Lafferty Airless Foam Kit



Includes

- Machined stainless steel construction
- Stainless Steel chemical check valve
- Stainless steel Quick Disconnects
- 10' chemical tube with strainer
- Color-coded metering tips for up to 21 dilution ratios
- 0° nozzle for increased foam throw distance

Part No.	Water Flow Rate	@2000 PSI	@ 137.9 bar	List Price
8.749-908.0	Model 10	4.0 GPM	15.1 LPM	\$481.69
8.749-909.0	Model 20	6.0 GPM	22.7 LPM	\$475.50

Adjustable Foamer with Tank

Control the foam spray angle with the variable fan nozzle



- Horizontal variable fan nozzle
- Foam control adjustment knob
- PSI: 2600
- GPM: 5.3
- 140°F

Part No.	Description	List Price
8.710-124.0	Adjustable Foamer w/ Tank	\$90.91

PRESSURE WASHER ACCESSORIES

Thread Lock Products



- Direct replacement for Loctite® and Fel-Pro™ products
- ND™ anaerobic adhesives are liquid materials that cure to a solid, chemical-resistant plastic state when air is not present
- Excellent lubricant; prevents corrosion and fretting

Part No.	Original No.	Description	Loctite® Equiv	Bottle Size	List Price
8.704-644.0	112350	Nut Grade™	242	10 ml	\$13.94
8.704-645.0	112352	Nut Grade™	242	50 ml	\$42.34
8.704-646.0	112354	Nut Grade™	242	250 ml	\$139.43
8.704-648.0	112360	Stud Grade™	271	10 ml	\$14.40
8.704-649.0	112362	Stud Grade™	271	50 ml	\$43.14
8.704-650.0	112367	Penetrating Adhesive (Sealant) 290		10 ml	\$14.13

Nut Grade™ and Stud Grade™ are trademarks of the Oakland Corp. Loctite® is a registered trademark of the Loctite Corp.

Gloves - Industrial Duty

Industrial Grade Gloves for most industry needs chemical/ heat/ abrasion/ laceration protection.



- 8.704-669.0** Black, 14" PVC Glove lined with cotton for the most demanding chemical handling. Resists alkalines, acids – even works well as a sand-blasting glove.

- 8.704-668.0** Gray – Split Cowhide work gloves, 2-1/2" gauntlet unlined – Great general purpose work glove.

Part No.	Original No.	Description	List Price
8.704-668.0	116105	Gray Roughout	\$8.32
8.704-669.0	116114	Black PVC	\$7.14

Rain Suit - 2 Piece



- Heavy-duty 2-ply laminated vinyl (25 mil)
- Jacket & pants
- Bright safety yellow
- Vented for air flow

Part No.	Original No.	Description	List Price
8.704-666.0	116100	Large	\$21.15
8.704-667.0	116101	Extra Large	\$21.15

Amazing Pocket Reference - 3rd Edition

A ton of information in a 5 oz book!



- Air & gases
- Automotive
- Chemistry
- Electrical
- Physical constants
- Math
- 3350 conversion factors
- Plumbing & pipe
- Over 20 other subject areas

Part No.	Original No.	Description	List Price
8.712-505.0	449015	Pocket Reference	\$20.98

Shipping Tape & Dispenser

Big 2" x 110 yard rolls of clear. Biaxially-oriented polypropylene for secure packages.



- Heavy-duty tape dispenser with serrated blade

Part No.	Original No.	Description	List Price
8.704-707.0	118916	Dispenser Boxed	\$22.88
8.901-249.0	118918	110 Yard Roll	\$4.19

Teflon® Thread Sealing Tape



- Big 1/2" x 520' roll
- Mil - spec #T27730

Part No.	Original No.	Description	List Price
8.704-705.0	118905	Thread Sealing Tape	\$0.96

Profit From Power Washing

Geared specifically to determining the profitability, feasibility, and marketability of owning a pressure washing business. It covers the methodology so crucial in both starting and operating a pressure washing service. Topics covered include:



- Marketable Services
- Equipment Selection
- Equipment Use
- Personal Safety
- Target Markets
- Customer Relations
- Estimating
- Advertising
- Chemical Selection & Use
- Important Legal Issues
- Much More...

Part No.	Description	List Price
8.750-507.0	Profit From Power Washing	\$28.00

Yamada Pumps



100381

Air-powered double diaphragm pump, "Reliable Performance Since 1905". The answer to difficult product transfer problems. Air-drive allows freedom from electrical hazards or explosion-proof motor requirements. Choose from various wetted-parts materials to customize the pump to the chemical being pumped. YAMADA's smaller pumps are often used for pumping car wash chemical for 'low-pressure' functions. The 1/2" pump is also ideal for rapidly pumping oil, soap, etc., from 55 gallon barrels. Larger pumps are used for high volume product transfer. Since all pumps are designed without rotating parts, they can also handle abrasive liquids such as ceramic slip, sand slurry, or enamel frit without damage. **Have a unique challenge? Call us for help!**

- Environmentally-friendly non-lube air valve
- Automatic Start/Stop
- Infinitely variable flow control regulated by opening or closing discharge side valve and/or fluctuating air supply.
- Non-stalling air valve – positive switching every stroke and won't ice up
- Outside accessible air valve – easy inspection and maintenance
- Bolted flange connections – leak-free and easy maintenance
- Built-in abrasion- and chemical-resistance
- Virgin diaphragm materials last twice as long as other pumps
- 100 PSI
- 180° F
- 1/4" model delivers 3.4 GPM with 20 – 100 PSI drive air
- 1/2" models deliver 15 GPM with 20 – 100 PSI drive air
- 3/4" models deliver 19.5 to 27.3 GPM with 20 – 100 PSI drive air
- 1" models deliver 35.7 to 48.3 GPM with 20 – 100 PSI drive air



100384

Part No.	Orig. No.	Intake & Discharge	Air Inlet w/ball valve	Air Exhaust w/B-I muffled	Pump Body	Diaphragm Material	Max Flow @ 100 PSI	Max Solid	List Price
8.702-180.0	100381	1/4" FPT	1/4" FPT	3/8" FPT	Poly	Teflon®	3.4 GPM	N/A	\$516.19
8.702-181.0	100382	1/4" FPT	1/4" FPT	3/8" FPT	Kyn	Teflon®	3 GPM	N/A	\$1,088.48
8.702-200.0	100410	3/8" FPT	1/4" FPT	3/8" FPT	Poly	Teflon®	6 GPM	1/32"	\$828.23
8.702-201.0	100411	3/8" FPT	1/4" FPT	3/8" FPT	Poly	Santoprene®	6 GPM	1/32"	\$636.35
8.702-182.0	100383	1/2" FPT	1/4" FPT	3/8" FPT	Poly	Hytrel®	15 GPM	1/32"	\$657.92
8.702-183.0	100384	1/2" FPT	1/4" FPT	3/8" FPT	Poly	Santoprene®	15 GPM	1/32"	\$628.90
8.702-184.0	100385	1/2" FPT	1/4" FPT	3/8" FPT	Poly	Teflon®	15 GPM	1/32"	\$702.69
8.702-187.0	100391	3/4" FPT	1/4" FPT	3/4" FPT	Poly	Neoprene	27.3 GPM	1/16"	\$1,083.58
8.702-188.0	100392	3/4" FPT	1/4" FPT	3/4" FPT	Poly	Buna-N	27.3 GPM	1/16"	\$987.55
8.702-189.0	100393	3/4" FPT	1/4" FPT	3/4" FPT	Poly	Hytrel®	27.3 GPM	1/16"	\$1,083.58
8.702-190.0	100394	3/4" FPT	1/4" FPT	3/4" FPT	Poly	Teflon®	27.3 GPM	1/16"	\$1,326.94
8.702-191.0	100395	3/4" FPT	1/4" FPT	3/4" FPT	Alum	Buna-N	27.3 GPM	1/16"	\$924.87
8.702-192.0	100396	1" FPT	3/8" FPT*	3/4" FPT	Poly	Neoprene	48.3 GPM	3/16"	\$1,480.32
8.702-193.0	100397	1" FPT	3/8" FPT*	3/4" FPT	Poly	Hytrel®	48.3 GPM	3/16"	\$1,298.41
8.702-194.0	100398	1" FPT	3/8" FPT*	3/4" FPT	Poly	Teflon®	48.3 GPM	3/16"	\$1,564.66
8.702-195.0	100399	1" FPT	3/8" FPT*	3/4" FPT	Alum	Hytrel®	35.7 GPM	3/16"	\$1,235.52
8.702-202.0	100415	1-1/2" FPT	1/2" FPT*	3/4" FPT	Alum	Buna-N	116 GPM	9/32"	\$1,654.76

*with air-cock instead of ball valve

Diaphragm Kits for Yamada Pumps



To minimize downtime, Yamada pumps are designed for quick, trouble-free maintenance. Pump diaphragms, balls and seats can be replaced in 20 minutes or less and with little chance of leaks commonly associated with other diaphragm pumps.

- Kits include everything required for routine maintenance

Part No.	Original No.	Kit	Pump Size	Yamada Pump No.	List Price
8.703-277.0	105004	Teflon®	1/4"	100381	\$111.60
8.703-278.0	105006	Hytrel®	1/2"	100383	\$139.78
8.703-279.0	105008	Santoprene	1/2"	100384	\$135.71
8.703-281.0	105010	Teflon®	1/2"	100385	\$198.24
8.703-282.0	105012	Neoprene	3/4"	100391	\$176.02
8.703-283.0	105014	Buna-N	3/4"	100392	\$176.02

Part No.	Original No.	Kit	Pump Size	Yamada Pump No.	List Price
8.932-947.0	105018	Teflon®	3/4"	100394	\$621.27
8.703-284.0	105022	Neoprene	1"	100396	\$207.07
8.703-285.0	105024	Hytrel®	1"	100397	\$207.07
8.703-286.0	105026	Teflon®	1"	100398	\$713.72
8.703-320.0	105150	Buna	1-1/2"	100415	\$250.33

NOTE: Individual components (O-rings or diaphragms only, for example) also available; call for pricing & delivery.

CAR WASH BAY ACCESSORIES

Air-Operated Pump

FLOJET

Twin Diaphragm, Self Priming, 7.0 GPM.



- Santoprene elastomers
- Dry air (or CO2) 20-120 PSI
- 7.0 GPM
- 120°F max liquid temperature
- Self-priming up to 15 feet
- Air (Gas) in & out, 1/4" barb
- Choice of 3/8" or 1/2" barb fluid in/out
- Automatic, on-demand Start & Stop
- Flow control via air (gas) pressure
- Common uses:
Chemical Transfer & Dispensing Parts Washers Car Wash Systems

Part No.	Original No.	Description	List Price
8.702-321.0	100874	3/8" Pump (Santoprene)	\$208.53
8.702-322.0	100874A	3/8" Pump (Viton)	\$326.29
8.702-323.0	100875	1/2" Pump (Santoprene)	\$214.97
8.702-324.0	100875A	1/2" Pump (Viton)	\$347.56

Air-Driven Pump

FLOJET

Twin Diaphragm, Self Priming, 1.9 GPM.



- Santoprene or Viton elastomers: Use Santoprene for soaps, Use Viton for butyls
- Dry air (or CO2) 20-80 PSI
- 1.9 GPM
- Chemical in & out, 3/8" barb
- Air (Gas) in & out, 1/4" barb
- Automatic, on-demand Start & Stop
- Control flow & pressure with air pressure

Part No.	Original No.	Description	List Price
8.702-320.0	100873	Pump (Santoprene)	\$154.07
8.702-319.0	100872	Pump (Viton)	\$194.34
8.700-387.0	075862	Diaphragm Kit (Santoprene)	\$19.29
8.700-388.0	075863	Valve Kit (Santoprene)	\$25.11
8.700-418.0	075907	Diaphragm Kit (Viton)	\$49.07
8.700-419.0	075908	Valve Kit (Viton)	\$32.46

Air Filter / Regulators



8.712-585.0



8.712-586.0

- Maintains and gauges pressure to, and therefore discharge pressure from air-driven diaphragm pumps
- Removes air line impurities to 5 microns
- 1/4" ports
- 125 PSI
- Pressure-relieving

Part No.	Original No.	Description	List Price
8.712-585.0	462280	Regulator Only	\$40.98
8.712-586.0	462285	Filter/Regulator	\$91.41
8.712-587.0	462290	Gauge, 0 -1 60, 1/8"	\$7.87

Foam Brush & Accessories

Foam Brush Head 3" x 10" Supersoft flagged bristle fountain brush. Choose from Black or Blue, Black is standard.



If no suffix is used, black will be shipped on Foam Brush

Foam Brush Lance 40" long with 30" insulated grip, 3/8" FPT inlet, 1/2" MPT outlet (Matches brush inlet). Colors: Red, Blue, or Black. Red is Standard.

If no suffix is used, red will be shipped on Foam Brush Lance.



Brush Hoses Clear spiral wire braid, 1/2" ID with 3/8" MPT, zinc-plated steel fittings both ends.



Part No.	Original No.	Description	List Price
8.710-115.0	344006	Foam Brush Head, Black	\$41.06
8.710-117.0	344006RED	Foam Brush Head, Red	\$43.57
8.710-116.0	344006BLU	Foam Brush Head, Blue	\$42.76
8.710-118.0	344010	Foam Hose (12')	\$50.28
8.710-119.0	344011	Foam Hose (15')	\$61.80
8.710-121.0	344014	Lance 40", Red	\$24.49
8.710-122.0	344014BLK	Lance 40", Black	\$24.49
8.710-123.0	344014BLU	Lance 40", Blue	\$24.49

“Reflex” Car Wash Booms

The Performance Leader!



- 5'6" car wash model
- 8 ft truck wash model
- 3000 PSI
- Stainless steel boom arm
- 3/8" FPT inlet/outlet hose included

Part No.	Original No.	Description	List Price
Booms			
8.903-620.0	306660X	180° Wall Mount 5'6" Boom	\$397.98
8.903-621.0	306662X	360° Ceiling Mount 5'6" Boom	\$407.71
8.903-624.0	306665X	180° Wall Mount 10' Boom	\$543.57
8.903-625.0	306666X	360° Ceiling Mount 10' Boom	\$558.17
8.903-626.0	306667X	180° Wall Mount 8' Boom	\$473.23
8.903-627.0	306668X	360° Ceiling Mount 8' Boom	\$485.36
Parts / Accessories			
8.903-622.0	306663X	5.5' Rod/Hose Assy Only	\$237.08
8.903-623.0	306664X	8' Rod/Hose Assy Only	\$312.19
8.903-628.0	306669X	10' Rod/Hose Assy Only	\$325.21
8.903-630.0	306670X	Ceiling Mount Base Only	\$352.09
8.903-632.0	306672X	Wall Mount Base Only	\$350.11
8.700-265.0	075064X	Set Screw for Angle Block	\$1.14
8.905-605.0	568612	90° End Coupler C/W Boom	\$48.36
8.905-604.0	568610	8' Coupler SS C/W Boom	\$30.81
8.712-450.0	421020	Swivel - Brass 3/8"	\$34.66
8.700-263.0	075060	Swivel Repair Kit (pre-1998)	\$12.81
8.700-287.0	075130	Swivel Repair Kit (1998-present)	\$25.04

Stainless Steel Bay Accessories

Foam Brush Boom Holder, Wand Holders, Mat Clamps.



Part No.	Original No.	Description	List Price
8.708-880.0	260600	Standard Foam Brush Holder	\$27.14
8.708-881.0	260605	Rigid Wall Mount Wand Holder	\$64.32
8.708-882.0	260606	Flex Bottom Mount Wand Holder	\$136.26
8.708-883.0	260610	Mat Clamp	\$23.35

Locks for Meter Boxes



Part No.	Original No.	Description	List Price
8.708-731.0	260064	Disk Lock (Master Brand)	\$33.78
8.708-730.0	260062	Tubular Cam Lock	\$38.05

8-Position Rotary Switch

Metal Car Wash Switch.



- Much more durable than cheaper plastic switches. Save in the long run!
- Direct replacement for Electroswitch 31302A-S & NU32LA
- Make before break functions
- Double stack 8-position
- **METAL**

Part No.	Original No.	Description	List Price
8.708-729.0	260061	8-Position Rotary Switch	\$64.76

Transformers



Part No.	Original No.	Description	List Price
8.708-780.0	260311	115-24 VAC: 600 MIL/AMP	\$44.53
8.708-781.0	260312	115/208/230-24 VAC: 100VA Fused	\$94.29
8.708-783.0	260315	120/208/240-24 VAC: 50VA	\$29.49
8.708-784.0	260316	120/208/240- 24 VA Not Fused	\$21.59

Fuses



Part No.	Orig. No.	Description	List Price
8.708-786.0	260324	Transformer fuse 5 Amp (For P/N 260312)	\$8.74

Swivels - Medium Pressure



- 1000 PSI
- 7/16" flow-thru opening
- All brass body
- Bronze thrust bearing
- Buna-N seals (non-repairable)
- 1/2" FPT x 1/2" MPT

Part No.	Original No.	Description	List Price
8.705-057.0	140094	Swivel	\$21.88

Low Pressure Swivels



- 300 PSI swivel action
- Brass MPT
- Zinc chromate steel FPT

Part No.	Original No.	Description	List Price
8.705-054.0	140085	1/4" x 1/4"	\$4.72
8.705-056.0	140087	3/8" x 3/8"	\$9.75
8.705-055.0	140086	1/2" x 1/2"	\$11.48

CAR WASH BAY ACCESSORIES

Flex Lances



- Flexes 180° & returns
- Prevents bent lances & broken hoses
- Industrial grade polyurethane flex section
- Perfect for self-serve car wash bays
- 1/4" galvanized pipe end sections
- 2000 PSI
- 200°F

Part No.	Original No.	Length/ Color		List Price
8.710-600.0	368119BLK	18" Black	1/4" MPT x 1/8" FPT	\$41.27
8.710-601.0	368119BLU	18" Blue	1/4" MPT x 1/8" FPT	\$37.34
8.710-603.0	368121	21" Red	1/4" MPT x 1/8" FPT	\$37.70
8.710-604.0	368124	24" Red	1/4" MPT x 1/8" FPT	\$39.04
8.710-598.0	368118	18" Red	1/4" MPT x 1/4" MPT	\$28.70
8.710-599.0	368118BLK	18" Black	1/4" MPT x 1/4" FPT	\$39.29

RB65 Wash Gun



Low pressure spray gun with straight jet and adjustable cone from the trigger with adjustable screws to alter cone angle wideness from 0° to 60°.



- Completely sealed
- Ergonomic
- Adjustable jet cone
- Trigger protection
- Brass Body
- Inlet connection swivel
- 16 GPM
- 350 PSI rated pressure
- 195°F

Part No.	Original No.	Description	List Price
8.710-449.0	353265	PA RB65 w/ swivel	\$140.86
8.710-448.0	353264	PA RB65 no swivel	\$117.51

Car Wash Vacuum Hose CW150 & CW200

ULTIMATE
CRUSH-PROOF

The Most Flexible, Easy-to-Handle Vacuum Hose Ever!



- Recovers immediately from crush
- Tough & durable
- Resists ultraviolet rays & abrasion
- Smooth interior bore for max air flow
- CW150 = 1-1/2"; CW200 = 2"

Part No.	Original No.	Size	List Price
8.708-912.0	260957	1.5" x 12.5'	\$20.57
8.708-907.0	260950	1.5" x 15'	\$23.57
8.708-909.0	260954	1.5" x 25'	\$37.88
8.708-910.0	260956	1.5" x 50'	\$74.74
8.708-918.0	260965	2" x 12.5'	\$40.70
8.708-917.0	260962	2" x 15'	\$38.57
8.708-919.0	260966	2" x 25'	\$70.57
8.708-920.0	260968	2" x 50'	\$127.69

Vacuum Accessories

May slip directly onto hose; for better results, use with swivel cuffs, below.

Vacuum Claw Nozzle



Part No. 1-1/2"	Original No. - 1-1/2"	Part No. 2"	Original No. - 2"	Color	List Price
8.708-893.0	260917	8.708-895.0	260919	Orange	\$5.09
8.708-892.0	260916	8.708-894.0	260918	Yellow	\$5.09
8.708-891.0	260915	8.708-897.0	260921	Black	\$5.19
8.708-890.0	260914	8.708-899.0	260923	Gray	\$5.11

Couplings

Part No.	Original No.	Description	List Price
8.708-896.0	260920	1-1/2"	\$5.59
8.708-898.0	260922	2"	\$5.83

Adapter



Part No.	Original No.	Description	List Price
8.708-900.0	260924	2" Hose x 1-1/2" Wand	\$6.55
8.708-904.0	260942	2" Hose x 2" Wand	\$5.59

Vacuum Nozzles



Part No.	Original No.	Description	Degree	List Price
8.708-901.0	260932	1-1/2" x 1-1/2" x 5-1/4"	45°	\$4.90
8.708-902.0	260934	2" x 2" x 5-1/2"	45°	\$7.61

Cuffs, Hose to Tank



Part No.	Original No.	Description	List Price
8.708-903.0	260940	1-1/2" x 1-1/2"	\$2.03
8.708-904.0	260942	2" x 2"	\$5.59
8.708-905.0	260944	1-1/2" x 1-1/2" Swivel	\$3.10
8.708-906.0	260946	2" x 2" Swivel	\$5.86

AP Vacuum Motors



8.625-841.0



8.620-204.0



8.625-842.0

Part No.	Description	List Price
2 Fan Stages, Bypass Motors		
8.625-841.0	5.7" Diameter, 120V Double Ball Bearing Peripheral Discharge	\$80.00
8.620-204.0	Vault system Vac Motor: 120V Double Ball Bearings, Tangent Discharge	\$90.56
3 Fan Stages, Bypass Motors		
8.625-842.0	5.7" Diameter, 120V Double Ball Bearings Tangent Discharge	\$140.00

Ametek-Lamb Vacuum Motors



8.685-502.0



8.685-442.0



8.685-458.0

Part No.	Description	List Price
2 Fan Stages, Bypass Motors		
8.685-502.0	5.7" Diameter, 120V Double Ball Bearing Peripheral Discharge	\$98.00
8.685-442.0	Vault system Vac Motor: 120V Double Ball Bearings, Tangent Discharge	\$115.00
3 Fan Stages, Bypass Motors		
8.685-458.0	5.7" Diameter, 120V Double Ball Bearings Tangent Discharge	\$172.00

Connector Hose / Car Wash Bay Hose - 12' - 25'



All Car Wash Bay hose come with Solid Male Pipe on both ends. Add suffix "B" to the Original Number to include bend restrictors on one end.

Part No.	Original No.	Length	List Price
3/8" Ultima - 1 wire 3000 PSI			
8.902-576.0	261212	12'	\$26.33
8.902-578.0	261213	13'	\$27.49
8.902-580.0	261214	14'	\$29.81
8.902-582.0	261215	15'	\$31.37
8.902-584.0	261216	16'	\$32.31
8.902-586.0	261217	17'	\$34.64
8.902-588.0	261218	18'	\$36.28
8.902-590.0	261219	19'	\$37.89
8.902-592.0	261220	20'	\$39.25
8.902-594.0	261221	21'	\$41.00
8.902-596.0	261222	22'	\$42.65
8.902-598.0	261223	23'	\$44.31
8.902-600.0	261224	24'	\$45.95
8.902-602.0	261225	25'	\$47.61

NOTE: Add the suffix "B" to the Original No. to include Bend Restrictors

Part No.	Original No.	Length	List Price
1/4" Ultima - 1 wire 3000 PSI			
8.902-545.0	261112	12'	\$22.43
8.902-547.0	261113	13'	\$23.79
8.902-549.0	261114	14'	\$25.16
8.902-551.0	261115	15'	\$26.54
8.902-554.0	261116	16'	\$27.91
8.902-556.0	261117	17'	\$29.30
8.902-558.0	261118	18'	\$30.66
8.902-560.0	261119	19'	\$32.05
8.902-562.0	261120	20'	\$33.41
8.902-564.0	261121	21'	\$34.80
8.902-565.0	261122	22'	\$36.17
8.902-567.0	261123	23'	\$37.55
8.902-569.0	261124	24'	\$38.92
8.902-571.0	261125	25'	\$40.32

NOTE: Add the suffix "B" to the Original No. to include Bend Restrictors

Part No.	Original No.	Length	List Price
3/8" Blue - 1 wire 3000 PSI			
8.902-604.0	261312	12'	\$28.72
8.902-607.0	261313	13'	\$30.58
8.902-610.0	261314	14'	\$32.43
8.902-613.0	261315	15'	\$34.27
8.902-616.0	261316	16'	\$36.14
8.902-619.0	261317	17'	\$37.97
8.902-622.0	261318	18'	\$39.83
8.902-625.0	261319	19'	\$41.67
8.902-628.0	261320	20'	\$43.54
8.902-631.0	261321	21'	\$45.38
8.902-634.0	261322	22'	\$47.25
8.902-637.0	261323	23'	\$49.12
8.902-640.0	261324	24'	\$50.95
8.902-643.0	261325	25'	\$52.82

NOTE: Add the suffix "B" to the Original No. to include Bend Restrictors

Part No.	Original No.	Length	List Price
1/4" Blue - 1 wire 3000 PSI			
8.902-646.0	261362	12'	\$27.58
8.902-648.0	261363	13'	\$29.38
8.902-650.0	261364	14'	\$31.20
8.902-652.0	261365	15'	\$32.95
8.902-655.0	261366	16'	\$34.73
8.902-658.0	261367	17'	\$36.51
8.902-660.0	261368	18'	\$38.31
8.902-663.0	261369	19'	\$40.07
8.902-665.0	261370	20'	\$41.88
8.902-667.0	261371	21'	\$43.68
8.902-669.0	261372	22'	\$45.44
8.902-671.0	261373	23'	\$47.25
8.902-673.0	261374	24'	\$49.01
8.902-675.0	261375	25'	\$50.81

NOTE: Add the suffix "B" to the Original No. to include Bend Restrictors

CAR WASH BAY ACCESSORIES

Solenoid Valves

Dependable, Cost-effective Solutions to Valve Challenges.

- Suitable for:
- Air
 - Light Oil
 - Professional Car Washes
 - Chemicals
 - Low Pressure Steam
 - Other Industrial Applications



Water Solenoid Valves 2-way, Normally Closed

The S211 Series Standard Water Valves have reliable piloted diaphragm construction with proven performance over decades of use. Featuring stainless steel seats, the S211 Series typically requires 4 or 5 PSI pressure differential to open. The S201 Series Zero Differential Valves are constructed with the same materials, but are capable of operating with the same amount of pressure on both sides of the valve. Both valve types are often utilized in the car wash industry.



Chemical Solenoid Valves 2-way, Normally Closed

For decades, car wash industry professionals have chosen the rugged S301 and S311 Series Valves because of their compact size and long life. Available in 1/8", 1/4" & 3/8" NPT designs, these valves are used in air, water and chemical applications.



High pressure Solenoid Valves 2-way, Normally Closed

The S401 High Pressure Valves are compact, dependable and specially designed by ITT to meet car wash applications up to 1,400 PSI. **Best Buy**

Normally Open Solenoid Valves for Car Wash Anti-Freeze

Applications

These valves provide long life and reliable performance in the "Make or Break" Anti-Freeze systems of car washes. The S202 and S212 Series Diaphragm Valves feature non-wicking, fabric-reinforced diaphragms—which eliminates premature diaphragm failures—as well as stainless steel upper seats, which prevents seat deterioration often associated with brass-seated valves. The S202 Series Diaphragm Valve incorporates the zero operating pressure design discussed above; the S212 Series is a piloted diaphragm, and the S402 Series is a piloted piston valve.

Solenoid Valve Specifications

Body

BR = Brass
SS = Stainless Steel

Seals

B = Buna
V = Viton

Mode

N/O = Normally Open
N/C = Normally Closed

Type

PD = Piloted Diaphragm
PP = Piloted Piston
DA = Direct Acting



Part No.	Original No.	GC Part No. Series	Port F-NPT	Body	Orifice	Oper PSI	Seals	Mode	Type	AC Volts	DEMA Equip	List Price
8.708-805.0	260450	S201-CG4	3/8"	BR	.312"	150	B	N/C	PD	24	A413P-24	\$125.04
8.708-806.0	260451	S201-CG4	3/8"	BR	.312"	150	B	N/C	PD	110	A413P-110	\$125.04
8.708-807.0	260452	S201-DG4	1/2"	BR	.438"	150	B	N/C	PD	24	A414P-24	\$116.81
8.708-808.0	260453	S201-DG4	1/2"	BR	.438"	150	B	N/C	PD	110	A414P-110	\$117.45
8.708-810.0	260454	S201-EG5	3/4"	BR	.593"	150	B	N/C	PD	24	A416P-24	\$153.69
8.708-811.0	260455	S201-EG5	3/4"	BR	.593"	150	B	N/C	PD	110	A416P-110	\$153.69
8.708-812.0	260456	S201-FG9	1"	BR	.760"	150	B	N/C	PD	24	A418P-24	\$213.58
8.708-813.0	260457	S201-FG9	1"	BR	.760"	150	B	N/C	PD	110	A418P-110	\$209.59
8.708-820.0	260464	S211-CG4	3/8"	BR	.625"	150	B	N/C	PD	24	473P-24	\$123.13
8.708-821.0	260465	S211-CG4	3/8"	BR	.625"	150	B	N/C	PD	110	473P-110	\$113.29
8.708-822.0	260466	S211-DG4	1/2"	BR	.625"	150	B	N/C	PD	24	474P-24	\$123.13
8.708-823.0	260467	S211-DG4	1/2"	BR	.625"	150	B	N/C	PD	110	474P-110	\$125.48
8.708-824.0	260468	S211-EG5	3/4"	BR	.750"	150	B	N/C	PD	24	476P-24	\$149.60
8.708-825.0	260469	S211-EG5	3/4"	BR	.750"	150	B	N/C	PD	110	476P-110	\$152.45
8.708-826.0	260470	S211-FG9	1"	BR	1.00"	150	B	N/C	PD	24	—	\$240.28
8.708-827.0	260471	S211-FG9	1"	BR	1.00"	150	B	N/C	PD	110	—	\$215.82
8.708-828.0	260479	S301-AD5	1/8"	BR	.101"	125	B	N/C	DA	110	491P-110	\$86.95
8.708-829.0	260480	S301-BD7	1/4"	BR	.109"	150	B	N/C	DA	24	401P-24	\$88.10
8.708-830.0	260481	S301-BD7	1/4"	BR	.109"	150	B	N/C	DA	110	401P-110	\$87.89
8.708-814.0	260458	S202-CG4	3/8"	BR	.281"	150	B	N/O	PD	24	0412P-24	\$174.99
8.708-815.0	260459	S202-CG4	3/8"	BR	.281"	150	B	N/O	PD	110	0412P-110	\$174.99
8.708-816.0	260460	S202-DG4	1/2"	BR	.438"	150	B	N/O	PD	24	0A414P-24	\$176.04
8.708-817.0	260461	S202-DG4	1/2"	BR	.438"	150	B	N/O	PD	110	0A414P-110	\$176.04
8.708-818.0	260462	S202-EG5	3/4"	BR	.593"	150	B	N/O	PD	24	0A416P-24	\$196.88
8.708-819.0	260463	S202-EG5	3/4"	BR	.593"	150	B	N/O	PD	110	0A416P-110	\$196.88
8.708-831.0	260482	S301-BD7	1/4"	SS	.125"	150	V	N/C	DA	24	424-2-24	\$83.77
8.708-832.0	260483	S301-BD7	1/4"	SS	.125"	150	V	N/C	DA	110	424-2-110	\$83.77
8.708-833.0	260484	S401-Z	3/8"	SS	.350"	1200	V	N/C	PP	24	453P-24	\$156.13
8.708-834.0	260485	S401-Z	3/8"	SS	.350"	1200	V	N/C	PP	110	453P-110	\$152.71
8.708-835.0	260486	S401-Z	1/2"	SS	.500"	1200	V	N/C	PP	24	454P-24	\$197.63
8.708-836.0	260487	S401-Z	1/2"	SS	.500"	1200	V	N/C	PP	110	454P-110	\$201.40

Replacement / Repair Kits for Solenoids Valves - page 126

Part No.	Orig. No.	Description	List Price
8.708-837.0	260488	24V AC Coil	\$29.89
8.708-838.0	260489	110V AC Coil	\$82.25
8.700-214.0	074801	Repair Kit - S301-1/4" valves (Buna)	\$12.55
8.700-215.0	074802	Repair Kit - S201-3/8" & 1/2" valves (Buna)	\$33.83
8.700-216.0	074806	Repair Kit - S202-3/4" valves (Buna)	\$61.81

Part No.	Orig. No.	Description	List Price
8.700-217.0	074807	Repair Kit - S301-1/4" valves (Viton)	\$14.22
8.700-218.0	074808	Repair Kit - S401-3/8" & 1/2" valves (Viton)	\$83.07
8.700-219.0	074809	Repair Kit - S211-3/8" & 1/2" valves (Buna)	\$33.83
8.700-220.0	074810	Repair Kit - S211-3/4" valves (Buna)	\$25.53
8.700-221.0	074812	Repair Kit - S211-1-1/4", 1-1/2" & 2" valves (Buna)	\$149.50

Kip Solenoids



- Reliable over years of use
- Millions of cycles life not unusual
- All with FPT ports
- N/O = Normally Opened
- N/C = Normally Closed
- N/A= Not Adjustable
- C/A = Chemical Adjustment

Part No.	FPT	Voltage	Orifice ID	List Price
Stainless Steel				
8.708-846.0	260511**	N/C 1/4"	24 VAC N/A .062	\$82.29
8.708-847.0	260515**	N/O 1/4"	24 VAC N/A .062	\$83.84
8.708-848.0	260516*	N/O 1/4"	24 VAC N/A .062	\$120.25
8.708-849.0	260520	N/C 1/8"	24 VAC N/A .062	\$66.80
8.708-851.0	260525	N/C 1/4"	24 VAC C/A	\$83.86
8.708-852.0	260526*	N/C 1/4"	24 VAC C/A	\$87.89
8.708-853.0	260530	N/C 1/8"	24 VAC C/A	\$81.03
8.708-855.0	260534	N/C 1/4"	120 VAC N/A .093	\$68.06
8.708-856.0	260535	N/C 1/4"	24 VAC N/A .093	\$68.06
8.708-857.0	260536*	N/C 1/4"	120 VAC N/A .093	\$72.24
8.708-858.0	260537*	N/C 1/4"	24 VAC N/A .093	\$75.05

Brass Solenoid Valves – Kip				
8.708-863.0	260546*	N/C 1/8"	240 VAC N/A .062	\$58.75
8.708-864.0	260547*	N/C 1/8"	120 VAC N/A .062	\$57.66

Parts				
8.708-859.0	260538	Coil Only 120V	Wire Leads	\$28.94
8.708-860.0	260539	Coil Only 24V	Wire Leads	\$45.24
8.708-862.0	260542	Coil Only 24V	Spade Term	\$31.42
8.708-861.0	260541	Repair Kit N/C 1/4"		\$37.34

* Conduit Body Style w/ wire leads
** Wire Leads

Solenoids w/ Built-In Strainer

For pressure lines and pressure systems only.

Brass Valves – Diaphragm Style



- Normally Closed valve operation
- Proven design features for reliable performance on all applications
- Rated to 200°F fluid & 120°F ambient
- Operates in any position, but do NOT mount valve with coil under valve

Part No.	Orig. No.	Dema No.	FPT	Orifice	PSI	Voltage	List Price
8.711-249.0	396115	442P	1/4"	.25	125	24 VAC	\$61.15
8.711-250.0	396116	442P	1/4"	.25	125	110 VAC	\$96.64
8.711-252.0	396119	443P	3/8"	.25	125	24 VAC	\$67.21
8.711-253.0	396120	443P	3/8"	.25	125	110 VAC	\$64.20

Celcon Plastic Valves

Super for strong chemicals.



- Diaphragm style with Y-Screen (S.S.)
- Molded coil CSA approved
- Compact design – 1/4" spade connects
- Normally Closed operation
- 125 PSI
- 180°F
- 1/4" FPT, 1/4" orifice

Part No.	Orig. No.	Dema No.	FPT	Orifice	PSI	Voltage	List Price
8.708-869.0	260560	P442	1/4"	.25	125	24 VAC	\$46.21
8.708-870.0	260561	P442	1/4"	.25	125	110 VAC	\$48.22
8.708-871.0	260562	P442	1/4"	.25	125	12 VAC	\$53.33
8.708-872.0	260566	P443	3/8"	.25	125	24 VAC	\$48.51
8.708-873.0	260567	P443	3/8"	.25	125	110 VAC	\$50.24
8.708-874.0	260568	P443	3/8"	.25	125	12 VDC	\$53.18

Erie Motortrol® Valve




- 3-way valve to switch hot & cold inlets to single outlet
- 1/2" MPT (all 3)
- 24 VAC

Part No.	Original No.	Description	List Price
8.708-879.0	260580	Motortrol Valve	\$249.83

CAR WASH BAY ACCESSORIES

Aqua Master™ Model 440

DEMA



Liquid level proportioning controls - automatically maintain drum level and chemical concentration. The Aqua Master automatically maintains a desired level of proportioned mixture in a drum, tank or other type reservoir. Magnetically activated “snap acting” float valves provide full water flow to activate the chemical proportioners. There are two basic sizes to give a choice of water flows as shown in the table below. Chemical feed rate is adjusted by metering screw or threaded metering tips. The compact 440 float valve is made of Celcon® plastic and is easily accessible for field maintenance.

Liquid level proportioning controls are available in two flow capacities, 4 and 22 GPM at 50 PSI. Either size can be used with or without a proportioner. The proportioner allows chemical to be inducted while the valve is open. All models, except as noted, are equipped with siphon breakers to prevent backflow into the fresh water line. The proportioner discharge is provided with means for attaching a hose or piece of pipe for under water feeding to minimize sudsing.

Model	Description	Capacity
440-23BT	Proportioning Valve, 4 GPM Flow at 50 PSI, Medium Capacity	12*
440-23T	Proportioning Valve, 4 GPM Flow at 50 PSI, High Capacity	35*
440-24	Proportioning Valve, 4 GPM Flow at 50 PSI, Highest Capacity	70*
437-21	Proportioning Valve, 22 GPM Flow at 50 PSI, Medium Capacity	10*

*Oz / Gal of 1 CPS Fluid (ie, Viscosity of Water)

Part No.	Original No.	Description	List Price
8.710-525.0	360382	440-23BT	\$234.96
8.710-524.0	360381	440-23T	\$235.39
8.710-526.0	360383	440-24	\$289.78
8.710-532.0	360397	437-21	\$489.78
8.710-534.0	360399	Optional Tips	\$18.73

Proportioners

Designed to blend liquid chemical concentrates with water (flowing at normal city water pressure) to create an accurate mix of diluted chemicals. Complete with metering orifice set and/or metering adjustment valve.



Model	Description	Capacity
MAX BLEND RATE = Oz Chem Per Gal Water		
MODEL No.	1 CPS	75 CPS
162	24	14
163H*	64	30

1 CPS = Viscosity of Water
75 CPS = Viscosity of SAE 10 oil
220 CPS = Viscosity of SAE 30 oil

*High concentration chemical blender

Part No.	Original No.	Description	List Price
8.710-530.0	360393	#162 Drum Mount with Proportioner	\$127.67
8.710-529.0	360392	#163H High Concentrate Proportioner Low Side	\$64.37
8.700-226.0	074903	Polypropylene Foot Valve	\$6.66
8.710-534.0	360399	Optional Tips	\$18.73

Hypro Roller Pumps



Ideal for Farm Sprayers, Pest Control and Chemical Application Usage.



- Housings available in Cast Iron, Ni-Resist or Silver Series
- Self priming operation; Roller pumps should not be run dry
- Adaptable to PTO's or Gas Engines
- Standard seals are Viton or Buna
- Standard super rollers provide the chemical resistance of Nylon and long life of Polypropylene
- Rotation is determined by looking at shaft end of pump
- Counter clockwise is standard on all except 4001 and 4101 Series
- Maximum fluid temperature is 140°

Part No.	Original No.	Model No.	Housing	Rotation	Shaft dia	No. of Rollers	Seals	List Price
8.702-278.0	100814	4001C	CI	CW	5/8"	4	V	\$221.13
8.702-281.0	100817	4101C	CI	CW	5/8"	4	V	\$217.57
8.702-259.0	100778	4101N	N	CW	5/8"	4	V	\$386.34
8.702-280.0	100815	4101XL	SL	CW	5/8"	4	V	\$561.33
8.702-261.0	100784	6500C	CI	CCW	5/8"	6	V	\$223.56
8.702-263.0	100784R	6500C-R	CI	CW	5/8"	6	V	\$256.20
8.702-262.0	100784N	6500N	N	CCW	5/8"	6	V	\$505.44
8.702-264.0	100784X	6500XL-R	SL	CW	5/8"	6	V	\$718.08
8.702-282.0	100819	7560C	CI	CCW	15/16"	8	V	\$294.03
8.702-283.0	100819R	7560C-R	CI	CW	15/16"	8	V	\$303.75
8.702-286.0	100823R	7560N-R	N	CW	15/16"	8	V	\$586.86
8.700-082.0	069665	Shaft Adapter (5/8" to 3/4")						\$14.02

NOTE CI = Cast Iron, N = Ni-Resist, SL = Silver Last

Performance Tables



Series 4001

- Max psi 150
- Max GPM 9
- Max RPM 1800

Pressure in PSI	GPM @1100 RPM	HP	GPM @1400 RPM	HP	GPM @1800 RPM	HP
50	4.4	.24	5.9	.32	8.0	0.46
100	3.8	.41	5.3	.56	7.3	0.78
125	3.5	.50	5.0	.68	7.0	0.95
150	3.3	.62	4.8	.78	6.7	1.10

Series 4101

- Max psi 150
- Max GPM 7
- Max RPM 2600

Pressure in PSI	GPM @1100 RPM	HP	GPM @1400 RPM	HP	GPM @1800 RPM	HP
50	4.5	.34	5.60	.40	6.6	0.46
100	3.9	.56	5.00	.68	6.0	0.76
125	3.7	.68	0.82	.82	5.7	0.92
150	3.4	.78	4.40	.96	5.4	1.08

Series 6500

- Max psi 300
- Max GPM 18.2
- Max RPM 1000

Pressure in PSI	GPM @1100 RPM	HP	GPM @1400 RPM	HP	GPM @1800 RPM	HP
50	8.0	0.38	16.5	0.71	20.1	0.90
100	7.2	0.68	15.4	1.26	19.1	1.51
200	5.6	1.29	14.0	2.34	17.3	2.84
300	4.3	1.91	12.7	3.47	15.7	4.17

Series 7560

- Max psi 300
- Max GPM 22.5
- Max RPM 1000

Pressure in PSI	GPM @1100 RPM	HP	GPM @1400 RPM	HP	GPM @1800 RPM	HP
50	11.1	0.74	17.5	1.26	22.0	1.78
100	10.3	1.25	16.9	1.95	21.3	2.53
200	8.6	2.26	15.5	3.40	20.0	4.20
300	7.1	3.30	18.9	5.30	18.0	6.10

Twin Diaphragm Spot Spray Pump



Specifications:

- 1 GPM (open)
- 35 PSI (#8 tip)
- 3/8" hose barb inlet/outlet
- Self-priming to 2.5 feet
- Operating temperature 40° - 110°F
- Liquid temperature 110°F max
- 5 Amp fuse
- 1.3 lbs dry weight

Features:

- Compact automatic on-demand operation
- SEALED pressure switch automatically stops pump when discharge valve opens & closes
- Self-priming so pump can be located above supply tank
- Can run dry for extended periods without damage
- Built-in thermal protection on 12VDC motor
- Low Amp draw (2.5 @ 25 PSI, 4.0 @ 35 PSI)
- Chemical-resistant valves & diaphragm

Part No.	Original No.	Description	Open Flow	Max PSI	Power	List Price
8.702-326.0	100880	Spot Spray Pump	1.0	35	12 VDC	\$119.72

AG SPRAY ACCESSORIES

Flojet Diaphragm Pump

FLOJET

Built in pressure switch automatically starts and stops pump instantaneously.



- Can run dry without damage
- Excellent Self Priming Capability
- Low current draw

Part No.	Original No.	Flojet Model No.	Power	Max Flow	Max PSI	Ports	Diaphragm*	Valves*	List Price
8.702-325.0	100879	2135-561	12V DC	1.48	60	3/8" FPT	B	V	\$225.96
8.702-328.0	100884	4300-142A	12V DC	3.30	40	1/2" Barb	S	E	\$251.03
8.702-312.0	100863	2100-032	115V	1.85	50	3/8" FPT	S	S	\$244.18
8.702-337.0	100895	2100-022A	115V	1.85	50	3/8" FPT	V	V	\$287.62
8.702-331.0	100888	4300-042	115V	3.70	35	1/2" Barb	S	E	\$328.45
8.702-329.0	100884A	4300-043A	115V	4.70	35	1/2" Barb	S	E	\$295.64

* B = BUNA V = Viton E = EPDM S = Santoprene

NOTE: These units are designed to withstand many harsh chemicals. However, because compounds and concentrations of materials pumped through these Units are beyond the manufacturer's control, the manufacturer DOES NOT PROVIDE A WARRANTY on the wet-end of the pump.

Diaphragm Pump Units

SHURflo
www.shurflo.com

1.00 - 3.8 GPM integrated pump motor units. Powered by 12V DC or 115V AC power. Pumps are standard with Santoprene® diaphragms and Viton valves for excellent service with a wide variety of sprayable products.

NOTE: Flow is reduced as pressure is increased (i.e. 100850 pumps 1.12 GPM @ 60 psi) Automatic demand control on/off.

- Chemical resistant materials
- Self priming
- Automatic demand pressure switch or internal bypass
- Can run dry without damage
- Low Amp draw



Part No.	Original No.	Surflo Model No.		Power	Max Flow	Max PSI	Ports	Diaphragm*	Valves*	List Price
8.702-294.0	100841	8000-541-236	Demand	12V DC	1.0	60	3/8" FPT	S	V	\$160.91
8.702-304.0	100854	8000-343-236	Demand	12V DC	1.2	60	3/8" FPT	V	V	\$227.26
8.702-300.0	100850	8000-543-236	Demand	12V DC	1.4	60	3/8" FPT	S	V	\$161.00
8.702-296.0	100844	8000-543-238	Demand	12V DC	1.4	100	3/8" FPT	S	V	\$176.76
8.702-335.0	100893	8030-813-239	Demand	12V DC	1.5	150	3/8" FPT	S	V	\$266.56
8.702-302.0	100852	8002-793-238	Demand	12V DC	1.7	100	3/8" FPT	S	E	\$206.18
8.702-311.0	100862	8000-532-256	Demand	115V	1.0	60	3/8" FPT	S	V	\$233.58
8.702-307.0	100857	8000-033-236	Demand	115V	1.0	60	3/8" FPT	V	V	\$286.92
8.702-306.0	100856	8000-533-236	Demand	115V	1.4	60	3/8" FPT	S	V	\$244.96
8.702-334.0	100892	8000-812-288	Bypass	115V	1.4	100	3/8" FPT	S	V	\$267.24
8.702-308.0	100858	8000-813-238	Demand	115V	1.6	100	3/8" FPT	S	V	\$253.64
8.702-338.0	100896	8000-713-238	Demand	115V	1.6	100	3/8" FPT	S	E	\$250.30

2088 Premium Series - self primes up to 12 foot - Built in Back Check

8.702-305.0	100855	2088-343-135	Demand	12V DC	3.0	50	1/2"-14M	S	V	\$207.02
8.702-303.0	100853	2088-313-145	Demand	12V DC	3.6	50	1/2"-14M	S	V	\$336.40
8.702-301.0	100851	2088-712-244	Demand	12V DC	3.8	50	1/2"-14M	S	E	\$207.06
8.702-310.0	100861	2088-394-154	Demand	115V	3.2	40	1/2"-14M	S	V	\$287.48

4111 - Double Head

8.702-339.0	100899	4111-035	Demand	12V	7.0	50	1/2"-14M	S	V	\$510.52
--------------------	---------------	----------	--------	-----	-----	----	----------	---	---	----------

166 - Air Drive

8.702-317.0	100870	166-200-56	Demand	AIR	2.0	60	3/8" Barb	E	E	\$189.72
8.702-318.0	100871	166-200-36	Demand	AIR	2.0	60	3/8" Barb	V	V	\$246.84

*S = Santoprene V = Viton E = EPDM

NOTE: These units are designed to withstand many harsh chemicals. However, because compounds and concentrations of materials pumped through these Units are beyond the manufacturer's control, the manufacturer DOES NOT PROVIDE A WARRANTY on the wet-end of the pump.

Industrial Chemical Sprayer

Excellent pre-prep chemical applicator. Trigger control, demand flow, wall mount cabinet, enclosed pump unit pulls chemical from a bulk tank and delivers it through 100' lightweight hose for low pressure stream/cone or mist application. Operator simply squeezes trigger for instant application.



- Diaphragm pump units
- 60 psi pressure
- Choice of 12V DC or 110V DC
- 100 foot hose
- Adjustable nozzle for cone mist to straight stream
- Durable Santoprene & Viton wetted parts

Part No.	Original No.	Description	Motor	PSI	GPM	List Price
Wall Mount / Cabinet Sprayer						
8.906-090.0	810020	Chem Applicator	115V AC	60	1.15	\$515.39
8.906-089.0	810010	Chem Applicator	12V DC	60	1.02	\$437.83

NOTE: These Units are designed to withstand many harsh chemicals. However, because compounds and concentrations of materials pumped through these Units are beyond the manufacturer's control, the manufacturer DOES NOT PROVIDE A WARRANTY on the wet-end of the pump.

910 Spot Spray Gun Assembly

High pressure trigger gun adapted to spot spray application.



- Durable & comfortable
- 12" plated steel lance
- 1/4" hose barb inlet
- #2 blue adjustable nozzle

Part No.	Original No.	Description	List Price
8.904-088.0	352940	910 Spot Spray Gun Assembly	\$44.57

See page 25 for our extensive tubing offering

Trigger Control Spray Lances

Excellent for low pressure chemical applications up to 150 psi. Available in either plastic or brass lance tube. Works well with neutral, alkaline or mild acid solutions.



- Steel trigger & service wrench
- Plastic valve body
- Brass needle plunger
- Filter screen in nozzle housing
- Standard 11/16" outlet thread for standard low pressure nozzle
- Cone nozzle adjusts 0 - 80°
- Accepts the adjustable cone nozzles or standard tip-jet nozzles (11/16 nozzle thread)
- 3/8" FPT inlet models allow unlimited flexibility in choice of hose barb sizes
- 24" lance – brass or plastic
- **Best Buy**

Part No.	Original No.	Description	List Price
Trigger Lance			
8.902-777.0	266606	Brass w/o nozzle	\$28.74
8.902-778.0	266607	Plastic w/o nozzle	\$29.28
8.708-977.0	266603	Plastic w/blue nozzle	\$33.71
8.708-978.0	266610	Brass w/blue nozzle (below)	\$34.72
8.700-493.0	076700	Needle Valve and Seal Kit	\$5.75

Part No.	Original No.	Description	80° Straight	Cone	List Price
Adjustable Nozzle – GPM @ 40 psi / Adjust 0 - 80°					
8.708-979.0	266611	#1 Yellow	.316	.156	\$7.12
8.708-980.0	266612	#2 Red	.545	.204	\$6.75
8.708-981.0	266613	#3 Blue	.720	.250	\$6.49

Trigger Valves

Versatile hand-held trigger valves for chemical or water flow control.



- 1/2" FPT inlet/outlet
- Lock-on trigger loop
- 18.5 GPM
- 700 PSI

Part No.	Original No.	Description	List Price
Aluminum Body – SS/ BR Valve			
8.708-982.0	266652	Trigger Valve - Viton	\$45.27
Plastic body – SS/ BR Valve			
8.708-983.0	266658	Trigger Valve - Viton	\$35.76
8.708-984.0	266659	Trigger Valve - Buna	\$26.36

Spraymax Trigger Gun

For Your Pest Control Customers.



- 1000 PSI
- 200° temperature
- Compare To JD-9, Mag-1, Robco, & Ges
- Adjusts from fine mist to straight stream
- Drip-free shutoff
- Crafted for all-day comfortable use
- Larger trigger for 4-fingered grip

Part No.	Original No.	Description	List Price
8.708-995.0	266693	With 1/2" Inlet	\$120.36
8.902-783.0	266693X	With 3/4" Garden Hose Inlet	\$139.95
8.709-028.0	268047	Repair kit	\$21.50

AG SPRAY ACCESSORIES

Trigger Jet Spray Lances

Low pressure chemical application lance will tolerate mild acid solutions.



- Diaphragm shut off valve
- Hand grip trigger control
- Plastic lance tube resistant to acids and agricultural chemicals
- 150 PSI
- Excellent for mild acids or alkali chemicals
- Polypropylene body EPDM seals STD
- 11/16" - nozzle connect outlet

Part No.	Original No.	Description	List Price
Trigger Lance			
8.709-182.0	302250V	24" 1/4" FPT inlet, Viton	\$48.36
8.709-183.0	302251	24" 1/4" HB inlet, EPDM	\$48.36
8.709-184.0	302252V	3/8" Hose Barb, Viton	\$48.36

Trigger Value Only			
8.709-185.0	302254V	3/8" HB Inlet/ 11/16" Outlet, Viton	\$31.55
8.709-186.0	302255V	1/4" HB Inlet/ 11/16" Outlet, Viton	\$30.22
8.709-187.0	302256V	1/4" FPT Inlet/ 11/16" Outlet, Viton	\$29.60

Parts & Accessories – Trigger Jet Lance			
8.709-188.0	302258	Adapter, 11/16" x 11/16" PP	\$1.93
8.709-189.0	302259	24" Lance Tube only	\$19.88
8.709-190.0	302260	24" Lance Tube w/ Seals & Fittings	\$20.26

Trigger Jet Nozzles* – Polypropylene adjust from 0° to 60° Cone			
8.709-192.0	302263	Yellow Core(x 3), .23 GPM/ 60 psi	\$9.67
8.709-193.0	302265	Green Core (x 5), .37 GPM/ 60 psi	\$9.67
8.709-194.0	302266	Red Core (x 6), .45 GPM/ 60 psi	\$9.67
8.709-195.0	302268	Gray Core (x 8), .57 GPM/ 60 psi	\$9.29
8.709-196.0	302272	Brown Core (x 12), .84 GPM/ 60 psi	\$9.67
8.709-197.0	302274	Orange Core (x 18), 1.2 GPM/ 60 psi	\$9.18

Turbine Series Guns

Forged brass housings — Stainless steel lances — Mist cone to straight stream adjustment — On/Off control — Lock-on trigger — 1/2" MPT inlet Viton seals — Up to 1200 psi at 140° Fahrenheit.



- 1200 PSI
- 1/2" BSP male inlet
- Weighs only 4 lbs
- Standard 15 x 1 LRT (4.5mm)
- 62 ft reach, straight stream @ 850 PSI
- 31.5 ft reach, full cone @ 850 PSI

Part No.	Original No.	Description	Length	List Price
8.708-990.0	266680	Long Range Turbine	27-1/2"	\$265.03
8.708-989.0	266676	Turbine	26-1/2"	\$195.01

15 x 1 Long Range Tip - Stainless Steel

Best Used with **Long Range Turbine Gun**.



- 15 x 1 long range tip
- SS body
- 850 psi
- 24.4 GPM
- 77 ft max throw range

List Price	Orifice		Orifice			
	Original No.	Part No. Dia (mm)	Original No.	Part No. Dia (mm)		
\$21.37	8.708-998.0	266706	3.5	8.709-001.0	266709	5.0
	8.708-999.0	266707	4.0	8.709-002.0	266710	5.5
	8.709-000.0	266708	4.5	8.709-003.0	266711	6.0
				8.709-004.0	266712	7.0

Low Flow Brass Pressure Regulator



- For sprayers pumping up to 5 GPM
- Durable & strong brass construction
- Stainless steel spring
- Positive Viton seal to prevent leakage
- Knurled locknut for easy adjustment
- 1/2" MPT inlet
- 1/2" FPT outlet
- 120°F temperature
- 10.3 oz weight

Part No.	Original No.	Description	List Price
8.712-553.0	462207	200 - 650 psi	\$52.49
8.712-554.0	462208	0 - 300 psi	\$47.11

Brass Pressure Regulator

Durable and Strong.



- For sprayers pumping up to 15 GPM
- Adjustable pressure ranges
- Stainless steel spring
- Tee-handle adjustment screw
- 3/4" MPT inlet
- Knurled locknut for ease of locking in adjustment
- 3/4" FPT outlet
- 120°F temperature
- 10.3 oz weight

Part No.	Original No.	Description	List Price
8.712-557.0	462217	0 - 300 psi	\$51.52
8.712-558.0	462218	300 - 700 psi	\$52.49

Heavy-Duty Swivels

Live swivels help prevent twisted and tangled hose.



266701

266700

- Brass body & SS bolt
- Viton seals
- 600 PSI
- 1/2" MPT inlet & 1/2" outlet

Part No.	Original No.	Description	List Price
8.708-996.0	266700	Swivel 1/2" M x F	\$16.74
8.708-997.0	266701	Swivel 1/2" M x 3/4" FGH	\$24.44

Nylon Pressure Regulator

Maximum Corrosion Resistance.



- Built to handle up to 15 GPM
- Stainless steel spring
- Positive Viton seal prevents leakage & provides the best chemical resistance
- Knurled locknut for ease of locking in adjustment
- Tee-handle adjustment screw
- Choice of 1/2" or 3/4" inlet/outlet
- Male inlet/ female outlet
- 120°F temperature
- 4 oz weight

Part No.	Original No.	Inlet	Outlet	Adjustable Pressure Range	List Price
8.712-555.0	462212	1/2"	3/4"	0 - 250 psi	\$26.27
8.712-552.0	462202	3/4"	3/4"	0 - 250 psi	\$26.83
8.712-556.0	462213	3/4"	3/4"	0 - 400 psi	\$28.25

Bulkhead Fittings



- Black polypropylene
- Double threaded w/EPDM gasket
- Opening same size as outside diameter

Part No.	FPT	Hole Dia	List Price
8.705-336.0	141232	1/2"	\$14.19
8.705-338.0	141234	3/4"	\$14.19
8.705-144.0	140430	3/4"	\$6.88
8.705-145.0	140432	1"	\$7.00
8.705-339.0	141236	1"	\$20.07
8.705-341.0	141238	1-1/4"	\$21.24
8.705-342.0	141240	1-1/2"	\$20.28
8.705-146.0	140434	1-1/2"	\$13.52
8.705-147.0	140436	2"	\$11.61
8.705-343.0	141242	2"	\$25.24
Gaskets for Above			
8.705-337.0	141233	Fits 1/2", 3/4"	\$2.98
8.705-340.0	141237	Fits 1", 1-1/4", 1-1/2"	\$7.09
8.705-344.0	141243	Fits 2"	\$4.38

Brass Bulkhead / Tank Fittings



- Use to drain or remove liquids from tanks, drums, etc.
- Heavy-duty brass
- Includes nut and aluminum grip washer

Part No.	Original No.	Overall Length	Mounting Hole Dia	List Price
8.705-139.0	140417	1/8" x 1.5"	5/8"	\$6.07
8.705-140.0	140419	1/4" x .94"	3/4"	\$9.59
8.705-141.0	140420	1/4" x 1.5"	3/4"	\$7.80
9.802-149.0	140421	3/8" x 1.3"	1"	\$9.02
9.802-150.0	140422	1/2" x 1.5"	1-1/8"	\$11.77

NOTE: Installation requires access to inside of tank.

Diaphragm Check Valves - Nylon

For drip free spraying.



- 125 PSI
- 2 GPM
- Nylon body, polypropylene end cap - EPDM - diaphragm
- 10 PSI opening pressure
- 1/4" MPT inlet, 11/16" - 16 male outlet nozzle thread
- Spring-backed diaphragm for positive action

Part No.	Original No.	Description	List Price
8.709-377.0	310851	Diaphragm Check Valves	\$18.40

Plastic Fittings

For Water and Chemical Supply Lines. Ideal for use with most alkaline-based detergents, most agricultural chemicals, ethanol, and most ammonium and sodium-based compounds

- 150 PSI
- 140°F max @ 90 PSI
- 90°F max @ 150 PSI

DO NOT USE ... Polypropylene for: Gasoline, Nitric Acid, Trichlorethylene, Toluene, Aromatic Hydrocarbons or Kerosene. Polypropylene "P" - Black/ Glass Reinforced

DO NOT USE ... Nylon for: Hydrochloric Acid, Chlorine, Fluorine, Nitric, Xylene or Phosphoric or Sulfuric Acids. Nylon 6/6 "N" White/Natural color

Part No. Poly	Orig No. Poly	Part No. Nylon	Orig No. Nylon	Barb x MPT	List Price
Hose Barbs - Barb x MPT					
8.705-262.0	141077P	8.705-277.0	141102N	1/4" x 1/4"	\$0.62
8.705-263.0	141078P	8.705-278.0	141103N	3/8" x 1/4"	\$0.66
8.705-264.0	141080P	8.705-280.0	141105N	1/4" x 3/8"	\$0.66
8.705-265.0	141081P	8.705-281.0	141106N	3/8" x 3/8"	\$0.63
8.705-268.0	141084P	8.705-282.0	141107N	1/2" x 3/8"	\$0.69
		8.705-284.0	141110N	3/8" x 1/2"	\$0.66
		8.705-285.0	141111N	1/2" x 1/2"	\$0.74
		8.705-288.0	141117N	1/2" x 3/4"	\$0.75
		8.705-283.0	141108N	5/8" x 3/8"	\$0.87
8.705-270.0	141086P	8.705-286.0	141112N	5/8" x 1/2"	\$0.62
		8.705-289.0	141118N	5/8" x 3/4"	\$0.56
		8.705-287.0	141113N	3/4" x 1/2"	\$0.50
		8.705-290.0	141119N	3/4" x 3/4"	\$0.90
		8.705-291.0	141120N	1" x 3/4"	\$1.21
90° Barb x MPT Elbows					
8.705-293.0	141125P			1/4" x 1/4"	\$1.29
8.705-294.0	141126P			3/8" x 1/4"	\$1.49
8.705-295.0	141127P			1/2" x 1/4"	\$1.58
8.705-296.0	141130P			1/4" x 3/8"	\$1.35
8.705-298.0	141131P	8.705-297.0	141131N	3/8" x 3/8"	\$1.46
8.705-301.0	141136P	8.705-300.0	141136N	3/8" x 1/2"	\$1.49
8.705-299.0	141132P			1/2" x 3/8"	\$1.50
8.705-303.0	141137P	8.705-302.0	141137N	1/2" x 1/2"	\$1.44
8.705-304.0	141138P			5/8" x 1/2"	\$0.95
8.705-305.0	141139P			3/4" x 1/2"	\$1.60
8.705-307.0	141141P	8.705-306.0	141141N	1/2" x 3/4"	\$1.63
8.705-308.0	141142P			5/8" x 3/4"	\$1.63
8.705-310.0	141143P	8.705-309.0	141143N	3/4" x 3/4"	\$1.61
HEX Nipple - MPT x MPT					
8.705-316.0	141184P			1/4" x 1/4"	\$0.69
8.705-317.0	141185P			3/8" x 3/8"	\$0.81
8.705-319.0	141186P	8.705-318.0	141186N	1/2" x 1/2"	\$0.50
8.705-321.0	141187P	8.705-320.0	141187N	3/4" x 3/4"	\$0.94
		8.705-324.0	141191N	1/2" x 1/4"	\$0.53
8.705-323.0	141190P	8.705-322.0	141190N	1/2" x 3/8"	\$0.84
8.705-326.0	141193P			3/4" x 1/2"	\$0.63
Elbows - Barb x Barb					
8.705-335.0	141216P			3/8" x 3/8"	\$0.81
Tees Barb x Barb x Barb					
		8.705-327.0	141202N	1/4" BxBxB	\$0.75
		8.705-328.0	141205N	3/8" BxBxB	\$0.76
8.705-329.0	141207P			1/2" BxBxB\$0.90	
8.705-332.0	141215P			3/4" BxBxB	\$1.12
		8.705-334.0	141216N	3/4" BxBxB	\$0.92
"Push-On" Hose Barbs - (Normally does not require clamps)					
		8.705-346.0	141305N	1/4" Bx1/4" FPT	\$1.87

CARPET & RESTORATION

Sprayers & Parts

Professional Stainless Steel Sprayer



- Stainless steel tank
- Brass wand
- Brass cap
- Brass handle
- Precise spray patterns (both straight stream and fan spray) from an all brass tip
- Famous non-drip nozzle that professionals demand

Part No.	Description	List Price
8.697-373.0	Pro Stainless Steel Sprayer	\$220.02

Stainless Steel Industrial Sprayer

2-gallon industrial sprayer. Plastic valve and brass extensions, fan spray tip.



- Heavy-duty stainless steel tank
- Plastic valve with brass extension
- Chemical-resistant seals
- Available in 2 and 3 gallon capacities
- Plastic pin-to-cone spray tip
- Funnel top design

Part No.	Description	List Price
8.697-170.0	Stainless Steel Industrial Sprayer	CALL

Stainless Steel Sprayer

2-gallon sprayer with plastic valve and extension. Adjustable pin-to-cone tip.



- Heavy-duty stainless steel tank
- Chemical-resistant hose
- Plastic valve and extension
- Buna-N seals and gaskets
- Pin-to-cone adjustable spray tip
- 2 gallon capacity
- Economically priced but durable

Part No.	Description	List Price
8.697-169.0	Stainless Steel Sprayer	CALL

Sprayer Chemical Resistant



Large funnel top, poly molded, chemical resistant.

- Heavy-duty polyethylene tank
- Wide base for extra stability
- Durable brass valve and extension
- Chemical-resistant seals
- Reinforced chemical-resistant hose
- Celcon fan spray tip
- Brass spray gun

Part No.	Description	List Price
8.697-165.0	Sprayer Chemical Resistant - 1 gallon	CALL
8.697-168.0	Sprayer Chemical Resistant - 2 gallon	CALL
8.697-171.0	Sprayer Chemical Resistant - 3 gallon	CALL

Hand Held Sprayer 1.5 ltr

Acid-resistant and corrosive-resistant models available.



- Heavy-duty polyethylene translucent tank
- Metal pump rod, durable design
- Large-volume pump requires fewer pumping strokes
- Brass pin-to-cone nozzle
- Trigger lock

Part No.	Description	List Price
8.697-166.0	Hand Held Sprayer 1.5 ltr (Acid resistant)	CALL
8.697-167.0	Hand Held Sprayer 1.5 ltr (Corrosive resist.)	CALL

Poly-molded Sprayer

3-gallon poly-molded sprayer with maximum chemical resistance.



- Heavy-duty design, economical price
- Blue poly-molded tank
- Funnel top design for ease of filling
- Durable plastic valve and extension
- Pin-to-cone spray tip
- Fully repairable
- Braided reinforced hose
- Optional flat fan spray tips available
- Buna-N gaskets and seals

Part No.	Description	List Price
8.697-172.0	Poly-molded Sprayer	CALL

Foam Nozzle Attachment

Foaming nozzle attachment fits: LT1.5, LT1.5A and P, PB, PV series.



Part No.	Description	List Price
8.697-164.0	Foam Nozzle Attachment	CALL

Sprayermaster Adjustable

7-quart adjustable Spraymaster.



- Direct dial adjustable valve
- Swivel quick disconnects
- T-jet/check valve

Part No.	Description	List Price
8.697-411.0	Sprayermaster Adjustable	CALL

Sprayermaster High Pressure

5-quart high pressure Spraymaster.



4-1 or 9-1 dilution ratio

Part No.	Description	List Price
8.697-413.0	Sprayermaster High Pressure	CALL

Sprayermaster Standard

7-quart standard Spraymaster.



- 9-1 complete
- Includes swivel quick disconnects
- T-jet/check valve

Part No.	Description	List Price
8.697-412.0	Sprayermaster Standard	CALL

Trigger Sprayer/Ergonomic



Ergonomic trigger sprayer.

- Proven reliability
- Unmatched quality
- Excellent aesthetics
- Superior functional features

Part No.	Description	List Price
8.697-180.0	Trigger Sprayer/Ergonomic	CALL

Trigger Sprayer/Chemical Resistant



Chemical-resistant trigger sprayer.

- 9 - 7 1/4 8" tube length
- 28mm/400 thread finish
- Made of chemical-resistant polymers

Part No.	Description	List Price
8.697-179.0	Trigger Sprayer/Chemical Resistant	CALL

Trigger Sprayer/Ultra Spray




Ultra-spray trigger sprayer.

- 9 - 7 1/4 8" tube length
- 28mm/400 thread finish
- Made of PTMT; a chemical-resistant plastic

Part No.	Description	List Price
8.697-177.0	Trigger Sprayer/Ultra Spray	CALL

Equipment

Rotovac 360




Carpet, tile and grout cleaning machine.

The new Rotovac 360 is an excellent tool for carpet cleaning and tile and grout cleaning in one effortless, self-propelled motion. This carpet, tile and grout cleaning machine weighs only 39 lbs. and will produce cleaning results that will impress your customers every time! The telescoping handle and adjustable rpm speed control adapts to a wide variety of carpet, tile and grout cleaning conditions for maximum cleaning performance and easy portability.

Part No.	Description	List Price
8.697-358.0	Rotovac 360	CALL

Rotovac DHX



For high-performance carpet cleaning.

The DHX is equipped with a variable head speed control dial which allows the operator to customize the head speed from 50 rpm up to 250 rpm. This feature allows the DHX to adapt to a wide variety of carpet, from direct commercial glue-downs to plush installed over pad residential carpeting. Glue-down carpet may require a slower head speed for smooth operation and maximum recovery. Installed over pad plush carpeting may need a faster head speed for best results.

Part No.	Description	List Price
8.697-359.0	Rotovac DHX	CALL

Rotovac Powerwand

The Rotovac Powerwand replaces the manual scrub wand for extraction carpet cleaning.



The Rotovac Powerwand carpet cleaning wand operates as easy as an upright vacuum cleaner. Its patented vacuum heads use a rotary-jet extraction which thoroughly cleans the carpet fiber from all directions with hundreds of cleaning passes per minute. It produces dramatically superior cleaning results that will amaze your customers every time!

Part No.	Description	List Price
8.697-360.0	Rotovac Powerwand	CALL

Rotovac WideTrack



Dual wand cleaning speed with one-man operation.

The Rotovac WideTrack is a 24-inch wide rotary-extraction tool for high-speed cleaning of large areas. Dual rotary-jet extraction cleaning heads utilize six vacuum slots / six spray jets to produce thorough, restorative cleaning. The cleaning heads spin at an adjustable 0 - 200 rpm. The WideTrack operates like a lawn mower and cleans equally in both directions up and back. Designed for use with any truck mount or dual 3-stage vacuum portable, the WideTrack delivers all the power of your extractor while requiring only one man to operate it. The ergonomic, dual-handle design in combination with the high torque drive motors make the WideTrack extremely easy to push as it power cleans through heavily-soiled areas with ease. The high speed cleaning power of the WideTrack can cut labor costs by up to 50%.

Part No.	Description	List Price
8.697-361.0	Rotovac WideTrack	CALL

CARPET & RESTORATION

Duct Cleaning

Rotomate Basic



Add to your bottom line with duct cleaning and the Carpet Rotomate.

- Hooks directly to your truck mount
- 2' hose assembly
- 17' connection hose
- Turbovac
- 3 - 8" brush / 1 - 12" brush

Part No.	Description	List Price
8.697-337.0	Rotomate Basic	CALL

Rotomate with Camera

Add to your bottom line with duct cleaning and the Carpet Rotomate.



- Same great features as BASIC model but with a customer pleasing camera for before and after validation
- Designed specifically for the carpet and restoration industry

Part No.	Description	List Price
8.697-338.0	Rotomate with 1 Camera	CALL
8.697-339.0	Rotomate with 2 Cameras	CALL



Tile & Hard Surface Tools

Hand Spinner Tool

Standard hand spinner tool



- Double bearing and ceramic seal assembly for high-pressure cleaning
- All stainless steel construction.
- 1.5" vacuum hose, angled nozzles, brush attachment and splashguard to ensure a clean, professional job.

Part No.	Description	List Price
8.697-374.0	Hand Spinner Tool	CALL

Hand Spinner Tool with 10' Hose

Standard hand spinner tool with 10" hose attachment.



- 10" hose attachment
- Double bearing and ceramic seal assembly for high pressure cleaning
- All stainless steel construction
- 1.5" vacuum hose, angled nozzles, brush attachment and splashguard to ensure a clean, professional job

Part No.	Description	List Price
8.697-375.0	Hand Spinner Tool w/ 10' Hose	CALL

Hard Surface Spinner Tool

Professional-grade hard surface spinner tool.



- All stainless steel construction
- Vacuum hose inlet fits either 1.5" or 2" hose
- Angled nozzles, splashguard, high-pressure double-bearing and ceramic-seal assembly ensures professional results.

Part No.	Description	List Price
8.697-376.0	Hard Surface Spinner Tool	CALL

Van Accessories

Stainless Steel Shelving



Van Shelving.

Part No.	Description	List Price
8.697-002.0	SS Shelving	CALL

Solution Hose Live Swivel Assembly



Turns your solution reel live for direct hookup.

- High pressure
- 1/4" hose

Part No.	Description	List Price
8.697-344.0	Solution Hose Live Swivel Assbly	CALL

Restoration Equipment & Accessories

UV Flashlight 32 LED Blaze

32 individual LED UV flashlight.

The Blaze-3285 flashlight offers an impressive 32 individual UV 380-385 nM LEDs. It is small and light weight. The perfect flashlight for doing inspections in dark areas where more UV output is not needed. This flashlight is favored in janitorial and tile cleaning inspections.



- Bulb Type: Longwave UV LED, 380-385 nM
- Bulb Life: 100,000 hours
- Body Material: Aluminum with "O" rings for water resistance
- Battery Required: 3 x AAA alkaline battery (not included)
- Battery Life: Approximately 25 hours on 3 AAA batteries
- Switch Type: Push on/off button off the neck
- Weight: 6 oz
- Head Diameter: 1.75" or 45mm
- Body Diameter: 1.2" or 30.5 mm
- Length: 5.6" or 142 mm

Part No.	Description	List Price
8.697-326.0	UV Flashlight 32 LED Blaze	CALL

UV Flashlight 51 LED Blaze

51 individual LED UV flashlight.

Blaze-5185 flashlight offers an amazing 51 individual 385 nM UV LEDs which makes it one of the largest LED flashlights on the market. Unlike the higher wave length 400 nM versions that come with a strong visible purple light and a hefty price tag, this one puts out less visible light making inspections more accurate and easier. All of this packed in a light weight brushed aluminum body weighing just 10 ounces.



- Bulb Type: Longwave UV LED, 380-385 nM
- Bulb Life: 100,000 hours
- Body Material: Aluminum with "O" rings for water resistance
- Battery Required: 3 x AA alkaline battery (not included)
- Battery Life: Approximately 20 hours on 3 AA batteries
- Switch Type: Push on/off button
- Weight: 8 oz
- Head Diameter: 2.15" or 55 mm
- Body Diameter: 1.38" or 35 mm
- Length: 5.5" or 140 mm

Part No.	Description	List Price
8.697-328.0	UV Flashlight 51 LED Blaze	CALL

UV Flashlight Blaze 128 LED

128 Individual LED UV Flashlight.

The Blaze-XL128 flashlight offers an amazing 128 individual LEDs which makes it the largest LED flashlight on the market. Unlike the higher wave length 400 nM versions that come with a strong visible purple light and a hefty price tag, this one puts out less visible light making inspections more accurate and easier. All of this packed in a light weight aluminum body weighing just 22 ounces.



- Bulb Type: 390 to 395 (nM)
- Bulb Life: 100,000 hours
- Body Material: Aluminum with "O" rings for water resistance
- Battery Require: 3 x D Size alkaline battery (not included)
- Battery Life: Approximately 40 hours on 3 D size batteries
- Switch Type: Click on / Click off
- Weight: 1.5 LB (without batteries)
- Head Diameter: 3.375" or 55 mm
- Body Diameter: 1.5" or 38 mm
- Length: 12" or 254 mm

Part No.	Description	List Price
8.697-331.0	UV Flashlight 51 LED Blaze	CALL

Data Log Temperature & Humidity Kit

Humidity and temperature USB datalogger.




- 32,000 readings (16,000 for each parameter: humidity/temperature)
- Dew point indication via Windows® software (included)
- Selectable data sampling rate: 2s, 5s, 10s, 30s, 1m, 10m, 30m, 1hr, 2hr, 3hr, 6hr, 12hr, 24hr
- User-programmable alarm thresholds for RH and Temperature
- Status Indication via Red/Yellow LED and Green LED
- Long battery life
- Dimensions: 5.1 x 1.1 x 0.9" (130 x 30 x 25mm)/weight: 1oz (20g)
- Complete with 3.6V Lithium battery and Windows® compatible analysis software

Part No.	Description	List Price
8.697-355.0	Data Log Temperature & Humidity Kit	CALL

Humidity Temperature Pen

Compact, digital hygro-thermometer, ideal for field use.



- Simultaneous display of temperature (°C/°F) and relative humidity
- Max/Min and Data Hold
- Built-in self calibration utility allows for field calibrations using optional relative humidity calibration bottles
- Includes meter with pocket clip and 3V lithium battery

Part No.	Description	List Price
8.697-353.0	Humidity Temperature Pen	CALL

Hygro & InfraRed Thermometer

Humidity, air temperature plus IR for non-contact temperature measurements.



- Combination humidity meter plus infrared thermometer features a super large backlit dual display.
- Primary and secondary displays: Primary display is user selectable for IR or humidity; secondary always displays ambient temperature.
- Infrared thermometer has built-in laser pointer and an 8:1 distance to target ratio.
- Auto power off
- Data Hold and MAX

Part No.	Description	List Price
8.697-398.0	Hygro & InfraRed Thermometer	CALL

IR Laser Thermometer

6:1 compact infrared thermometer with laser pointer.



- Temperature range: -4 to 500°F (-20 to 260°C)
- Built-in laser pointer for easy targeting
- Large backlit LCD display
- Fixed 0.95 emissivity covers 90% of surface applications
- Automatic data hold when trigger released
- Auto power off

Part No.	Description	List Price
8.697-354.0	Hygro & InfraRed Thermometer	CALL

CARPET & RESTORATION

Mini Thermo-Anemometer

Mini Thermo-Anemometer + Humidity.



- Foldup protective housing extends to 9" for better reach
- Large dual display of air velocity and temperature
- Data Hold to freeze most recent display
- Auto shutoff 20 minutes after last key is pressed
- Water resistant housing floats
- Drop tested to 6 feet

Wind Speed

- Measures ft/min, MPH, m/s, km/h, Knots and Beaufort Force
- Selectable averaging function of 5, 10, or 13 second intervals
- Replaceable non-corrosive plastic wind vane (impeller)

Temperature & Wind Chill

- Measures from 0 to 122°F (-18 to 50°C).

Relative Humidity and Dew Point

- Dual display of air velocity and relative humidity
- Measures RH from 10% to 95%
- Measure Dew Point from 32°F to 122°F

Part No.	Description	List Price
8.697-356.0	Mini Thermo-Anemometer	CALL

Precision Psychrometer



Highest 2% RH accuracy with fast 30-second response time.

- Fast response time (30 seconds).
- Dual backlit display
- Simultaneous display of: Humidity/Temperature, Humidity/Dew Point or Humidity/Wet Bulb
- Data Hold and Min/Max functions

Part No.	Description	List Price
8.697-357.0	Precision Psychrometer	CALL

Waterproof ExStik pH meter



- 1, 2 or 3 point calibration automatically recognizes buffer solutions
- Automatic temperature compensation simultaneous display of pH and temperature
- Display indicates when the reading is stabilized
- Data Hold, Auto Power Off and low battery indication
- Waterproof design floats in water and protects the meter in wet environment
- Interchangeable probes available for Chlorine & ORP
- Optional weighted base holds plastic cup and ExStik® meter

Part No.	Description	List Price
8.697-330.0	Waterproof ExStik pH meter	CALL

Extech pH Meter Buffer Solution



Calibrating Buffer Solution.

Part No.	Description	List Price
8.697-395.0	Buffer Solution - pH 10	CALL
8.697-397.0	Buffer Solution - pH 7	CALL
8.697-396.0	Buffer Solution - pH 4	CALL

Sonin 4-in-1 Multifunction Detector

4-1-1 Stud, Moisture, Metal, and Voltage Detector



- Detects moisture percentages 8% - 22%
- Helps find if potentially damaging excess moisture is present
- Locate and trace water leaks to prevent wet rot
- Detects wood and metal studs, beams and joists behind walls up to 3/4" deep
- Non-contact voltage detection helps you trace and locate live AC wire behind walls, ceilings up to 2" deep
- Detect and locate hidden metal, steel and copper pipes, and frames (both ferrous and nonferrous) behind walls up to 2" deep
- Detects nails in wood up to 2" deep
- Fast, accurate and easy to read LED display with audible indicator
- Microprocessor based instrument with automatic calibration to ensure accuracy
- Low battery warning
- Requires one 9V battery (not included)
- One-year warranty

Part No.	Description	List Price
8.697-029.0	Sonin 4-in-1 Multifunction Detector	CALL

Sonin Laser Targeting Range Finder

Take the guesswork out of ultrasonic distance measuring by pinpointing the approximate center of your target area.



- Adds linear measurements, area, volumes
- Measures in Ft/In, M/Cm, decimal Ft. and Yds.
- Tracking and Validate modes
- Can measure from top or bottom of unit
- 7 memories with easy recall
- Automatic internal temperature compensation
- Auto shut-off 7 minutes after last use
- Multi-lingual detailed instruction booklet
- Low battery warning
- Requires one 9 volt battery (not included)
- Accuracy 99.5% +/- 1/4" (1cm)
- Protective pouch with belt loop
- Recommended for indoor use only
- One-year warranty

Part No.	Description	List Price
8.697-036.0	Sonin Laser Targeting Range Finder	CALL

Sonin Water Alarm with Remote Sensor

Sonin Water Alarm warns of leaks and overflows in bath, kitchen, laundry, furnace, computer rooms or anywhere there is a potential for leaks.



- Low battery signal tells user when it's time to replace the battery
- Circuit test bar ensures system is working
- Alerts user within hearing range that water has reached desired level when used to monitor the filling of pools, tubs, sinks, aquariums and more
- An ideal backup system for sump and bilge pumps in residential, commercial and marine applications
- Sensor and alarm can be placed up to 6 feet apart
- Loud 85 dB (decibel buzzer). Sounds for up to 3 days

Part No.	Description	List Price
8.697-000.0	Sonin Water Alarm w/ Remote Sensor	CALL

Sonin Digital Moisture Meter



- Measures moisture levels from 5 to 40-Percent, Resolution 1-Percent
- Easy to read, Large LCD display with low battery symbol
- Date hold function
- Replacement probe included
- Protective carrying pouch included

Part No.	Description	List Price
8.750-460.0	Sonin Digital Moisture Meter	CALL

Sonin Moisture Test Meter

Dual reading scale gives relative (1-10) & moisture percentages 10-28% readings.



- Contact probes are on a 3' coiled cable for detecting moisture in hard to reach spots.
- The 10-point scale corresponds to moisture levels from 10-28%.
- Scale and reference chart correlate relative and moisture percentage readings.
- Great for inspectors, contactors & homeowners
- Test hard or soft wood, concrete, plaster, carpet & more to determine the extent of moisture problems
- Find out if potentially damaging excess moisture is present
- Locate and trace roof leaks & water seepage; assess the extent of wet rot & hidden condensation
- Use it to check surfaces before painting, wallpapering or laying floors or tile
- Helps you to select drier lumber
- Requires one 9 volt battery (not included)
- Instruction sheet included
- One-year warranty

Part No.	Description	List Price
8.697-031.0	Sonin Moisture Test Meter	CALL

Sonin Multi-Measure 45

Easy-to-use tapeless distance measuring tool. Get the entire square footage of a house in only minutes.



- Measures from 1'10" up to 45 Feet (13 meters)
- Displays measurements to the 1/4"
- Computes areas and volumes
- Adds linear measurements, area, volumes
- Measures in Ft/In, M/Cm
- Tracking and Validate modes
- Automatic internal temperature compensation
- Auto shut-off 7 minutes after last use
- Multi-lingual detailed instruction booklet
- Multi-lingual quick reference instruction label
- Low battery warning
- Requires one 9 volt battery (not included)
- Accuracy 99.5% +/- 1/4" (1cm)
- Recommended for indoor use only
- One-year warranty

Part No.	Description	List Price
8.697-037.0	Sonin Multi-Measure 45	CALL

Ozone Generator Villa 1000

Eliminate Odors Naturally.

The Odor-free purifier will oxidize unwanted odors in your facility. It generates O3, or ozone, which disburse into the space to be treated. The O3 attacks odors at their source and sanitizes the entire treatment area. It is especially effective on...



- Cigarette Smoke
- Mold & Mildew
- Smoke Damage
- Food Odors
- Pet Odors
- Carpet Odors
- Water Damage
- Cleaning Fumes
- Beverage Odors
- Decaying Matter
- New Construction
- Microorganisms

Part No.	Description	List Price
8.697-128.0	Ozone Generator Villa 1000	CALL

Moisture Sensor, Hydro Shark



- 31-inches long
- Reads moisture content of 17%
- For use in urine detection and moisture mapping

Part No.	Description	List Price
8.697-417.0	Moisture Sensor, Hydro Shark	CALL

Pump Out Shield

The safer and healthier solution to waste water removal.



- Easy to install
- Protects client's walls and floors
- Reduces cleanup

Part No.	Description	List Price
8.697-399.0	Pump Out Shield	CALL

Carbon, Vapor Lock Filter

3rd stage, vapor-lock carbon filter.



- 3rd stage, 2" high-capacity, carbon, vapor-lock filter
- The 3rd stage filter has woven carbon media for absorption of gases and odors.
- It is recommended you change the 3rd stage filter every 6 to 12 months under normal operating conditions.

Part No.	Description	List Price
8.697-390.0	Carbon, Vapor Lock Filter	CALL

Second Stage Particulate Filter

2" 2nd stage, pleated particulate filter.



- 2nd stage, pleated particulate filter
- Removes finer particulates than the 1st stage filter
- It is recommended you change the 2nd stage filter every 6 to 9 months under normal operating conditions.

Part No.	Description	List Price
8.697-389.0	Carbon, Vapor Lock Filter	CALL

Fiber Trapper Pre-Filter

Particulate pre-filter for air filtration units used for commercial, industrial, residential, and healthcare applications.



The FiberTrap pre-filter is designed to capture the coarsest particles circulating through your air duct system which helps to extend the life of the 2nd stage carbon-pleated filter and the HEPA filter, saving you money!

Part No.	Description	List Price
8.697-386.0	Fiber Trapper Pre-Filter	CALL

CARPET & RESTORATION

HEPA Filter PRED 1200

Final stage, round HEPA filter.



- Final stage round replacement HEPA filter.
- HEPA or High-Efficiency Particulate Arresting filters capture 99.97% of airborne contaminants as small as 0.3 microns in size.
- The H610C-99 removes bacteria, mold spores, soot, pollens, animal hair, animal dander, dust mites, smoke particles and other allergens and lung damaging particles.
- It is recommended you change the final filter every 2 to 3 years under normal operating conditions.

Part No.	Description	List Price
8.697-383.0	HEPA Filter PRED 1200	CALL

Predator 1200 Portable Air Scrubber

The new state-of-the art rotational-molded HEPA filtration systems.



- High-density polyethylene cabinet is strong & durable; resin includes microbial growth and UV inhibitors
- Powerful, provides more airflow per pound than other products
- Lightweight (70 lbs) and portable, superior mobility for vehicle loading/unloading and easy rolling to the job site
- Low amperage draw, safely 'daisy-chain' up to three units on one 115-volt/15-amp circuit
- True 99.97% HEPA Filtration, Type A HEPA tested and certified to IEST construction and testing standards; microglass media does not rely on an electrostatic charge to maintain efficiency; 2 pre-filter stages; optional third stage
- Economical to operate

Part No.	Description	List Price
8.697-384.0	Predator 1200 Portable Air Scrubber	CALL

Predator 600 Portable Air Scrubber

The world's lightest and smallest PAS with the performance and features you need.



- INCREDIBLY LIGHTWEIGHT AND COMPACT - Weighs just 34 lbs. including filters; about 10 pounds lighter than any other PAS.
- POWERFUL - Variable-speed airflow, rated at 200 to 600 cfm. PRED 600 is the smallest 600 cfm unit on the market.
- SPECIAL CABINET RESIN - Cabinets made from a high-density polyethylene resin that contains microbial growth and UV inhibitors. And, the Tefgard™ finish is easy to clean and decontaminate.
- EFFECTIVE FILTRATION - Comes with two pre-filters and a true 99.97% HEPA filter. Vapor-Lock® carbon pre-filter is optional.
- ECONOMICAL TO OPERATE - Filters that last longer and cost less, so you can save hundreds of dollars in replacement filter costs.
- SECURE STACKING - Multiple units nest securely together, to save space when stacked in a warehouse, a van, or on the job. They can even run when stacked.
- LOW AMPERAGE DRAW, - Up to five units can be safely daisy-chained on one 15-amp circuit (total current draw 12 amps).

Part No.	Description	List Price
8.697-385.0	Predator 600 Portable Air Scrubber	CALL

ZipWall Foam Rails & T-Clips



Foam rail cross bars and t-clips.

- 2 foam rails and 2 T-clips.
- Foam rails safely press plastic sheeting against ceiling.

Part No.	Description	List Price
8.697-367.0	ZipWall Foam Rails & T-Clips	CALL

ZipWall 12' Poles 2/pk

Two spring loaded poles, extends from 4' 7" to 12', includes two sets of parts (head, plate, tether, GripDisk™).



- The six SLP™ poles extend from 4' 9" to 12'.
- The poles can be placed 8 to 10 feet apart. If there is any significant air movement that pushes the plastic, you will want to pull them in closer together.
- The GripDisk™ slide stoppers should always be used especially on hard surfaces.
- Six GripDisk™ slide stoppers come in every package.

Part No.	Description	List Price
8.697-368.0	ZipWall 12' Poles 2/pk	CALL

ZipWall 4 Pack Plus

4 spring loaded poles, 4 sets of parts (head, plate, tether, GripDisk™), 2 foam rails, box of 2 standard zippers, 1 carry bag.



- The four SLP poles extend from 4' 9" to 12'
- Snap foam rail onto the pole
- Each foam rail is five feet long
- The GripDisk™ should always be used especially on hard surfaces

Part No.	Description	List Price
8.697-161.0	ZipWall 4 Pack Plus	CALL

ZipWall Carrier Bag

Sturdy, durable. Can hold 12 SLPs or six 20' poles with jacks unattached.



- Made of tough polyester
- Keeps all your barrier products organized and easy to transport
- Holds the 20 foot pole and the red jack unattached

Part No.	Description	List Price
8.697-366.0	ZipWall Carrier Bag	CALL

ZipWall Kit 20

Two poles that extend from 6' 9" to approximately 21'. Includes two jacks and two sets of parts (head, plate, tether, GripDisk™).



- The Kit 20 poles extend from 6' 9" to 20'
- This product can be used in areas with a ceiling height up to 21'
- The poles can be placed 8 to 10 feet apart. If there is any significant air movement that pushes the plastic, you will need to pull them in closer together, anywhere from 4 to 8 feet.
- Two GripDisk™ slide stoppers come in every Kit 20 package

Part No.	Description	List Price
8.697-371.0	ZipWall Kit 20	CALL

ZipWall GripDisks 2/pk



Holds bottom of poles securely in place on floors with slick surfaces such as linoleum, marble, or wood.

Part No.	Description	List Price
8.697-362.0	ZipWall GripDisks 2/pk	CALL

ZipWall Side Clamp 2/pk

Two Side Clamp wall mounts.



- Each Side Clamp wall mount is made of polycarbonate and is very tough.
- This product can easily fit into the ZiWall® carry bag with poles and Foam Rail™ cross bars.
- In some situations where you have large crown moldings and base board heat on the same wall, the pole may be too far from the wall for the Side Clamp wall mounts to reach.

Part No.	Description	List Price
8.697-365.0	ZipWall Side Clamp 2/pk	CALL

ZipWall Zipper

Includes two self-adhesive zippers and two cords for tying up a plastic flap. For indoor use only.



- Makes an easy doorway through plastic barriers
- Designed by the manufacturers of the award-winning ZipWall® dust barrier systems
- Has the smoothest glide available
- Is engineered with large, sturdy easy-slide teeth
- Is made with 2-sided pulls for easy entry/exit to or from the barrier
- Works best in temperatures above 55 degrees Fahrenheit.

Part No.	Description	List Price
8.697-363.0	ZipWall Zipper	CALL

Pressurized Drying System-21

Viking's new patent pending pressurized drying system makes drying wall cavities easier and less frustrating than before.



Perfect for under sinks, behind cabinets and permanent furniture. Its portability makes drying a breeze. All-in-one containment provides the operator with simple on-the-go equipment. Just bore a 1/2" hole, plug in the end hose and begin drying. An on-board plug-off system makes plugging unused tubes simple.

Part No.	Description	List Price
8.697-129.0	Pressurized Drying System-21	CALL

Air King Pivoting Utility Blower

The Pivoting blowers are a perfect fit for any job site. The compact size makes them a great fit where space is tight.



- The Pivoting Utility Blower features a pivoting head to direct air flow where you need it.
- The 1/16 HP blower delivers just the amount of air flow you need.
- Dimensions: 11.5" L x 9.25" W x 11.25" Weight: 10.1 lbs.

Part No.	Description	List Price
8.697-204.0	Air King Pivoting Utility Blower	CALL

Legacy Air Mover (LAM3)



A powerful, light weight, versatile 3 Speed air mover that reduces carpet drying times by up to 50 percent.

- Durable polyethylene gray housing with a sturdy four-point motor mount
- Easy to carry and move. Light weight with a balanced offset handle
- 120V AC, 60hz, 9 amp, with molded cord hooks for storing the 25' 16/3
- 1/2 hp thermally protected continuous duty motor with capacitor start and four-point mount
- Built-in carpet clip makes it easy to dry floors under carpet - Ideal for restoration work

Part No.	Description	List Price	10+	15+
1.004-014.0	Legacy Air Mover	\$276.00	\$250.00	\$234.00

Air King Pivoting High Velocity

The Pivoting Blowers are a perfect fit for any job site. The compact size makes them a great fit where space is tight.



- The Pivoting High Velocity Blower features a pivoting head to direct air flow where you need.
- With a type SO, GFCI power cord with test and reset buttons.
- The 1/13 HP blower delivers just the amount of air flow you need.
- Dimensions: 13" L x 11" W x 14.5" Weight: 12.75

Part No.	Description	List Price
8.697-205.0	Air King Pivoting High Velocity	CALL

Windjammer 2300 Blower

1/2 horsepower at only 4 amps.



- Delivers up to 2300 CFM at approximately 4.0 amps
- Stackable
- Comes with a 25' power cord and a built-in cord wrap
- Its low amp rating allows more units to be used in the same circuit.
- Portable size and high CFM airflow make it ideal for the carpet cleaner/restoration technician for any job.

Part No.	Description	List Price
8.697-203.0	Windjammer 2300 Blower	CALL

Windjammer 2200 Blower



Get the lowest amps with the highest airflow.

- The Windstorm 2200 is 3-speed, 2200 CFM at approximately 3.9 amps
- Stackable
- Comes with a 25' retractable power cord
- Most popular with the restoration industry

Part No.	Description	List Price
8.697-206.0	Windjammer 2300 Blower	CALL

CARPET & RESTORATION

Carpet Installation & Repair

Action Knife

Safety, convenience and precision are built into this Action Knife.



- Save time and energy with this Action Knife's patented D-Ring front loading blade change.
- Angled design offers better control, and the handle acts as storage for additional blades.
- 12 knives per box
- Uses 8.697-340.0 Replacement Blades

Part No.	Description	List Price
8.697-053.0	Action Knife	CALL

Aluminum Straight Edge

36" Aluminum Straight Edge.



- Grooved bottom helps to prevent slipping
- Anodized finish guards against damage

Part No.	Description	List Price
8.697-069.0	Aluminum Straight Edge	CALL

Aviation Snips for Most Metals

A high quality imported 10" snips with alloy steel handles.



- Alloy steel handles
- Hot forged molybdenum steel blades
- Makes straight cuts 1-1/2" long in metal up to 18 Gauge (.049") thick
- Vinyl grips for comfort

Part No.	Description	List Price
8.697-068.0	Aviation Snips	CALL

Base Molding & Tackstrip Lifter

Gives positive leverage control to avoid denting the baseboard.



- Notches for nail and brad pulling
- Rust and chip proof finish

Part No.	Description	List Price
8.697-054.0	Base Molding & Tackstrip Lifter	CALL

Carpet Gripper

The harder the pull, the tighter the grip.



- Easily handles carpet from edges with strong gripping control
- Tear out carpet and vinyl with ease
- 6 per box

Part No.	Description	List Price
8.697-056.0	Carpet Gripper	CALL

Carpet Shears Bent Handle

Shears made for the most demanding of jobs.



- Entirely made in the U.S.A.
- Shears are hot hammer forged of high integrity cutlery steel.
- Hardened and tempered for durability and long life
- Shears are plated for superior protection against rust and corrosion.
- Unconditional lifetime warranty against defective materials or workmanship
- A fully-warranted factory reconditioning is available for a charge for the life of the shears.

Part No.	Description	List Price
8.697-016.0	Carpet Shears Bent Handle (10")	CALL
8.697-017.0	Carpet Shears Bent Handle (8")	CALL

Duckbill Napping Shears

Unique duckbill blade designed for precision cuts. 7"



- Offset handle for easy level nap trimming.

Part No.	Description	List Price
8.697-060.0	Duckbill Napping Shears (7")	CALL

Carpet Repair Kit

Quick, neat and simple tool for professional carpet repairs.



- Utilizes remnants or carpet from hidden areas, such as closets
- Perfect for burns, stains, rips, tears and other small damage
- Includes 6 Insta-Hold™ pressure sensitive patches
- 6 per box

Part No.	Description	List Price
8.697-045.0	Carpet Repair Kit	CALL

Carpet Repair Replacement Blades



- Replacement blades for the Cookie Cutter Repair Tool
- 10 per pack

Part No.	Description	List Price
8.697-340.0	Carpet Repair Replacement Blades	CALL

Door Hinge Pin Remover

This tool removes door pins fast and easy without causing damage.



- Forked end fits snugly around the head of the pin so that equal pressure is applied to both sides.

Part No.	Description	List Price
8.697-067.0	Door Hinge Pin Remover	CALL

Carpet Wall Trimmer

Plastic-protected wall guide.



- New non-slip color handle and improved performance
- Cuts in either direction

Part No.	Description	List Price
8.697-064.0	Carpet Wall Trimmer	CALL

Cushion Back Cutter

For top cutting and trace cutting.



- Patented D-Ring for easy blade change
- 30-degree blade angle provides clean cuts the first time.
- 6 per box

Part No.	Description	List Price
8.697-046.0	Cushion Back Cutter	CALL

Loop Pile Cutter

Designed specifically for loop pile and berber carpet.



- Patented D-Ring for easy blade change. 30-degree blade angle provides clean cuts the first time.
- 6 per box

Part No.	Description	List Price
8.697-047.0	Loop Pile Cutter	CALL

Fast Lock Edge Sealer



Allows installer to see adhesive application to carpet's edge.

- Convenient 8 oz. bottle.
- Cap has a longer lip than competing products
- 12 per case

Part No.	Description	List Price
8.697-059.0	Fast Lock Edge Sealer	CALL

Floor & Wall Scraper

4' x 12' - Widely used for scraping floors, walls, and countertops.



- Heavy-duty shaft construction
- Comfortable vinyl hand grip
- 4" blade included
- 10 per box

Part No.	Description	List Price
8.697-058.0	Floor & Wall Scraper	CALL

Electric Glue Gun

For hard-to-reach seam locations and patch repairs.



- Specially designed drip-resistant tip
- Fast heat-up with 80 watts delivers temperatures to 380°
- Includes alternate extension

Part No.	Description	List Price
8.697-050.0	Electric Glue Gun	CALL

30 Pack Glue Sticks

- 4" / 30 per bag - Fits Most Glue Guns
- Includes Fluorescent Material which reflects black light for easy steam inspection

Part No.	Description	List Price
8.918-116.0	30 Pack Glue Sticks	CALL

Installer's Carpet Kicker



Thicker, more comfortable knee pad. Smooth glide action.

Part No.	Description	List Price
8.697-052.0	Installer's Carpet Kicker	CALL

Power Stretcher



Standard Stretcher with Box.

- The Power Stretcher features a 12" head, heavy duty steel teeth and adjustable height.
- The four inner-outer steel tubing sections are made of a thick gauge steel and have a large diameter for strength and rigidity.
- The Power Stretcher includes the 20" Rol-A-Block tail block assembly, one 14" connecting tube, an adjustment neck tube and a durable plastic case.
- The Power Stretcher tubes have a large diameter for extra strength to reduce bowing on long stretches.
- The Power Stretcher case is made of durable molded plastic for easy stretcher transport. Reinforced steel double hinges heavy-duty clasps. Fits all Taylor power stretchers.

Part No.	Description	List Price
8.697-424.0	Power Stretcher	CALL

Kool Top Seaming Iron

Fully grooved, featuring ORCON's chevron pattern. Channels adhesive into the patented deep-center groove.



- 'Butters' the seam edges which helps prevent seam hinging and peaking (see Peak-Buster™ products).
- Now features 15-ft cord!

Part No.	Description	List Price
8.697-051.0	Kool Top Seaming Iron	CALL

CARPET & RESTORATION

Tool Box with Wheels & Seaming Tray



Use your vented seaming tray as a seam weight! Roll heavy loads easily.

- Carry all your installation tools.
- Interior capacity: 10" H x 23.5" W x 9.5" D.

Part No.	Description	List Price
8.697-042.0	Tool Box w/ Wheels & Seaming Tray	CALL

Seam-Mate Iron Box



For Seaming Iron, Tape and Tools.

- Features hinged shelf.
- Will hold two (2) irons (wide & narrow) and a roll of standard seaming tape!

Part No.	Description	List Price
8.697-043.0	Seam-Mate Iron Box	CALL

Seam Roller by Action

This Action Seam Roller has specially designed beveled star wheels to deeply press the carpet backing into the adhesive.



- Designed for use on loop pile carpet to eliminate yarn

Part No.	Description	List Price
8.697-010.0	Seam Roller by Action	CALL

Smooth Action Roller

Smooth wheels provide safe seam finishing for plush cut piles and saxonomies, without face yarn damage or tractor marks.



- Forces hot-melt adhesive into carpet backing for added seam strength
- Designed for cut-pile carpet. 6 per box

Part No.	Description	List Price
8.697-057.0	Smooth Action Roller	CALL

Stair Tool – T Handle

Patented handle allows for better grip and tool control.



- Less impact on wrist and hand
- Ideal for hooking on tack strip
- Chrome finish to protect against corrosion

Part No.	Description	List Price
8.697-063.0	Stair Tool – T Handle	CALL

Stair Tool – Cushion Handle



- Improved cushion grip prevents slipping
- Cushion grip reduces shock to hand
- Rounded corners and edges protect against snags and tears

Part No.	Description	List Price
8.697-062.0	Stair Tool – Cushion Handle	CALL

EZ Moves 4' Furniture Slide

Allows easy movement of furniture on either hard or soft surfaces.



- Ideal for moving appliances, filing cabinets, stacks of boxes and other large, bulky items on hard surface floors.

Part No.	Description	List Price
8.697-025.0	EZ Moves 4' Furniture Slide	CALL

EZ Moves Pro



Set/4 11.5" x 6.75"

- Used by moving men, carpet installers, carpet cleaners, painters, remodelers, store owners, janitorial services, interior designers and more

Part No.	Description	List Price
8.697-027.0	EZ Moves Pro	CALL

EZ Moves Hard Surface Pro



For heavy moving on hard floors (4/pkg)

- An accessory for your EZ Moves II™ to provide extra protection when moving items across hard surfaces

5-3/4" x 9-1/2"

Part No.	Description	List Price
8.697-026.0	EZ Moves Hard Surface Pro	CALL

Instant Hold Replacement Disks

Replacement Disks for the Cookie Cutter Repair Tool.



- A must-have for the carpet repair professional
- 100 disks per pack

Part No.	Description	List Price
8.697-343.0	Instant Hold Replacement Disks	CALL

Swivel Tool Pocket

This heavy-duty pocket is made for the professional.



- Pocket is lined for blade and tool protection
- Genuine leather with heavy-duty riveting
- 6 per box

Part No.	Description	List Price
8.697-055.0	Swivel Tool Pocket	CALL

Chalk Reel

50' long Chalk Line Reel



- Economically priced durable aluminum alloy box
- Easy-to-hold sure-grip shape
- Fill by simply sliding open the nylon cover
- Self-locking handle and a plated anchor ring
- Cotton line is highly absorbent for positive marking, and is replaceable.
- Can also be used as a plumb bob

Part No.	Description	List Price
8.697-065.0	Chalk Reel	CALL

White Chalk



8oz Refill Bottle.

- A specially formulated blend of talcum powder and limestone is milled to a finer consistency for more positive and distinct marking.
- Available in an 8 oz. squeeze bottle with an easy fill spout

Part No.	Description	List Price
8.697-066.0	White Chalk	CALL

Perfect Patch



Easiest way to repair carpet.

- The 3-in-1 Perfect Patch tool is the easiest way to repair carpet and it comes with a FREE how to patch a carpet video!

Part No.	Description	List Price
8.697-392.0	White Chalk	CALL

Hoses, Connectors & Accessories

Ball Shut-Off Valve 1/4"

Replacement Econo shut-off valve.



- Use this ball valve on your solution hose
- Fits 1/4" fittings

Part No.	Description	List Price
8.697-347.0	Ball Shut-Off Valve 1/4"	CALL

Premium Ball Shut-Off Valve



Replacement shut-off ball valve.

- Premium quality built into this shut-off valve

Part No.	Description	List Price
8.697-126.0	Premium Ball Shut-Off Valve (3/8")	CALL
8.697-125.0	Premium Ball Shut-Off Valve (1/4")	CALL

Chrome Ball Valve



- 800 psi
- 300° M/F
- "T" handle valve

Part No.	Description	List Price
8.697-414.0	Chrome Ball Valve	CALL

Connector 1.5" – 2" Stainless Steel



Durable stainless steel vacuum hose connector.

- Connects 2" vacuum hose cuff to 1.5" hose cuff

Part No.	Description	List Price
8.697-076.0	Connector 1.5" - 2" Stainless Steel	CALL

Connector 1.5" Stainless Steel



Durable stainless steel vacuum hose connectors for connecting two lengths of 1.5" vacuum hose.

- Connects two sections of 1.5" vacuum hose

Part No.	Description	List Price
8.697-075.0	Connector 1.5" Stainless Steel	CALL

Connector 2" Stainless Steel



Durable stainless steel vacuum hose connectors for connecting two lengths of 2" vacuum hose.

Part No.	Description	List Price
8.697-078.0	Connector 2" Stainless Steel	CALL

Connector 2" Stainless Steel 'Y' Vac



Vacuum hose "Y" - 2" Stainless Steel hose connector.

- Use two wands on a single wand machine
- Durable stainless steel for long wear

Part No.	Description	List Price
8.697-123.0	Connector 2" Stainless Steel 'Y' Vac	CALL

Connector: Barb Hose 2" – 1.5"



1.5" Barb x 2" Barb.

Part No.	Description	List Price
8.697-348.0	Connector: Barb Hose 2" - 1.5"	CALL

Connector: Barb Hose 1.5" – 1.5"



1.5" Barb x 1.5" Barb Connector.

Part No.	Description	List Price
8.697-345.0	Connector: Barb Hose 1.5" - 1.5"	CALL

CARPET & RESTORATION

Connector: Barb Hose 2" – 2"



2" Barb x 2" Barb Connector.

Part No.	Description	List Price
8.697-346.0	Connector: Barb Hose 2" - 2"	CALL

Coupler: 1/4" Female, Secure Lock



Part No.	Description	List Price
8.697-085.0	Coupler: 1/4" Female, Secure Lock	\$22.42

Coupler: 1/4" Female



Parker Quick Connect.

Part No.	Description	List Price
8.697-079.0	Coupler: 1/4" Female	\$13.66

Coupler: 1/4" Female Stainless Steel



Durable stainless steel female replacement coupler.

Part No.	Description	List Price
8.697-087.0	Coupler: 1/4" Female Stainless Steel	\$36.54

Coupler: Quick Connect 1/4" F Econo



Female 1/4" Econo Replacement QD.

- Interchangeable with other manufacturers' fittings

Part No.	Description	List Price
8.697-350.0	Coupler: Quick Connect 1/4" F Econo	\$11.02

Coupler: 1/4" Male Quick Connect Econo



Coupler 1/4" male quick connect, economy.

- Directly interchangeable with your worn out brass or stainless steel couplers

Part No.	Description	List Price
8.697-080.0	Coupler: Quick Connect 1/4" M Econo	\$5.46

Coupler: 1/4" Male Stainless Steel



Parker Hannifin coupler 1/4" male quick connect.

Part No.	Description	List Price
8.697-086.0	Coupler: 1/4" Male SS	\$18.76

Coupler: 1/4" Male Quick Connect PH



High Quality, long life Parker Hannifin brand coupler.

Part No.	Description	List Price
8.697-081.0	Coupler: 1/4" Male QC PH	\$7.68

Hide-A-Hose Swivel Cuff

Vinyl Hide-A-Hose swivel cuff.



- Now you can hide your solution hose within the vacuum hose line, and you can forget the hassles of trying to work with separate hoses lying all around!

Part No.	Description	List Price
8.697-351.0	Hide-A-Hose Swivel Cuff (1.5")	CALL
8.697-349.0	Hide-A-Hose Swivel Cuff (2")	CALL

Swivel Cuff: Big End Threaded



Part No.	Description	List Price
8.708-903.0	Big End Threaded (1.5")	\$2.03
8.708-904.0	Big End Threaded (2")	\$5.59
8.708-905.0	Swivel Cuff (1.5")	\$3.10
8.708-906.0	Swivel Cuff (2")	\$5.86

Hose Cuff 1.5" - 2" Small End Threaded



Vinyl Enlarger.

- 1-1/2" vinyl screw cuff enlarged to accommodate 2" O.D. wand connection

Part No.	Description	List Price
8.697-091.0	Hose Cuff 1.5" - 2" Small End Threaded	\$4.54

Hose Cuff 2" Swivel Reducer



2" vinyl swivel reducer cuff.

Part No.	Description	List Price
8.697-093.0	Hose Cuff 2" Swivel Reducer	\$8.40

Hose Cuff 2" - 1.5" Big Ended Threaded



2" - 1-1/2" vinyl double threaded connector.

Part No.	Description	List Price
8.697-095.0	Hose Cuff 2" - 1.5" BET	\$5.36

Misc. Hose Cuffs & Accessories

Part No.	Description	List Price
8.708-896.0	Hose connector 1.5" - 1.5"	\$5.59
8.708-900.0	Hose Cuff 2" Threaded reducer	\$6.55
8.708-898.0	Hose Cuff 2" - 2" both ends Threaded	\$5.83

Hose Hook 1.5

Hose Hook 1.5" to 3".



- Hook: 1/4" dia., 1-1/4" radius bend (2-1/2" opening)
- Can hook on larger objects
- Coated to prevent scratches
- Fits 1-1/2" to over 3" hoses

Part No.	Description	List Price
8.697-100.0	Hose Hook 1.5	CALL

Hose Hugger 3 x 27



3 x 27" for 25' + of 1-1/2" vacuum hoses.

Part No.	Description	List Price
8.697-122.0	Hose Hugger 3 x 27	CALL

Hose Hugger 3 x 34



3 x 34" for Larger diameter vacuum hoses.

Part No.	Description	List Price
8.697-121.0	Hose Hugger 3 x 34	CALL

Cord Hugger 3 x 12

For light-duty electric cords up to 100'.



- Clear the clutter and tangles with this handy accessory.

Part No.	Description	List Price
8.697-120.0	Cord Hugger 3 x 12	CALL

D-Ring Handi Tie 1.5

An all-purpose tie for power cords and solution hoses. Keeps them with the tool or appliance.



Part No.	Description	List Price
8.697-099.0	D-Ring Handi Tie 1.5	CALL

QD Connector Sleeve Set



To protect you and your customers.

- Covers the hot metal ends of your hose to prevent burns and damage to you and your customer
- Helps to protect Brass fittings for longer life

Part No.	Description	List Price
8.697-077.0	QD Connector Sleeve Set	CALL

Snap N Lock Cuff



Snap N Lock Hose Connector Set.

- Stainless steel button locks
- Positive locked connection
- High-impact safety yellow plastic
- Durable in hot or cold climates
- Fracture resistant

Part No.	Description	List Price
8.697-408.0	Snap N Lock Cuff (1.5" - 1.5")	CALL
8.697-410.0	Snap N Lock Cuff (2" - 1.5")	CALL
8.697-407.0	Snap N Lock Cuff (2" - 2")	CALL

Snap N Lock Cuff 2"

Snap N Lock 2" Leaf Trap Adapter.



- Stainless steel button locks
- Positive locked connection
- High-impact safety yellow plastic
- Durable in hot or cold climates
- Fracture resistant

Part No.	Description	List Price
8.697-409.0	Snap N Lock Cuff 2"	CALL

Tandem Hose Clamp

For keeping hoses connected.



- Tandem hose clamp 2" wide strap
- Adjustable

Part No.	Description	List Price
8.697-101.0	Tandem Hose Clamp	CALL

Hose Buddy

Save your hands from hot hoses.



- A patented, fully engineered tool designed to separate operator's hands from hot, abrasive hoses during hose retrieval process
- Saves time by providing accurate, "friction-free" hose delivery onto reel
- Works on supply and delivery hoses up to 5/8"

Part No.	Description	List Price
8.697-427.0	Hose Buddy	CALL

CARPET & RESTORATION

Solution Hose Reel

Solution reels provide convenient storage for high-pressure solution hose and garden hose.



- Will accommodate up to 150' of 5/8" garden hose or 450' for 1/4" high pressure hose
- Standard solution reels come in two sizes and come equipped with an angle bracket that bolts directly onto our vacuum hose reels.
- All welded steel construction with rust-resistant paint finish make it an attractive asset to any truck-mounted cleaning system.

Part No.	Description	List Price
8.697-071.0	Solution Hose Reel (150' 5/8", 450' 1/4")	CALL
8.697-070.0	Solution Hose Reel (100' 5/8", 300' 1/4")	CALL

Make the reel **LIVE** with these assemblies

8.697-423.0 - Low Pressure Garden Hose - page 151

8.698-344.0 - High Pressure 1/4" - page 138

Solution Hose 50' 1/4" 3000 PSI

High temperature, high pressure solution hose.



- 50 feet steel braided
- Handles up to 250°F and 3,000 PSI
- Tight-bend radius capability
- 1/4-inch male swage fittings and a black poly heat shield

Part No.	Description	List Price
8.918-062.0	Solution Hose - Blue	\$106.40
8.918-075.0	Solution Hose - Gray	\$121.80

Solution Hose 50' 1/4" 1500 PSI

High temperature, high pressure, solution hose.



- 50 feet, gray, steel braided
- Handles up to 250°F and 1,500 PSI
- Tight-bend radius capability
- 1/4-inch male swage fittings and a black poly heat shield

Part No.	Description	List Price
8.918-074.0	Solution Hose - Blue	\$96.30
8.918-063.0	Solution Hose - Gray	\$96.30

Solution Hose 50' 3/8" Blue, 3000 PSI

High temperature, high pressure, solution hose.



- 50 feet of 3/8" Goodyear high pressure solution line
- For Pressure washing or other equipment that requires more water flow
- 3000 PSI / 250F • Steel braided
- Plastic heat sleeve

Part No.	Description	List Price
8.739-148.0	Solution Hose - Blue	\$93.59

See page 20 for additional Hose offering

Truckmount Vacuum Hose

50 feet of 2.5 -inch blue heavy-duty truck mount vacuum hose with cuffs.



- The combination of co-polymer materials and two-part helically wound construction make this hose superior to others in the market.
- Has all the characteristics users look for in a vacuum hose plus many added features such as ultraviolet protection, crush resistance, smooth bore, and much more

Part No.	Description	List Price
8.697-400.0	Truckmount Vacuum Hose	CALL

Truck Mount Hose Heavy-Duty Gray

Hose, 25' or 50' heavy-duty truck mount vacuum hose, gray with cuffs.



- The combination of co-polymer materials and two-part helically wound construction make this hose superior to others in the market.
- Pro-Flex™ has all the characteristics users look for in a vacuum hose plus many added features such as ultraviolet protection, crush resistance, smooth bore, and much more.

Part No.	Description	List Price
8.697-113.0	Truck Mount Vacuum Hose (25', 1.5")	CALL
8.697-114.0	Truck Mount Vacuum Hose (50', 1.5")	CALL
8.697-118.0	Truck Mount Vacuum Hose (50', 2")	CALL

Truck Mount Hose Heavy-Duty Blue

Hose, 25' or 50' heavy-duty truck mount vacuum hose, blue with cuffs.



- The combination of co-polymer materials and two-part helically wound construction make this hose superior to others in the market.
- Pro-Flex™ has all the characteristics users look for in a vacuum hose plus many added features such as ultraviolet protection, crush resistance, smooth bore, and much more.

Part No.	Description	List Price
8.697-111.0	Truck Mount Vacuum Hose (25', 1.5")	CALL
8.697-112.0	Truck Mount Vacuum Hose (50', 1.5")	CALL
8.697-117.0	Truck Mount Vacuum Hose (50', 2")	CALL

Vacuum Hose Reel

These storage reels offer the advantage of using a reel as an effective piece of operating equipment rather than a simple device for the storage of hose.



- All storage reels feature custom fabricated UHMW bearings. UHMW is a plastic compound that will provide trouble-free service.
- All reels are pre-drilled to accept our solution reels which are simply bolted on.
- All reels are equipped with a positive spool stop.
- All reels are welded steel construction, and finished with rust-resistant paint.

Part No.	Description	List Price
8.697-072.0	Vacuum Hose Reel - 200 ft.	CALL
8.697-073.0	Vacuum Hose Reel - 250 ft.	CALL
8.697-074.0	Vacuum Hose Reel - 300 ft.	CALL

Vacuum Hose Shelf Hook



Vacuum Hose Shelf Hook 4.5".

- For straight-sided shelves 4-1/4", plated to prevent rust

Part No.	Description	List Price
8.697-102.0	Vacuum Hose Shelf Hook	CALL

Vinyl Coated Wand Hook



- 2-1/2" wand/utility hook for chemical shelves
- Vinyl coated to avoid scratching and rust

Part No.	Description	List Price
8.697-103.0	Vinyl Coated Wand Hook	CALL

Faucet Kit Adapter



- Universal faucet adapter

Part No.	Description	List Price
8.697-406.0	Faucet Kit Adapter	CALL

Double Hose Reel Stand



Self-supporting, dual hose reel stand.

- Dual stand
- Self supporting
- Provides more hose capacity than the single stand
- Also permits independent live operation of the reels

Part No.	Description	List Price
8.697-419.0	Vacuum Hose Shelf Hook	CALL

Hose Reel Stand



Self-supporting, dual hose reel stand.

- Single stand
- Self supporting
- Can be used to make reel portable or to simplify installation
- Also accommodates live operation of the reel

Part No.	Description	List Price
8.697-420.0	Hose Reel Stand	CALL

Stack Bracket



Stack Bracket for solution hose.

- Mounts to either side of vacuum storage reel.
- Stack bracket will not add to the overall dimensions of the vac reel.
- Allow space saving convenience of double stacking two solution reels on same side of the vacuum reel.

Part No.	Description	List Price
8.697-421.0	Stack Bracket	CALL

Swivel Assembly



Convert standard solution reel to live storage.

- 3/8" swivel
- 3/8" hose
- Fittings to attach hose

Part No.	Description	List Price
8.697-423.0	Swivel Assembly	CALL

Brushes

Hand-held Utility Scrub Brush

Pail brush nylon 6-1/2 x 2 1/2" 1 1/4" trim.



- Fits comfortably in the palm of the hand.
- Constructed of white polypropylene block and nylon bristles.
- Brushes are impervious to water and solvents.
- Bristles are securely set with stainless staples.

Part No.	Description	List Price
8.697-288.0	Hand-held Utility Scrub Brush	CALL

Large Horsehair Brush

Heavy-duty horse hair brush.



- Use these densely filled quality horse hair brushes for your furniture cleaning needs.
- Horse hair brushes absorb and hold cleaning solution better than any other brush.

Part No.	Description	List Price
8.697-321.0	Large Horsehair Brush	CALL

Nap Brush

Nylon, white, stiff napping brush.



- Use to remove swirl marks from the rotary action of machines, foot prints, or even wheel tracks from equipment.
- Shade the nap in one direction to give the carpet a neat finished appearance.
- Featherweight brush is 19" wide with 3 rows of 1-1/2" long nylon bristles.
- Designed so as not to streak.
- Nap brush is very strong, yet light weight, which eliminates job fatigue and helps the job go faster.

Part No.	Description	List Price
8.697-320.0	Nap Brush	CALL

CARPET & RESTORATION

Spotting Brush



Designed to effectively work powder/solution into stained carpet 10" Carpet brush with stiff nylon bristles.

Part No.	Description	List Price
8.697-298.0	Spotting Brush	CALL

Brass Velvet Brush

Brass velvet groomer with wooden handle.



- Traditional style velvet groomer which has been used for years.
- Brass wire attached to a maple wooden handle.

Part No.	Description	List Price
8.697-289.0	Brass Velvet Brush	CALL

Utility Scrub Brush

Grout brush 8" white nylon staple set.



- Unlimited uses.
- Stiff DuPont nylon is securely set into a solid polypropylene block.
- Brush head measures 4" x 4" x 2" trim; overall length is 10".

Part No.	Description	List Price
8.697-299.0	Utility Scrub Brush	CALL

Grout Brush

A must-have for hard surface cleaning professionals.



- Bevel cut bristles to reach down into grout lines and corners.
- Attach to sturdy handle and clean from standing position.
- Swivel head for hard-to-reach areas.

Part No.	Description	List Price
8.697-311.0	Grout Brush	CALL

Swivel Grout Brush

Swivel Grout Brush 1" X 8".



- The fibers on this brush are trimmed to a chisel edge to allow the brush to scrub aggressively along grout lines.
- The stiff black fiber will stand up to tough use.
- Uses standard threaded handle (not included).

Part No.	Description	List Price
8.697-287.0	Swivel Grout Brush	CALL

Upholstery Horsehair Brush

Horse hair upholstery brush with 1-inch trim.



- The latest addition to Braun's complete line of upholstery cleaning brushes.
- The same super material make up this brush as used in our larger models for upholstery cleaning.
- Horse hair bristles securely held in place with stainless steel staples.
- Brush block is solid polypropylene.
- This handy tool belongs in your bag of tricks.

Part No.	Description	List Price
8.697-303.0	Upholstery Horsehair Brush	CALL

Upholstery Horsehair Brush with Handle

Furniture cleaning brush.



- For furniture cleaning a good quality horse hair brush should be used.
- Horse hair will absorb and hold cleaning solution so that it can be transferred to the furniture being cleaned.
- A larger size brush will hold the most moisture and also cover the largest area, allowing the job to be done quickly.

Part No.	Description	List Price
8.697-305.0	Upholstery Horsehair Brush w/ Handle	CALL

Telescopic Lamb's Wool Duster



Duster - Poly Wool - Telescopic Handle.

- Cleans and dusts

Part No.	Description	List Price
8.697-309.0	Telescopic Lamb's Wool Duster	CALL

Groomers

Grandi Brush

Designed to give maximum penetration on commercial grade level and multi-loop carpets.



- The Grandi Brush features a single row of nylon fibers that have been designed to give maximum penetration on commercial grade level and multi-loop carpets.
- You can agitate pre-sprays as well as protectors to get optimum performance from your carpet cleaning chemicals.

Part No.	Description	List Price
8.697-009.0	Grandi Brush	CALL

Grandi Brush (Head Only)

No Handle.



Part No.	Description	List Price
8.697-011.0	Grandi Brush (Head Only)	CALL

Grandi Groom

Perfect for multi-level carpet pile.



- 18-inch wide head
- Ideal for agitating pre-spray into the carpet
- Excellent for working protector into the carpet

Part No.	Description	List Price
8.697-012.0	Grandi Groom	CALL

Grandi Groom (Head Only)

No Handle.



Part No.	Description	List Price
8.697-019.0	Grandi Groom (Head only)	CALL

Grandi Groom Conversion

Convert your Grandi Groom to include the Grandi Brush head.



- The Grandi-Groom Conversion Kit consists of the Grandi Brush head with dual head connector to attach to your existing Grandi Groom to create a two-headed grooming tool.
- The Grandi Brush features a single row of nylon fibers that have been designed specifically to give maximum penetration on commercial grade level and multi-loop carpets.
- You can agitate pre-sprays as well as protectors to get optimum performance from your carpet cleaning chemicals.
- The Grandi Brush can be combined with the classic Grandi Groom to create the Grandi/Brush Combo.
- With the conversion kit, you can create a two-headed grooming tool that adapts easily to any type of carpet.

Part No.	Description	List Price
8.697-013.0	Grandi Groom Conversion	CALL

Handi Brush

This short soft bristle brush is excellent for upholstery, velvet, oriental rugs or any other fine fabric.



- Use before cleaning to lift nap and remove lint, pet hair or other debris.
- Use after cleaning to lift nap.

Part No.	Description	List Price
8.697-014.0	Handi Brush	CALL

Handi Groom Brush

Plastic bristles agitate pre-spray and protectants on stairs and hard-to-reach areas. Ideal for use in spot dyeing.



- Lightweight plastic bristle hand brush designed as a pile conditioner for carpeting on stairs and in tight places.
- Excellent for restoring the appearance and texture of high pile area rugs, fringes, even sweaters.
- Compact and handy, but strong enough for stubborn dirt.

Part No.	Description	List Price
8.697-015.0	Handi Groom Brush	CALL

Perk Groom Brush

Perky Brush.



- A low-priced alternative to the Grandi Brush, the carpet rake is used by thousands of professionals all over the world.
- The Perky Brush is a 12" household version that gives all the professional performance of the Grandi Brush, but at a more affordable price.

Part No.	Description	List Price
8.697-302.0	Perk Groom Brush	CALL

Containers

EZ Fill Container

5-gallon head pack.



- User friendly for EZ filling and pouring.
- Heavy-duty container, 63mm angled front opening for filling of ready-to-use chemical concentrates, 38mm top vent opening accepts standard and three quarters in tubing.
- Includes faucet with 38mm cap.
- No leak design.
- Tight fit with easy on/off handle.
- Spout fits into 28mm bottle neck, no spilling and a half gallon embossed graduations on top and front.

Part No.	Description	List Price
8.697-313.0	EZ Fill Container	CALL

Measuring Cups

End the guessing game.



- Cups are calibrated for exact measurements.

Part No.	Description	List Price
8.697-021.0	Measuring Cups - 16 oz	CALL
8.697-024.0	Measuring Cups - 8 oz	CALL
8.697-023.0	Measuring Cups - 4 oz	CALL

CARPET & RESTORATION

Measuring Cups - 2 oz



Part No.	Description	List Price
8.697-022.0	Measuring Cup - 2 oz	CALL

Spigot for 5 Gallon



Replacement spigot.

- The quick-serve spigot dispenses water for hand and body washes.
- White color
- USA made

Part No.	Description	List Price
8.697-279.0	Spigot for 5 Gallon	CALL

Spotting Bottle



Plastic spotting bottle with lid.

- Sprayer bottles and sprayers are perfect for chemicals and cleaners.

Part No.	Description	List Price
8.697-006.0	Spotting Bottle - 32 oz	CALL
8.697-035.0	Spotting Bottle -16 oz	CALL
8.697-007.0	Spotting Bottle - 4 oz	CALL

Bucket 10 Quart



10-quart heavy-duty bucket.

- 10 Quart pail with pour spout.
- Grooved bottom and metal bail handle for easy grip
- Embossed graduations

Part No.	Description	List Price
8.697-297.0	Bucket 10 quart	CALL

Misc. Accessories

Wall Buddy

The ultimate solution in corner protection.



- Can be used in the carpet cleaning, janitorial, and painting industries.
- Protects all of the corners of the walls and furniture on your job
- Portrays a professional image which reassures your customer that you care
- Protects against costly insurance claims due to damaged corners or walls
- Made from a lightweight, non-marking durable plastic
- Can be sold to customers who have central vacuum systems

Part No.	Description	List Price
8.697-425.0	EZ Fill Container	CALL

Pail Pump

8 oz. drum pump.



- Adapts to both 3/4" and 2" national pipe thread
- Polypropylene and polyethylene construction for chemical resistance
- Special pail adapter included, fits 5 or 6-gallon pails with Senior Rieke Flex Spout
- Restriction clips included
- Ring for better seal

Part No.	Description	List Price
8.697-314.0	Pail Pump	CALL

Drum Pump



Siphon Drum Pump.

- Made from polyethylene
- Fits 15, 30 and 55 gallon drum with 2" national pipe thread.

Part No.	Description	List Price
8.704-696.0	Drum Pump	\$17.73

Strainmaster



Stainless Steel Strainmaster.

- Fits Filtermaster

Part No.	Description	List Price
8.697-404.0	Strainmaster	CALL

Filtermaster Leaf Trap



- Leaf trap for stainless steel strainer Strainmaster

Part No.	Description	List Price
8.697-405.0	Filtermaster Leaf Trap	CALL

Disposable Dust Cloths

Treated Disposable Dust Cloths (200 per case).



- Use with hands or on a dusting tool
- Treated with mineral oil
- Collects dust like no other
- Safe for use with delicate surfaces

Part No.	Description	List Price
8.697-327.0	Disposable Dust Cloths	CALL

Sticky Tabs

3 x 3.5" tabs. Approx 340 tabs to a roll. 24 rolls/case.



- No more hard-to-reach places.
- Easily apply tacky side up to legs / feet of furniture, then slide back into original position.
- Protects you and your customers.

Part No.	Description	List Price
8.697-032.0	Sticky Tabs	CALL

Styrofoam Blocks - Blue

Premium Blue Styrofoam Blocks. The best block money can buy!



- Blue Blocks are the very best, especially for the heaviest furniture.
- These 2" x 2" x 1" blocks have the highest compressive strength available and will never crush.
- Will never leave a mess as it always snaps off cleanly
- 1008 per case

Part No.	Description	List Price
8.697-001.0	Styrofoam Blocks - Blue	CALL

Styrofoam Blocks - White

White styrofoam, 2.0 psi. 1008 per case!



Part No.	Description	List Price
8.697-003.0	Styrofoam Blocks - White	CALL

Plastic Protector Pads 1000cs

Furniture protection solution.



- The solution for protecting furniture legs from moist carpet
- Each box contains 2 blocks of 425 and one block of 150.
- Clear plastic, completely moisture proof

Part No.	Description	List Price
8.697-028.0	Plastic Protector Pads 1000cs - 3x3	CALL
8.697-030.0	Plastic Protector Pads 1000cs - 4x4	CALL

Lift Buddy

One-person lifter.



- Strong metal lift designed to give you the leverage you need to easily lift the corners of any type of furniture.
- Takes the strain off of your back and allows you to lift even the heaviest pieces of furniture.
- Allows cleaners to lift furniture with one hand, leaving the other hand free to place skidders, blocks or tabs under the furniture legs.
- Protects you from costly medical expenses and time off the job due to injuries and saves on workers compensation.
- Makes you a professional among professionals, showing clients you take care of your health.
- A one person tool. Lightweight, yet heavy duty.
- Great for rearranging furniture and for floodwork

Part No.	Description	List Price
8.697-426.0	Lift Buddy	CALL

Measuring Wheel



Keson Road Runner Measuring Wheel.

- Easy to measure curved, horizontal and asymmetrical surfaces. Weighs less than 2 pounds.
- 5-digit, easy-read, magnified counter measures 9,999 feet and 11 inches without resetting. That's almost two miles!
- Handle telescopes down to 17 inches, fitting into a toolbox or briefcase and extends up to 38 inches when measuring.

Part No.	Description	List Price
8.697-401.0	Measuring Wheel	CALL

Bonnet Carpet



- Low-profile bonnets
- Scrub aggressively and provide maximum absorption
- Thousands of low-profile loops trap the released soil.
- Two-sided and may be laundered many times for maximum wear life
- Highest quality available

Part No.	Description	List Price
8.697-335.0	Bonnet Carpet - 17"	CALL
8.697-336.0	Bonnet Carpet - 19"	CALL

Carry-All Tray

Tray to organize and carry tools and solutions.



- Heavy-duty construction
- High sides prevent bottles from falling over
- Tan in color

Part No.	Description	List Price
8.697-308.0	Carry-All Tray	CALL

Carry-All Tray Inserts



- Inserts to help hold quart bottles, aerosols, etc.
- Tan in color

Part No.	Description	List Price
8.697-273.0	Carry-All Tray Inserts	CALL

Cool Wrap Wand

Cool wrap for your wand.



- A heat barrier handle for the lower portion of the wand that operator can grab when cleaning stairs or a riser with the wand or stair tool.
- Wand wrap protects your hand from heat when doing stairs or just holding the wand.

Part No.	Description	List Price
8.697-403.0	Cool Wrap Wand	CALL

CARPET & RESTORATION

Safety Items

Boot Hazmat/Flood



Yellow hazmat/flood boots.

- Great foot protection against muddy and watery conditions in many different types of environments and workplaces.

Part No.	Description	List Price
8.697-130.0	Boot Hazmat/Flood - Large	CALL
8.697-131.0	Boot Hazmat/Flood - XL	CALL
8.697-132.0	Boot Hazmat/Flood - XXL	CALL

Booty Boots



Heavy-duty reusable boot covers.

- Non-disposable
- Machine Washable
- Static-free
- Water, slip and scuff-resistant shoe or boot covers for professionals!

Part No.	Description	List Price
8.697-391.0	Booty Boots	CALL

Dust Mask



White cone mask with elastic, non-rated.

- 50/Box = 20 boxes/cs

Part No.	Description	List Price
8.697-149.0	Dusk Mask	CALL

Knee Pads



Save your knees, buy these.

- One size fits all
- Quality construction with comfort in mind
- Quick-release snaps

Part No.	Description	List Price
8.697-150.0	Dusk Mask	CALL

Disposable Nitrile Gloves



Powdered, nitrile disposable gloves.

- Powdered, nitrile, rolled cuff
- Meets FFDC requirements for food contact
- Ambidextrous
- Greater tactile feel over other latex alternatives
- 100 per box

Part No.	Description	List Price
8.697-145.0	Disposable Nitrile Gloves - Large	CALL
8.697-146.0	Disposable Nitrile Gloves - Medium	CALL
8.697-147.0	Disposable Nitrile Gloves - XL	CALL

Vinyl Disposable Gloves

Seamless vinyl latex-free disposable gloves.



- Latex-free
- Meets FFDC requirements for safe food handling
- Ambidextrous
- Lightly powdered
- Rolled cuff
- 100 per box

Part No.	Description	List Price
8.697-137.0	Vinyl Disposable Gloves - Large	CALL
8.697-148.0	Vinyl Disposable Gloves - Medium	CALL
8.697-138.0	Vinyl Disposable Gloves - XL	CALL

Nitrile Flock Lined Gloves

Strong chemical-resistant nitrile gloves. Price per dozen.



- Green 15 mil
- 12" nitrile flock lining
- Strong chemical resistance, including petroleum based products
- Meets FFDC requirements for food contact

Part No.	Description	List Price
8.697-143.0	Nitrile Flock Lined Gloves - Medium	CALL
8.697-144.0	Nitrile Flock Lined Gloves - XL	CALL

Maxshield Coveralls with Hood & Boots



Coveralls come complete with hood and elasticized boots.

Part No.	Description	List Price
8.697-156.0	Coveralls w/ Hood & Boots - Medium	CALL
8.697-155.0	Coveralls w/ Hood & Boots - Large	CALL
8.697-157.0	Coveralls w/ Hood & Boots - XL	CALL
8.697-158.0	Coveralls w/ Hood & Boots - XXL	CALL

Shoe Covers - Blue

Large 100% polypropylene blue shoe covers.



- White tread for traction
- Elastic opening for a snug fit around the ankle

Part No.	Description	List Price
8.697-135.0	Shoe Covers - Large, Box / 300	CALL
8.697-136.0	Shoe Covers - XL, Box / 300	CALL

Shoe Covers - White



200/cs.

Part No.	Description	List Price
8.697-139.0	Shoe Covers - White	CALL

Safety Glasses / Amber

Amber lens safety glasses.



- These safety glasses are the next generation in super cool, low-cost protective eyewear.
- Ultra-fashionable impact protection that meets and exceeds ANSI Z87.1+ standards

Part No.	Description	List Price
8.697-140.0	Safety Glasses / Amber	CALL

Safety Glasses / Clear

Clear lens, wrap-around safety glasses.



- Adjustable temples for length and flexibility
- Lightweight and comfortable to wear
- Meet Z87.1 Safety Standards

Part No.	Description	List Price
8.697-142.0	Safety Glasses / Clear	CALL

Splash Proof Safety Glasses

Chemical splash goggle.



- Frame Material - PVC plastic
- Lens Material - Polycarbonate
- Lens Coatings - Duramass® scratch-resistant hard coating)
- Lens Thickness - .060mm
- Strap - Rubber (Rubber straps on the protective goggles are latex-free)
- Style - Indirect ventilation for chemical splash
- Replacement lenses available
- All lenses provide 99.9% UV protection
- Meets or exceeds ANSI Z87.1+ safety standard
- Light transmissions - Clear - 85%

Part No.	Description	List Price
8.697-141.0	Splash Proof Safety Glasses	CALL

Caution Barrier Tape

Caution tape 3" x 1000' roll.



- Caution tape to keep people clear of hazardous areas
- 2 mil polyethylene tape

Part No.	Description	List Price
8.697-160.0	Caution Barrier Tape	CALL

Respirator Full Face



MSA full mask respirator.

- The MSA reusable full facepiece offers users comfort and convenience as well as cost savings.
- The facepiece is made of a thermoplastic elastomer, making it remarkably comfortable, soft and lightweight.
- This is the MSA full-face mask only, filters and cartridges sold separately.

Part No.	Description	List Price
8.697-370.0	Respirator Full Face - Medium	CALL
8.697-369.0	Respirator Full Face - Large	CALL

Respirator Half Face - Large

Advantage half mask respirator, size large.



- Offers unmatched fit and comfort with a clear blue facepiece
- The thermoplastic rubber subtracts 25% of the weight and adds softness to MSA's Advantage 200 LS respirator.
- The patented MultiFlex® System equalizes pressure on the face seal area, while delivering exceptional stability, so the respirator will not collapse during wear.
- The AnthroCurve sealing surface instantly conforms to each wearer's unique facial characteristics. Current Advantage 200 respirator wearers require no additional fit testing.

Part No.	Description	List Price
8.697-152.0	Respirator Half Face - Large	CALL

Organic Vapor Respirator Set Cartridge

Chemical cartridges for Advantage respirators.



- NIOSH approved for respiratory protection against vapors
- Meets OSHA requirements for an approved cartridge

Part No.	Description	List Price
8.697-133.0	Organic Vapor Respirator Set Cartridge	CALL

Disposable Caution Sign

Inexpensive way to show your customers their safety is your primary concern.



- An inexpensive way for carpet cleaners to help keep customers safe
- Because these signs are inexpensive, cleaners can leave them on the job to show customers they care about their safety
- 21" long, folds into an 11 x 6.5 wide triangle

Part No.	Description	List Price
8.697-428.0	Disposable Caution Sign	CALL

Wet Floor Sign Spanish / English



Wet floor sign.

- Durable plastic lays flat for easy storage.

Part No.	Description	List Price
8.697-364.0	Wet Floor Sign Spanish/English	CALL

CARPET & RESTORATION

Wands & Upholstery Tools



Dual Jet Wand



12" head, 1100PSI, 60" length.

- 2-jet design uses standard 11002 T-jets
- Side splashguard helps to contain overspray
- Stainless steel solution hose
- Full-flow vacuum extraction
- Precision nozzles for best performance

Part No.	Description	List Price
8.697-192.0	Dual Jet Wand	CALL

Low Profile Wand 4-Jet

If you want your wands to utilize the full potential of your truck mount's blower to get the fastest drying time, then this is the wand for you.



- 4-jet design uses standard V-jets 95015
- Side splashguard helps to contain overspray
- Goodyear 3000 PSI solution hose
- Full-flow vacuum extraction
- Precision nozzles for best performance
- 2" tube

Part No.	Description	List Price
8.697-191.0	Low Profile Wand 4-Jet - 12"	CALL
8.697-202.0	Low Profile Wand 4-Jet - 14"	CALL

Gum Blaster



This 4" wonder tool does it all. Its double bend design makes it an easy, comfortable wand to use.

- All Stainless Steel
- 800psi brass valve
- Closed spray chamber
- Padded assist handle
- Stainless steel solution line

Part No.	Description	List Price
8.697-193.0	Gum Blaster	CALL

Super Glide Attachment 12"

Stainless steel glide attachment with Teflon lips.



- Improves wand function
- Reduces the effort of pushing a wand

Part No.	Description	List Price
8.697-199.0	Super Glide Attachment 12"	CALL

Detail Tool k-800 PSI Valve w-whip closed



- 4" wide vacuum path
- Smooth head for improved suction
- Full-flow vacuum extraction
- Precision nozzles for best performance

Part No.	Description	List Price
8.697-182.0	Detail Tool K-800PSI Valve w-whip closed	CALL

Padded Assist Handle



Part No.	Description	List Price
8.697-188.0	Padded Assist Handle - 1.5"	CALL
8.697-190.0	Padded Assist Handle - 2"	CALL

Stair Wand 22" Straight

22" straight with 2" flair tube. This stair tool's design and its high-pressure water and steam enable you to remove ground-in dirt on stairs from a standing position.



- 2-jet design uses standard 11002 T-jets
- Side splashguard helps to contain overspray
- Stainless steel solution hose
- Full-flow vacuum extraction
- Precision nozzles for best performance

Part No.	Description	List Price
8.697-195.0	Stair Wand 22" Straight	CALL

Stair Wand 30" Straight

30" Straight with 1.5" tube. This stair tool's design and its high-pressure water and steam enable you to remove ground-in dirt in stairs from a standing position.



- 2-jet design uses standard 11002 T-jets
- Side splashguard helps to contain overspray
- Stainless steel solution hose
- Full-flow vacuum extraction
- Precision nozzles for best performance

Part No.	Description	List Price
8.697-198.0	Stair Wand 30" Straight	CALL

Stair Wand 30" S-Bend Jet K 1.5" Straight

30" S-Bend with 1.5" tube, 1100PSI. The tool's design and its high-pressure water and steam enable you to remove ground-in dirt in stairs from a standing position.



- 2-jet design uses standard 9502 T-jets
- Side splashguard helps to contain overspray
- Stainless steel solution hose
- Full-flow vacuum extraction
- Precision nozzles for best performance

Part No.	Description	List Price
8.697-196.0	Stair Wand 30" S-Bend Jet K 1.5" Straight	CALL

Swivel Head Ergonomic Stair Tool 30"



500PSI, open spray.

- 500psi, V2P brass valve
- Padded assist handle
- Head swivels easily and stays in rotated position
- 1-jet brass Vee jet
- Perfect height for cleaning stairs

Part No.	Description	List Price
8.697-200.0	Swivel Head Ergonomic Stair Tool 30"	CALL

Upholstery Tool 4" - Closed



Precision nozzles for best performance. Smooth 4" vacuum path head for improved suction.

- Tube diameter: 1.5"
- Head width: 4"
- Length: 10"
- Nozzles: 2503 or 2504
- Valve: K 105
- Pressure: 800 psi
- Weight: 1.5 lbs
- Fill flow vacuum extraction

Part No.	Description	List Price
8.697-186.0	Upholstery Tool 4" - Closed	CALL

Upholstery Tool 4" - Open



Precision nozzles for best performance. Smooth 4" vacuum path head for improved suction.

- Tube diameter: 1.5"
- Head width: 4"
- Length: 10"
- Nozzles: 2503 or 2504
- Valve: K 105
- Pressure: 800 psi
- Weight: 1.5 lbs
- Fill flow vacuum extraction

Part No.	Description	List Price
8.697-187.0	Upholstery Tool 4" - Open	CALL

Window Washing Tools

Window Washing Pill 100/pk



The pill glass cleaner.

- New and improved formula!
- Pre-measured, individually packaged, mix with 2-1/2 gallons of water
- Biodegradable, skin friendly and non-toxic

Part No.	Description	List Price
8.697-034.0	Window Washing Pill 100/pk	CALL

Rub Out PT 12/cs



Professional glass cleaner for removing hard water stains, rust, mineral deposits, lime scale and soap scum.

- Scrub stains without harming surface
- Super strength with a pleasant scent

Part No.	Description	List Price
8.697-294.0	Rub Out PT 12/1 pint bottles	CALL

Easy Glide Glass Cleaner QT 6/cs



Liquid window cleaner.

- 100:1 concentrate. Makes 26 gallons
- Cleans windows with little effort, extreme glide.
- Biodegradable, skin friendly and non-toxic.
- 6 quarts per case

Part No.	Description	List Price
8.697-307.0	Easy Glide Glass Cleaner 6/1 quart bottles	CALL

CARPET & RESTORATION

Bucket Barge with Casters

Barge with swivel ball casters and bumper guards for Pro-Bucket.



- Features smooth-gliding swivel ball casters
- Bumper guards protect against splashes
- Holds onto bucket base, easily detaches

Part No.	Description	List Price
8.697-325.0	Bucket Barge w/ Caster	CALL

Window Washing Bucket 6 Gallon

Heavy-duty bucket with ergonomic handle for glass cleaning. Accommodates 18" washers and squeegees.



- Heavy-duty 6 gallon bucket with larger footprint for increased stability
- Easily fits 18" washer
- Rounded pour spouts on 2 corners make it easy to empty with more control.
- Ergonomically designed handle for comfort is stiffer and more stable for balance when carrying.
- Use with optional snap-on lid and castors or bucket barge

Part No.	Description	List Price
8.697-323.0	Window Washing Bucket 6 Gallon	CALL

Window Washing Bucket Lid

Sturdy snap-on lid for Pro-Bucket.



- New, sturdy lid snap-locks onto Pro-Bucket
- Inner seal helps prevent splashes and leakage
- Pull tabs on all 4 corners for easy removal
- Notched tabs lock handle into upright position when lid is in place.

Part No.	Description	List Price
8.697-300.0	Window Washing Bucket Lid	CALL

ErgoTec Safety Scraper 1.5"

Sturdy snap-on lid for Pro-Bucket.



- Unique locking system eliminates blades from sliding out while working.
- Uses standard No. 9 (1 1/2") razor blades (not included)
- Includes all the features of the SafetyScraper with the added comfort of the new ergonomic grip
- Rubber grip prevents scraper from slipping in hand which makes removing soil from surfaces even easier.

Part No.	Description	List Price
8.697-284.0	ErgoTec Safety Scraper 1.5"	CALL

Scraper ErgoTec 4"

High-tech solutions for today's fight against heavy dirt.



- Reversible tempered 4" carbon steel blade has blunt edge for cement or stucco work.
- A razor edge for scraping paint and tape
- Handle easily attaches to all Unger poles
- Ergonomic grip. Size: 4"/10cm

Part No.	Description	List Price
8.697-310.0	Scraper ErgoTec 4"	CALL

Scraper Blades 100 blades/pack

Safety scraper replacement blades.



- Razor sharp No. 9 (1 1/2") standard blade for removing dirt.
- Packed in a convenient re-closable plastic tray so blades are kept safe and dry to prevent rusting.

Part No.	Description	List Price
8.697-183.0	Bucket Barge w/ Caster	CALL

MicroStrip Washer Sleeve

MicroFiber replacement sleeve with scrub pad and velcro fastener.



- Superior cleaning power
- Can absorb up to 6 times its weight
- Scrub pad provides extra cleaning power.
- Able to withstand frequent (500) washings

Part No.	Description	List Price
8.697-312.0	MicroStrip Washer Sleeve - 14"	CALL
8.697-316.0	MicroStrip Washer Sleeve - 18"	CALL

Original Washer Sleeve

Plush, woven synthetic replacement sleeve with Velcro fastener.



- Gentle, but efficiently cleans
- Reinforced zigzag stitched ends ensure long life.
- Excellent for cleaning windows, screens and even dusting

Part No.	Description	List Price
8.697-301.0	Original Washer Sleeve - 14"	CALL
8.697-318.0	Original Washer Sleeve - 18"	CALL

T-Bar ErgoTec®



Ergonomic T-bar with polypropylene handle.

- Features an ergonomic two-component polypropylene handle for less strain and more control
- Water wells for high water retention
- Attaches to poles with a press fit for out-of-reach cleaning.

Part No.	Description	List Price
8.697-293.0	T-Bar ErgoTec - 14"	CALL
8.697-296.0	T-Bar ErgoTec - 18"	CALL

S-Channel with Soft Squeegee

Stainless steel "S" channel complete with ErgoTec soft replacement squeegee.



- Strong, long-lasting and rust-free stainless steel construction
- Fits on ErgoTec, ProStainless Steel and GoldenPro squeegees
- Notched channel system will not slip, wobble or bend.

Part No.	Description	List Price
8.697-290.0	S-Channel w/ Soft Squeegee - 18"	CALL
8.697-286.0	S-Channel w/ Soft Squeegee - 12"	CALL
8.697-285.0	S-Channel w/ Soft Squeegee - 6"/10 per pack	CALL

Squeegee Soft 10/pk



Soft squeegee for window cleaning in reclosable blister pack.

- Ideal for colder temperatures
- Conforms to uneven surfaces
- Better glide with streak-free performance
- Longer lasting / Superior packing
- Comes in 10/pk

Part No.	Description	List Price
8.697-283.0	Squeegee Soft 10/pk - 18"	CALL
8.697-277.0	Squeegee Soft 10/pk - 12"	CALL
8.697-272.0	Squeegee Soft 10/pk - 6"	CALL

Squeegee Soft Promo 25/pk

PromoPack soft rubbers in storage box.



- 12" soft rubbers in each pack, 25 packs
- Free box for storing rubbers and channels
- Reusable, adjustable UV resistant plastic tube protects against dampness.

Part No.	Description	List Price
8.697-275.0	Squeegee Soft Promo 25/pk - 12"	CALL
8.697-281.0	Squeegee Soft Promo 25/pk - 18"	CALL

Squeegee Hard Promo 25/pk

PromoPack hard rubbers.



- 18" rubbers in each pack, 25 packs
- Free box for storing rubbers and channels
- Reusable, adjustable UV resistant plastic tube protects against dampness.

Part No.	Description	List Price
8.697-274.0	Squeegee Hard Promo 25/pk - 12"	CALL
8.697-280.0	Squeegee Hard Promo 25/pk - 18"	CALL

Squeegee Hard 6" 10/pk



6" hard replacement rubber squeegee.

Part No.	Description	List Price
8.697-271.0	Squeegee Hard 6" 10/pk	CALL

Squeegee Hard 10/pk

ErgoTec hard replacement rubber.



- Ideal for warmer temperatures
- Optimum liquid removal on large, flat surfaces
- Coated with talcum to ensure freshness

Part No.	Description	List Price
8.697-276.0	Squeegee Hard 10/pk - 12"	CALL
8.697-282.0	Squeegee Hard 10/pk - 18"	CALL

FIXI-Clamp

Plastic clamp for attaching tools like brushes, sponges, cloths and other tools.



- Made of fiberglass reinforced nylon
- Innovative design quickly and easily grips sponges, rags, cloths, chamois and mop heads by simply tightening the locking collar.
- Also holds the HANDI-BRUSH
- Combined with an Unger telescopic pole, the Fixi becomes a high-rise cleaning tool to solve many cleaning problems without climbing dangerous ladders.
- Use with many types of cleaning solvents and liquids
- Attaches easily to all Unger Poles

Part No.	Description	List Price
8.697-322.0	FIXI-Clamp	CALL

Standard Sponge



- Use dry to clean walls, vents, ceilings and for fire restoration
- Made of standard sponge material
- Locks in the jaws of the Fixi Clamp

Part No.	Description	List Price
8.697-278.0	Standard Sponge	CALL

Telepole - 2 Sections 8'



OptiLoc, telescopic pole, 2 sections with ErgoTec locking cone.

- The OptiLoc system is made up of drawn anodized aluminum in 3 different diameters.
- Available in 2 and 3 sections with length ranging from 4' to 30'
- Secure external locking collar mechanism for fast height adjustment
- Size: 8'/2.50m

Part No.	Description	List Price
8.697-324.0	Telepole - 2 Sections 8'	CALL

Washer Holder Sieve



Bucket Sieve.

- Features a chemical resistant coating.
- Wrings out up to a 18" washer sleeve.
- Use with Pro Bucket.

Part No.	Description	List Price
8.697-317.0	Washer Holder Sieve	CALL

DETERGENTS

All Purpose / General Cleaner



Legacy General Purpose Cleaner — A non-caustic, butyl-based, low foamer. Safe for glass, plastic, metals, aluminum, steel & chrome. Good in hot and cold water and safe on vehicles, buildings, decks and fences.

Part No.	Description	LBS	List Price
8.723-789.0	5 Gallon Pail	47 lbs	\$30.00

Vehicle Cleaners



Legacy Heavy-Duty Vehicle Cleaner — A liquid, highly concentrated vehicle cleaner effective on engine degreasing, parts cleaning, hard-to-clean vehicles, road film, smoke trails, etc that is safe on polished aluminum and contains a wax for an attractive finish that keeps dirt from adhering.

Part No.	Description	LBS	List Price
8.723-843.0	5 Gallon Pail	47 lbs	\$56.00

Degreasers/ Heavy-Duty Vehicle Cleaners



Legacy Heavy-Duty Degreaser — A sodium hydroxide based, liquid heavy-duty degreaser. More cleaning horsepower versus Legacy Grease-Away.

Part No.	Description	LBS	List Price
8.723-844.0	5 Gallon Pail	48 lbs	\$66.00
8.723-862.0	55-Gallon Drum	512 lbs	\$548.00



Legacy Grease-Away and Degreaser Cleaner — A medium-duty, liquid degreaser effective in removing heavy oils and lubricating greases, baked on carbon deposits. Safe enough for fine finishes on cars and trucks and for general cleaning.

Part No.	Description	LBS	List Price
8.723-845.0	5 Gallon Pail	46 lbs	\$62.00

Specialty Cleaners



Legacy Scale-Out Coil Cleaner — A powdered coil conditioner for removing hard water deposits and scale from machine coils. (Case of 12 at 2 pounds each)

Part No.	Description	LBS	List Price
8.723-847.0	2 lbs., Case of 12	28 lbs	\$110.00



Legacy Aluminum Brightener — An acid-based, non-fuming aluminum brightener.

Part No.	Description	LBS	List Price
8.740-208.0	5 Gallon Pail	50 lbs	\$88.00
8.740-209.0	55-Gallon Drum	537 lbs	\$626.00

PH Test Strips / 100 pack



These strips provide a convenient method for accurate colorimetric pH indication — The strips feature covalently bound indicator dyes so that they will not bleed even in strong alkaline solutions. Strips can be immersed in samples for extended periods, so that even weakly buffered solutions can be accurately tested without contaminating the sample. The universal strip tests the full 0–14 pH range with a sensitivity of 1 pH unit. Intermediate range indicators provide a sensitivity of 0.3–0.5 pH units and narrow range strips provide a sensitivity of 0.2–0.3 pH units.

Part No.	Description	List Price
8.720-010.0	PH Test Strips / 100 pack	\$53.00

Command-O Limonene Waterless Hand Cleaner



8.704-634.0



8.704-632.0

A unique blend of natural citrus extract “Limonene,” Aloe Vera, Glycerine, and Lanolin, plus medication creates COMMAND-O, the world’s #1 waterless hand cleaner. COMMAND-O combats the toughest cleaning task including grease, ink, tar, paint, dirt and stains. The conditioning agents protect hands and prevent drying, chapping and cracking. COMMAND-O is a vital product for mechanics, machinists, printers, painters, industrial workers, maintenance people, construction workers, and anyone else whose hands are exposed to harsh, dirty working conditions. DOES NOT Contain Petroleum-based solvents.

Part No.	Original No.	Description	List Price
Tool Box Size			
8.704-632.0	112104	7 oz tube (liquid)	\$4.58
8.704-633.0	112105	7 oz tube (liquid with pumice)	\$4.50
Shop Size			
8.704-634.0	112115	1 gallon (liquid)	\$25.69
8.704-635.0	112116	1 gallon (liquid with pumice)	\$28.03
Dispensers			
8.704-636.0	112117	Dispenser Pump (For 1 gallon Jug)	\$4.09

Coil Conditioners

ScaleMaster removes mineral and scale buildup in heating coils, restoring them to peak performance. Mix ScaleMaster per instructions. Circulate thru coil for 2 to 3 hours to remove lime and scale buildup. ScaleMaster solution will prevent mineral and scale buildup when metered into water supply tank at 1/4 to 1/3 oz per gallon.



Part No.	Original No.	Description	List Price
9.804-059.0	112028	ScaleMaster (4 lbs)	\$19.86
8.901-072.0	112028X	Buy a Case & Save (4 per case), ea.	\$71.41

5-Gallon Empty Pail

White Pail With Lid



Part No.	Description	List Price
8.720-138.0	5 gallon with lid	\$14.60

PRESSURE WASHERS

Cold Water Pressure Washers for Residential Use

Kärcher offers a line of gas-powered, direct-drive cold water pressure washers designed for residential use.



Gasoline-powered

Features

- Durable steel frame
- Portable, easy to transport



HD 2.3/26 CV



HD 2.5/30 CH



HD 3.6/40 CH

Model	Part No.	GPM	PSI	Engine	CC's (HP)	Pump	Ship Wt	List Price
HD 2.3/26 CV	1.107-077.0	2.3	2600	Honda GCV	160 (5.5)	Kärcher Axial	95 lbs	\$650.00
HD 2.5/30 CH	1.107-078.0	2.5	3000	Honda GC	190 (6)	Kärcher Axial	95 lbs	\$745.00
HD 2.5/30 CS	1.107-080.0	2.5	3000	Subaru EX	169 (6)	Kärcher Axial	99 lbs	\$1,086.80

A

A.O. Smith Motors.....	94
Accessories.....	113-122
Accumulator - Pulse Dampener	72
Accura High Limit Switch	105
Adapter Caps	45
Adapters	32, 35
Adjustable Nozzle Holder.....	16
Admiral Pumps.....	62
Ag Spray Accessories.....	131-135
Air Filter / Regulator	124
Air Filters	124, 141-142
Air Scrubbers.....	142
Airless Foam Kit.....	121
Air Movers	143
Air Power Sprayers.....	121
Air Valve - Coil Blow Out	90
Air-Operated Pumps	124
All Purpose II Detergent	162
Aluminum Brightener	162
Amazing Pocket Reference.....	122
Amerimax Injector	82
AMP Meters.....	91
Anemometer	140
Anti-Seize Compound	73
A-Plus Adjustable Nozzle.....	7, 51
A-Plus Lances w/Oval Grips	16
Aqua Master™ Model 440	130
AR Pumps & Pump Kits.....	68-70
AR Unloaders.....	81
Arrowline Guns (now Mecline).....	12
Automatic Pressure Regulator.....	76

B

Back Flow Preventor.....	86
Baldor Motors.....	93-94
Ball Valves	87
Balls.....	85
Banded Coupling	36
Base Plates for Transformers & Igniters.....	100
Battery Boxes.....	112
Beckett Burners	97
Belts & Pulleys	95-96

“Big Boot” Cam Switch.....	107
Big Guns.....	12
“Big One” Filter	36
Blower Wheels.....	98-99
Booms	125
Bowl Filters	37-39
Boxes.....	107, 109
Branch Tees.....	33
Brass Chemical Filter	4, 36
Brass Nipples.....	33
Brass Nozzles	44
Briggs & Stratton Engine & Engine Parts.....	92
Broad Spray Veejet Nozzles.....	44
Brushes.....	120, 124, 151-153
Bulkhead / Tank Fittings	135
Burner Igniters	100
Burner Motors	99
Burner Rings	103
Burner Transformers	100
Burner Tune-up Kits	99
Burners & Burner Parts.....	97-103
Bushings.....	32

C

Calculation Guide.....	95
Cam Switches.....	107
Caps.....	111
Camera	138
Carpet Brushes	151-153
Carpet Wands	158-159
Car Wash Bay Accessories.....	123-130
Car Wash Booms.....	125
Ceramic Plungers	56, 71
Ceramic Unitized Ball Valve	11
Chalk Line	147
Chassis Components.....	111-112
Check / Foot Valve	38
Check Hose Barbs	33
Check Valves	38, 86-87
Chemical Filter	4, 36
Chemical Injectors	82-84
Chemical Line	36
Chemical Meter & Selection Valve.....	89

INDEX

Chemical Metering Valve	88-90
Chemical Sprayer.....	133
Chemical Strainer	36
Clamps.....	34
CleanCut Fuel Pump	99
Clear PVC Tubing.....	25
Coil Blow Out Valve	90
Coil Conditioners	163
Cold Weather Garden Hose	23
Cool Wrap.....	155
Comet Pumps & Pump Kits	70
Command-O Limonene Waterless Hand Cleaner	6, 163
Compact Foamer	4, 52, 121
Compact Pressure Switch	104
Compact PVC Ball Valves	88
Compact Thermal Relief Valves.....	89
Connector Hose	2, 127
Connectors	32-36
Containers.....	153-154
Conversion Kit	103
Cord Caps / Plugs.....	109
Corrosion-Resistant ABS Gauge.....	90
Couplers	29-31, 95
Couplings.....	23, 32, 36, 97
Cox Hose Reels	27
Cross Fittings.....	35
Curtain Walls	116
Cyclone Rotary Surface Cleaner	4, 114

D

Dampeners & Suction Stabilizers.....	72, 124
Degreaser II Detergent.....	162
Delavan Fuel Nozzles	102
Deluxe Lances	14
Detergent	162-163
Detergent Injectors	82-84
Diaphragm Check Valves.....	135
Diaphragm Float Valve.....	85
Diaphragm Kits.....	123
Diaphragm Pump Units	132
Digital Monitor.....	109
Dirt Killer Rotating Nozzle.....	46
Double Nipples	32

Double Nozzle Head.....	52
Double Quality Twist Seal Couplers.....	30
Double Shut-Off Couplers & Plugs.....	30, 148
Drain Cocks	34
Drum / Tank Pump	120, 154
Drum Tool Accessories	119
Dual Chemical Systems	118
Dual Lances	14-15
Dual Trigger Lance	14
Duct Cleaner	115, 138
Dump Gun	13
Duo-Reg Nozzle.....	50
Dust Cloths	154

E

Easy Start Valve.....	90
Elbow Fittings	32, 35
Electrical Components.....	104-110
Electrical Tape.....	110
Electrode / Insulator Assembly.....	97
Enclosure Box for Magnetic Motor Starter Sets.....	107
Engine Accessories.....	95
Engine Test Equipment.....	95
“Engineered” Reusable Couplings	23
Engines	92
Erie Motortrol® Valve.....	129
Exact-A-Flow Pressure Reducer / Injector.....	84
Extended Twist Seal Coupler	19
Extension Wand Control Kit.....	17
Extractor Tool	72
EZ Movers.....	146

F

Fiberglass “Super Handles”	120
Fiberglass Telescoping Wands	17
Field Attachable Couplings	23
Filter Funnel	39
Filters	38-39, 51, 141-142
Fittings.....	32-37
Flanges	74
Flat Surface Cleaner.....	4, 114-115, 138
Flex Couplers	74
Flash Lighters	139

Flex Couplings	97
Flex Lances	16, 126
Flex Line Bypass / Supply Line Hose.....	25
Float Balls	85
Float Tanks	111
Float Valves.....	85-86
Float, Ball & Stem.....	85
Flojet Diaphragm Pump.....	132
Flow Actuated Unloaders.....	80
Flow Control Metering Valve.....	88
Flow Meters	89
Flow Selector Valve	88
Flow Switches.....	5, 104
Flow Thru Guns	13
Foam Brush & Accessories	124
Foam Cannon.....	52
Foamers.....	121
Foot Controlled Pressure Valve	119
Foot Valve	119
Fuel Caps	111
Fuel Conditioner & Soot Remover.....	99
Fuel Filters	5, 39
Fuel Nozzle Check Valve	102
Fuel Nozzles.....	102
Fuel Oil Pressure Gauge	90
Fuel Pumps.....	99
Fuel Solenoid Valve	101
Fuel Tanks.....	111
Funnel.....	39
Fuses	125

G

Galvanized Pipe Fittings.....	36
Garden Hose.....	23
Garden Hose Fittings	34
Gas Burner Rings	103
Gas Valves	103
Gauges.....	90-91
Gear Lube	72
Geared Multiplier	73
Geared Reduction	73
General Fuel Filters	39
General Pump Nozzles.....	42

General Pumps & Pump Kits.....	63-67
Generator.....	108
Giant Trigger Guns	9
Gloves.....	122
Goff's Curtain Walls.....	116
Ground Fault Circuit Interrupters (GFCI)	106
Gun Swivel.....	31
Guns	2, 9-13, 126, 133-134
Gutter Cleaner.....	17
Gymatic Unloaders	81

H

Hand Cleaner	163
Hand Tote II	112
Handles.....	15, 13
Hansen Quick Connective Couplers.....	29
Hard Surface Tools.....	138
Heater	4, 116
Hex Couplings	32
Hex Double Nipples	32
Hex Head Plugs	34
Hex Nipple Fittings.....	35
Hex Nut Fittings.....	32
Hex Reducing Nipples	32
Hex Socket Head Plugs	34
Hi-Lo Injector.....	83
High / Low Variable Angle Nozzles.....	50
High Limit Switch	105
High Pressure Ball Valves.....	87
High Pressure Check Valves.....	86
High Pressure Nozzle Filters.....	38, 51
High Pressure Regulators.....	76-81
High Pressure Swivels.....	31
High Volume Filters	38
High Volume Regulator / Unloader.....	78-79
HM Regulator / Unloader.....	79
Hobby Gun, Lance & Hose	18
Hobby Hose	22
Honda Engine Parts.....	92
Hose	2, 20-25, 119, 150
Hose Barbs	33-34
Hose Bend Restrictors.....	22
Hose Clamps	34

INDEX

Hose Reels.....	6, 26-28, 150
Hose Reel stands.....	151
Hot Box.....	4, 116
Hour Meters.....	91
Hudson Float Valve.....	86
Humidity Gauge.....	139
Hypro Roller Pumps.....	131
Hypro-Style Unloader.....	78

I

Ignition Switch.....	92
Ignitors.....	100
In Line Thermostat.....	109
Injectors.....	82-84
Inline Filters.....	37-38
Inline High Pressure Nozzle Filters.....	38
Insulation & Rigid Disc / Donuts.....	101
Interchangeable Orifice.....	50
“Inter-Lube-Red” Gear Lube.....	72
Interpump Packing Extractor Tool.....	72
Interpump Pumps & Pump Kits.....	63-67

J, K

Jetter Pulse Valves.....	71
JIC Nipples.....	32-33
“K” Series Pressure Regulators.....	78
Kerick Float Valve.....	86
Kew Replacement Accessories.....	18
Keyed Ignition Switch.....	92
KIP Fuel Solenoid Valve.....	100
Kip Solenoids.....	129

L

Lafferty Airless Foam Kit.....	121
Lance Handles.....	13, 15
Lance Nozzle Couplers.....	46
Lances.....	2, 14-16
Legacy AP1000 Trigger Guns.....	2
Legacy Command-O Hand Cleaner.....	163
Legacy Compact Foamer.....	4, 52
Legacy Hoses.....	2, 20-21
Legacy Flow Switch.....	5
Legacy Fuel Filter.....	5

Legacy Geared Reduction.....	73
Legacy Oil-Fired Hot Box.....	4
Legacy Quick Couplers.....	29
Legacy Pumps & Pump Kits.....	5, 53-61
Legacy Quick Couplers.....	3, 29
Legacy REVOLUTION Turbo Nozzle.....	3, 47
Legacy Superlite SS Dual Lance.....	2, 15
Legacy Universal Unloader.....	5, 75
Lift Buddy.....	155
Liquid-Tight Strain Relief Connector.....	110
Locks for Meter Boxes.....	125
Low Pressure Swivels.....	125
LP Conversion Kit.....	103
Lube.....	72

M

Machine Control Cam Switches.....	107
Magnetic Motor Starters.....	106
Manual Motor Starter.....	107
Mecline Trigger Guns.....	9-10, 12
Merchant Coupling.....	36
Metering Valve.....	88-90
Meters.....	88-90, 140-141
Measuring Wheel.....	155
MG4000 Series Unloaders.....	80
Mini Ball Valves.....	87, 147
Molded Grip Lance.....	16
Mosmatic Gun Swivel.....	115
Mosmatic Roof Cleaner.....	115
Mosmatic Turbo Surface Cleaner & Duct Cleaner.....	115
Motor Starters.....	92, 106-107
Motors.....	6, 93-94, 99
Mounting Brackets.....	26, 28
Multi-Fan Nozzle.....	50
MV 950 Gun (now Mecline).....	10
MV Hi-Lo Turbo Nozzle (now Mecline).....	46
MV Hobby Wash Gun (now Mecline).....	12
MV Lance Handle (now Mecline).....	15
MV Triple Function Nozzle (now Mecline).....	46

N

Nipples.....	32
Non-Marking Hose.....	20

Non-Pivot Hose Reels	28
Nozzle Accessories	102
Nozzle Bodies	43
Nozzle Fan Selection	40
Nozzle Filters.....	51
Nozzle Guard	45
Nozzle Protector	45
Nozzle Protector / Coupler.....	52
Nozzle Size Selection Chart	40
Nozzle Tip	134
Nozzles	3-4, 7, 40-52
Nylon Pressure Regulator.....	134

O

O-Ring Tool	72
O-Rings.....	29
Oil	72
Oil Burners.....	97-98
Oil Solenoid Valve.....	101
Oil-Fired Hot Box	4, 116
Open Guns.....	13
Orange 600 Sprayer Hose	23
Orange Nova Gun	12
Orificed Hose Barb.....	34
Ozone Generator.....	141

P

PA Float Valve.....	85
PA Insulated Molded Grip Lances	15
PA Trigger Guns	10, 12
Packing & Seal Kits	71
Packing Extractor Tool.....	72
Pails	163, 154
Performance Tables.....	131
Perfect Patch	147
PH Test.....	140, 162
Phoenix Flow Switch	104
Pipe Fittings.....	36
Piston Pumps	71
Pit Boss Sludge Sucker	119
Pivot Reel	26
Plugs.....	23-30, 34-35
Plungers	71

Pressure & Temperature Test Set	91
Pressure Actuated Unloaders	80
Pressure Gauges	90-91
Pressure Reducing Valve.....	90
Pressure Regulator.....	78, 134
Pressure Relief Valves	77-82
Pressure Switch.....	104-105
Pressure Washer Accessories	113-122
Pressure Washer Accessory Kit	18
Pressure Washers	164
Profit From Power Washing Manual	122
Proportioners.....	130
Psychrometer	140
PTO Geared Multiplier	73
Pulley Bushings.....	96
Pulleys	95-96
Pulsar Unloaders	77
Pulsation Dampeners & Suction Stabilizers	72
Pulse Dampener	72
Pulse Hose.....	27
Pulse Valves	71
Pump Accessories	72-74
Pump Extraction Kit.....	72
Pump Lube	72
Pump Oil.....	72
Pump Tools	71
Pumps & Pump Kits.....	53-74
Push & Pull Lance	14
Push Button Switch.....	105
Push-N-Lock Barbs	33
Push-On Brass Swivels	32
PVC Ball Valves	88
PVC Check Valve	87
PVC Sprayer Hose	23
PVC Tubing.....	27, 36

Q

QC Nozzles.....	3-4, 41-42
Quick Couplers	3, 29-30
Quick-Connect Injector	84
Quick-Coupled Amerimax.....	82

INDEX

R

Racor Filter Funnel.....	39
Rain Suit.....	122
RainTite Switch Box.....	109
Rapid Reel Swivels.....	26, 28
Rawhide Hose.....	2, 20
RB65 Wash Gun.....	126
Reducing Bushing.....	35
Reducing Elbows.....	32
Reducing Hex Couplings.....	32
Reducing Nipples.....	32
Reducing Valve.....	90
Reference / Calculation Guide.....	95
“Reflex” Car Wash Booms.....	125
Regulator Valves.....	77-82
Relief Valve.....	82
Retainer Caps.....	45
Ribbed PVC Sprayer Hose.....	23
Robokim Chemical Injectors.....	83
Roller Pumps.....	131
Rollover Nozzle.....	51
Romex Connectors.....	109
Rosebud Nozzle Guard.....	45
Rotary Surface Cleaner.....	114-115
Rotary Switch.....	125
Rotating Nozzles.....	7, 45-47
Rotojet Nozzles.....	99
Rotomax Rotating Nozzle.....	46
Rotovac.....	137
Rupture Disks.....	90

S

Safety Pressure Relief Valves.....	82, 90
Safety Supplies.....	156-157
Sandblaster.....	117
Sandblast Kit.....	117
Sandblast Nozzle Tips.....	117
Seal Kits.....	55
Sewer Hose.....	119
Sewer Nozzles.....	118
Shelving.....	138
Shipping Tape & Dispenser.....	122
Siphon Pumps.....	121

Slip-On Nozzle Protector.....	52
Sludge Sucker.....	119
Small Engine Test Equipment.....	95
Smoke Tester - Diagnostic Tool.....	100
“Snap” Fuel Nozzle Check Valve.....	102
Stain Master.....	155
Soap Nozzles.....	45
Solenoid Valve Specifications.....	128
Solenoid Valves.....	101, 128-129
Solution Hose.....	150
Solution Hose Live Assembly.....	138, 151
Soot Remover.....	99
Specialty Cleaner.....	162
Speedmaster Throttle Control.....	91
Spot Spray Gun Assembly.....	133
Spray Gun Assembly.....	133
Spray-Flex™ Flex Wand.....	16
Sprayers.....	121, 133, 136-137
Spraying Systems Nozzles.....	43-44
Spraymart Detergents.....	162-163
Spraymax Trigger Gun.....	133
Starter Solenoid.....	92
Steam Hose.....	22
Steam Nozzle.....	51
Steam Valve.....	89
Stems.....	85
Strain Relief Connector.....	110
Strainers.....	38
Stream Injector.....	83
Street Elbows.....	33
Street Tees.....	33, 35
Sticky Tabs.....	154
Styrofoam block.....	155
Suction Foot Valve.....	38
Super “Gripnotch” V-Belts.....	96
Super Value Vent Grip Lances.....	16
Surface Cleaners.....	114-115
Suttner Dual Lances.....	14
Suttner Guns.....	10-11
Suttner Lances.....	14
Suttner Turbo Nozzles.....	49
Switch Box.....	109
Switches.....	92, 104-105, 125

Swivel Hose Barbs	34
Swivels	8, 31, 26, 125, 134

T

Tank Fittings	135
Tank Pump	120
Tank Screen / Strainer	38
Tanks	111
Tape	110, 122
Tape Dispenser	122
Tee Fittings	33, 35
Teflon® Thread Sealing Tape	122
Telescoping Wands	17
Temperature Gauges	91, 139
Thermal Relief Valves	89
Thermostat	109
Thermometer	139
Thread Lock Products	122
Throttle Control	91
Timax Pressure Regulator Valve	82
Tip Retainer	19
Tip-Jet Nozzle System	109
Toggle / Push Button Switch	105
Toggle Switch	105
Tools	71-72, 144-146
Transformers	125
Tray	155
Trigger Control Spray Lances	133
Trigger Guns	2, 7, 9-12
Trigger Jet Spray Lances	134
Trigger Valves	133
TRV Thermal Relief Valves	89
Tube Cleaning Nozzles	52, 118
Tubing	25, 36
Turbine Series Guns	134
Turbo Nozzles	47
Twin Diaphragm Spot Spray Pump	131
Twist Seal Couplers	30

U, V

Ultima Hose	21
Undercarriage Cleaner	4, 113, 116
Uninsulated Lance	15

Universal “Elektra”	108
Universal Unloader	5, 75
Unloader Mounting Block	82
Unloader Valves	76-82
Upstream Injector	83
Utility Gauges	90-91
V-Belts	96
V-Packing Insertion Tool Kit	72
VAC Switch	104
Vacuum Accessories	126, 148-149
Vacuum Hose	85-90, 150
Vacuum Hose Connectors	147-148
Vacuum Hose Cuffs	126, 148-149
Vacuum Motors	127
Variable Angle Nozzles	50
Vega 5000 Trigger Gun	12
Vehicle Wash Detergent	162
Vent Grip Lance	16
Vinyl Electrical Tape	110
Viper Rotating Nozzle	46
Voltmaster Generator	108
VRT Unloader Valves	76

W, X, Y, Z

Wall Buddy	154
Wands	2, 13-17
Wash Gun	126
Water Broom	116
Water Separator	39
Water-Sweepers	115
Wayne Burner Parts	98-99
Wheels	112
Whisper Wash Flat Surface Cleaners	114
Whitewater® Combination Steam Hose	22
Winco AC Generator	108
Window Washing Tools	159-161
Wire Loom	110
X-Jet Long Range Nozzle	18
Y-Trap Strainer	38
Yamada Pumps	123
ZipWall	142-143

NOTES

NOTES

POLICIES

Terms • Shipping • Tips

SALES POLICY SPRAYMART sells to qualified dealers/distributors who are in the business of reselling pressure washing equipment and providing repair, service, and support. In addition, SPRAYMART reserves the right to sell to customers outside of the pressure washer industry.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

FREIGHT POLICY

FOB FACTORY, FREIGHT PRE-PAID & ADD

Parcel shipments are carried by UPS unless another carrier is requested. UPS Freight Charges are prepaid and added to customer's shipment invoices. Oversized items (by UPS standards) will incur additional freight charges. Motor truck (LTL) shipments are also sent FOB factory, freight prepaid and add. This method gives our customers access to the most competitive freight and freight terms package. If a specific carrier is requested, we will ship FOB factory freight collect by the carrier of your choice.

SHIPPING POLICY

- All orders will be treated independently for shipping. Because of order volume, we are not able to match multiple orders. If items must ship together, they must be on the same order. Once an order is placed, subsequent items cannot be added to the same order. For Alaska, Hawaii, and International shipments, matching of multiple orders for weight requirements and minimizing customs charges will take place as requested.
- Orders on credit hold will not be considered for production scheduling or allocation until they are released by the Credit department. They will be prioritized as if entered at the time of credit release.
- All UPS orders that receive credit approval by 4:00pm Eastern Standard Time will ship the same day.
- A customer may request that their account be flagged to cancel all backorders. If an account has this flag, ALL back-orders will be canceled and it will be the customer's responsibility to reorder the items. Customers may also request to combine backorders with their next order.
- All "drop ship," UPS Red, and International shipments are assumed to be "ship complete." If a backorder occurs on these express shipments, SPRAYMART will make every effort to contact the dealer/distributors for instructions. If contact cannot be made, SPRAYMART will ship the partial order and notify the dealer/distributors by fax or voice message. Any backorder that is incurred will ship UPS ground unless otherwise instructed.
- All costs incurred by SPRAYMART for special services such as Specialized Palletization or Packaging, Residential Delivery, Liftgate Service, Redirects, Call in Advance for Appointment, etc. will be charged directly to the customer as incurred including a handling fee. These can be expensive, so please request confirmation of incremental costs in advance to avoid surprises.
- Parcel carriers other than UPS may have additional charges (e.g. FedEx, DHL, etc.) or varying dimensional limitations. Selection of these carriers may result in delay of shipment or additional charges.
- Errors or shortages on a shipment must be brought to SPRAYMART's attention within thirty (30) days of shipment or the claim may be denied.
- Any claims for shipping damage must be filed directly with the freight carrier by the dealer/distributors.

PAYMENT TERMS C.O.D., CREDIT CARD (Visa, MasterCard, American Express, or Discover), or OPEN CREDIT 2% 15 days, Net 30 days upon credit approval only. Invoices are considered past due 31 days after invoice date. Spraymart reserves the right to implement late charges or charge interest on past due balances.

RETURN GOODS Our Return Goods Authorization Number must accompany all return shipments. No shipment will be accepted for credit consideration without our prearranged authorization. All Returns must be freight prepaid. For speedy processing, include copy of original invoice or packing list.

FREIGHT CLAIMS All shipments are FOB Factory and must be inspected at time of delivery. Any signs of damage should be noted on the carrier's freight bill and a loss or damage claim should be filed at the time by the dealer/customer.

BACK ORDERS Unshipped merchandise from an original order will be shipped when available, per instructions given at order entry.

SPECIAL ORDER PARTS Parts not stocked in our warehouse may be available as a special order part. Special order parts are non-returnable and cannot be cancelled once order is placed. Dealer will also be responsible for all additional freight charges (if applicable). Please contact your Customer Service Representative for more information on special orders.

SAMPLE REQUESTS All samples will be invoiced plus shipping charges.

PRICE MATCH POLICY While we may not offer loss-leader pricing, our across-the-board low pricing gives customers the confidence they are getting the parts they need, when they need them and, on the average, at the lowest possible price.

tips

Avoid Shortage Discrepancies: Count the pieces received against the Driver's delivery report.

Note any discrepancies in writing on the delivery receipt. Be specific: identify or describe the missing item.

Call your Customer Service Representative immediately with any discrepancy in part count against the enclosed Pack Slip.

Minimize Freight Damage Hassles: Inspect freight **BEFORE YOU SIGN**.

Note on the freight bill any obvious damage at the time of delivery (i.e. box corners crushed, tears, rips, marks, etc.) Again, be specific and note exactly what is damaged.

If you suspect internal damage,

OPEN IMMEDIATELY!

Even if no damaged goods are suspected, open the carton within 24 hours and make a thorough inspection.

Hold all damaged goods and their packaging materials for inspection by the carrier.

BUSINESS HOURS

Monday - Friday
7:00 AM to 5:30 PM CST

ORDER BY PHONE

1-800-752-0177 or
1-479-756-5874

OR BY FAX

1-800-543-0177

603 N Monitor Road
Springdale AR 72764

