

Product: SPEED X-777

Product No.: ZLSPE

MATERIAL SAFETY DATA SHEET

Date: 8-22-01

Supersedes: 12-01-1997

Prepared by: JA

COMPANY: EnviroSpec
751 MLK Highway
Homerville, GA 31634
(Div. of Hi-Tech Jetting Technologies, Inc.)

INFORMATION: 1-800-346-4876
EMERGENCY: 1-800-424-9300
(Chemtrec)
GENERAL: 1-912-487-1778

SECTION 1. PRODUCT NAME

PRODUCT NAME: SPEED-X-777
PRODUCT NUMBER: ZLSPE

SECTION 2. NON-HAZARDOUS INGREDIENTS

COMPONENT: CAS NO: %
TRADE SECRET

SECTION 3. HAZARDOUS INGREDIENTS

NONE

SECTION 4. PHYSICAL DATA

BOILING POINT: 212°F FREEZING POINT: 20°F VAPOR DENSITY: N/A
SPECIFIC GRAVITY (WATER = 1): 1.28 WATER SOLUBILITY, %: 100
VAPOR PRESSURE: N/A APPEARANCE AND ODOR: DARK BROWN / AMMONIA

SECTION 5. FIRE AND EXPLOSION HAZARD

FLASH POINT AND METHOD: NONE
SPECIAL FIRE FIGHTING PROCEDURES: NONE
FLAMMABLE LIMITS: (LEL: NONE) (UEL: NONE)
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

SECTION 6. REACTIVITY DATA

CONDITIONS CAUSING INSTABILITY: NONE
INCOMPATIBILITY: NONE
HAZARDOUS DECOMPOSITION PRODUCTS: NONE
SPECIAL SENSITIVITY: NONE

SECTION 7. HEALTH HAZARD INFORMATION

LD50 ORAL (INGESTION): N/E LD50 DERMAL (SKIN CONTACT): N/E
LC50 (INHALATION): N/E TVL: N/E

EFFECTS OF OVEREXPOSURE: No information found to suggest any toxicity for: Inhalation, Eye, Skin, Ingestion

EMERGENCY AND FIRST AID PROCEDURES:

INHALATION: Move to fresh air. If illness or irritation occurs, call physician or Poison control center.
EYE: Irrigate eye with copious amounts of water. If pain or irritation arises, contact physician or Poison control center.
SKIN: Wash area thoroughly with soap and water. If irritation occurs, contact physician or Poison control center.
INGESTION: Contact physician or Poison control center immediately.

SPECIAL PROTECTION INFORMATION:

VENTILATION: Fresh air
RESPIRATORY: No special equipment required.
EYE PROTECTION: Goggles or safety glasses
PROTECTIVE GLOVES: SUGGESTED
OTHER: NONE

SECTION 8. PRECAUTIONS FOR SAFE HANDLING

STORAGE AND HANDLING: PROTECT AGAINST TEMPERATURES UNDER 20°F
AT TEMPERATURES UNDER 65°F, PRODUCT MAY BEGIN TO CRYSTALLIZE. CRYSTALS WILL GO BACK
INTO SOLUTION BY RE-HEATING.

SECTION 9. SPILL, LEAK AND DISPOSAL

DIKE AREA AND SOAK UP WITH ABSORBENT MATERIAL. WASH AREA WITH WATER. DISPOSE OF
ABSORBENT MATERIAL IN WASTE CONTAINER. EPA RCRA ID NUMBER: N/E.

GOVERNMENT REGULATIONS: NONE KNOWN

N/E = NOT ESTABLISHED

N/A = NOT APPLICABLE