




*The Pumps with Nine Lives*

# PRESSURE WASHER PRODUCTS



*A Pump for every Pressure Washer*

[www.catpumps.com](http://www.catpumps.com)

# Quality at an Affordable Price

## The Pumps with "Nine Lives"

The pressure washer market is a fiercely competitive market with a multitude of cleaning needs. Because of CAT PUMPS' commitment to building only the highest quality pumps, we have a reputation of being the longest lasting, most trouble-free pumps available. And now, our new models offer extremely competitive pricing.

CAT PUMPS plunger pumps offer a unique spring reinforced seal design and special blend materials for unmatched seal life that do not exhibit off-center wear. Our concentric, high-density, polished solid ceramic plungers offer true alignment and an ultra smooth surface, another reason why our seals last 3-4 times longer than any others and why you get the same long life after each servicing. Our heavy-duty drive-ends is evidenced by the many CAT PUMPS still in service after 20 years or more.

Our DX and SP direct-drive models offer high quality at a new low price. For heavy-duty applications, our gearbox pumps with oversized helical gears mount directly to gas engines for maximum direct-drive dependability. A wide selection of larger frame pumps carry on the NINE LIVES tradition performing demanding applications such as wet-sandblasting, paint and tar removal, exposed aggregate or hydrodemolition for industrial and commercial cleaning contractors, rental markets, construction contractors, heavy equipment and in-plant maintenance services and oil/gas/powergen washdown systems.

Rental equipment users require a pressure washer that is always ready to do the job and can take long hours of continuous use. Their livelihood depends on their pump and only the most dependable pump will do. They specify CAT PUMPS, "the Pumps with Nine Lives".

## Why Should You Pay More for a CAT PUMP?

The answer is simple. It will cost you far less to invest in a CAT PUMP. As a pressure washer user, you expect to pay a reasonable price for a washer that is ready to do the work. As an equipment renter, you need satisfied customers and dependable equipment, so you can be assured of a reasonable return on your investment.

There are many pressure washer pumps available today that have similar ratings to CAT PUMPS that sell for less. This sounds good at first, but this low price soon turns into high costs when the pump goes down and you don't have a pressure washer to complete your job. At CAT PUMPS we could cut corners and reduce costs like other pump companies, but we believe in producing only the highest quality, longest lasting pump possible.

The extra steps taken in our ceramic plungers and unique seals cost more, but translate into less servicing costs, less downtime and more satisfied customers. When you consider the initial cost along with the cost of maintenance and downtime, you will quickly see that CAT PUMPS truly offer the best value.

## Nine Reasons Why Pressure Washer Manufacturers Use CAT PUMPS

1. Because CAT PUMPS last longer!
2. Because CAT PUMPS specially formulated Hi-Pressure Seals offer unmatched performance life!
3. Because CAT PUMPS concentric solid ceramic plungers out perform all others!
4. Because CAT PUMPS high strength drive-ends run 3-4 times longer than any other!
5. Because CAT PUMPS run as true after service as when they were new!
6. Because CAT PUMPS have a proven performance record in the most rigorous applications!
7. Because CAT PUMPS quality construction offers the highest level of user confidence!
8. Because CAT PUMPS have the largest distribution network providing immediate inventory and technical assistance!
9. Because CAT PUMPS dependability and high energy efficiency offer the best value!

## DX, SP Series

Special direct-drive 2DX, 3DX, 66DX and 3SP pumps with built-in flange mount offer a high quality, affordable alternative for the light-duty pressure washers.

Pump Model	Flow		Pressure		Pump RPM	Engine RPM	HP*	Typical Gas Engine**	Type Drive
	GPM	L/M	PSI	BAR					
2DX20ES	2.0	7.6	2000	140	3450	—	2.7	N/A	EDD
2DX27GS	2.7	10.2	2000	140	3450	—	3.7	6.5	GDD
2DX30GS	3.1	11.7	2000	140	3450	—	4.5	6.5	GDD
3DX25GSI	2.5	9.5	2500	175	3450	—	4.3	6.5	GDD
3DX30GSI	3.0	11.4	2500	175	3450	—	5.2	6.5	GDD
3SP30G11	3.0	11.4	3000	210	3400	—	6.2	8.0	GDD
3SP35GEI	3.5	13.2	2500	175	3450	—	6.0	N/A	EDD
66DX30G11	3.0	11.4	4000	275	3400	—	8.2	13.0	GDD
66DX35G11	3.5	13.2	4000	275	3400	—	9.6	13.0	GDD
66DX40G11	4.0	15.0	4000	275	3400	—	11.0	16.0	GDD



2DX, 3DX, 3SP, 66DX

## SF Series

The innovative design of these direct-drive, hollow-shafted 2SF and 4SF pumps makes them more durable and longer lasting than any other pump in this class.

Pump Model	Flow		Pressure		Pump RPM	Engine RPM	Typical Gas HP*	Type Engine**	Type Drive
	GPM	L/M	PSI	BAR					
2SFX22ES	2.2	8.3	2000	140	3450	—	3.0	N/A	EDD
2SFX25GZ	2.5	9.5	2500	175	3450	—	4.3	6.5	GDD
2SFX30ES	3.0	11.4	1500	105	3450	—	3.1	N/A	EDD
2SFX30GS	3.0	11.4	2000	140	3450	—	4.2	6.5	GDD
2SFX30GZ	3.0	11.4	2500	175	3450	—	5.2	8.0	GDD
2SFX35GS	3.5	13.2	2000	140	3450	—	4.8	6.5	GDD
4SF35GS1	3.5	13.2	3500	245	3200	—	8.4	13.0	GDD
4SF40ELS	4.0	15.0	3500	245	1725	—	9.5	N/A	EDD
4SF40GS1	4.0	15.0	3500	245	3200	—	9.5	13.0	GDD
4SF45GS1	4.5	17.0	3000	210	3200	—	9.3	13.0	GDD
4SF50ELS	5.0	19.0	3000	210	1725	—	10.3	N/A	EDD
4SF50GS1	5.0	19.0	3000	210	3200	—	10.3	16.0	GDD



2SF, 4SF

## CP, 5PFR, 7PFR, 15PFR, 25PFR, 35PFR Plunger Pumps

Both belt drive and gearbox plunger pumps are common for industrial cleaning units. Special oversized helical gears on the CP-5PFR-7PFR gearbox provide a smooth, quiet gear reduction for heavy-duty direct-drive gas engine systems.

Pump Model	Flow		Pressure		Pump RPM	Engine RPM	Typical Gas HP*	Type Engine**	Type Drive
	GPM	L/M	PSI	BAR					
<b>CP Series</b>									
3CP1120	4.2	15.9	2200	155	1725	—	6.3	8.0	B
3CP1120G	3.5	13.2	2200	155	1420	3600	5.3	8.0	GB
5CP3120	4.5	17.0	3500	245	1645	—	10.8	16.0	B
5CP3120G1	4.5	17.0	3500	245	1645	3353	10.8	16.0	GB
5CP5120	5.0	19.0	3000	210	1415	—	10.3	16.0	B
5CP5150G1	5.0	19.0	3000	210	1570	3200	10.3	16.0	GB
7CP6170	11.0	41.6	2000	140	1450	—	14.4	20.0	B
<b>5 Frame</b>									
310	4.0	15.0	2200	155	950	—	6.0	8.0	B
	5.0	19.0	1500	105	1190	—	5.1	8.0	B
34G1	4.0	15.0	2000	140	1725	3515	6.1	8.0	GB
35G1	5.0	19.0	1500	105	1725	3515	5.1	8.0	GB
45	4.5	17.0	3500	245	1645	—	10.8	16.0	B
45G1	4.5	17.0	3500	245	1645	3353	10.8	16.0	GB
<b>7 Frame</b>									
530	5.0	19.0	2500	175	1100	—	9.4	13.0	B
550	5.0	19.0	3000	210	1415	—	10.3	16.0	B
51G1	4.8	18.0	3000	210	1765	3600	9.8	13.0	GB
56G1	8.0	30.0	1800	125	1760	3600	9.9	13.0	GB
58G1	5.0	19.0	2500	175	1570	3200	8.6	13.0	GB
59G1	5.5	21.0	3500	245	1570	3200	13.2	18.0	GB
57	4.5	17.0	4000	275	1285	—	12.3	18.0	B
60G1	4.5	17.0	4000	275	1570	3200	12.3	18.0	GB
70	4.5	17.0	5000	345	1700	—	15.4	20.0	B
70G1	4.5	17.0	5000	345	1700	3465	15.4	20.0	GB
<b>15-35 Frame</b>									
650	7.0	27.0	3000	210	1000	—	14.4	20.0	B
1050	10.0	38.0	2200	155	958	—	15.1	20.0	B
1530	15.6	59.0	1500	105	1450	—	16.0	25.0	B
2510	20.0	76.0	2000	140	1450	—	27.5	37.0	B
3560	20.0	76.0	4000	275	1160	—	55.0	75.0	B



3CP, 5CP, 7CP



45G1



70G1



1050



2510

Contact CAT PUMPS for higher capacities or custom engineered Power Units.  
 DD=Direct Drive Flange Mount B=Belt Drive E=Electric G=Gas GB=Gearbox Mount  
 \*Standard Electric Brake Horsepower Calculation \*\*May vary with engine efficiency.

# Typical Accessories for your Pressure Washer

Pump Model	Unloader	Secondary Relief	Gauge	Gun	Lance	Injector	Thermo Valve	Filter	Vari Nozzle	Rotating Nozzle	PowerChem Nozzle	Wet Sandblaster
2DX20ES	Included	30961	6096	33425	32264	7231	—	7203	7930	—	—	—
2DX27GS	Included	30961	6096	33425	32264	7232	—	7203	7940	7625.35	7314	—
2DX30GS	Included	30961	6096	33425	32264	7232	—	7203	7945	7625.40	7314	30417
3DX25GSI	Included	30961	6096	33425	32264	7232	—	7203	7935	7625.25	7314	—
3DX30GSI	Included	33961	6089	35150	32042	7232	—	7203	7935	7625.35	7314	30417
3SP30G1I	7700	33961	6089	35150	32042	7332	7116	7203	7935	7625.35	7314	—
3SP35GEI	7700	30961	6096	33425	32264	7332	7116	7203	7945	7625.45	7314	30417
66DX30G1I	7800	7190	6089	35150	31219	7342	7117	7203	—	—	7314	30677
66DX35G1I	7800	7190	6089	35150	31219	7342	7117	7203	—	7632.30	7314	30677
66DX40G1I	7800	7190	6089	35150	31219	7342	7117	7203	—	7632.35	7314	30677
2SFX22EZ	7500XS	30961	6089	35150	32042	7193	7141	7203	7930	—	—	—
2SFX25GZ	7500XS	30961	6089	35150	32042	7224	7141	7203	7930	—	—	—
2SFX30GS	7500XS	30961	6089	35150	32042	7193	7141	7203	7940	7625.40	7314	30417
2SFX30GZ	7500XS	30961	6089	35150	32042	7224	7141	7203	7935	7625.35	—	—
2SFX35GS	7500XS	30961	6089	35150	32042	7193	7141	7203	7950	7625.50	7315	30418
4SF40ELS	7600S	33961	6089	36140	32042	7194	7141	7104	7940	7625.40	7314	30417
4SF35GS1	7600S	33961	6089	36140	32042	7193	7141	7104	7935	7625.35	—	—
4SF40GS1	7600S	33961	6089	36140	32042	7194	7141	7104	7940	7625.40	7314	30417
4SF45GS1	7600S	33961	6089	36140	32042	7194	7141	7104	7955	7625.50	7315	30418
4SF50ELS	7600S	33961	6089	36140	32042	7194	7141	7104	7950	7625.55	7316	30419
4SF50GS1	7600S	33961	6089	36140	32042	7194	7141	7104	7950	7625.55	7316	30419
3CP1120	7730	30961	6088	36140	32042	7183	7117	7104	7955	7625.60	7315	30418
3CP1120G	7730	30961	6088	36140	32042	7183	7117	7104	7955	7625.60	7315	30418
5CP3120	7850	33961	6089	31260	31219	7184	7117	7104	7945	7625.45	7314	30417
5CP3120G1	7850	33961	6089	31260	31219	7184	7117	7104	7945	7625.45	7314	30417
5CP5120	7850	33961	6089	31260	31219	7184	7117	7104	7955	7625.55	7316	30419
5CP5150G1	7850	33961	6089	31260	31219	7184	7117	7104	7955	7625.55	7315	30418
7CP6170	7534	7534.100	6088	31260 (2)	31219 (2)	7324	7142	7105	7970 (2)	7625.70 (2)	7316 (2)	30420 (2)
310	7534	30961	6088	36140	32042	7184	7142	7104	7955	7625.55	7315	30418
34G1	7534	30961	6088	36140	32042	7184	7142	7104	7955	7625.55	7315	30418
35G1	7534	30961	6088	36140	32042	7184	7142	7104	7980	7625.80	7316	30421
45	7534	33961	6089	36140	32042	7184	7142	7104	7945	7625.45	7314	30417
45G1	7534	33961	6089	36140	32042	7184	7142	7104	7945	7625.45	7315	30417
530	7535	30961	6089	36140	32042	7184	7142	7104	7260	7625.60	7316	30418
550	7535	30961	6089	36140	32042	7184	7142	7104	7955	7625.55	7316	30418
51G1	7535	30961	6089	36140	32042	7184	7142	7104	7955	7625.55	7316	30418
56G1	7534	30961	6089	31260	31219	7183 (2)	7142	7105	7960 (2)	7625.65 (2)	7316 (2)	30418 (2)
58G1	7535	30961	6088	31260	31219	7184	7142	7104	7960	7625.60	7316	30418
59G1	7535	33961	6089	31260	31219	7184	7142	7104	7955	7625.55	7315	30418
57	7535	33961	6089	31260	31219	7184	7142	7104	—	7632.40	7314	—
60G1	7535	33961	6089	31260	31219	7184	7142	7104	—	7632.40	7314	—
70	7536	7190	6089	31260	31219	7184	7142	7104	—	7632.40	7314	—
70G1	7536	7190	6089	31260	31219	7184	7142	7104	—	7632.40	7314	—
650	7535	7535.100	6089	31260	31219	7184	7142	7105	7980	7625.80	7314 (2)	30677
1050	7534	7534.100	6088	31260 (2)	31219 (2)	7184	7142	7106	7965 (2)	7625.70 (2)	7316 (2)	30677
1530	7534	7534.100	6088	31260 (2)	31219 (2)	7184 (2)	7142	7107	7980 (3)	7625.80 (4)	7316 (4)	30418 (3)
2510	7534	7534.100	6088	31260 (2)	31219 (2)	7184 (2)	7142	7107	7970 (4)	7625.80 (4)	7316 (4)	30419 (4)
3560	7535	7196	6089	31250	31249	—	7142	7108	—	7625.80 (4)	—	—



## Easy, Affordable Maintenance

CAT PUMPS are very easy and economical to service. Convenient Seal Kits and Valve Kits, with pre-assembled valves, provide all the necessary parts to do on-site maintenance. Data sheets, service manuals and DVDs help with the proper procedure and recommended servicing schedules. And with CAT PUMPS', service is only necessary every 12-18 months, depending upon the duty-cycle.

Visit our web site SERVICE and FAQ sections for additional information.

### World Headquarters

CAT PUMPS

1681 - 94th Lane N.E. Minneapolis, MN 55449-4324

Phone (763) 780-5440 — FAX (763) 780-2958

e-mail: techsupport@catpumps.com

www.catpumps.com

### International Inquiries

FAX (763) 785-4329

e-mail: intlsales@catpumps.com



The Pumps with Nine Lives

### CAT PUMPS (U.K.) LTD.

1 Fleet Business Park, Sandy Lane, Church Crookham FLEET, Hampshire GU52 8BF, England

Phone Fleet 44 1252-622031 — Fax 44 1252-626655

e-mail: sales@catpumps.co.uk

### N.V. CAT PUMPS INTERNATIONAL S.A.

Heiveldekens 6A, B-2550 Kontich, Belgium

Phone 32-3-450.71.50 — Fax 32-3-450.71.51

e-mail: cpi@catpumps.be www.catpumps.be

### CAT PUMPS DEUTSCHLAND GmbH

Buchwiese 2, D-65510 Idstein, Germany

Phone 49 6126-9303 0 — Fax 49 6126-9303 33

e-mail: catpumps@t-online.de www.catpumps.de