


EnviroSpec 2010

MEMBER: PWNA O ISSA





SUPER SKID 5.5 GPM @ 3500 PSI 8.5 GPM @ 3500 PSI

There is 'red hot' and then there is a 'hotter hot...'

20" DUAL PASS COIL DESIGN

System Features:

LARGE FRAME SDC BECKETT BURNER

- O TSF GENERAL PUMP
- o 18 & 30 HP KOHLER Engine
- The largest recharging systems in the industry
- o The industry's largest and most efficient heating system
- o Our Special Spec SDC 12 Volt Burners
- o Allison Burner Diagnostic Center
- o High Volume Fuel Tanks for long, uninterrupted runs.
- O Hour Meter
- o 5000 PSI Safety Burst Disc
- Hose, Gun, Lance & Nozzles included.

List Price \$7,975.00

Contractor **\$4,495.00**

18K-SDC-H5635

List Price \$9,975.00

Contractor **\$6,495.00**

30K-SDC-H8536

Shown with Honda Engine which is no longer available.



One Line in Chemical One Line to Injector Turn on Pump and Power Feed Chemical into the Chem Injector!

Now that is how you get a lot of chemical on the surface!

To be used with a Pressure Type Unloader.



This is a 12 Volt Injection System.

It comes with an Allison Super Suds Sucker Injector

It has 4 interchangeable injector nozzles so you will be able to use it on equipment from 2 - 10 GPM

Can be detached from the injector and used to spray undiluted chemical when you purchase a gun, hose kit #1596




INDUCTION SYSTEM, 12V #1671 REPLACEMENT PUMP

#2351 PRESSURE SWITCH #2352

REPAIR KIT - DIAPHRAGM \$ 26.78 150' Hose, Lance & Gun \$109.83



Nozzles Only - does not include hose, gun, lance



#9878 \$1,995.00

○ 1-800-346-4876 ○ FAX: 888-851-7278 ○

Welcome to Our **EXAMPLE** Catalog!

Easy Poll HI-TECH RL51 Gun

GPM: 13.2 PSI: 4100 PSI #1204 \$47.68 Ceramic Kit #1745 \$6.71



Best for drawing chemical!

ARROW LINE AL-35 GPM: 8.0 PSI: 5000 PSI #1695 \$26.95 Kit #4404 \$14.95





Easy Poll **HI-TECH** 5000 GPM: 9 PSI: 5000 PSI #1208 \$23.75 Ceramic Kit #1747 \$6.71

GIANT

21290C

GPM: 12

PSI: 5000 PSI

#2129 \$26.95

Kit #2122 \$7.95



GENERAL YG5000 GPM: 11 PSI: 5000 PSI #1220 \$28.35 Ceramic Kit #1747 \$6.71

GENERAL

YG5000C

PSI: 5000 PSI

#1221 \$29.95

Ceramic Kit #1747 \$6.71

GPM: 11





FOR CHLORINE



Best for drawing chemical!

FOR CHLORINE

HI-TECH

HD1000C

PSI: 4500 PSI

#1227 \$29.95

Ceramic Kit #1745 \$6.71

GPM: 12

HI-TECH

ALLISON 501 GUN GPM: 8.0 PSI: 4000 PSI #1209 \$22.95 Ceramic Kit #1749 \$6.7





MV2006 GPM: 8 PSI: 4000 PSI #4966 \$20.03



RL-5000 GPM: 10.5 PSI: 5000 PSI #3700 \$32.94 Kit #3701 \$15.95





HT-6000 **LENIER GPM: 10** PSI: 5000 PSI #1222 \$20.71 Ceramic Kit #1747 \$6.71

HI-TECH 804 GUN GPM: 8 PSI: 4200 PSI #1225 \$28.04 Ceramic Kit #1749 \$6.71



FRONT ENTRY GUN GPM: 8 PSI: 3000 PSI #1203 \$17.68 Ceramic Kit #1203 \$6.71

#1202 1'Whip \$12.91 #1172 2'Whip \$13.35

#1568 1'Whip, Swivel & 'QC' \$21.95 #4103 2'Whip, Swivel & 'QC' \$22.95



Hose Whips for Trigger Guns

The purpose of the Hose Whip is to extend the life of the quick connects & eliminate leaking. When you are pulling the hose using the gun and lance for leverage you are putting the quick connect in a "metal to metal" bind. When the whip is in place the quick connect coupler and plug will always be pulling in-line with the hose. PSI: 4,000



#1747 5/16" #1744 11/32" #1745 13/32" #1749 9/32"



HI-TECH OPEN GUN GPM: 8 PSI: 4100 PSI #1223 \$18.73



2-WAY 7.500 PSI **BALL VALVE**

#1304 1/4" \$17.05 #1305 3/8" \$20.40 #1306 1/2" \$24.38



3-WAY 7.500 PSI **BALL VALVE**

#1467 1/4" \$44.95 #1468 3/8" \$47.95 #1469 1/2" \$47.95



CARBON STEEL BALL VALVE PSI: 3.000 PSI

#1303 \$24.38



BALL VALVE PSI: 3,000 PSI #1669 3/8" \$33.95 #1670 1/2" \$44.95



STAINLESS 2,00 PSI - '316' **BALL VALVE** #2159 1/2" \$21.95

#2181 3/4" \$22.95



3-WAY 'TWO-STEP' **BALL VALVE** #1308 1/4" \$29.95



6,000 PSI **STAINLESS BALL VALVE**

#1666 1/4" \$32.20 #1667 3/8" \$42.95 #1678 1/2" \$44.95



CHEMICAL METERING VALVE w/BARB #1307 1/4" \$14.95



MINI VALVE 220 PSI SHORT HANDLE

#1461 1/8" \$7.95 #1462 1/4" \$8.95 #1464 3/8" \$9.95 #1465 1/2" \$9.95





#1075 1/4" FxF \$8.78 #1122 3/8" FxF \$8.95 #1134 1/2" FxF \$9.95



CHEM METERING VALVE 4,000 PSI #2447 1/4" \$12.95



Our **Control of the Catalog is at www.envirospec.com**

THE SWEETEST UNLOADER EVER MADE!

We love it! They love it! Everyone loves it!



ISON SOFT TO

Up to 8 GPM & 3700 PSI

For those of you who like a 'Soft Touch'... I guarantee that you will love this unloader.

It feels better than the K-7 and another great feature is that it adjusts like a pressure actuated unloader.

This unloader will not cycle like the K7's.

#7637 \$74.95

YU-2140

21 GPM

4500 PSI

#1101

\$84.95

#1103 KIT

\$26.76

w/o Micro Switch-Replaces all unloaders **#7638 \$84.95**

with Micro Switch (Used on Allison Clutch Drive or Idle Down Systems)



K-7 #1089 K7.0 #1090 K7.1 (WITH K7.0 BY-PASS) #1091 K7.2 (WITH K7.1 BY-PASS) #1092 K7.3 (WITH K7.2 BY-PASS) \$79.95 #1789 KIT \$29.47



#1085 K5.0 #1086 K5.1 #1087 K5.2 #1088 K5.3 \$79.95 #1785 KIT \$29.27



GENERAL CONTROL SET

Fits: **47 SERIES EZ SERIES** TX SERIES GPM: 8.0 PSI: 3,650

No Injector #1110 **\$74.95** With Injector #1112 **\$79.95**

#1111 KIT \$19.95



ZE FLOW UNLOADER **ZERO-PRESSURE**

IN BY-PASS 4100 PSI **10 GPM** #3779 \$119.95

#3002 KIT \$39.95







IN-LINE SWIVELS

A-R CONTROL SET

MINI no Injector #2403 **\$65.19**

GYMATIC w/adj. Inj. #2301 **\$83.23**

GYMATIC w/fixed Inj.

GYMATIC no Injector #2712 **\$77.36** #3072 **\$81.68**



VB10 8 GPM 4000 PSI #1108 \$79.95 #1109 KIT

VB350 11 GPM 5700 PSI #2032 \$89.95 # KIT \$36.95

MV-580 8 GPM 4000 PSI #1121 \$46.95

ALLISON ALLISON 'E-Z TURN' INDUSTRIAL SWIVELS



\$ 9.34

\$ 9.34

PREMIUM UNLOADER UNLOADER **MOUNTING BY-PASS HOSE**

800 PSI

This is the ONLY HOSE that you should be using to by-pass water either back to the tank (open loop) or back to the inlet side of the pump (closed loop.)

PART # DESCRIPTION Price 3399 3/8" ID, 800 PSI, Price P/F \$1.25 3400 1/2"ID, 800 PSI, Price P/F \$1.36

3/8" x 3/8" FPT #1081 **\$11.77** 3/8" x 1/2" FPT #1082 **\$11.77**



MV-540

8 GPM

2500 PSI

#1119

\$36.95





#1546 STAINLESS, 3/8" \$13.36 J. E. ADAMS BRAND

#1545 STAINLESS, 1/4" \$13.36

#1543 BRASS, 1/4"

#1544 BRASS, 3/8"

#1127 BRASS, 1/4" \$10.70 #1291 BRASS, 3/8" \$10.70 #1351 STAINLESS, 1/4" \$15.72 #1433 STAINLESS, 3/8" \$15.72

MOSMATIC SWIVELS

#1144 1/4"F X 1/4"M \$31.95 #1145 1/4"F X 3/8"M \$36.60 #1146 3/8"F X 3/8"M \$36.60 M-T-M SWIVELS


#5114 1/4" \$49.95 #5138 3/8" \$49.95



BLOCK

1/2" x 1/2" FPT #1083 **\$11.77**

We are the Industry's Largest Mobile Wash Store



FOAM CANNON Throws Thick Foam Rated to 3000 PSI #1273 \$49.95

'SLUDGE SUCKER'

Place the black foot into the flooded area. Connect the pressure washer hose to the foot and pull the trigger on the pressure washer and watch the flooded area disappear.





ROBO-CHEM INJECTORS

ADJUSTABLE \$32.12

1135 2.2-4.0 GPM

1136 4.0-5.6 GPM

1137 5.6-10.9 GPM

1138 Kit for All \$12.02



SAND BLAST KITS Super Heavy Duty

Super Heavy Duty 5500 PSI / to 10 GPM #1288 **\$74.95**



Heavy Duty 3500 PSI / to 10 GPM #1287 **\$60.36**



NON-ADJUSTABLE \$54.95

1140 NON-ADJUSTABLE, 2-5 GPM 1141 NON-ADJUSTABLE, 5-8 GPM

ALLISON 23% DRAW

STAINLESS INJECTORS

ADJUCTABLE 672.70

ADJUSTABLE \$73.78

1142 ADJUSTABLE, 2-5 GPM 1143 ADJUSTABLE, 5-8 GPM

1439 Kit for Both \$9.33



READY TO GO INJECTORS



PA - 23% DRAW

STAINLESS INJECTORS

1139 \$89.95

NON-ADJUSTABLE, 5-8 GPM



SOLID BRASS INJECTORS WITH CERAMIC ACID BALL

ALLISON 23% DRAW

NON-ADJUSTABLE \$15.83

1441 NON-ADJUSTABLE, 2-5 GPM1443 NON-ADJUSTABLE, 5-8 GPM

ADJUSTABLE \$19.49

1446 ADJUSTABLE, 2-5 GPM 1448 ADJUSTABLE, 5-8 GPM

1439 Kit for Both \$9.33



NON-ADJUSTABLE \$26.78

1442 NON-ADJUSTABLE, 2-5 GPM

NON-ADJUSTABLE, 5-8 GPM

ADJUSTABLE \$33.52

1447 ADJUSTABLE, 2-5 GPM

1444

1439

1449 ADJUSTABLE, 5-8 GPM

Kit for Both \$9.33



NON-ADJUSTABLE \$29.95

1737 NON-ADJUSTABLE, 2-5 GPM

1739 NON-ADJUSTABLE, 5-8 GPM

ADJUSTABLE \$34.95

1736 ADJUSTABLE, 2-5 GPM

1738 ADJUSTABLE, 5-8 GPM

1740 Kit for Both \$13.36



PREMIUM CHEM LINE & FILTER

- Thick Wall Line Brass & Stainless Filter #1154 **\$6.55**

PREMIUM CHEM FILTER Brass & S.S.

#1153 **\$3.04**



NEW FROM M-T-M

4461

VALUE PLUS INJECTORSwith **Ceramic Check Ball**

NON-ADJUSTABLE \$6.50

4460 NON-ADJUSTABLE, 2-5 GPM

NON-ADJUSTABLE, 5-8 GPM

ADJUSTABLE \$6.95

4462 ADJUSTABLE, 2-5 GPM 4463 ADJUSTABLE, 5-8 GPM





Ideally suited for the contractor who uses a lot of bleach and needs economical disposable injectors.



All Stainless w/Check #1149 **\$2.35**



1-800-346-4876 · FAX: 888-851-7278

If you can't find it here it probably doesn't exist!

PUSH-PULL - HI-LO NOZZLE DIRT KILLER

4300 PSI Push for Soap - Pull for Pressure



DESCRIPTION PART#

1686 RED DOT NOZZLE 4.0 \$44.95 BLACK DOT NOZZLE 4.5 \$44.95 1687 BLUE DOT NOZZLE 5.5 \$44.95

PUSH-PULL - HI-LO NOZZLE General Pump

4100 PSI Push for Soap - Pull for Pressure



PART # DESCRIPTION \$18.73

4002 2.0 NOZZLE SIZE (Lt Green)

2.5 NOZZLE SIZE (Pink) 4003

3.0 NOZZLE SIZE (White) 4004

1292 3.5 NOZZLE SIZE (BROWN)

1293 4.0 NOZZLE SIZE (YELLOW)

4.5 NOZZLE SIZE (BLUE) 1294

1295 5.0 NOZZLE SIZE (PURPLE)

1296 5.5 NOZZLE SIZE (RED)

1297 6.0 NOZZLE SIZE (GREEN)

7.0 NOZZLE SIZE (ORANGE)

1299

8.0 NOZZLE SIZE (GREY)

PUSH-PULL - HI-LO NOZZLE M-T-M \$9.38

3000 PSI Push for Soap - Pull for Pressure



PART # DESCRIPTION

3.0 White Dot 1602 1603 3.5 Yellow Dot 1604 4.5 Orange Dot

2050 5.0 Red Dot

2051 5.5 Blue Dot

2052 6.5 Black Dot

2053 7.5 Brown Dot

2054 8.0 Green Dot

ALLISON STILETTO TURBO LASER

W/O FILTER \$60.37 With Filter \$64.95 All Kits \$40.22

PART# No Filter	PART# w/Filter	NOZZLE	KIT#
1965	1965F	3.0	1966
1967	1967F	3.5	1968
1969	1969F	4.0	1970
1971	1971F	4.5	1972
1973	1973F	5.0	1974
1975	1975F	5.5	1976
1977	1977F	6.0	1978
1979	1979F	6.5	1980
1981	1981F	7.5	1982
1983	1983F	8.0	1984

M-16 THRUSTER NOZZLE



Reaches 3-4 stories from the safety of the ground! Want to go even higher than 3 stories? Simply connect the thruster to a Telescoping Lance! Then throw up to 6 stories high!

- Push for Fully Adjustable Soap from 0° to 65°
- Pull Back for Adjustable High Pressure from 0° to 65°

Comes Standard with:

- 50' of Chemical Line
- Premium Stainless/Brass Filter

PART#	DESCRIPTION	PART #	DESCRIPTION	
1992	3.5 NOZZLE	1997	6.0 NOZZLE	
1993	4.0 NOZZLE	1998	6.5 NOZZLE	
1994	4.5 NOZZLE	1999	7.0 NOZZLE	
1995	5.0 NOZZLE	2000	8.0 NOZZLE	
1996	5.5 NOZZLE	1439	REPAIR KIT \$9.33	

ADJUSTABLE FAN SPRAY

M-T-M \$7.99 3000 PSI

Adjust From 0° thru 65°

PART#	DESCRIPTION
2055	3.0 White Dot
2056	3.5 Yellow Dot
2057	4.5 Orange Dot
2058	5.0 Red Dot
2059	5.5 Blue Dot
2060	6.5 Black Dot

7.5 Brown Dot

2062 8.0 Green Dot

2061



ROTOJET TURBO NOZZLE

3,600 PSI \$37.58 4,500 PSI \$48.33 5,800 PSI \$69.95



PART#	PSI	Nozzle	Kit#	Kit Price
1548	3600	3.5	1570	\$28.98
1549	3600	4.0	1571	\$28.98
1550	3600	4.5	1572	\$28.98
1551	3600	5.0	1573	\$28.98
1552	3600	5.5	1574	\$28.98
1553	3600	6.0	1575	\$28.98
1562	4500	4.0	1584	\$35.43
1563	4500	4.5	1585	\$35.43
1564	4500	5.0	1586	\$35.43
1565	4500	5.5	1587	\$35.43
1566	4500	6.0	1588	\$35.43
1567	4500	7.0	1589	\$35.43
1554	5800	4.0	1576	\$39.73
1555	5800	4.5	1577	\$39.73
1556	5800	5.0	1578	\$39.73
1557	5800	5.5	1579	\$39.73
1558	5800	6.0	1580	\$39.73
1559	5800	7.0	1581	\$39.73
1560	5800	8.0	1582	\$39.73
1561	5800	12.0	1583	\$39.73

DIRT KILLER TURBOS 3.200 PSI \$ 69.84 4,700 PSI \$106.84



KIT

3,200 PSI	NOZZLE	KIT#	PRICE
1471	3.0	1476	\$46.94
1472	3.5	1477	\$46.94
1473	4.5	1478	\$46.94
1474	5.5	1479	\$46.94
1475	7.0	1480	\$46.94
4,700 PSI	NOZZLE	KIT#	KIT PRICE
1481	3.5	1489	\$59.09
1482	4.0	1490	\$59.09
1483	4.5	1491	\$59.09
1484	5.5	1492	\$59.09
1485	6.0	1493	\$59.09
1486	7.0	1494	\$59.09
1487	8.0	1495	\$59.09
1488	10.0	1496	\$59.09

SUPER ROTO-MAX \$128.98

5800 PSI Also adjust From 0° to 15°

PART#

1502

1503

1504

GPM 2.0-4.0 4.1-7.0



ROTO-MAX \$44.95

Kit

3500 PSI Also adjust From 0° to 15° PART#



1498 2.1-2.6 2.9-4.0 1499 1500 4.2-6.0 1501

Kit for all \$24.68

VIPER \$84.25

5000 PSI Also adjust From 0° to 15°



PART #	Noz	Kit#	Kit Price
1505	4.5	1506	\$44.95
1507	5.5	1508	\$44.95

PA TURBO \$42.96

5100 PSI 'Quiet Run' Technology



PART#	Noz Size	Kit # \$26.83
2002	3.0	2003
2004	3.5	2005
2006	4.0	2007
2008	4.5	2009
2010	5.0	2011
2012	5.5	2013
2014	6.0	2015
2016	6.5	2017
2018	7.0	2019
2020	8.0	2021

HI-PRESSURE FILTERS

No warranty on turbos without one! 5,000 PSI #1510 SHOWN



PART#	Configuration	Price
1509	1/4" MPT x 1/4" FPT	\$9.67
1510	1/4" Plug x 1/4" MPT	\$9.67



ALL TURBOS #1497 \$42.97



TWIST FAST COUPLERS

		IAUI	OOO! LLIIO
PART#	COUPLERS - 2 '0' RIM	NG	
1894	1/4" FPT	\$6.65	
1895	1/4"MPT	\$6.65	
1896	3/8"FPT	\$6.65	
1897	3/8"MPT	\$6.65	
PART #	PLUG - FOR ABOVE		
1890	1/4" FPT	\$2.75	THE PROPERTY OF
1891	1/4" MPT	\$2.75	
1892	3/8" FPT	\$2.75	
1893	3/8" MPT	\$2.75	
PART #	COUPLERS - STD.		
1937	1/4" FPT	\$2.99	
1940	1/4" MPT	\$2.99	
1943	3/8"FPT	\$2.99	
1946	3/8" MPT	\$2.99	
PART#	PLUGS - STD.		
1925	1/4" FPT	\$1.99	Aller San
1928	1/4" MPT	\$1.99	William Comments
1931	3/8" FPT	\$1.99	
1934	3/8" MPT	\$1.99	

'PUSH & SNAP' QUICK COUPLER

The Most Incredible Quick Couplers... ...that you will ever use!

This shows the coupler in the 'staged' open position. It remains this way until you push in the plug. When you do the coupler automatically 'snaps' closed.



Here you see just how easy it is to attach a 'quick connect' plug.

PART # DESCRIPTION 1901 1/4" FPT \$4.99 1902 3/8" FPT \$4.99

Simply insert the plug & push!

When you want the plug to release you will pull down on the collar and the plug will automatically release itself and 'snap' out of the coupler.





HI-HEAT COUPLERS

BP8M 3/8" MPT Inlet, 3/8" Out \$1.25

These couplers make it easier to disconnect hoses & accessories without burning your fingers.

#1818 1/4"MPT \$3.89 #1817 1/4"FPT \$3.89 #1820 3/8"MPT \$3.89

#1819 3/8"FPT \$3.89



O'RINGS

STANDARD REPLACEMENTS

EPDM O'RINGS

QOR4E 1/4", 300°, BLACK, 50 EACH \$9.95 QOR8E 3/8", 300°, BLACK, 50 EACH \$9.95

VITON O'RINGS

00R4V 1/4", 350°, BROWN, 50 EACH \$12.95 00R8V 3/8", 350°, BROWN, 50 EACH \$12.95

SEVERE DUTY O'RINGS - VITON

1/4" - 50 EACH \$19.95 1960 3/8" - 50 EACH \$21.95 1961

11,000 PSI 'EXTREME' DUTY VITON

QOR4X 1/4", 500°, 20 EACH \$16.95 3/8", 500°, 20 EACH \$16.95 QOR8X

TWIST FAST O'RINGS

FITS PREMIUM TWIST FAST COUPLERS

2031 1/4", 400°, 50 EACH \$7.95

INDUSTRIAL SERIES

BC8M 3/8" MPT Inlet, 3/8" Out \$3.00



PART #	COUPLERS - BRASS	
QS4FB	1/4" FPT	\$2.14
QS4MB	1/4" MPT	\$2.14
QS8FB	3/8" FPT	\$2.78
QS8MB	3/8" MPT	\$2.78
PART#	COUPLERS - STAINLESS	
QS4FS	1/4" FPT	\$3.22
QS4MS	1/4" MPT	\$3.22
QS8FS	3/8" FPT	\$3.99
QS8MS	3/8" MPT	\$3.99
PART#	PLUGS - PLATED STEEL	
PART# QP4FB		\$.69
QP4FB		\$.69 \$.69
QP4FB	1/4" FPT 1/4" MPT	,
QP4FB QP4MB	1/4" FPT 1/4" MPT 3/8" FPT	\$.69
QP4FB QP4MB QP8FB	1/4" FPT 1/4" MPT 3/8" FPT	\$.69 \$.79
QP4FB QP4MB QP8FB QP8MB	1/4" FPT 1/4" MPT 3/8" FPT 3/8" MPT PLUGS - STAINLESS	\$.69 \$.79
QP4FB QP4MB QP8FB QP8MB PART# QP4FS	1/4" FPT 1/4" MPT 3/8" FPT 3/8" MPT PLUGS - STAINLESS	\$.69 \$.79 \$.79
QP4FB QP4MB QP8FB QP8MB PART# QP4FS	1/4" FPT 1/4" MPT 3/8" FPT 3/8" MPT PLUGS - STAINLESS 1/4" FPT 1/4" MPT	\$.69 \$.79 \$.79 \$ 1.86

O'Ring Pick





w/Quick Connects

Swivel x Fixed Ends

50' 4000 GREY

Swivel x Fixed Ends

#Q1805 \$116.95

50' 5000 GREY

Swivel x Fixed Fnds

#Q1807 \$136.95

Swivel x Fixed Ends

#Q6002 \$136.95

50' 6000 GREY

Swivel x Fixed Ends

#Q6102 \$156.95

Swivel x Fixed Ends

#1711 \$228.89

2 Wire - 3/8"

2 Wire - 1/2"

w/Quick Connects

w/Quick Connects

w/Quick Connects

#Q1709 \$96.95

1 Wire - 3/8"

1 Wire - 3/8"

2 Wire - 3/8"

THE INDUSTRY'S #1 SELLING HOSE! OUR 4, 5 & 6,000 HOSES... WORK HARDER & WEIGH LESS THAN THEIR 3,000, 4,500 & 5800 PSI **AND LASTS MUCH LONGER!**

1 Wire - 3/8" Swivel x Fixed Ends #1708 \$49.95

50' 4000 GREY

1 Wire - 3/8" Swivel x Fixed Ends #1804 \$59.95

50' 5000 GREY

2 Wire - 3/8" Swivel x Fixed Ends #1806 \$69.95

2 Wire - 3/8" Swivel x Fixed Ends #6001 \$69 95

50' 6000 GREY

2 Wire - 3/8" Swivel x Fixed Ends #6101 \$79.95

50' 3000 BLACK 100' 3000 BLACK

2 Wire - 1/2" Swivel x Fixed Ends #1700 \$106.24

50' 4000 BLACK 100' 4000 BLACK

1 Wire - 3/8" Swivel x Fixed Ends #1709 \$89.95

100' 4000 GREY

1 Wire - 3/8" Swivel x Fixed Ends #1805 \$109.95

100' 5000 GREY

2 Wire - 3/8" Swivel x Fixed Ends #1807 \$129.95

50' 6000 BLACK 100' 6000 BLACK

2 Wire - 3/8" Swivel x Fixed Ends #6002 \$129.95

100' 6000 GREY

2 Wire - 3/8" Swivel x Fixed Ends #6102 \$149.95

2 Wire - 1/2" Swivel x Fixed Ends #1701 \$205.61

#Q1708 \$56.95

50' 4000 BLACK 50' 4000 BLACK w/Quick Connects 1 Wire - 3/8" Swivel x Fixed Fnds

50' 4000 GREY w/Quick Connects

1 Wire - 3/8" Swivel x Fixed Ends #Q1804 \$66.95

50' 5000 GREY w/Quick Connects

2 Wire - 3/8" Swivel x Fixed Ends #Q1806 \$76.95

50' 6000 BLACK 50' 6000 BLACK w/Quick Connects w/Quick Connects 2 Wire - 3/8"

2 Wire - 3/8" Swivel x Fixed Ends #Q6001 \$75.95

50' 6000 GREY w/Quick Connects 2 Wire - 3/8"

Swivel x Fixed Ends #Q6101 \$86.95

50' 4500 BLACK 50' 4500 BLACK 2 Wire - 1/2"

Swivel x Fixed Ends #1710 \$117.59

SUPER SWIVEL Replacement Hose Reel Swivel

- Rated to 5,000 PSI
- Includes Grease Fitting
- When using 3/8 hose order part number 1463



#1463 3/8" x 1/2" \$36.95 #2331 1/2" x 1/2" \$39.95 #1611 Repair Kit \$13/95

STAINLESS STEEL Premium Swivel

- Rated to 4,100 PSI
- 16,000 PSI Burst
- Up to 10 GPM
- 3/8" In for Hose

7.000 PSI Premium Hose Reel Swivel

- Stem is rated to 7,000 PSI
- Stainless Steel Insert
 - 1/2" Out to Hose • 3/8" In for Hose



#1592 \$49.95 Kit #1593 \$17.39



#1630 \$54 95 Kit #1629 \$16.12

RE-USABLE HOSE ENDS

For temporary repairs





#1191 1 WIRE, 3/8", FIXED \$ 9.16 #1193 2 WIRE, 3/8", FIXED \$12.95 #1194 2 WIRE, 3/8", SWIVEL \$16.95

ADD STAINLESS STEEL PLUMBING

CALL FOR PRICING

JUMPER HOSE" MACHINE TO REEL

- Rated to over 4400 PSI
- 1 Swivel End & 1 Fixed End
- #1172 2'JUMPER HOSE #1173 3'JUMPER HOSE \$14.70 #1174 4'JUMPER HOSE \$16.04 \$17.39 #1175 5'JUMPER HOSE
- \$18.73 #1176 6'JUMPER HOSE #1177 7'JUMPER HOSE \$21.42 #1178 8'JUMPER HOSE \$24.11
- #1179 9'JUMPER HOSE \$25.44 #1180 10'JUMPER HOSE #1181 11'JUMPER HOSE
- #1182 12'JUMPER HOSE #1183 13'JUMPER HOSE \$30.82 #1184 14'JUMPER HOSE \$32,16
- #1185 15'JUMPER HOSE \$33,50 #1186 16'JUMPER HOSE \$34.85
- #1187 17'JUMPER HOSE \$36.19 #1188 18'JUMPER HOSE \$37.39
- #1189 19'JUMPER HOSE #1190 20'JUMPER HOSE
- \$38.87 \$39.77

INDUSTRIAL HOSE REEL



THERMOPLASTIC SEWER HOSE



1/4" Hose with 1/4" MPT x 1/8" MPT

#1318	50' BLACK, 3,000 PSI	\$ 74.95
#1319	100'BLACK, 3,000 PSI	\$129.95
#1320	150' BLACK, 3,000 PSI	\$186.95
#1321	200' BLACK, 3,000 PSI	\$219.95
#1322	250' BLACK, 3,000 PSI	\$279.95
#1323	300'BLACK, 3,000 PSI	\$329.95
1/8" Ho	ose with 1/4" MPT x 1/	8" MPT
#132/	50'RLACK 3 000 PSI	\$ 60.05

#1324 50 BLACK, 3,000 PSI #1325 100'BLACK, 3,000 PSI \$109.95 #1326 150'BLACK, 3,000 PSI \$149.95

#1328 250'BLACK, 3,000 PSI \$219.95

200'BLACK, 3,000 PSI \$179.95

HOSETRACT



M-Series Reels & Stackable Frame Reels

- · Self lubricating ABS bearings.
- · Adjustable brake-adjust tensioner
- · Heavy duty brass swivel
- 7-10 DAY BUILD TIME

\$209.19

POWDER COATED

HOLDS 250'3/8" or 175' of 1/2" \$224 22 \$237.66 HOLDS 350' 3/8" or 275' of 1/2"

#1861 HOLDS 100'3/8" or 75' of 1/2"

\$274.32 #1859 HOLDS 450' 3/8" or 375' of 1/2" \$293,19

#1860 HOLDS 550'3/8" or 475' of 1/2" STAINLESS STEEL

#1868 HOLDS 100' 3/8" or 75' of 1/2" \$478.49 HOLDS 250'3/8" or 175' of 1/2" \$508.26 \$514.42 HOLDS 350'3/8" or 275' of 1/2"

\$532.56 #1866 HOLDS 450' 3/8" or 375' of 1/2"

#1867 HOLDS 550' 3/8" or 475 'of 1/2" \$545.75

M-SERIES HOSETRACT COMPACT MINI HOSE REEL

- Only 14.5" tall
- Fully adjustable brake
- Heavy duty ABS bearings require no lubrication
- This reel is ideally suited to fit into tight space applications

7-10 DAY BUILD TIME

#1862 HOLDS 75' 3/8" or 50' 1/2" \$214.08 #1857 HOLDS 150'3/8" or 100'1/2" \$241.69

POWDER COATED

#1948 HOLDS 250' 3/8" or 175' of 1/2" \$232.10 #1949 HOLDS 350' 3/8" or 275' of 1/2" \$244.32 #1950 HOLDS 450' 3/8" or 375' of 1/2" \$280.98

#1951 HOLDS 550' 3/8" or 475' of 1/2"

\$305.41

STAINLESS STEEL

#1952 HOLDS 250' 3/8" or 175' of 1/2" \$494.29 #1953 HOLDS 350' 3/8" or 275' of 1/2" #1954 HOLDS 450' 3/8" or 375' of 1/2" \$517 44

#1955 HOLDS 550' 3/8" or 475' of 1/2" \$539.54

12V ELECTRIC REELS FROM HOSETRACT

- 12 VDC Motor
- Brass Swivel
- Self Lubricating ABS bearings



Must Ship Truck Lines - No UPS

#1782 HOLDS 350' 3/8" or 275' of 1/2" \$541.55 #1783 HOLDS 450' 3/8" or 375' of 1/2" \$573.49

#1784 HOLDS 550' 3/8" or 475' of 1/2" \$588.54

FAX: 1-888-851-7278

This is a very small samplin' of what you...

SEWER JETTING NOZZLES

PART#	PENETRATOR \$4.95
2080	1/8" NPT / 4.0 / 3 Back 1 Front
2081	1/8" NPT / 5.0 / 3 Back 1 Front
2082	1/8" NPT / 5.5 / 3 Back 1 Front
2083	1/8" NPT / 6.0 / 3 Back 1 Front
2084	1/4" NPT / 4.5 / 3 Back 1 Front
2085	1/4" NPT / 5.5 / 3 Back 1 Front
2086	1/4" NPT / 6.5 / 3 Back 1 Front
2087	1/4" NPT / 7.0 / 3 Back 1 Front
2088	1/4" NPT / 8.0 / 3 Back 1 Front
2094	1/4" NPT / 9.5 / 3 Back 1 Front
2089	1/4" NPT / 12.0 / 3 Back 1 Front
2090	3/8" NPT / 4.5 / 3 Back 1 Front
2091	3/8" NPT / 5.5 / 3 Back 1 Front
2092	3/8" NPT / 6.5 / 3 Back 1 Front
2093	3/8" NPT / 8.0 / 3 Back 1 Front



PART#	RADIAL BULLET \$39.95
1759	1/8" NPT/3-4 GPM /6 Back 3 Front
1753	1/4" NPT/3-4 GPM /6 Back 3 Front
1756	1/4" NPT / 7-10 GPM /6 Back 3 Front
1767	$3/8^{\prime\prime}$ NPT / 5-6 GPM /6 Back 3 Front
1752	1/4" NPT/3-4 GPM /4 Back 1 Front



PART #	ROTATING NOZZLE	
1760	1/8" FPT, 5.5 Noz	\$ 9.62
1754	1/4" FPT, 5.5 Noz	\$ 9.62
2282	1/4" FPT, 8.0 GPM	\$34.95

2095 3/8" NPT / 12.0 / 3 Back 1 Front 2282 1/4" FPT, 8.0

BRASS SOAP NOZZLES Screw-in \$3.08 - 'QC" \$2.27

00	10 V 111 ψ0.00 QO ψ2.21	S
PART#	DESCRIPTION	in the
1870	BRASS NOZZLE - Screw-In, 25°, 30	
1871	BRASS NOZZLE - Screw-In, 25°, 40	
1872	BRASS NOZZLE - Screw-In, 25°, 50	4
1873	BRASS NOZZLE - Screw-In, 40°, 30	١
1874	BRASS NOZZLE - Screw-In, 40°, 40	
1875	BRASS NOZZLE - Screw-In, 40°, 50	
1876	BRASS NOZZLE - Screw-In, 65°, 40	,
1877	BRASS NOZZLE - Quick Connect, 65°, 40)



			 	_
	777		І А Г	7
		_	 ΙДЪ	~
40)ZZ			~ I

NOZZLE SIZE	ORIFICE DIA.	700 PSI	800 PSI	1000 PSI	1200 PSI	1500 PSI	2000 PSI	2500 PSI	3000 PSI	3500 PSI	4000 PSI	5000 PSI
2	.034	0.84	0.89	1.00	1.10	1.22	1.41	1.58	1.73	1.87	2.00	2.24
2.5	.039	1.05	1.12	1.25	1.37	1.53	1.77	1.98	2.17	2.34	2.50	2.80
3	.043	1.25	1.34	1.50	1.64	1.84	2.12	2.37	2.60	2.81	3.00	3.35
3.5	.048	1.46	1.57	1.75	1.92	2.14	2.47	2.77	3.03	3.27	3.50	3.91
4	.052	1.67	1.79	2.00	2.19	2.45	2.83	3.16	3.46	3.74	4.00	4.47
4.5	.055	1.88	2.01	2.25	2.46	2.76	3.18	3.56	3.90	4.21	4.50	5.03
5	.057	2.09	2.24	2.50	2.74	3.06	3.54	3.95	4.33	4.68	5.00	5.59
5.5	.060	2.30	2.46	2.75	3.01	3.37	3.89	4.35	4.76	5.14	5.50	6.15
6	.062	2.51	2.68	3.00	3.29	3.67	4.24	4.74	5.20	5.61	6.00	6.71
6.5	.064	2.72	2.91	3.25	3.56	3.98	4.60	5.14	5.63	6.08	6.50	7.27
7	.067	2.93	3.13	3.50	3.83	4.29	4.95	5.53	6.06	6.55	7.00	7.83
7.5	.070	3.14	3.35	3.75	4.11	4.59	5.30	5.93	6.50	7.02	7.50	8.39
8	.072	3.35	3.58	4.00	4.38	4.90	5.66	6.32	6.93	7.48	8.00	8.94
8.5	.074	3.56	3.80	4.25	4.66	5.21	6.01	6.72	7.36	7.95	8.50	9.50
9	.076	3.76	4.02	4.50	4.93	5.51	6.36	7.12	7.79	8.42	9.00	10.06
9.5	.078	3.97	4.25	4.75	5.20	5.82	6.72	7.51	8.23	8.89	9.50	10.62
10	.080	4.18	4.47	5.00	5.48	6.12	7.07	7.91	8.66	9.35	10.00	11.18
11	.083	4.60	4.92	5.50	6.02	6.74	7.78	8.70	9.53	10.29	11.00	12.30
12	.087	5.02	5.37	6.00	6.57	7.35	8.49	9.49	10.39	11.22	12.00	13.42
12.5	.089	5.23	5.59	6.25	6.85	7.65	8.84	9.88	10.83	11.69	12.50	13.98
13	.091	5.44	5.81	6.50	7.12	7.96	9.19	10.28	11.26	12.16	13.00	14.53
14	.093	5.86	6.26	7.00	7.67	8.57	9.90	11.07	12.12	13.10	14.00	15.65
15	.096	6.27	6.71	7.50	8.22	9.19	10.61	11.86	12.99	14.03	15.00	16.77
20	.109	8.37	8.94	10.00	10.95	12.25	14.14	15.81	17.32	18.71	20.00	22.36
25	.125	10.46	11.18	12.50	13.69	15.31	17.68	19.76	21.65	23.39	25.00	27.95
30	.141	12.55	13.42	15.00	16.43	18.37	21.12	23.72	25.98	28.06	30.00	33.54
40	.156	16.73	17.89	20.00	21.91	24.49	28.28	31.62	34.64	37.42	40.00	44.72
50	.172	20.92	22.36	25.00	27.39	30.62	35.36	39.53	43.30	46.77	50.00	55.90
60	.188	25.10	26.83	30.00	32.86	36.74	42.43	47.43	51.96	56.12	60.00	67.08

STAINLESS HIGH PRESSURE

& SOAP NOZZLES \$4.08

•	A OOM MOZZEEO							
	\$4.08							
PART #	DESCRIPTION							
SSN-0020	STAINLESS NOZZLE - Screw-In, 0°, 20							
SSN-0025	STAINLESS NOZZLE - Screw-In, 0°, 25							
SSN-0030	STAINLESS NOZZLE - Screw-In, 0°, 30							
SSN-0035	STAINLESS NOZZLE - Screw-In, 0°, 35							
SSN-0040	STAINLESS NOZZLE - Screw-In, 0°, 40							
SSN-0045	STAINLESS NOZZLE - Screw-In, 0°, 45							
SSN-0050	STAINLESS NOZZLE - Screw-In, 0°, 50							
SSN-0055	STAINLESS NOZZLE - Screw-In, 0°, 55							
SSN-0060	STAINLESS NOZZLE - Screw-In, 0°, 60							
SSN-0070	STAINLESS NOZZLE - Screw-In, 0°, 70							
SSN-0080	STAINLESS NOZZLE - Screw-In, 0°, 80							
SSN-1515	STAINLESS NOZZLE - Screw-In, 15°, 15							
SSN-1520	STAINLESS NOZZLE - Screw-In, 15°, 20							
SSN-1525	STAINLESS NOZZLE - Screw-In, 15°, 25							
SSN-1530	STAINLESS NOZZLE - Screw-In, 15°, 30							
SSN-1535	STAINLESS NOZZLE - Screw-In, 15°, 35							
SSN-1540	STAINLESS NOZZLE - Screw-In, 15°, 40							
SSN-1545	STAINLESS NOZZLE - Screw-In, 15°, 45							
SSN-1550	STAINLESS NOZZLE - Screw-In, 15°, 50							
SSN-1560	STAINLESS NOZZLE - Screw-In, 15°, 60							
SSN-2515	STAINLESS NOZZLE - Screw-In, 25°, 15							
SSN-2520	STAINLESS NOZZLE - Screw-In, 25°, 20							
SSN-2525	STAINLESS NOZZLE - Screw-In, 25°, 25							

SSN-2530 STAINLESS NOZZLE - Screw-In, 25°, 30

SSN-2540 STAINLESS NOZZLE - Screw-In, 25°, 40

SSN-2550 STAINLESS NOZZLE - Screw-In, 25°, 50

SSN-4015 STAINLESS NOZZLE - Screw-In, 40°, 15



BELT CLIP

Nozzle Holder Holds 4 Nozzles #7780 **\$8.76**



TROMBONE
NOZZLE HOLDER
Push for Hi-Pressure
Pull for Soap
#7775 \$11.31

TWIST TYPE Nozzle Holder #1275 **\$24.95**

NOZZLE KEEPER Holds 3 Nozzles #1827 \$9.95 Nozs Not Inc.



BALL TYPE Nozzle Holder Stainless Ball #1267 \$18.83 Ceramic Ball #1269 \$21.11



#1621 Holder \$10.70 #1622 Grommet \$.53



LANCE CADDY #1266 **\$10.70**







...will find in our Web Catalog - www.envirospec.com

18" FLEX-LANCE

PLATED STEEL 2500 PSI 1/4 MPT x 1/4 MPT #1795 \$11.08 Flexes 180° & returns **STAINLESS** 1/4 MPT x 1/4 FPT #1796 \$16.04

VENTED GRIP Fits all 1/4" lances #1612 \$6.92

DEEP SHOULDER LANCE COUPLER #1258 1/4" \$2.95

ADJUSTABLE SIDE HANDLE #1260 \$4.02



DEEP SHOULDER LANCE 'QC' - 1/4"

Plugs:

#1021 Steel \$1.33 #1023 Stainless \$3.21 Couplers:

#1022 Steel \$4.02 #1024 Stainless \$5.62

GUTTER SWEEP 12"

w/Std. Disconnects #1814 \$8.95 w/Twist Fast Plug Inlet #1815 \$19.95



SPRAY-FLEX LANCE

#1691 \$48.33 PSI: 5.000 PSI



Lances

ZINC PLATED • 1/4" MPT

1236 STRAIGHT, 12" - W/GRIP \$ 5.30 STRAIGHT, 24" - W/GRIP 1237 \$ 5.30 1238 STRAIGHT, 36" - W/GRIP \$ 6.65 1242 15° BENT, 36" - W/GRIP \$13.36 STRAIGHT, 48" - W/GRIP \$ 934 1239 1243 15° BENT, 48" - W/GRIP \$16.00 1240 STRAIGHT, 60" - W/GRIP \$13,47 1244 15° BENT, 60" - W/GRIP \$22.10 STRAIGHT, 79" - W/GRIP \$17.91 15° BENT, 79" \$24.55

STAINLESS STEEL • 1/4" MPT 1246 STRAIGHT, 24" - W/GRIP \$10.68 1247 STRAIGHT, 36" - W/GRIP \$17.39 1251 15° BENT, 36" - W/GRIP \$21,42 1248 STRAIGHT, 48" - W/GRIP \$26.78 1252 15° BENT, 48" - W/GRIP \$27.96 STRAIGHT, 60" - W/GRIP \$28.25 1249 1253 15° BENT, 60" - W/GRIP \$30.71 1250 STRAIGHT, 79" - W/GRIP \$35.63 1254 15° BENT, 79" - W/GRIP \$36.86

ALUMINUM WITH GRIPS & 1/4" MPT

1354 24"LANCEW/GRIP \$12.02 1356 36"LANCE W/GRIP \$13.36 1358 48" LANCE W/GRIP \$17.39 1360 60"LANCEW/GRIP \$18.40 1364 96"LANCEW/GRIP \$20.82 *

ALUMINUM WITHOUT GRIPS & 1/4" MPT

1353 24" ALUMINUM LANCE NO GRIP \$ 6.65 1355 36" ALUMINUM LANCE NO GRIP \$ 9.34 48" ALUMINUM LANCE NO GRIP \$12.02 60" ALUMINUM LANCE NO GRIP \$14.92 1361 72" ALUMINUM LANCE NO GRIP \$15.94 1363 96" ALUMINUM LANCE NO GRIP \$21.43 * *96" lances come in 2 each 48" lances which are coupled

ZINC LANCE w/Diverter Trigger

• TEMP: 300°F • **GPM:** 10.5 • PSI: 3,600 #1235 \$54.95

42" STAINLESS STEEL PREMIUM LANCE

• 42" x 1/4" PIPES

• TEMP: 300°F

• GPM: 10.5 • PSI: 4,100

#1262 \$44.95

GENERAL PUMP ZINC LANCES

• TFMP: 300°F

• **GPM:** 10.5

• PSI: 3,000

36" #1255 \$64.95 36" #1256 **\$74.95** w/'QC' Noz Coupler

72" #1257 \$79.95

11" STAINLESS STEEL PREMIUM LANCE

27" STAINLESS STEEL

PREMIUM LANCE

• 27" x 1/4" PIPES • TEMP: 300°F

• **GPM:** 10.5

• PSI: 4,100

#1264 \$53.71

• TEMP: 300°F

• **GPM:** 10.5

• PSI: 4,100

#1263 \$43.40



Performance Nozzie for Telescoping Wands

- Quickly attaches to the telescoping wand to increase the chemical application distance by 25 feet & the wash/rinse distance by 40 feet.
- You can apply chemical from 0-65 degrees and rinse from 0-65 degrees without changing the nozzle.
- The 45 degree angle also helps support over 60% of the lance weight when trigger is pulled.



ANY SIZE \$26.78

PART # DESCRIPTION 3.5 Nozzle 1347

4.0 Nozzle 4.5 Nozzle

5.0 Nozzle 1440

1466 5.5 Nozzle

1470 6.0 Nozzle

1590 6.5 Nozzle

1594 7.0 Nozzle

1623 8.0 Nozzle

37" STAINLESS STEEL PREMIUM LANCE

• 37" x 1/4" PIPES

• TEMP: 300°F

• GPM: 10.5 • PSI: 4,100

#1265 \$53.71

TELESCOPING 'LONG WANDS'

RATED TO 4,000 PSI

together with a lance coupler #1258









#2029 Replacement Gun fits 2024 \$33.50

#1815 Gutter Sweep with Twist Type Connects

\$19.95

2028 'Load Bearing' Belt / Harness

\$20.16

CERAMIC NOZZLES LAST 10 TIMES LONGER

than Stainless Steel at only Twice the Price!

INDUSTRIAL NOZZLES FOR HIGH PRESSURES

TWICE AS EXPENSIVE BUT LAST 10 TIMES LONGER!

CUTS LIKE A RAZOR!



CERAMIC AFTER 50 HOURS



STAINLESS AFTER 50 HOURS

MEG NOZZLES \$6.95

SIZE	0 º	15°	25⁰	40°
3.0	NOC-0003	NOC-1503	NOC-2503	NOC-4003
3.5	NOC-0003.5	NOC-1503.5	NOC-2503.5	NOC-4003.5
4.0	NOC-0004	NOC-1504	NOC-2504	NOC-4004
4.5	NOC-0004.5	NOC-1504.5	NOC-2504.5	NOC-4004.5
5.0	NOC-0005	NOC-1505	NOC-2505	NOC-4005
5.5	NOC-0005.5	NOC-1505.5	NOC-2505.5	NOC-4005.5
6.0	NOC-0006	NOC-1506	NOC-2506	NOC-4006

'OC' NOZZLES \$7.95

_		_			
	SIZE	0 °	15°	25°	40°
	3.0	NOQC-0003	NOQC-1503	NOQC-2503	N0QC-4003
	3.5	NOQC-0003.5	NOQC-1503.5	NOQC-2503.5	NOQC-4003.5
	4.0	NOQC-0004	NOQC-1504	NOQC-2504	NOQC-4004
	4.5	NOQC-0004.5	NOQC-1504.5	NOQC-2504.5	NOQC-4004.5
	5.0	NOQC-0005	NOQC-1505	NOQC-2505	NOQC-4005
	5.5	NOQC-0005.5	NOQC-1505.5	NOQC-2505.5	NOQC-4005.5
	6.0	NOQC-0006	N0QC-1506	N0QC-2506	NOQC-4006

SPECIALTY ROTATING CLEANING EQUIPMENT

Best Price Anywhere GUARANTEED!

#1869 \$549.95



MUD-CAT Under Carriage Cleaner




Increase your bottom line by offering more services such as this.

- o Includes 7500 PSI Ball Valve
- Collapses for easy storage
- o Spins up to 3,000 RPM at 4,000 PSI
- Has 2 each 0° Nozzles for ripping heavy build-up and 2 each 15° Nozzles that rinse it away



Our **HUG:** Catalog is at www.envirospec.com

M-T-M **HYDROJET NOZZLES \$2.50**



GENERAL PUMP NOZZLES \$3.53




SPRAYING SYSTEMS NOZZLES \$4.08





NOZZLE CLEAN-OUT TOOL #1878 BRASS \$5.35 #1879 PLASTIC **\$2.61**



M-T-M HYDROJ	M-T-M HYDROJET NOZZLES - HIGH PRESSURE, SCREW-IN							
NOZZLE SIZE	0 º	15°	25°	40°				
2.0	LM-0002	LM-1502	LM-2502	LM-4002				
2.5	LM-0002.5	LM-1502.5	LM-2502.5	LM-4002.5				
3.0	LM-0003	LM-1503	LM-2503	LM-4003				
3.5	LM-0003.5	LM-1503.5	LM-2503.5	LM-4003.5				
4.0	LM-0004	LM-1504	LM-2504	LM-4004				
4.5	LM-0004.5	LM-1504.5	LM-2504.5	LM-4004.5				
5.0	LM-0005	LM-1505	LM-2505	LM-4005				
5.5	LM-0005.5	LM-1505.5	LM-2505.5	LM-4005.5				
6.0	LM-0006	LM-1506	LM-2506	LM-4006				
6.5	LM-0006.5	LM-1506.5	LM-2506.5	LM-4006.5				
7.0	LM-0007	LM-1507	LM-2507	LM-4007				
7.5	LM-0007.5	LM-1507.5	LM-2507.5	LM-4007.5				
8.0	LM-0008	LM-1508	LM-2508	LM-4008				
8.5	LM-0008.5	LM-1508.5	LM-2508.5	LM-4008.5				
9.0	LM-0009	LM-1509	LM-2509	LM-4009				
10	LM-0010	LM-1510	LM-2510	LM-4010				

M-T-M HYDROJET NOZZLES - HIGH PRESSURE, QUICK CONNECT							
NOZZLE SIZE	0 º	15°	25°	40°			
2.0	LQ-0002	LQ-1502	LQ-2502	LQ-4002			
2.5	LQ-0002.5	LQ-1502.5	LQ-2502.5	LQ-4002.5			
3.0	LQ-0003	LQ-1503	LQ-2503	LQ-4003			
3.5	LQ-0003.5	LQ-1503.5	LQ-2503.5	LQ-4003.5			
4.0	LQ-0004	LQ-1504	LQ-2504	LQ-4004			
4.5	LQ-0004.5	LQ-1504.5	LQ-2504.5	LQ-4004.5			
5.0	LQ-0005	LQ-1505	LQ-2505	LQ-4005			
5.5	LQ-0005.5	LQ-1505.5	LQ-2505.5	LQ-4005.5			
6.0	LQ-0006	LQ-1506	LQ-2506	LQ-4006			
6.5	LQ-0006.5	LQ-1506.5	LQ-2506.5	LQ-4006.5			
7.0	LQ-0007	LQ-1507	LQ-2507	LQ-4007			
7.5	LQ-0007.5	LQ-1507.5	LQ-2507.5	LQ-4007.5			
8.0	LQ-0008	LQ-1508	LQ-2508	LQ-4008			
8.5	LQ-0008.5	LQ-1508.5	LQ-2508.5	LQ-4008.5			
9.0	LQ-0009	LQ-1509	LQ-2509	LQ-4009			
10	LQ-0010	LQ-1510	LQ-2510	LQ-4010			

GENERAL PUM	GENERAL PUMP NOZZLES - HIGH PRESSURE, SCREW-IN						
NOZZLE SIZE	0 °	15°	25°	40°			
2.0	NOS-0002	NOS-1502	NOS-2502	NOS-4002			
2.5	NOS-0002.5	NOS-1502.5	NOS-2502.5	NOS-4002.5			
3.0	NOS-0003	NOS-1503	NOS-2503	NOS-4003			
3.5	NOS-0003.5	NOS-1503.5	NOS-2503.5	NOS-4003.5			
4.0	NOS-0004	NOS-1504	NOS-2504	NOS-4004			
4.5	NOS-0004.5	NOS-1504.5	NOS-2504.5	NOS-4004.5			
5.0	NOS-0005	NOS-1505	NOS-2505	NOS-4005			
5.5	NOS-0005.5	NOS-1505.5	NOS-2505.5	NOS-4005.5			
6.0	NOS-0006	NOS-1506	NOS-2506	NOS-4006			
6.5	NOS-0006.5	NOS-1506.5	NOS-2506.5	NOS-4006.5			
7.0	NOS-0007	NOS-1507	NOS-2507	NOS-4007			
7.5	NOS-0007.5	NOS-1507.5	NOS-2507.5	NOS-4007.5			
8.0	NOS-0008	NOS-1508	NOS-2508	NOS-4008			
8.5	NOS-0008.5	NOS-1508.5	NOS-2508.5	NOS-4008.5			
9.0	NOS-0009	NOS-1509	NOS-2509	NOS-4009			
10	NOS-0010	NOS-1510	NOS-2510	NOS-4010			

l	GENERAL PUM	GENERAL PUMP NOZZLES - HIGH PRESSURE, QUICK CONNECT								
	NOZZLE SIZE	O° (RED)	15° (YELLOW)	25° (GREEN)	40° (WHITE)					
l	2.0	NOQS-0002	NOQS-1502	NOQS-2502	N0QS-4002					
l	2.5	NOQS-0002.5	NOQS-1502.5	NOQS-2502.5	NOQS-4002.5					
l	3.0	NOQS-0003	NOQS-1503	NOQS-2503	N0QS-4003					
l	3.5	NOQS-0003.5	NOQS-1503.5	NOQS-2503.5	NOQS-4003.5					
l	4.0	N0QS-0004	NOQS-1504	NOQS-2504	N0QS-4004					
l	4.5	NOQS-0004.5	NOQS-1504.5	NOQS-2504.5	NOQS-4004.5					
l	5.0	NOQS-0005	NOQS-1505	NOQS-2505	NOQS-4005					
l	5.5	NOQS-0005.5	NOQS-1505.5	NOQS-2505.5	NOQS-4005.5					
l	6.0	NOQS-0006	NOQS-1506	NOQS-2506	NOQS-4006					
l	6.5	NOQS-0006.5	NOQS-1506.5	NOQS-2506.5	NOQS-4006.5					
l	7.0	NOQS-0007	NOQS-1507	NOQS-2507	N0QS-4007					
l	7.5	NOQS-0007.5	NOQS-1507.5	NOQS-2507.5	NOQS-4007.5					
l	8.0	NOQS-0008	NOQS-1508	NOQS-2508	N0QS-4008					
l	8.5	NOQS-0008.5	NOQS-1508.5	NOQS-2508.5	NOQS-4008.5					
	9.0	NOQS-0009	NOQS-1509	NOQS-2509	NOQS-4009					
	10	NOQS-0010	NOQS-1510	NOQS-2510	N0QS-4010					

SPRAYING SYST	SPRAYING SYSTEMS NOZZLES - HIGH PRESSURE, SCREW-IN			
NOZZLE SIZE	NOZZLE SIZE 0° 15° 25°		40°	
2.0	SSN-0002	SSN-1502	SSN-2502	SSN-4002
2.5	SSN-0002.5	SSN-1502.5	SSN-2502.5	SSN-4002.5
3.0	SSN-0003	SSN-1503	SSN-2503	SSN-4003
3.5	SSN-0003.5	SSN-1503.5	SSN-2503.5	SSN-4003.5
4.0	SSN-0004	SSN-1504	SSN-2504	SSN-4004
4.5	SSN-0004.5	SSN-1504.5	SSN-2504.5	SSN-4004.5
5.0	SSN-0005	SSN-1505	SSN-2505	SSN-4005
5.5	SSN-0005.5	SSN-1505.5	SSN-2505.5	SSN-4005.5
6.0	SSN-0006	SSN-1506	SSN-2506	SSN-4006
6.5	SSN-0006.5	SSN-1506.5	SSN-2506.5	SSN-4006.5
7.0	SSN-0007	SSN-1507	SSN-2507	SSN-4007
7.5	SSN-0007.5	SSN-1507.5	SSN-2507.5	SSN-4007.5
8.0	SSN-0008	SSN-1508	SSN-2508	SSN-4008
8.5	SSN-0008.5	SSN-1508.5	SSN-2508.5	SSN-4008.5
9.0	SSN-0009	SSN-1509	SSN-2509	SSN-4009
10	SSN-0010	SSN-1510	SSN-2510	SSN-4010
12	SSN-0012	SSN-1512	SSN-2512	SSN-4012

SPRAYING SYSTEMS NOZZLES - HIGH PRESSURE, QUICK CONNECT				
NOZZLE SIZE	O° (RED)	15° (YELLOW)	25° (GREEN)	40° (WHITE)
2.0	SSNQ-0002	SSNQ-1502	SSNQ-2502	SSNQ-4002
3.0	SSNQ-0003	SSNQ-1503	SSNQ-2503	SSNQ-4003
3.5	SSNQ-0003.5	SSNQ-1503.5	SSNQ-2503.5	SSNQ-4003.5
4.0	SSNQ-0004	SSNQ-1504	SSNQ-2504	SSNQ-4004
4.5	SSNQ-0004.5	SSNQ-1504.5	SSNQ-2504.5	SSNQ-4004.5
5.0	SSNQ-0005	SSNQ-1505	SSNQ-2505	SSNQ-4005
5.5	SSNQ-0005.5	SSNQ-1505.5	SSNQ-2505.5	SSNQ-4005.5
6.0	SSNQ-0006	SSNQ-1506	SSNQ-2506	SSNQ-4006
6.5	SSNQ-0006.5	SSNQ-1506.5	SSNQ-2506.5	SSNQ-4006.5
7.0	SSNQ-0007	SSNQ-1507	SSNQ-2507	SSNQ-4007
7.5	SSNQ-0007.5	SSNQ-1507.5	SSNQ-2507.5	SSNQ-4007.5
8.0	SSNQ-0008	SSNQ-1508	SSNQ-2508	SSNQ-4008
8.5	SSNQ-0008.5	SSNQ-1508.5	SSNQ-2508.5	SSNQ-4008.5
9.0	SSNQ-0009	SSNQ-1509	SSNQ-2509	SSNQ-4009
10	SSNQ-0010	SSNQ-1510	SSNQ-2510	SSNQ-4010
12	SSNQ-0012	SSNQ-1512	SSNQ-2512	SSNQ-4012

0° (Red) 15° (Yellow) 25° (Green) 40° (White)

SHURFLO PUMPS



12V SHURFLO WITH PREMIUM VALVES

#1049	1.4 GPM / 60 PSI / VITON VALVES	\$ 82.66
#1050	1.8 GPM / 100 PSI / VITON VALVES	\$ 82.66
#1671	ALLISON CHEM INDUCTION PUMP	\$ 96.74
#1051	3.0 GPM / 45 PSI / VITON VALVE	\$ 98.05
#1052	3.6 GPM / 45 PSI / VITON VALVE	\$133.51

115V SHURFLO WITH PREMIUM VALVES

#1053	1.4 GPM / 60 PSI / VITON VALVES	\$ 99.93
#1054	1.5 GPM / 150 PSI / VITON VALVES	\$134.15
#1055	1.6 GPM / 100 PSI / VITON VALVES	\$138.47

REPAIR KITS FOR SHIIRFIN PIIMPS

	WEI WIN WILD LOW DIJONI FO LOWILD	
#1046	CHECK VALVE - 8000 SERIES	\$18.53
#1047	CHECK VALVE - 8020, 8030 SERIES	\$14.36
#1048	CHECK VALVE - 2088 SERIES	\$16.12
#1040	BY-PASS, VITON, ALL MODELS	\$34.34
#1041	DIAPHRAGM KIT, 8000 SERIES	\$19.01
#1045	DIAPHRAGM DRIVE KIT, 2088 SERIES	\$26.36
#1042	PRESSURE SWITCH, 8000, 60 PSI, VITON	\$25.77
#1043	PRESSURE SWITCH, 8000, 100 PSI, VITON	\$25.11
#1044	PRESSURE SWITCH, 2088, 45 PSI, VITON	\$40.55

PREMIUM CHEMICAL LINE

- Reinforced Poly Tubing
- 250 PSI Working Pressure

#1166 3/8" X 300' ROLL

#2709 3/4" X 300' ROLL

• Resistant to Chems, Fuels, Solvents

1/4" TUBING - 250 Working / 750 Burst

#1159	1/4" X 25' ROLL	\$ 9.34
#1160	1/4" X 50' ROLL	\$17.39
#1161	1/4" X 100' ROLL	\$28.98
#1162	1/4" X 300' ROLL	\$75.22
3/8"TUBING - 250 Working / 750 Burst		
#1163	3/8" X 25' ROLL	\$13.36
#1164	3/8" X 50' ROLL	\$22.76
#1165	3/8" X 100' ROLL	\$42.96

1/2" TUBING - 250 Working / 750 Burst

#2217	1/2" X 100' ROLL - IDEAL FOR ROOF CLEANING	\$ 65.36
#2637	1/2" X 300' ROLL - IDEAL FOR ROOF CLEANING	\$127.37

3/4" TUBING - 250 Working / 750 Burst

#2/183	3/4" X 100' ROLL	_	\$ 93.93
112703	J/T A TOO HOLL		7 75.75

1/4" PREMIUM CLEAR CHEMICAL LINE

#1167	1/4"THICK WALL CHEM LINE, 100'	\$46.93
#2199	1/4" STANDARD CHEMICAL LINE, 100'	\$24.10

SHURFLO 12 VOLT BACK-PACK SPRAYER



Sprays 120 Gallons @ 40 PSI on a single charge

> Variable Speed Pump and adjustable nozzle

Advanced Microprocessor Pump Controller

Open Tip for long range, high volume spraying

#1962	Backpack Sprayer Complete	\$199.94
#1678	Replacement Battery Pack	\$ 53.64
#1679	Spare Wall Charger and Cable	\$ 40.21
#1680	Spare Pump, Hose and Hardware	\$127.12
#1681	Spare PC Board & Wiring Harness	\$ 67.07
#1682	Spare Wand Assembly	\$ 24.11



2-GALLON **PUMP-UP** Industrial Grade #1883 \$17.95

4-GALLON **BACK PACK**

PUMP-UP **SPRAYER** • 1.5 Quarts

 Thumb Type #1822 **\$5**.99

 Industrial Grade Includes: 4 Nozzles #1844 **\$54.63**



PROFESSIONAL TRIGGER-JET SPRAY GUNS



350 PSI GUN, VITON® SEALS WITH POLY LANCE

#1213	30" POLY LANCE - SS BALL - FAN NOZZLE	\$33.50
#1215	30" POLY LANCE - SS BALL-ADJ NOZZLE	\$33.50
#1332	30" POLY LANCE W/CERAMIC BALL - ADJ. NOZZLE	\$38.87
#1216	53" POLY LANCE - SS BALL - ADJ. NOZZLE	\$32.95
#1333	53" POLY LANCE WITH CERAMIC BALL - ADJ NOZZLE	\$34.95

750 PSI GUN ONLY

#1212	SPRAY GUN- STAINLESS BALL (NO LANCE)	\$26.78
#1169	SPRAY GUN-CERAMIC BALL (NO LANCE)	\$25.44



REPLACEMENT SPRAY NOZZLE

 Solid Brass · Fully Adjustable • Fits 1/4" Lance #1211 \$3.17

Guns have 1/2" Inlet - so if you are using a...

...1/4" Chem Line order Brass Barb #1726 \$3.44 ...3/8" Chem Line order Brass Barb #1727 \$3.99



POLY BARBS FOR SHRUFLO

\$96.72

\$225.35

• When you order a ShurFlo pump be sure and ask your sales rep for the correct poly barbs.

#1077	1/4" MPT X 1/4" BARB Fits:	\$2.61
#1078	3/8" MPT x 1/4" BARB Fits:	\$2.61
#1079	90°, POLY, 1/4" MPT Fits:	\$2.61
#1080	90°, POLY, 3/8" MPT Fits:	\$2.61



MEMORY COIL CHEM LINE - PREMIUM

• Strain Reliefs on Both Ends, Brass 1/4" MPT Ends, Non-Kinking #4999 30'Coil \$ 19.30 #4998 50'Coil \$24.68



- Next to impossible to KINK!
- 800 PSI Working Pressure
- Great By-pass hose for Unloaders
 - · Great for Hose Reels



#3399 3/8" ID, 800 PSI, Price P/F \$1.25 #3400 1/2" ID, 800 PSI, Price P/F \$1.36 #3401 3/4" ID, 800 PSI, Price P/F \$3.95

...anyone else in the industry & at the best price!

Clear Bowl Filter 50 Mesh • 1/2" In/Out #1012 \$12.44 • 3/4" In/Out #1013 \$12.44



Compact Filter 50 Mesh Aluminum 1/2" In/Out • By-pass Port #1009 \$12.95



Direct Mount Filter 50 Mesh

Brass · w/By-Pass Port #1010 \$10.70

w/o By-Pass #1011 \$11.77



PREMIUM HI-VOLUME FILTER Use on 8 to 22 **GPM Pumps**

50 Mesh • 1" In/Out

#1015 \$34.95 Remote Hanger #2412 \$26.95



Y-Trap Filter - 50 Mesh

• 3/8" In/Out #1155 \$1.95

• 1/2" In/Out #1156 \$7.95

• 3/4" In/Out #1157 \$4.95

• 1" In/Out #1158 \$4.95



Garden Hose Connector

50 Mesh - Brass 3/4" G/Hose Inlet

• 1/2"MPT to Pump #1019 \$4.36

• 3/4"MPT to Pump #1020 \$5.30

 Filter Washer Screen #1625 \$.39



Standard Float Valve

to 145 PSI to 140°F Temp 3/4" Inlet

Plastic

#1598 \$14.95

Brass #1599 \$18.95



WATER FLOW METER

• No more guess work! Know exactly how much water you are supplying to your pump.

- Precise Electronic Monitoring
- Handles from 1-15 GPM



#1797 \$197.12

FIRE HYDRANT HOSE

- Fill that 500 Gallon Tank in 2 Minutes Flat! • Complete with MxF NST Alum. Connector
- Use PVC Pipe on the Tank End



#3336 50'x 2-1/2" \$168.49

GARDEN HOSE CONNECTORS



Single Shut Off #1309 \$5.30 #1310 **Dual Shut Off** \$6.65 #1311 **Hose Connector**





#1683 4-7 SHOE SIZE \$29.95 #1684 7-10 SHOE SIZE \$29.95 #1685 10-14 SHOE SIZE \$29.95

FLOAT TANK WITH COVER Max Temp 140°F

5" x 10" x 8"

Tank

#1597 \$13.36

 Filter #1234 \$ 9.95



HUDSON FLOAT VALVE

No Moving Parts 1" Inlet

• 90° Temp Rating #1343 \$34.95

 150° Temp Rating #1344 \$39.95









PREMIUM

BRUSHE

WASH PADS & RECOVER



Welcome to Our **EARTH C**atalog!

ALLISON ENGINE

TERMINATOR

Shuts down the

engine if the pump

head reaches 145°

which often happens when you leave the

trigger gun in the 'off'

position for more

than 3 minutes.

TINY-TACH

No more guess work! Mount permanently or use loose. Easy Installation!



For Gas Engines: #1429 **\$45.82** For Diesel Engines: #3407 **\$138.91**

GAS CAP Fits Honda GX Series



#1129 \$2.47

KEY-WAY STOCK 1/4" - Super Hard



#3777 **\$9.71**

BATTERY BOX

Tie-down Hardware Marine Grade



Large (Std. Size) #1690 **\$11.95**

Small (U1 Tractor) #4690 \$11.95

OIL DRAIN PLUG

For Engines & Pumps No more messy oil changes



For Gas Engines: #1428 **\$12.95** Will Not Fit Honda

PREMIUM FUEL LINE

1/4"Thick Wall For Gas or Diesel



#1196 **\$1.33**

STARTER SOLENOID

Universal Fits All Gas Engines



#1427 **\$14.95**

UNIVERSAL KEY SWITCH

Fits All Engines ON/OFF/START



#1430 **\$24.95**

BATTERY TERMINALS

Heavy Duty Lead Construction



#1825 **\$2.00**

• Idles the engine

down when you release the trigger.

 Returns to full throttle when the

trigger is pulled. · Not to be used on

hot water machines

generator.

ENGINE THROTTLE DOWN

#1990 \$29.95

FOR "DC" CURRENT ONLY DO NOT INSTALL ON AC CURRENT



equipped with a

THROTTLE CABLE

Marine Grade

- 36" Cable can be cut to fit
- · For precise speed control
- Auto Pre-sets
- Push Pull or 'Snap' Pull and lock
- · Designed for harsh, moist environments

#1991 \$48.73



FUEL TANK For Large Cart Equipment Includes Marine Grade Mounting **24 GAL TANKS** Hardware & Cap 31.5Lx17Wx11H #9400 RED 24 Gallon Tank for GAS ONLY \$193.49 #9401 BLUE 24 Gallon Tank for Diesel & Kerosene \$193.49 #4121 \$54.95

DUAL OR SINGLE PUMPER FRAME


Pre-drilled for the following: 18-40 HP Kohler, Briggs & Honda **Dual or Single Pump Drive** Generator with Single Pump Oil Drain Holes

Includes 24 Gallon Gas or Fuel Tank & Battery Box









HOND	A & VANGUARD FILTERS	
Part #	Description	PRICE
1613	Honda Air Filter for GC160	\$7.99
1614	Honda Air Filter for GX160 & GX 200	\$7.76
1615	Honda Air Filter for GX240 & GX270	\$7.51
1616	Honda Air filter for GX340 & GX390	\$8.04
1733	Vanguard Pre-cleaner	\$4.42
1734	Vanguard Oil Filter	\$9.95
1735	Vanguard Air Filter	\$12.95
1617	Honda Oil Filter for GX620 or GX670	\$11.82
1618	Honda Spark Plug for GC $\&$ GX $4HP$ to $13HP$	\$2.67
1619	Honda Dip Stick for GS260 & GX390	\$12.02
1620	Honda Dip Stick for GC135 & GX200	\$11.95



DESCRIPTION

CS7T	Kohler, 7 HP, 3/4" Shaft, w/Muf.	\$427.06
1772	Kohler, 8.5 HP, 1" Shaft, w/Muf.	\$728.54
1769	Kohler, 12.75 HP, 1" Shaft, w/Muf.	\$749.46
2068	Honda, 13 HP, 1" Shaft, w/Muf.	\$615.55
1829	Kohler, 18 HP, 20 Amp Recharge, 1" Shaft - w/Muf.	\$959.85
1732	Vanguard, 18 HP, 20 Amp Recharge, 1" Shaft w/Muf.	\$915.00
1830	Kohler, 22 HP, 25 Amp Recharge, 1-1/8" Shaft	\$1516.13
2069	Honda, 20 HP, 26 Amp Recharge, 1" Shaft w/Muf.	\$1495.00
1816	Honda, 24 HP, 26 Amp Recharge, 1-1/8" Shaft	\$1695.00
1831	Kohler, 25 HP, 25 Amp Recharge, 1"Shaft	\$1695.00
1832	Kohler, 27 HP, 25 Amp Recharge, 1-1/8" Shaft	\$1836.66
2888	Kohler, 28 HP, Water Cooled, 25 Amp, 1-1/8" Shaft Includes Control Module, Use Muffler #2340	\$1936.74
1833	Kohler, 28 HP, EFI Fuel Miser, 25 Amp, 1-1/8" Shaft	\$2162.37
1834	Kohler, 30 HP, 25 Amp Recharge, 1-1/8" Shaft	\$1845.16
1836	Kohler, 40 HP, 25 Amp Recharge, 1-7/16" Shaft	\$2721.51
KUB65	Kubota, 65 HP Diesel w/Shaft and Controls	\$6700.00
	MUFFLERS	
1279	Kohler, 18-22 HP, Top Mount, Oil Filter Side	\$107.36
1280	Kohler, 18-22 HP, Top Mount, Starter Side	\$107.36
1282	Kohler, 18-22 HP, Low Mount, Oil Filter Side	\$147.63
1281	Kohler, 18-22 HP, Low Mount, Starter Side	\$134.21
1283	Kohler, 25-30 HP, Top Mount , Oil Filter Side	\$120.78
1284	Kohler, 25-30 HP, Top Mount , Starter Side	\$120.74
1286	Kohler, 25-27 HP, Low Mount Oil Filter Side	\$215.04
1285	Kohler, 25-27 HP, Low Mount Starter Side	\$215.04
2340	Kohler, 28 Water Cooled, Oil Filter Side	\$127.49



KOHLER MAINTENANCE KIT INCLUDES:

2 Quarts of Oil Oil Filter Air Filter Pre-Cleaner **Fuel Filter** 2 Spark Plugs

#6440 KIT Fits 18 HP bought from EnviroSpec \$42.96 #6441 KIT Fits all Kohlers 22 HP through 30 HP \$42.96

KOHTEK LITI EK2				
Part #	Description	PRICE		
1837	Long oil filter / Pro Series	\$10.68		
1838	Short oil filter / Pro Series	\$10.68		
1839	Fuel filter	\$ 6.65		
1840	Air filter/Pre-Cleaner fits CH-25 & CH-27	\$11.66		
1841	Pre-cleaner fits CH-25 & CH-27	\$ 6.05		
1842	Air filter/Pre-Cleaner,CH-18, CH-20, CH-22	\$11.66		
1843	Pre-cleaner fits CH-18, 20 & 22	\$ 6.05		
3932	Donaldson Air Filter for Our 28 WC, 30 & 38	\$20.11		
3933	Donaldson Safety Filter for 3932 above	\$24.29		

TUGE Catalog is at www.envirospec.com

BECKETT BURNER

- Interchanges with Wayne Easy installation
- Special burner made to Espec specifications

One of the longest lasting, most trouble free Burners in the Industry!



#1390	12Volt ADC - for Washers up to 6 GPM	\$399.95
#1391	12 Volt SDC - for Washers over 6 GPM	\$499.95
#1393	115 Volt AFG -for Washers up to 6 GPM	\$359.95
#1394	115 Volt SF - for Washers over 6 GPM	\$379.95

Fits Beckett & Wayne **Burners**



#1410	3450 RPM, 1/7 HP, 115V (2456U)	\$ 69.95
#1411	3450 RPM, 1/5 HP, 115V (2900U)	\$ 99.83
#1412	3450 RPM, 1/6 HP, 13.5V (21699U)	\$ 89.95
#1413	3450 RPM, 1/4 HP, 12V (21539)	\$149.95
#1414	3450 RPM, 1/4 HP, 115/240V (21344)	\$109.95
#1415	3450 RPM, 1/4 HP, 240V (2899)	\$ 99.95

#1404	12V IGNITOR ASSY SDC BECKETT	\$127.49
#1405	12V IGNITOR ASSY ADC BECKETT	\$127.49
#1406	TRANSFORMER FOR 120V 'A' BECKETT Old Style	\$ 64.12
#1407	TRANSFORMER FOR 230V 'A' SERIES BECKETT	\$ 64.12
#1408	TRANSFORMER FOR 230V 'S' SERIES BECKETT	\$ 69.65
#1409	TRANSFORMER FOR 120V 'A' BECKETT SMALL VERSION - See 1406 for old style	\$ 48.08
#1375	IGNITER, WAYNE, 12V, BACK HINGE FOR MSR	\$119.95
#1376	TRANSFORMER, WAYNE, 120V SIDE HINGE	\$ 79.13
#1377	TRANSFORMER, WAYNE, 120V, BACK HINGE	\$ 93.93
#1378	TRANSFORMER, WAYNE, 230V, SIDE HINGE	\$ 83.47

CHECK-MATE





BURNER CONTROLS

#1370	PRESSURE SWITCH, 3,650 PSI, 1/4" MPT	\$23.95
#1371	PRESSURE SWITCH, 3,650 PSI, 3/8" MPT	\$23.95
#1372	PRESSURE SWITCH, 6,500 PSI, 1/4" MPT	\$69.95
#1367	FLOW SWITCH, VERTICAL	\$39.95
#1368	FLOW SWITCH, VERTICAL OR HORIZONTAL	\$39.95
#1369	FLOW SWITCH, TMT, 12 GPM	\$42.99
#2272	PHOENIX, RATED TO 18 GPM	\$114.95
#1373	VACUUM SWITCH, FOR GAS ENGINES	\$22.76
#1374	VACUUM SWITCH, FOR ELECTRIC MOTORS	\$22.76
	#1371 #1372 #1367 #1368 #1369 #2272 #1373	#1371 PRESSURE SWITCH, 3,650 PSI, 3/8"MPT #1372 PRESSURE SWITCH, 6,500 PSI, 1/4"MPT #1367 FLOW SWITCH, VERTICAL #1368 FLOW SWITCH, VERTICAL OR HORIZONTAL #1369 FLOW SWITCH, TMT, 12 GPM #2272 PHOENIX, RATED TO 18 GPM

It will tell you in 2 seconds what it would normally take 2 hours to figure out on your own. A very simple wiring job using the enclosed instructions will have you up and running with a complete 12 volt burner diagnostic center on your machine in 'no time flat.'



It takes them - 2 HOURS to figure out why their burner is not working. It will take you - 2 SECONDS!

#4001 \$197.21

THERMOSTATS



	1425	
#1349	PREMIUM THERMOSTAT TO 310 DEGREE	\$29.95
#1425	STANDARD THERMOSTAT TO 194 DEGREE	\$24.95
#1884	PRE-SET THERMOSTAT, SHUTS OFF AT 160°	\$24.95
#1885	PRE-SET THERMOSTAT, SHUTS OFF AT 190°	\$29.56
#1426	IN LINE THERMOSTAT	\$54.95
#1107	HI LIMIT SWITCH WITH LEAD	\$22.39

FUEL PUMPS



#1399	FUEL PUMP, A2VA7116	\$44.89
#1400	FUEL PUMP, A1VA7112	\$79.95
#1402	FUEL PUMP, A1YA7912	\$81.22
#1397	BECKETT FUEL PUMP WITH 115 VOLT SOLENOID	\$69.95
#1398	BECKETT FUEL PUMP WITH 12 VOLT SOLENOID	\$69.95
#1396	REPAIR KIT FOR BECKET SOLENOID, 12 VOLT	\$19.95
#1395	REPAIR KIT FOR BECKETT 115V SOLENOID	\$19.95

Blower Wheel, Beckett SDC

6-1/4D x 3-7/16W

5-3/16 x 3-7/16 Rlower Wheel Wayne

Blower Wheel, Wayne

\$19.95

\$19.95

FUEL SOLENOIDS

For Beckett & Suntec



SUNTEC 220 VOLT \$29.86 #1417 SUNTEC 12 VOLT \$29.95

BURNER REPAIR PARTS FOR BECKETT & WAYNE

			#1201	6-1/4 x 4-3/16	\$19.95
#1350	Gasket for burner to coil	\$ 5.37	#1171	Blower Wheel, Wayne 4-1/4 x 3-1/8	\$19.95
#1217	Blower Wheel, Beckett SF - SM 5-3/4D x 3-7/16W	\$17.39	#1277	Blower Wheel to Pump Coupling Beckett SM - SF	\$ 5.71
#1312	Blower Wheel, Beckett AFG 4-1/4 x 2-7/16	\$19.95	#1278	Blower Wheel to Pump Coupling Beckett AFG	\$ 5.71
#1197	Blower Wheel, Beckett ADC 4-1/4D x 2-7/16W	\$19.95	#1198	Blower Wheel to Pump Coupling Beckett ADC	\$ 5.71
#1261	Blower Wheel, Beckett SR 6-1/4D x 3-7/16W	\$19.95	#1200	Blower Wheel to Pump Coupling Beckett SDC	\$ 5.71

#1199

#1170

See our awarding winning Technical Library on the Web

PREMIUM FUEL/WATER SEPARATOR

Separator #1794 \$29.95 Element #1793 \$14.95



RACOR FUEL/WATER SEPARATOR Separator #1419 \$46.32 Element #1420 \$18.95



BURNER SOOT **REMOVER** Pint #6998 \$ 9.95 Quart #6999 \$18.95



COIL **BLOW-OU7 VALVE** #1074 \$4.26



FILTER MOUNTING BLOCK #1115 \$9.33



BURNER TUNE-UP KITS

Beckett #1416 \$12.54 Wayne #1389 \$34.95





BURNER ON-OFF SWITCH #1388 \$10.68



If you need a coil we have a replacement!



BURNER END-CAP DISC

18" w/Hole #1038 \$46.92 18" Solid #1039 \$33.50



COIL INSULATION BLANKET

1" Thick x 24" Wide x 5' Long **Enough for One Coil** #1037 \$29.95

#5796 Flow Switch Light - Blue - 12V \$17.15

\$17.15

\$17.15

\$13.10

\$13.10

\$13.10

\$13.10

#5797 Thermostat Light - Red - 12V

#5798 Hi-Limit Light - Yellow - 12V

#1741 10 AMP Circuit Breaker

#1742 15 AMP Circuit Breaker

#1750 20 AMP Circuit Breaker

#1743 30 AMP Circuit Breaker

12 VOLT CIRCUIT BREAKERS



#1434

INDUSTRIAL







2,000 WATTS - 2-Bearing, Industrial - 5/8" Shaft



\$ 536.68

#7101 #7102 #7103 #7104

Handles 80 AMPS

12 VOLT

RELAY Handles 40 AMPS #1699 \$19.95



12 VOLT BURNER RELAY

#2039 \$39.95



BURNER

BURNER NOZZLES \$5.03



#1379	1.00 GPH - 80B
#1380	1.25 GPH - 80B
#1381	1 50 GPH - 80R

#13 #1381 #1382 1.75 GPH - 80B #1383 2.00 GPH - 80B 2.25 GPH - 80B #1385 2.50 GPH - 80B #1386 2.75 GPH - 80B #1387 3.00 GPH - 80B

\$ 554.90 2,400 WATTS - Brushless, 2-Bearing, Industrial - 1.125" Shaft #7101 \$ 585.70 4,000 WATTS - Brushless, 2-Bearing, Industrial - 1.125" Shaft #7102 6,000 WATTS - Brushless, 2-Bearing, Industrial - 1.125" Shaft \$ 765.20 #7103 #7104 7,200 WATTS - Brushless, 2-Bearing, Industrial - 1.125" Shaft \$1140.00 8,000 WATTS - 2-Bearing, Industrial - 1-1/4" Shaft \$1112.80 #7115 5,000 WATTS - GX270 HONDA - Full Receptacle Panel \$1993.12 #7110 12,000 WATTS - HONDA - Full Receptacle Panel \$3288.17 3,000 WATTS - VOLT MASTER - Same footprint as #1434 \$ 475.27 #1438 #1435 BRUSH (3 REQUIRED) FOR 2000 WATT #1434 (for 8000 model call) \$ 21.41 RECEPTACLE (2 REQUIRED) FOR 2000 WATT #1434 (for all other models call) #1436 \$ 12.54

RECTIFIER (1 REQUIRED) FOR 2000 WATT #1434 (for all other models call)

FAX: 888-851-7278 1-800-346-4876

If you need it & don't see it - we can get it at a great price!

PUMP DIP STICKS

CAT 2SF/4SF/2DX #1881 \$13.35 CAT 5DX/66DX/5CP #1880 \$13.36 General Pump

\$14.77



GENERAL PUMP SITE GLASS For TS & T Series

#1689 \$12.95 For TSF Series #1421 \$14.77



GENERAL PUMP VALVE CAP **GAUGE PORT**

'EZ' #1060 **\$24.10** TS/T #1061 \$16.95

PUMP HEAD

ANTI-FREEZE

#1768 \$6.95



THREAD LOCKER

Medium #1057 \$49.95 High Strength #1058 \$49.95



PUMP OIL

#1882



General 6-Pak/16 oz. #1064 \$24.95 General 24-Pak/16 oz. #1065 \$98.95 BE 1 Liter Bottle #1066 \$ 7 99 CAT 1 21 oz. Bottle #4788 \$9.95

GEAR BOXES



Dual Bearing Allison Dual Bearing Allison #1029 1-1/8" \$257.96 Udor to 30 HP #5750 1" \$225.77 Udor to 30 HP #5751 1-1/8" \$225.77

TAPE-TEFLON & ELECTRICAL



'OC'TEST TOOLS

Connects between Unloader & Hose



#1232 'QC' Body without Gauge \$ 7.03

#1233 'QC'Tester with Guage

PACKING

INSERTION KIT

For General Pumps



#1063 \$19.95

SEWER JETTING VALVE

For TT Pumps #1004 \$65.42 For EZ Pumps #1005 \$66.83 For T & TS Pumps #1006 \$54.95 For TSF Pumps

#3340 \$79.95



PACKING EXTRACTOR

Slide Hammer & 15, 18, 20, 22 & 24 mm. sockets



GENERAL PUMP REBUILD 'CD' #GPV-101 \$14.95

GENERAL PUMP

id save HUNDREDS

IT IS SO EASY

PRESSURE



3,000 PSI #1130 \$12.16 4,500 PSI #1131 \$12.16 6,000 PSI #1132 \$12.16 10,000 PSI #1133 \$12.16

PUMP RAILS

HEAVY DUTY

For Gas Engine

#1653 \$29.95

Pressure Washers

\$14.36



• Not sure why you are losing pressure

- Remove Unloader and attach direct to head
- INSTALL CORRECTLY SIZED NOZZLE
- Hold trigger securely and start engine and see exactly what you pump is capable of producing

CLUTCH PULLEY

Fits on Pump for Engines up to 22 HP

#9333 \$267.60 Allison Soft Touch Unloader is required. #7638

FRAMES

Belt Drive to 30 HP #9900 \$299.95 Gear Drive to 30 HP

#9901 \$299.95 13 HP DD Cart #2049 \$79.95

Plate to 30 HP #1899 \$39.95



#1778 10" Foam filled, never flat tire / wheel #1773 13" Pneumatic Tire / wheel for 3/4" Axle \$21.95 #1779 13" Foam filled, never flat tire / wheel \$29.95 #2330 13" Premium Mag never flat tire/wheel \$46.93 Axle Cap, nickel, fits 5/8" axle \$ 3.29 Axle Cap, nickel, fits 3/4" axle \$ 4.29 Rubber Foot, round \$ 2.61 #1777 Molded Rubber Foot \$ 4.46

PUMP ENGINE GENERATOR PULLEYS & BUSHINGS



	#1654	3.00 - 2-Groove "B	" (bushing required)	\$39.95
	#1655	3.20 - 2-Groove "B	" (bushing required)	\$39.95
	#1656	3.40 - 2-Groove "B	" (bushing required)	\$39.95
	#1658	3.60 - 2-Groove "B	" (bushing required)	\$39.95
	#1659	3.90 - 2-Groove "B	" (bushing required)	\$39.95
	#1661	#1661 6.40 - 2-Groove "B" (bushing required)		\$54.95
	#1662	7.40 - 2-Groove "B	" (bushing required)	\$56.95
	#1663	1663 8.40 - 2-Groove "B" (bushing required)		\$64.95
		Typical Generator Pulleys		
	#1657	3.40 - 1-Groove "B"	- no bushing required*	\$21.95
	#1660	#1660 3.90 - 1-Groove "B" - no bushing required*		\$29.95
F		Required Bushing	gs	
	#1025	5/8" For Engine	\$10.73	
	#1026	1" For Engine	\$10.73	
	#1027	1-1/8 For Engine	\$10.73	
	#1032	20mm For Pump	\$10.73	
	#1033	24mm For Pump	\$10.73	
	#1034	32mm For Pump	\$10.73	

Thanks for all you do for us & for making it possible...

We carry the complete line of The Industry's Most Popular Pumps









HERE ARE A FEW EXAMPLES:

and remember - we pay the freight!

HIGH TEMP KIT #1-#2035

Complete Hi-Temp Head Rebuild For GENERAL PUMPS

- 6 Hi-Temp Check Valves
- 3 Complete Sets of Hi-Temp Packings
- 3 Sets of Packing Brass
- 3 Ceramic Coated Pistons

STANDARD KIT #2 - #2036

Complete Standard Head Rebuild for GENERAL PUMPS

- 6 Check Valves
- 3 Complete Sets of Standard Packings
- 3 Sets of Packing Brass
- 3 Ceramic Coated Pistons



#2035	HI-TEMP VALUE KIT	\$321.90
#2036	1 GPK01, 3 GPK28'S, 3 PISTONS	\$290.11
#2037	1 GPK101, 3 GPK28'S	\$228.20
#2038	1 GPK01, 3 GPK28'S	\$149.95
#2034	HIGH TEMP KIT GPK101	\$79.95



HIGH TEMP KIT #3 - #2037

Check Valves & Packings for GENERAL PUMPS

- 6 Hi-Temp Check Valves
- 3 Complete Sets of Hi-Temp Packings
- 3 Sets of Packing Brass

STANDARD KIT #4 - #2038

Standard Check Valves & Packings for GENERAL PUMPS

- 6 Standard Check Valves
- 3 Complete Sets of Standard Packings
- 3 Sets of Packing Brass

HIGH TEMP CHECK VALVES - #2034

For General Pumps



Fits: TS2021, TS1011, TS1321, TS1331. TS1511. TS1021. TS1621. TS1711. TS2011. TS821, TT9111. TT941, TT9351. TT9441. TT2028G. TT2028E. TT2035, TT9061, TT9071, T9051, T9721, T9731, T9791, T721, T731, T991, T9951, T9971, T921, T9131, T1011, T1321, 59161, T1511, T1621, T1631, T9211, T2011, T2031, T9281, T9051EBF,

- The same as a Kit 1 General except it is rated for 185°
- · Great for those of you who need to leave the water in by-pass longer than 3 minute intervals

Listed below is a very small sampling of our pump inventory. If you do not see what you need just call. I am sure that one of our 2,000 available pumps will be the right one for you.



SPECIFICATIONS MODEL EZ4040G 4,000 PSI @ 4.0 GPM \$326.88



GENERAL **Belt or Gear Drive**



MODEL	SPECIFICATIONS	PRICE
TS1511	3,500 PSI @ 4.0 GPM	\$423.81
TS2021B	Same as TS-2021 except brass manifold	\$399.95
TS2021	3,500 PSI @ 5.6 GPM plated manifold	\$469.00
TSF2019	3,600 PSI @ 6.3 GPM	\$693.00
TSF2021	3,600 PSI @ 7.0 GPM	\$617.00
TSF2219	3,000 PSI @ 7.7 GPM	\$667.01
TSF2221	3,000 PSI @ 8.5 GPM	\$617.00
TSF2421	2,500 PSI @ 12 GPM	\$721.00
TSP1821	5,100 PSI @ 5.5 GPM	\$776.21



	Reit	or Gear	Urive
	MODEL	SPECIFICATIONS	PRICE
	MKC2024S	3,500 PSI @ 5.5 GPM	\$496.77
b	GKC2128S	4,000 PSI @ 5.5 GPM	\$677.75
"	GKC2624S	3,500 PSI @ 7.0 GPM	\$766.12
	GKC3020S	3,000 PSI @ 8.0 GPM	\$785.14

UDOR SEVERE DUTY



A-R DIRECT DRIVE

GKC4215S 2,200 PSI @ 11.5 GPM

MODEL	SPECIFICATIONS	PRICE
RKV4G37	3,700 PSI @ 4.0 GPM	\$362.97
RKV4G40	4,000 PSI @ 4.0 GPM	\$376.32



A-R RELT DRIVE

MODEL	SPECIFICATIONS	PRICE
RK1828HN	4,000 PSI @ 4.75 GPM	\$399.95
RK1528HN	4,000 PSI @ 4.0 GPM	\$389.95



\$817.74

\$836.75

SPECIFICATIONS MODEL SW5540 4,000 PSI @ 5.5 GPM \$498.75

...for us to do for them. Without you it wouldn't work!



Specifically Formulated to Rejuvenate Wood Fibers

FIBER is the purest form

of Oxygenated Cleaner & the only oxygenated cleaner with an Orange Solvent

We are widely regarded as one of the leading global experts in the development and implementation of Green cleaning solutions and the invention Fiber-X, our latest wood rejuvenator, is a good example why most experts turn to EnviroSpec to help them with their toughest cleaning projects.

Fiber-X is a blend of oxygenators, orange peel solvents and cross-linked surfactants that break the degenerative cycle of drying & decaying wood fibers that begins when environmental factors come into play. When used as directed Fiber-X breaks this cycle by allowing the wood to breath more efficiently. The orange peel solvents help to penetrate and eliminate any existing wood destroying bacteria by weakening it's cell wall. When the cell wall is weakened or disrupted, it can no longer function. This forces the cell to burst due to osmotic effects (water rushing into the cell). At this point wood fibers can recapture their shape while continuing to exist in a harsh outdoor environment.


For best results place 1/2 to 3/4 pound of product into a clean 5 gallon pail filled with slightly warm water. Pour in the product and stir 8-10 times. At this point approximately 80% of the powder wil still be at the bottom of the pail. Apply by placing the chemical pick-up line from a 12V or 115V ShruFlo or Flojet pump at the bottom of the pail and begin to drench the wood surface. By the time you have completely drained the pail all of the product will have been solubilized through its own oxygenation process. Allow to stand for approximately 15-20 minutes and rinse.


In some cases, especially with pressure treated wood, the surface will 'fuzz.' This will normally return to its natural state in a few days. Occasionally a light sanding may be required. It is because of this that we recommend a 1/2 pound per gallon of warm water for pressure treated wood.

#ZPFIB \$89.95 or #10FIB for 10 Kit Price \$69.95 Freight Pre-paid - Each Kit makes 40 to 80 Gallons 100% of the net profits that are generated from the EnviroSpec Chemical Division are donated to...



These Charities include but are not limited to the following:





PRO-BLEND

Quick Rinsing Truck & House Wash loaded with Water Softners

'Film Free' Cleaning in the Truck & House Washing Industry

SuperFlo Polymer Gloss Enhancers - Water Softening Additives - Nonionic Surfactant Base

Pro Blend is, by far, the most effective non-caustic, film free cleaning detergent concentrate in the professional contract cleaning industry. When used properly, the operator can expect to remove 85% to 90% of all road film from both tractor and trailer bodies that are cleaned on a regular basis.

Pro Blend exhibits excellent wetting, chelating, rinsing and emulsification properties due to its high concentration of our SuperFlo Polymer Complex System. This exotic complex is formulated from a variety of unique dispersants, hydrotopes, and surfactants which are not commonly found in detergent formulations.

The power from Pro Blend originates from a wide variety of uniquely charged ion surfactants, which will alter a positive charged substrate to a negative charge upon contact. This bond breaking function will provide the operator with a one-step cleaning process, rather than the typical acid-alkaline or two-step process that is presently being utilized throughout the industry. The advantages of single step cleaning, using Pro Blend, are twofold, 1) the contractor will be able to provide his/her customer with a much higher quality service, at a much lower cost, or should they choose, greatly enhance their own profit margin, and 2)eliminates the possibility of etching glass which can easily happen when using solutions with a hydrofluoric acid content.

#ZPPROB \$119.95 or #10PROB for 10 Kit Price \$99.95 - Freight Pre-paid - Each Kit makes 55 Gallons of Concentrate

Have you visited your local animal shelter lately?

The Industry's #1 Selling Truck Wash

PRODIGY

How good is it? We have one customer who purchases 5,500 drum packs a year!

CONTAINS SUPER GLOSS ENHANCERS

Prodigy is, by far, one of the highest non-caustic detergent concentrations available in the industry. Prodigy exhibits excellent wetting, chelating, rinsing, and emulsification properties due to its high concentration of our SuperFlo Polymer Complex System. This exotic complex is formulated from a variety of unique dispersants, hydrotopes, and surfactants, which are not commonly found in detergent formulations.

The general rule of thumb in detergent formulation is as follows: Approximately 1 gallon of water will hold approximately 1 pound of powder before separation begins. If your product begins to separate using this method, more often than not, your product has been camouflaged with what is known in our industry as "fillers". Fillers provide little to no value to the products integrity and/or performance. They are used primarily to add weight and increase the bottom line profit for the manufacturer. Using the 1 pound per 1 gallon rule, you can see the potency of Prodigy when you consider that we are able to thoroughly dissolve up to 2.3 pounds of Prodigy into 1 gallon of water without separation. To our knowledge, no other company can make this claim. The advantage of these concentration levels are twofold: 1) the contractor is now able to clean substrates that normally require the use of caustic cleaners and 2) work faster and safer, which increases your bottom line.

As the leader in contract cleaner formulations, EnviroSpec goes to great lengths in providing products that are both environment friendly as well as effective, an attitude not commonly found in such a demanding industry.

Since PRODIGY came out in 1986 it has grown to be the most asked for Truck Wash Detergent in the Mobile Wash Industry.

#ZPPRO \$119.95 or #10PRO for 10 Kit Price \$99.95 - Freight Pre-paid Each Kit makes 55 Gallons of Concentrate The Industry's #1 Selling Degreaser

MR. MUSCLE

What is Mr. Muscle? PRODIGY with extra Grease Cutters

CONTAINS 'EB' SOLVENT BOOSTERS QUICK RINSE ADDITIVES AND EXTRA GLOSS ENHANCERS

Mr. Muscle has a 40 pound base of Prodigy, the industry's #1 Selling Tractor/Trailer Wash, plus 2.5 gallons of solvent/surfactant additive that really cranks up the horsepower and safely cuts through the heavy build-up of carbonaceous pollutants such as the exhaust typically found on over-the-road trailer bodies and 'fifth-wheel grease!"

Mr. Muscle runs circles around all the degreasers found in the marketplace and at a price that is well below what you would expect to pay for such a product.

In addition, you will find it to work extremely well with both hot and cold water systems. The addition of SpeedX-777 which is part of the liquid additive makes rinsing a breeze.

Mr. Muscle exhibits excellent wetting, chelating, rinsing, and emulsification properties due to its high concentration of our SuperFlo Polymer Complex System. This exotic complex is formulated from a variety of unique dispersants, hydrotopes and rinse aids which are not commonly found in detergent formulations.

Typical applications for the concentrate are: Tractor/Trailer Bodies, Engines, Fork Lifts, Garage Floors, Rail Cars

As the leader in contract cleaner formulations, EnviroSpec goes to great lengths in providing products that are both environment friendly as well as effective, an attitude not commonly found in such a demanding industry.

#ZPMRM \$189.95 or #10MRM for 10 Kit Price \$152.95 - Freight Pre-paid Each Kit makes 55 Gallons of Concentrate

EMULSIFIER PLUS

The Industry's #1 Selling House Wash

BLEACH FRIENDLY DETERGENT WITH GLOSS ENHANCERS For the very best of all worlds start with 4 gallons of Emulsifier Plus to 1 Gallon of Bleach

Emulsifier Plus - is one of the Original House Wash Formulas developed by EnviroSpec. Our dilemma at the onset of its development stages were: we all knew bleach works better than anything for killing and cleaning mold & mildew but we also knew that bleach does absolutely nothing about cleaning carbonaceous pollutants such as exhaust carbons, dirt, grease and grime. The task was - how to do both at the same time!

Bleach, for the most part, does not like to be blended with other chemical products and many of the chemical products found in the professional mobile wash industry can create a serious explosive situation when mixed with sodium hypochlorite (bleach). Emulsifier Plus, on the other hand, is the answer to both the safety issue as well as the cleaning problem. These two products work extremely well together when blended and applied in accordance with the EnviroSpec instructions. Have the best of both worlds - Clean and Kill Mildew and Clean All the other Pollutants typically found on an exterior substrate. And do it all in one pass!

Emulsifier Plus has a pH of around 11.8 to 12.0 in a 1% solution. This unique blend of Surfactants & Builders has been specifically formulated for the House Wash Industry as a stand alone detergent or a detergent additive to be blended together with Bleach.

Emulsifier Plus works great on removing heavy build-ups of grease, grime and general fallout pollutants generally found in high traffic areas and exhibits excellent wetting, chelating, rinsing, and emulsification properties. Its ability to hold pollutants in suspension during the wash process makes it an ideal product when using either hot or cold water pressure washers.

#ZPEMUP \$119.95 or #10EMUP for 10 Kit Price \$99.95 - Freight Pre-paid - Each Kit makes 55 Gallons of Concentrate

There is little hope at a shelter. Please Spay/Neuter!

The Industry's Only 'FILM FREE' Truck Wash

BOND BREAKER

Contains **STATiX**™

An exclusive product of EnviroSpec specifically formulated to eliminate 'STATIC CLING' ON VEHICLE SURFACES

Bond Breaker is the most incredible product of its kind in the industry. Never has anyone been able to remove as much of the film caused by electromagnetic bonding of particles which results as the vehicle cuts it's way through the wind.

Typically this attempt is performed through the use of caustics such as Sodium or Potassium Hydroxides which are typically found in the paint stripping or exhaust hood cleaning industries. These products should never be utilized to clean painted vehicles. Yes, when applied the dirt and debris starts to roll off the surface but behind that dirt is a microscopic layer of the painted surface coming off with it. As the process continues the vehicle surfaces become dull.

Bond Breaker utilizes a unique blend of products to break the magnetic field which holds the film particles on the surface. Given the best of all the elements, soft water, ambient temperatures and cleaning methods, Bond Breaker will remove 99% of all film from the surface. Worst case scenario you can expect 95%-97% removal.

Our development model for Bond Breaker was as follows:

- 1) It had to have an extremely quick reaction time yet Safe to use.
- 2) It had to dissolve grease and carbon on contact with minimum dwell time
- 3) It had to produce a minimum of 92% film free surface.
- 4) It had to have exceptional rinsing characteristics.

Bond Breaker is not for everyone. It is an expensive product to formulate and stabilize. It is aimed at a unique market that demands the very best and expects it to perform accordingly.

#ZPBON \$189.95 or #10BON for 10 Kit Price \$159.95 - Freight Pre-paid Each Kit makes 55 Gallons of Concentrate House Wash with Solvents & Mildew Release Agents

LIMONENE

Contains Pure d'Limonene Solvent

Exterior House Wash Orange Peel Solvents and High Yield Gloss Enhancers



In recent years the evolution of the environment conscious homeowners are becoming much more educated in the field of exterior house washing. They are saying 'no-more' to the contractors who are using the unfriendly bleach that has been so popular for so long simply because it is inexpensive to purchase and, until now, there have been few alternatives for removing mold and mildew.

The solvency in Limonene originates from citrus by-products such as orange and lime peels. These solvents, coupled with specific pH balanced surfactants and builders, provide the contractor with an excellent product that quickly removes carbonaceous pollutants such as oil and grease and other fallout pollutants commonly found in the house washing industry. Pollutants such as gutter streaks, mold/mildew, etc. For the first time ever they are experiencing safe and effective surface chemistry that deals with wood, aluminum and vinyl siding and the pollutants common to those surfaces.

Limonene has excellent hydrotoping characteristics through the use of a unique dispersant complex which is not commonly found in detergent chemistry. This complex, known as SuperFlo Polymer, has been developed by EnviroSpec and is found throughout our detergent formulary because of its tremendous ability to add horsepower to virtually every type of alkali detergent products while remaining much more gentle than the alternatives. You will find that Limonene has superior rinsing qualities in both hot and cold water environments which results in cleaning faster and safer.

All Products Produced by EnviroSpec are Certified

#ZPLIM \$129.95 or #10LIM for 10 Kit Price \$109.95 - Freight Pre-paid Each Kit makes 55 Gallons of Concentrate

High Foaming Car, Truck & House Wash

FOAM & SHINE

SINGLE PASS CLEANING! INCREDIBLY FAST RINSING! GREAT SHINE! HIGH FOAM CLEANING! SOLVENT FREE!

That is what the 'Foam-N-Shine' Formula is all about!

Using the finest builders in the industry and adding in specific water softening and foaming additives plus a blend of unique 'chelating agents' which 'tie up' the metallic ions in water has resulted in that 'always looked for' but 'seldom found' black magic formula that we now call...

FOAM'N-SHINE

FOAM-N-SHINE exhibits excellent wetting, chelating, rinsing and emulsification properties due to its high concentration of our SuperFlo Polymer Complex System. This exotic complex is formulated from a variety of unique dispersants, hydrotopes, and surfactants which are not commonly found in detergent formulations. With this 'double dose' of SuperFlo Polymer you can expect exceptional brilliance on most surfaces.

FOAM-N-SHINE dramatically reduces surface tension so pollutants 'roll-off' the surface with ease without having to brush. With special wetting agents you will find that FOAM-N-SHINE keeps the surface wetter longer allowing the contractor more flexibility in washing larger areas without having to worry about the surface drying before rinsing. FOAM-N-SHINE works extremely well with cold water or hot water equipment.

#ZPFNS \$119.95 or #10FNS for 10 Kit Price \$99.95 - Freight Pre-paid - Each Kit makes 55 Gallons of Concentrate

Every penny of profit from our chemicals...

Gloss Enhancing House Wash for Cold Water

POWER HOUSE

Specifically formulated for Cold Water Equipment & 'Hard Water' Areas

POWER HOUSE was developed for cold water washing where hard water is present. This product contains an over abundance of water softening chelating agents which makes it well suited for hard water areas throughout the country.

Typically hot water is the preferred method of applying and rinsing cleaning chemicals from the surface. However, you will find POWER HOUSE to work equally as well in a cold water environment. This is especially important in States like Florida, Georgia & Texas where it is not uncommon to see surface temperatures in the 130 degree range. Since heat generates alkalinity you can see how dangerous it can be when detergent is applied to the surface using a hot water pressure washer. Quite often this method results in alkaline shock where the water from the detergent evaporates and damages the surface before the operator has time to rinse. More often than not this damage is irreversible. Use Power house to avoid this danger.

The dispersant utilized in POWER HOUSE allows for a high concentration of specific builders and surfactants which will completely emulsify carbonaceous as well as general 'fall-out' pollutants commonly found in areas that see a lot of motor vehicle traffic. POWER HOUSE contains a high volume of our SuperFlo Polymer which accounts for it's surface gloss.

Although POWER HOUSE is considered a Super Concentrate you will find that it will provide a great wash/rinse cycle while remaining gentle on the surface.

POWER HOUSE is a unique blend of specialty surfactants and alkalis specifically formulated for the Professional Exterior House Washing Industry. It acts by first wetting and chelating pollutants and then holding them in suspension until the surface is thoroughly rinsed. POWER HOUSE is less aggressive on surface and vegetation than typical cleaners used in this field but will achieve superior cleaning results.

#ZPPH \$119.95 or #10PH for 10 Kit Price \$99.95 - Freight Pre-paid Each Kit makes 55 Gallons of Concentrate Hi-Solvent Truck Wash / Degreaser

VIPER

Specifically formulated for Truck & Bus Washing Industry Non-Caustic Degreaser with Gloss Enhancers for Dull Surfaces

Viper is a specialty product specifically formulated for the Truck Washing & Bus Washing Industry where exhaust fumes have become attached to the stack side of the trailer body & rear engine areas of City Buses. Coupled with carbon release activating solvents and rinse aids, Viper also finds itself being utilized in other areas where the heavy build-up of grease & oil is present. Garage Floors, Vehicle Maintenance Shops, and Service Stations are just a few of the many areas where Viper is utilized.

Viper is preferred by many professionals who have scheduled cleaning of commercial vehicles with a frequency of weekly or every other week service. It is a quick cleaner and a fast rinser. Areas where this product is being utilized is on Hertz, UPS, Ryder and many other Nationally known vehicle accounts.

Viper exhibits excellent wetting, chelating, rinsing and emulsifying properties. It has the ability to hold pollutants in suspension during the wash process and it's rinsability makes it an ideal product when using either cold or hot water equipment.

Viper's horsepower is derived from a group of Specialty Gloss Enhancers, Spot Free Rinse Aids, and a unique blend of surfactants which are not commonly found in the detergent industry.

Viper comes packaged in a two-part system. One part is approximately forty (40) pounds of Base Product. The second part is one gallon of Carbon Release Activator. The two combined will make 55 gallons of a super concentrate.

#ZPVIP \$119.95 or #10VIP for 10 Kit Price \$99.95 - Freight Pre-paid Each Kit makes 55 Gallons of Concentrate

Experience the Power of Zoloid Cross-Linked Surfactants

Z'GREASER

THE INDUSTRY'S MOST POWERFUL DEGREASING FORMULA

If you find yourself in a real 'bind' over removing oils and grease you will be amazed at what z'Greaser will 'cut.'

z'Greaser is the most powerful non-caustic formula in the degreasing chemical industry. Over 40 pounds of powder plus liquid activators are blended together to make 55 Gallons of liquid concentrate.

In general, z'Greaser was formulated to disrupt the surface membrane of grease in order to first free and then solubilize membrane-bound pollutants while, at the same time, holding those pollutants in solution and not allowing them to redeposit themselves elsewhere on the surface prior to rinsing.

Because of its wide range of a unique Zoloid Surfactant which is produced by EnviroSpec, z'Greaser can be utilized in a wide variety of cleaning applications. We have tested this product extensively in the truck washing industry and found that at a final product to surface dilution level of 225 parts water to 1 part product, z'Greaser produced the best results in 98% of our test models. In the heavy equipment degreasing industry 90 parts water to 1 part z'Greaser proved to be the best dilution rate.

Although expensive on a per unit basis, when you consider the unlimited cleaning projects that can be performed by z'Greaser at these phenomenal dilution rates you can readily see that this is really one of the most cost effective products on the market. It is not uncommon to have 1 drum of z'Greaser Concentrate to equal 5 drums of what is presently being sold to the Professional Mobile Wash Industry by other manufacturers.

#ZPZG \$179.95 or #10ZG for 10 Kit Price \$149.95 - Freight Pre-paid - Each Kit makes 55 Gallons of Concentrate

...finds it's way to a needy child or hungry animal.

Concrete Cleaner & Brightener

POWER STROKE

Specifically Formulated For FLAT SURFACE CONCRETE CLEANING

"Power Stroke" has successfully replaced the harsh caustics that have been being used for years. The science behind Power Stroke has made it the Professionals First Choice.

Contains: CONCRETE BRIGHTENING AGENTS

Power Stroke is the highest non-caustic detergent concentration available in the industry.

Power Stroke has been specifically formulated for heavy-duty oil/grease removal for untreated concrete. Unlike the caustics typically used in this industry Power Stroke is much more user and surface friendly when it comes to over spray.

You will find Power Stroke cleans much 'quicker' than caustics and acids due to it's excellent wetting, rinsing and emulsification properties and SuperFlo Polymer Complex System.

The general rule of thumb in detergent formulation is as follows: Approximately 1 gallon of water will hold approximately 1 pound of powder before separation begins. If your product begins to separate using this calculation, more often than not, your product has been camouflaged with what is known in our industry as fillers. Fillers provide little to no value to the products integrity. They are used primarily to add weight and increase the bottom line profit for the manufacturer. A typical filler would be Soda Ash. Using the 1 pound per 1 gallon rule you can see the potency of Power Stroke when you consider that we are able to thoroughly dissolve up to 2.5 pounds of Power Stroke into 1 gallon of water without separation. To our knowledge - no other company can make this claim. The advantage of these concentration levels are two fold: 1) the contractor is now able to clean substrates that normally require the use of caustic cleaners and 2) work faster and safer which increases your bottom line.

#ZPPOW \$239.95 or #10POW for 10 Kit Price \$199.95 Freight Pre-paid - Each Kit makes 55 Gallons of Concentrate The Only Non-Caustic Exhaust Hood Cleaner

HOOD PRO

Specifically Formulated For RESTAURANT EXHAUST HOOD CLEANER 10 years ago they were sceptical. Today more contractors are using Hood Pro as their First Choice Cleaner over the strongest Caustics on the market!

Until now Professionals have always had to rely on corrosives for the real tough hood cleaning jobs but not anymore! Hood Pro has revolutionized the industry by providing the contractor with a product that cleans as quick and effective as the 'hottest' hydroxide products in the industry while leaving him completely 'scare free' and with hair still on his arms when the job is complete. Only a Professional Exhaust Hood Contractor can fully appreciate that statement.

EnviroSpec's HOOD PRO product is the non-caustic workhorse of the professional exhaust hood cleaning industry. Known for it's consistent high performance, this powerful grease dissolving formula is being used more and more by the professionals who know and understand the disadvantages of using sodium or potassium hydroxide products. The "power" from Hood-Pro comes mainly from a wide variety of special 'ion' charged surfactants not commonly found in the detergent formulary industry. Coupled with a unique "builder" base, HOOD-PRO exhibits unbelievable pH stability and excellent foaming characteristics.

HOOD PRO offers excellent and economical grease dissolving, foaming, wetting, emulsification and biodegradability needed for today's specialized contractor. HOOD PRO is 100% active and highly concentrated. For example; the 'hottest' hydroxide products consist mainly of 50 pounds of powder to 50 gallons of water. The finished HOOD-PRO product will yield 55 gallons which is compounded from 80 pounds of the finest builders and performance driven surfactants in the industry

HOOD PRO will respond to your most difficult cleaning project with ease and provide you with an environment which is much safer to humans and less damaging to the surface.

#ZPHP \$239.95 or #10HP for 10 Kit Price \$199.95 Freight Pre-paid - Each Kit makes 55 Gallons of Concentrate

Heavy Duty Detergent with Gloss Enhancers

BIO-GREEN





Until now - most 'so called' environment friendly cleaners have been little more than 'watered down' products that have been sold under another name.

Choosing environmentally friendly cleaning products and eliminating toxic ones has always been what EnviroSpec is all about and Bio-Green is the latest addition to our arsenal of environment friendly products.

Bio-Green, a variation of the Limonene family, is the answer to everyone's concerns about Earth Friendly products that really can clean.

Bio-Green is truly a workhorse in the industrial and institutional detergent industry. Known for consistency, EnviroSpec, has developed this product to be the answer to all of the concerns in the vehicle cleaning and house washing industry as well as other projects requiring special surface active properties.

Bio-Green offers excellent and detergency, foaming, wetting, emulsification and biodegradability needed for today's specialized high performance cleaning products. It has excellent foaming characteristics which will provide the user with the necessary visual requirements to determine concentration levels on the surface being cleaned. Yes, Bio-Green can respond to your toughest needs, whether it's a medium duty truck or house wash job or a 'down and dirty' forklift with years of grease and grime. And it can do all this and still be gentle on the world we live in.

#ZPBG \$109.95 or #10BG for 10 Kit Price \$89.95 - Freight Pre-paid - Each Kit makes 55 Gallons of Concentrate

EnviroSpec
751 MLK Highway, Homerville, GA 31634 Locations: Milwaukee, WI & N.Monmouth, ME



SYSTEM SPECIFICATIONS

- o ALLISON Severe Duty Pump with Quick Drain Oil Plug
- Auto Shut-down if pump overheats
- o Tachometer & Hour Meter
- 18 & 30 HP Kohler Engine. with Quick Drain Oil Plug
- o 9 Gallon Fuel Tank
- o Marine Grade Battery Box
- ALLISON Gear Drive with Quick Drain Oil Plug
- o Safety Pressure Relief Valve
- o Oversize Aircraft Aluminum Cart
- o Super Suds Sucker Injector
- o 100', 4,000 PSI Hose
- o HT-4100 Hi-Flow Gun
- Hose Whip installed on Gun
- o 48" Stainless Steel Lance o Trombone Dual Nozzle Holder
 - Idle down not available on 10/12 GPM Units

and the engine

RETURNS TO IDLE

which gives you up to \$2500.00 p/y in fuel savings!

PSI / GPM

3500 - 5.60 - 18 HP

3600 - 8.50 - 30 HP

2900 - 10.0 - 30 HP

2600 - 12.0 - 30 HP

\$3.995.00

TWO GUN SMALL FOOTPRINT **SPACE SAVERS \$3.195.00**

1 Gun 8.6 GPM @ 3,600 PSI or 2 Guns @ 4.3/3,600 Each

10.0 GPM @ 3,000 PSI or 2 Guns @ 5.0/3,000 Each

YU2140 Unloader 2 ea. Suds Sucker Injectors 3 ea. Quick Drain Oil Plugs Allison Engine Terminator **Easy Start Valves** Safety Pressure Relief Valve 7500 PSI Ball Valves **Tachometer**

9 Gallon Fuel Tank & Battery Box



DUAL BEARING TRANSMISSION DRIVE

1 Gun @ 8.6 GPM & 3600 PSI 2 Guns @ 8.6 GPM & 3,600 PSI ea. 1 Gun @ 17 GPM & 2600 PSI

Gas System Features:

- Two Allison Pumps with 5 year head warranty
- Std. 40 HP Kohler Engine with auto spark advance
- OHigh Efficency Donaldson Air Filter
- OHigh volume Allison downstream Chemical Injection
- Allison Relays for trouble free 12 Volt Burner life
- OPoly Chain 'never tighten' belts
- 24 Gal Gas Tank for long, uninterrupted run times.
- Quick Drain Oil System for Engine & Pumps
- Tachometer/Hour Meter
- No-mess Oil Filter change system
- ○5000 PSI Safety Burst Disc
- 7500 PSI On/Off Valves
- Lifetime Frame Warranty / Lifetime Belt Warranty
- Shown with Optional Burners



Minimum Order \$50.00